

## ATLAS.ti Desktop Third Party Software Terms

### THIRD PARTY SOFTWARE TERMS - Last modification date: November 24, 2023

- ICU <http://site.icu-project.org/home> - is released under a nonrestrictive open source license that is suitable for use with both commercial software and with other open source or free software:  
<http://www.unicode.org/copyright.html#License>
- Evernote SDK for C#  
Copyright (c) 2007-2012 by Evernote Corporation, All rights reserved.  
Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

- H.264/AVC and MPEG-4 visual standards and VC-1 video standards  
The software may include H.264/MPEG-4 AVC and/or VC-1 decoding technology. MPEG LA, L.L.C. requires this notice:

THIS PRODUCT IS LICENSED UNDER THE AVC, THE VC-1, AND THE MPEG-4 PART 2 VISUAL PATENT PORTFOLIO LICENSES FOR THE PERSONAL AND NON-COMMERCIAL USE OF A CONSUMER TO (i) ENCODE VIDEO IN COMPLIANCE WITH THE ABOVE STANDARDS ("VIDEO STANDARDS") AND/OR (ii) DECODE AVC, VC-1, AND MPEG-4 PART 2 VIDEO THAT WAS ENCODED BY A CONSUMER ENGAGED IN A PERSONAL AND NON-COMMERCIAL ACTIVITY AND/OR WAS OBTAINED FROM A VIDEO PROVIDER LICENSED TO PROVIDE SUCH VIDEO. NO LICENSE IS GRANTED OR SHALL BE IMPLIED FOR ANY OTHER USE. ADDITIONAL INFORMATION MAY BE OBTAINED FROM MPEG LA, L.L.C.  
[www.mpegla.com](http://www.mpegla.com)

- OpenStreetMap  
OpenStreetMap data is made available under the Open Database License:  
<http://www.opendatacommons.org/licenses/odbl/1.0>  
<http://www.openstreetmap.org/copyright>  
<http://www.openstreetmap.org/copyright>

The cartography in the map files and the documentation are licensed under the Creative Commons Attribution- ShareAlike 2.0 (CC BY-SA) license:

<http://creativecommons.org/licenses/by-sa/2.0/>



ATLAS.ti

- GMap  
GMap.NET is licensed under the MIT License (MIT).  
Copyright (c) 2008-2011 Universe, WARNING: This software can access some map providers and may violate their Terms of Service, you use it at your own risk, nothing is forcing you to accept this ;) Source itself is legal! Code use license for GMap.Net (MIT License, see below)
- ControlzEx  
Copyright (c) 2015 Jan Karger, Bastian Schmidt  
Code use license for ControlzEx (MIT License, see below)
- CsQuery  
Copyright (c) 2012 James Treworgy  
Code use license for CsQuery (MIT License, see below)
- Dapper  
Copyright 2016 Sam Saffron, Marc Gravell  
Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at [apache.org/licenses/LICENSE-2.0](http://apache.org/licenses/LICENSE-2.0)

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

- DapperExtensions  
Copyright 2014 Thad Smith, Page Brooks  
Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at [apache.org/licenses/LICENSE-2.0](http://apache.org/licenses/LICENSE-2.0)  
Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.
- Fluent.Ribbon  
Copyright (c) 2009-2015 Bastian Schmidt, Degtyarev Daniel, Rikker Serg  
([github.com/fluentribbon/Fluent.Ribbon](https://github.com/fluentribbon/Fluent.Ribbon)) Code use license for Fluent.Ribbon (MIT License, see below) Foxit PDF SDK The Foxit PDF SDK remains the intellectual property of Foxit. You are not allowed to redistribute, modify, reverse engineer, or reuse any part of the Foxit PDF SDK in other applications than in the Software.



ATLAS.ti

- HTMLAgilityPack  
Licensed under the Microsoft Public License Ms-PL  
[html-agility-pack.net](http://html-agility-pack.net)  
[github.com/zzzprojects/html-agility-pack/blob/master/LICENSE](https://github.com/zzzprojects/html-agility-pack/blob/master/LICENSE)
- WPF Toolkit  
Licensed under the Microsoft Public License? Ms-PL  
[github.com/xceedsoftware/wpftoolkit](https://github.com/xceedsoftware/wpftoolkit)  
[github.com/xceedsoftware/wpftoolkit/blob/master/license.md](https://github.com/xceedsoftware/wpftoolkit/blob/master/license.md)
- Media Foundation .Net  
Licensed under the GNU Library or Lesser General Public License version 2.0 (LGPLv2)  
[mfnet.sourceforge.net](http://mfnet.sourceforge.net)
- NewtonSoft  
Copyright (c) 2007 James Newton-King and licensed under the MIT license.  
[github.com/JamesNK/Newtonsoft.Json/blob/master/LICENSE.md](https://github.com/JamesNK/Newtonsoft.Json/blob/master/LICENSE.md)
- Tweetinvi  
Tweetinvi is licensed under the Microsoft Public License (Ms-PL).  
[github.com/linvi/tweetinvi](https://github.com/linvi/tweetinvi)  
[github.com/linvi/tweetinvi/blob/master/LICENSE.md](https://github.com/linvi/tweetinvi/blob/master/LICENSE.md)
- WindowsAPICodePack  
The WindowsAPICodePack is licensed under custom Microsoft terms as explicated in  
<http://web.archive.org/web/20111225151819/http://archive.msdn.microsoft.com/WindowsAPICodePack/Project/License.aspx>
- WPF-Task-Dialog  
This work is licensed under the The Code Project Open License (CPOL) 1.02. To view a copy of this license, visit [codeproject.com/info/cpol10.aspx](http://codeproject.com/info/cpol10.aspx). Author: Sean A. Hanley Source: [github.com/yadyn/WPF-Task-Dialog](https://github.com/yadyn/WPF-Task-Dialog)
- SSH.NET  
Code use license for SSH.NET (MIT License, see below)  
[github.com/sshnet/SSH.NET/blob/master/LICENSE](https://github.com/sshnet/SSH.NET/blob/master/LICENSE)
- AutoFac  
This work is licensed under the MIT license, see below.  
Torsten Curdt – FeedbackReporter  
Source: [github.com/tcurdt/feedbackreporter](https://github.com/tcurdt/feedbackreporter)



ATLAS.ti

- AgileBits – objective-zip  
Source: [github.com/AgileBits/objective-zip](https://github.com/AgileBits/objective-zip)  
Copyright (c) 2011 AgileBits Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- Nicolas Seriot – STTwitter  
Source: [github.com/nst/STTwitter](https://github.com/nst/STTwitter)  
Copyright (c) 2012-2014, Nicolas Seriot. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Nicolas Seriot nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR



ATLAS.ti

PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- Jean-loup Gailly, Mark Adler – zlib  
Source: [github.com/AgileBits/objective-zip](https://github.com/AgileBits/objective-zip)  
Copyright (C) 1995-2013 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software. Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.  
Jean-loup Gailly Mark Adler -[jloup@gzip.org](mailto:jloup@gzip.org) [madler@alumni.caltech.edu](mailto:madler@alumni.caltech.edu)

- Andy Matuschak – Sparkle  
Source: [github.com/andymatuschak/Sparkle](https://github.com/andymatuschak/Sparkle)  
Copyright (c) 2006 Andy Matuschak. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions: The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL



ATLAS.ti

THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

- Magical Panda – Magical Record  
Source: [github.com/magicalpanda/MagicalRecord](https://github.com/magicalpanda/MagicalRecord) Copyright (c) 2010 Magical Panda Software, LLC

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions: The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

- Oliver Drobnik – DTMarkdownParser  
Source: <https://github.com/Cocoanetics/DTMarkdownParser>  
Copyright (c) 2013 Oliver Drobnik

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF



LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- Jonathan 'Wolf' Rentzsch – mach\_inject  
Source: [github.com/rentzsch/mach\\_inject](https://github.com/rentzsch/mach_inject)  
The mach\_inject project seems to be public domain.  
spaCy, cymem, pashed, thinc, blis, murmurhash, wasabi, srsly, and catalogue  
Copyright (C) 2016-2020 ExplosionAI GmbH, 2016 spaCy GmbH, 2015 Matthew Honnibal
- MIT license  
The Chinese, English, and German Models  
Copyright 2020 ATLAS.ti Scientific Software Development GmbH  
All rights reserved. They are based on the German and English models from spaCy which can be acquired here: [spacy.io/models](https://spacy.io/models) and which are distributed under the MIT license. (The MIT License, see below)
- spaCy-spanish-lemmatizer  
Copyright (c) 2019 pablodms
- MIT License  
The Portuguese model  
The original work is licensed under CC-BY-SA 4.0 Copyright Explosion Explosion AI GmbH and can be obtained here: <https://spacy.io/models/> The work including contributions is licensed under CC-BY-SA 4.0 - changes were made Copyright ATLAS.ti GmbH 2019-2020 and can be obtained under the same license here: [github.com/atlasti/nlp\\_models](https://github.com/atlasti/nlp_models)
- The Portuguese model  
The original work is licensed under Creative Commons Attribution-ShareAlike 4.0 Copyright Explosion Explosion AI GmbH and can be obtained here: [spacy.io/models](https://spacy.io/models)  
The work including contributions is licensed under Creative Commons Attribution-ShareAlike 4.0 - changes: added a TextCategorizer, changed the Tokenizer to include more inf xed braces, and added lookups to the Lemmatizer  
Copyright ATLAS.ti GmbH 2019-2020 and can be obtained under the same license here: [github.com/atlasti/nlp\\_models](https://github.com/atlasti/nlp_models)
- The Portuguese Synonyms  
Based on work from the TeP 2.0 project: [nilc.icmc.usp.br/tep2/index.htm](http://nilc.icmc.usp.br/tep2/index.htm)  
Copyright © Dias-da-Silva, B.C.; Moraes, H.R.; Oliveira, M.F.; Hasegawa, R.; Amorim, D.A.; Paschoalino C.; Nascimento, A.C. Maziero, E.G.; Pardo, T.A.S.; Di Felippo, A.; Santos D.; Gomes P.



Licensed under Creative Commons Attribution-ShareAlike 4.0 - changes:  
removed additional information beside simple synonyms, removed synonym sets  
of size one

A copy of the used database including contributions can be obtained under the  
same license here: [github.com/atlasti/synonyms](https://github.com/atlasti/synonyms)

- The Spanish model  
is licensed under CC-BY-SA 4.0 Copyright ATLAS.ti GmbH 2019-2020 was built  
using spaCy: Copyright (C) 2016- 2020 ExplosionAI GmbH, 2016 spaCy GmbH,  
2015 Matthew Honnibal and can be obtained here:  
[github.com/atlasti/nlp\\_models](https://github.com/atlasti/nlp_models)
- The Spanish Model  
is licensed under Creative Commons Attribution-ShareAlike 4.0  
Copyright ATLAS.ti GmbH 2019-2020  
was built using spaCy: Copyright (C) 2016-2020 ExplosionAI GmbH, 2016 spaCy  
GmbH, 2015 Matthew Honnibal and can be obtained here:  
[https://github.com/atlasti/nlp\\_models](https://github.com/atlasti/nlp_models)
- The Spanish Synonyms  
The original work is licensed under CC-BY-SA 4.0 - changes: removed additional  
information beside simple synonyms, removed synonym sets of size one  
Copyright © Guillermo Garcia, J. Eduardo Moreno  
Copyright © ATLAS.ti GmbH 2021  
A copy of the used database including contributions can be obtained under the  
same license here: [github.com/atlasti/synonyms](https://github.com/atlasti/synonyms)
- The Chinese, English, and German Models  
Copyright 2020 ATLAS.ti Scientific Software Development GmbH  
All rights reserved.  
They are based on the German and English models from spaCy which can be  
acquired here: [spacy.io/models](https://spacy.io/models) and which are distributed under the MIT license.  
(The MIT License, see below)
- The Chinese Synonyms  
Copyright © 2013 Guang Yang  
MIT License
- The German Synonyms  
The original work is licensed under Creative Commons Attribution-ShareAlike 4.0  
- changes: removed additional information beside simple synonyms, removed  
synonym sets of size one, removed some of ensive terms  
Copyright © openthesaurus.de  
Copyright © ATLAS.ti GmbH 2021



A copy of the used database including contributions can be obtained under the same license here: [github.com/atlasti/synonyms](https://github.com/atlasti/synonyms)

- SentimentDictionaries  
Copyright (c) 2018 Nicolas Pröllochs & Stefan Feuerriegel  
MIT license
- NumPy  
Copyright © 2005-2020, NumPy Developers.  
NumPy license
- protobuf  
Copyright 2008 Google Inc. All rights reserved.  
Protobuf License
- Python  
Copyright © 2001-2020 Python Software Foundation  
PSF License
- pytest  
Copyright (c) 2004-2020 Holger Krekel and others  
The MIT License
- pytest-timeout  
Copyright Floris Bruynooghe
- The MIT License mock  
Copyright (c) 2003-2013, Michael Foord & the mock team  
BSD 2-Clause Simplified License
- socialsent  
Source: <https://github.com/williamleif/socialsent>  
Copyright 2016 William L Hamilton  
Apache License Version 2.0
- pyInstaller  
Copyright (c) 2005-2020, PyInstaller Development Team.  
Is used under a special GPL granting the right to build commercial software. The full text can be found here:  
[raw.githubusercontent.com/pyinstaller/pyinstaller/develop/COPYING.txt](https://raw.githubusercontent.com/pyinstaller/pyinstaller/develop/COPYING.txt)
- LanguageDetection.NETStandard  
Copyright (c) 2010-2014 Cybozu Labs, Inc. All rights reserved.  
Apache License Version 2.0



ATLAS.ti

- requests  
Copyright 2019 Kenneth Reitz  
Apache License Version 2.0
- Microsoft .NET  
Copyright (c) 2019 Microsoft  
MIT License
- plac  
Copyright 2020 Michele Simionato  
BSD license
- pathlib  
Copyright Antoine Pitrou  
MIT license
- tqdm  
Copyright (c) 2013 noamraph  
MIT License
- cython  
Copyright 2020 Robert Bradshaw, Stefan Behnel, Dag Seljebotn, Greg Ewing, et al.  
Apache License Version 2.0
- JSON schema  
Copyright (c) 2016  
MIT License
- f lake8  
== Flake8 License (MIT) ==  
Copyright (C) 2011-2013 Tarek Ziade <[tarek@ziade.org](mailto:tarek@ziade.org)>  
Copyright (C) 2012-2016 Ian C  
Open Source License Def nitions
- The MIT License (MIT)  
Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation f les (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions: The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,



FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

- Microsoft Public License (Ms-PL)

This license governs use of the accompanying software. If you use the software, you accept this license. If you do not accept the license, do not use the software.

1. Definitions

The terms "reproduce," "reproduction," "derivative works," and "distribution" have the same meaning here as under U.S. copyright law.

A "contribution" is the original software, or any additions or changes to the software.

A "contributor" is any person that distributes its contribution under this license.

"Licensed patents" are a contributor's patent claims that read directly on its contribution.

2. Grant of Rights

(A) Copyright Grant- Subject to the terms of this license, including the license conditions and limitations in section 3, each contributor grants you a non-exclusive, worldwide, royalty-free copyright license to reproduce its contribution, prepare derivative works of its contribution, and distribute its contribution or any derivative works that you create.

(B) Patent Grant- Subject to the terms of this license, including the license conditions and limitations in section 3, each contributor grants you a non-exclusive, worldwide, royalty-free license under its licensed patents to make, have made, use, sell, offer for sale, import, and/or otherwise dispose of its contribution in the software or derivative works of the contribution in the software.

3. Conditions and Limitations

(A) No Trademark License- This license does not grant you rights to use any contributors' name, logo, or trademarks.

(B) If you bring a patent claim against any contributor over patents that you claim are infringed by the software, your patent license from such contributor to the software ends automatically.

(C) If you distribute any portion of the software, you must retain all copyright, patent, trademark, and attribution notices that are present in the software.

(D) If you distribute any portion of the software in source code form, you may do so only under this license by including a complete copy of this license with your distribution. If you distribute any portion of the software in compiled or object



code form, you may only do so under a license that complies with this license.

(E) The software is licensed "as-is." You bear the risk of using it. The contributors give no express warranties, guarantees or conditions. You may have additional consumer rights under your local laws which this license cannot change. To the extent permitted under your local laws, the contributors exclude the implied warranties of merchantability, fitness for a particular purpose and non-infringement.

- NumPy License:

Copyright (c) 2005, NumPy Developers

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the NumPy Developers nor the names of any contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- BSD License:

All rights reserved.

Redistribution and use in source and binary forms are permitted provided that the above copyright notice and this paragraph are duplicated in all such forms and that any documentation, advertising materials, and other materials related to such distribution and use acknowledge that the software was developed by the <organization>. The name of the <organization> may not be used to endorse or promote products derived from this software without specific prior written permission.



ATLAS.ti

THIS SOFTWARE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

Apache License Version 2.0: [apache.org/licenses](http://apache.org/licenses)

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License. "Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files. "Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types. "Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and



issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution." "Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, or to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - a. You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - b. You must cause any modified files to carry prominent notices stating that You changed the files; and
  - c. You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - d. If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the

Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License. You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NONINFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.



9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

- PSF License:
  1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 3.8.3 software in source or binary form and its associated documentation.
  2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 3.8.3 alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright © 2001-2020 Python Software Foundation; All Rights Reserved" are retained in Python 3.8.3 alone or in any derivative version prepared by Licensee.
  3. In the event Licensee prepares a derivative work that is based on or incorporates Python 3.8.3 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 3.8.3.
  4. PSF is making Python 3.8.3 available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 3.8.3 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
  5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 3.8.3 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 3.8.3, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.



6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.
7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.
8. By copying, installing or otherwise using Python 3.8.3, Licensee agrees to be bound by the terms and conditions of this License Agreement.
  - CC-BY 4.0 License:  
The full license text can be found here: [creativecommons.org/licenses/by/4.0](https://creativecommons.org/licenses/by/4.0)
  - CC-BY-SA 4.0 License:  
The full license text can be found here: [creativecommons.org/licenses/by-sa/4.0](https://creativecommons.org/licenses/by-sa/4.0)
  - Protobuf License:  
Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:
    - Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
    - Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
    - Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner of the input file used when generating it. This code is not standalone and requires a support library to be



linked with it. This

support library is itself covered by the above license. -----

- The GNU General Public License (LGPL)  
Version 2.1, February 1999  
Copyright (C) 1991, 1999 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed. [This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights. We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library. To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they



have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license. Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License. In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library. The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.



## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library. Activities other than copying, distribution and modification are not covered by this License; they are outside its scope.

The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library. You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.
2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:
  - a) The modified work must itself be a software library.
  - b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
  - c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.



d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful. (For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it. Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library. In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library. 4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange. If distribution of object code is made by offering access to copy from a designated place, then offering



equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables. When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law. If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.) Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the



user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable. It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:
  - a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
  - b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.
8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received

copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.
10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.
11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library. If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances. It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice. This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.
12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places

the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR



ATLAS.ti

A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Charts, Apache-2.0, <https://github.com/danielgindi/Charts>  
gRPC Swift, Apache-2.0, <https://github.com/grpc/grpc-swift>  
Sentry SDK, MIT, <https://github.com/getsentry/sentry-cocoa>  
Swift Atomics, Apache-2.0, <https://github.com/apple/swift-atomics>  
Swift Collections, Apache-2.0, <https://github.com/apple/swift-collections>  
Swift HTTP Types, Apache-2.0, <https://github.com/apple/swift-http-types>  
SwiftLog, Apache-2.0, <https://github.com/apple/swift-log>  
SwiftNIO, Apache-2.0, <https://github.com/apple/swift-nio>  
NIOExtras, Apache-2.0, <https://github.com/apple/swift-nio-extras>  
SwiftNIO HTTP/2, Apache-2.0, <https://github.com/apple/swift-nio-http2>  
SwiftNIO SSL, Apache-2.0, <https://github.com/apple/swift-nio-ssl>  
NIO Transport Services, Apache-2.0, <https://github.com/apple/swift-nio-transport-services>  
Swift System, Apache-2.0, <https://github.com/apple/swift-system>  
Swift Protobuf, Apache-2.0, <https://github.com/apple/swift-protobuf>

- "ATLAS.ti" is a registered trademark of ATLAS.ti Scientific Software Development GmbH.
- @anthropic-ai/sdk, 0.6.2, MIT, <https://github.com/anthropics/anthropic-sdk-typescript.git>, Anthropic
- @apollo/client, 3.7.10, MIT, git+<https://github.com/apollographql/apollo-client.git>, packages@apollographql.com
- @apollographql/apollo-tools, 0.4.4, MIT, git+<https://github.com/apollographql/apollo-tooling.git>, Apollo GraphQL
- @apollographql/apollo-tools, 0.5.2, MIT, git+<https://github.com/apollographql/apollo-tooling.git>, Apollo GraphQL
- @apollographql/graphql-playground-html, 1.6.29, MIT, <http://github.com/graphcool/graphql-playground.git>
- @auth0/auth0-spa-js, 1.15.0, MIT, git://github.com/auth0/auth0-spa-js.git, Auth0
- @babel/parser, 7.24.1, MIT, <https://github.com/babel/babel.git>, The Babel Team
- @babel/runtime, 7.24.1, MIT, <https://github.com/babel/babel.git>, The Babel Team
- @babel/runtime-corejs3, 7.12.5, MIT, <https://github.com/babel/babel.git>, Denis Pushkarev



ATLAS.ti

- @braintree/sanitize-url, 5.0.2, MIT, git+<https://github.com/braintree/sanitize-url.git>
- @cspotcode/source-map-support, 0.8.1, MIT, <https://github.com/cspotcode/node-source-map-support>
- @fast-csv/format, 4.3.5, MIT, git+<https://github.com/C2FO/fast-csv.git>, doug-martin
- @fast-csv/parse, 4.3.6, MIT, git+<https://github.com/C2FO/fast-csv.git>, doug-martin
- @floating-ui/core, 1.6.0, MIT, <https://github.com/floating-ui/floating-ui.git>, atomiks
- @floating-ui/core, 0.3.1, MIT, <https://github.com/floating-ui/floating-ui.git>, atomiks
- @floating-ui/dom, 1.6.3, MIT, <https://github.com/floating-ui/floating-ui.git>, atomiks
- @floating-ui/dom, 0.1.10, MIT, <https://github.com/floating-ui/floating-ui.git>, atomiks
- @floating-ui/utils, 0.2.1, MIT, <https://github.com/floating-ui/floating-ui.git>, atomiks
- @graphql-tools/load-files, 7.0.0, MIT, <https://github.com/ardatan/graphql-tools.git>, Dotan Simha
- @graphql-tools/merge, 8.2.1, MIT, <https://github.com/ardatan/graphql-tools.git>, Dotan Simha
- @graphql-tools/mock, 8.5.1, MIT, <https://github.com/ardatan/graphql-tools.git>
- @graphql-tools/schema, 8.3.1, MIT, <https://github.com/ardatan/graphql-tools.git>
- @graphql-tools/utils, 8.6.1, MIT, <https://github.com/ardatan/graphql-tools.git>, Dotan Simha
- @graphql-typed-document-node/core, 3.2.0, MIT, git@github.com:dotansimha/graphql-typed-document-node.git, Dotan Simha
- @jridgewell/resolve-uri, 3.1.2, MIT, <https://github.com/jridgewell/resolve-uri>, Justin Ridgewell
- @jridgewell/sourcemap-codec, 1.4.15, MIT, git+<https://github.com/jridgewell/sourcemap-codec.git>, Rich Harris



ATLAS.ti

- @jridgewell/trace-mapping, 0.3.9, MIT, git+<https://github.com/jridgewell/trace-mapping.git>, Justin Ridgewell
- @nodelib/fs.scandir, 2.1.5, MIT, <https://github.com/nodelib/nodelib/tree/master/packages/fs/fs.scandir>
- @nodelib/fs.stat, 2.0.5, MIT, <https://github.com/nodelib/nodelib/tree/master/packages/fs/fs.stat>
- @nodelib/fs.walk, 1.2.8, MIT, <https://github.com/nodelib/nodelib/tree/master/packages/fs/fs.walk>
- @picturae/mmmagic, 0.5.3, MIT, <http://github.com/picturae/mmmagic.git>, Brian White
- @pkgjs/parseargs, 0.11.0, MIT, git@github.com:pkgjs/parseargs.git
- @redis/bloom, 1.2.0, MIT, Unknown
- @redis/client, 1.5.8, MIT, git://github.com/redis/node-redis.git
- @redis/graph, 1.1.0, MIT, Unknown
- @redis/json, 1.0.4, MIT, Unknown
- @redis/search, 1.1.3, MIT, git://github.com/redis/node-redis.git
- @redis/time-series, 1.0.4, MIT, Unknown
- @sentry/tracing, 6.17.4, MIT, git://github.com/getsentry/sentry-javascript.git, Sentry
- @sentry/vue, 6.16.0, MIT, git://github.com/getsentry/sentry-javascript.git, Sentry
- @tokenizer/token, 0.3.0, MIT, <https://github.com/Borewit/tokenizer-token.git>, Borewit
- @tootallnate/once, 1.1.2, MIT, git://github.com/TooTallNate/once.git, Nathan Rajlich
- @tsconf g/node10, 1.0.8, MIT, <https://github.com/tsconf g/bases.git>
- @tsconf g/node12, 1.0.9, MIT, <https://github.com/tsconf g/bases.git>
- @tsconf g/node14, 1.0.1, MIT, <https://github.com/tsconf g/bases.git>
- @tsconf g/node16, 1.0.2, MIT, <https://github.com/tsconf g/bases.git>
- @types/accepts, 1.3.5, MIT, <https://www.github.com/DefinitelyTyped/DefinitelyTyped.git>



ATLAS.ti

- @types/body-parser, 1.19.2, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/body-parser, 1.19.5, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/busboy, 1.5.0, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/connect, 3.4.38, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/cors, 2.8.12, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/d3-path, 1.0.9, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/d3-sankey, 0.11.2, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/d3-shape, 1.3.8, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/express, 4.17.13, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/express, 4.17.21, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/express-serve-static-core, 4.17.28, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/express-serve-static-core, 4.17.43, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/http-errors, 1.8.2, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/jsonwebtoken, 9.0.1, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/long, 4.0.2, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/mime, 3.0.4, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/mime, 1.3.5, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/node, 20.11.30, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>



ATLAS.ti

- @types/node, 20.12.4, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/node, 10.17.60, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/node, 14.18.63, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/node, 18.19.26, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/node-fetch, 2.5.5, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/node-fetch, 2.6.4, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/object-path, 0.11.1, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/orderedmap, 1.0.0, MIT, <https://www.github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/papaparse, 5.3.1, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/prosemirror-model, 1.13.2, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/prosemirror-schema-list, 1.0.3, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/prosemirror-state, 1.2.8, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/prosemirror-transform, 1.1.4, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/prosemirror-view, 1.19.1, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/qs, 6.9.14, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/range-parser, 1.2.7, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/readable-stream, 2.3.9, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>



ATLAS.ti

- @types/retry, 0.12.0, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/semver, 7.5.8, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/send, 0.17.4, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/serve-static, 1.15.5, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/uuid, 9.0.4, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/webidl-conversions, 7.0.0, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @types/whatwg-url, 8.2.2, MIT, <https://github.com/DefinitelyTyped/DefinitelyTyped.git>
- @vue/compiler-sfc, 2.7.14, MIT, Unknown
- @wry/context, 0.7.0, MIT, git+<https://github.com/benjamn/wryware.git>, Ben Newman
- @wry/context, 0.6.1, MIT, git+<https://github.com/benjamn/wryware.git>, Ben Newman
- @wry/equality, 0.5.2, MIT, git+<https://github.com/benjamn/wryware.git>, Ben Newman
- @wry/trie, 0.3.1, MIT, git+<https://github.com/benjamn/wryware.git>, Ben Newman
- abort-controller, 3.0.0, MIT, git+<https://github.com/mysticatea/abort-controller.git>, Toru Nagashima
- abortcontroller-polyfill, 1.7.3, MIT, <https://github.com/mo/abortcontroller-polyfill.git>, Martin Olsson
- accepts, 1.3.8, MIT, <https://github.com/jshttp/accepts.git>
- acorn, 8.11.3, MIT, <https://github.com/acornjs/acorn.git>
- acorn, 7.4.1, MIT, <https://github.com/acornjs/acorn.git>
- acorn-globals, 6.0.0, MIT, <https://github.com/ForbesLindesay/acorn-globals.git>, ForbesLindesay
- acorn-walk, 7.2.0, MIT, <https://github.com/acornjs/acorn.git>
- acorn-walk, 8.2.0, MIT, <https://github.com/acornjs/acorn.git>
- adm-zip, 0.4.16, MIT, <https://github.com/cthackers/adm-zip.git>, Nasca Iacob



ATLAS.ti

- af nn-165, 1.0.2, MIT, <https://github.com/words/af-nn-165.git>, Titus Wormer
- ag-grid-community, 31.1.1, MIT, <https://github.com/ag-grid/ag-grid.git>, Niall Crosby
- ag-grid-vue, 31.1.1, MIT, <https://github.com/ag-grid/ag-grid.git>, Sean Landsman
- agent-base, 6.0.2, MIT, <git://github.com/TooTallNate/node-agent-base.git>, Nathan Rajlich
- agentkeepalive, 4.3.0, MIT, <git://github.com/node-modules/agentkeepalive.git>, fengmk2
- ajv, 8.12.0, MIT, <https://github.com/ajv-validator/ajv.git>, Evgeny Poberezkin
- ajv-formats, 2.1.1, MIT, <git+https://github.com/ajv-validator/ajv-formats.git>, Evgeny Poberezkin
- ansi-regex, 5.0.1, MIT, <https://github.com/chalk/ansi-regex.git>, Sindre Sorhus
- ansi-regex, 6.0.1, MIT, <https://github.com/chalk/ansi-regex.git>, Sindre Sorhus
- ansi-styles, 4.3.0, MIT, <https://github.com/chalk/ansi-styles.git>, Sindre Sorhus
- ansi-styles, 6.2.1, MIT, <https://github.com/chalk/ansi-styles.git>, Sindre Sorhus
- ansi-styles, 5.2.0, MIT, <https://github.com/chalk/ansi-styles.git>, Sindre Sorhus
- ansi-styles, 3.2.1, MIT, <https://github.com/chalk/ansi-styles.git>, Sindre Sorhus
- apollo-datasource, 3.3.1, MIT, <https://github.com/apollographql/apollo-server>, Apollo
- apollo-engine-reporting-protobuf, 0.4.4, MIT, <https://github.com/apollographql/apollo-engine-reporting/tree/master/packages/apollo-engine-reporting-protobuf>, Apollo
- apollo-env, 0.6.2, MIT, <git+https://github.com/apollographql/apollo-tooling.git>, [opensource@apollographql.com](mailto:opensource@apollographql.com)
- apollo-link-sentry, 3.0.2, MIT, <https://github.com/DiederikvandenB/apollo-link-sentry.git>, Diederik van den Burger
- apollo-metrics, 1.0.1, MIT, <https://github.com/dotellie/apollo-metrics.git>, dotellie
- apollo-reporting-protobuf, 3.3.0, MIT, <https://github.com/apollographql/apollo-server>, Apollo
- apollo-reporting-protobuf, 0.8.0, MIT, <https://github.com/apollographql/apollo-server>, Apollo
- apollo-server, 3.6.2, MIT, <https://github.com/apollographql/apollo-server>, Apollo



ATLAS.ti

- apollo-server-caching, 0.5.1, MIT, <https://github.com/apollographql/apollo-server/tree/master/packages/apollo-server-caching>,  
opensource@apollographql.com
- apollo-server-caching, 3.3.0, MIT, <https://github.com/apollographql/apollo-server>, Apollo
- apollo-server-caching, 0.7.0, MIT, <https://github.com/apollographql/apollo-server>, Apollo
- apollo-server-core, 3.6.2, MIT, <https://github.com/apollographql/apollo-server>, Apollo
- apollo-server-env, 2.4.3, MIT, <https://github.com/apollographql/apollo-server/tree/master/packages/apollo-server-env>,  
opensource@apollographql.com
- apollo-server-env, 4.2.1, MIT, <https://github.com/apollographql/apollo-server>, Apollo
- apollo-server-env, 3.1.0, MIT, <https://github.com/apollographql/apollo-server>, Apollo
- apollo-server-errors, 3.3.1, MIT, <https://github.com/apollographql/apollo-server>, Apollo
- apollo-server-express, 3.6.2, MIT, <https://github.com/apollographql/apollo-server>, Apollo
- apollo-server-plugin-base, 0.6.10, MIT, Unknown, Apollo
- apollo-server-plugin-base, 3.5.1, MIT, Unknown, Apollo
- apollo-server-plugin-base, 0.13.0, MIT, Unknown, Apollo
- apollo-server-types, 0.2.10, MIT, Unknown, Apollo
- apollo-server-types, 3.5.1, MIT, Unknown, Apollo
- apollo-server-types, 0.9.0, MIT, Unknown, Apollo
- apollo-tracing, 0.8.11, MIT, <https://github.com/apollographql/apollo-tracing-js.git>, Martijn Walraven
- apollo-tracing, 0.15.0, MIT, <https://github.com/apollographql/apollo-tracing-js.git>, Apollo
- apollo-upload-client, 17.0.0, MIT, <https://github.com/jaydenseric/apollo-upload-client.git>, Jayden Seric
- apparatus, 0.0.10, MIT, <https://github.com/NaturalNode/apparatus>, Chris Umbel



ATLAS.ti

- archiver, 5.3.2, MIT, <https://github.com/archiverjs/node-archiver.git>, Chris Talkington
- archiver-utils, 2.1.0, MIT, <https://github.com/archiverjs/archiver-utils.git>, Chris Talkington
- arg, 4.1.3, MIT, <https://github.com/zeit/arg.git>, Josh Junon
- argparse, 1.0.10, MIT, <https://github.com/nodeca/argparse.git>
- array-f atten, 1.1.1, MIT, <git://github.com/blakeembrey/array-f-atten.git>, Blake Embrey
- array-union, 2.1.0, MIT, <https://github.com/sindresorhus/array-union.git>, Sindre Sorhus
- async, 3.2.5, MIT, <https://github.com/caolan/async.git>, Caolan McMahon
- async-retry, 1.3.3, MIT, <https://github.com/vercel/async-retry.git>
- asynckit, 0.4.0, MIT, <git+https://github.com/alexindigo/asynckit.git>, Alex Indigo
- attr-accessor, 0.2.2, MIT, <https://github.com/timkurvers/attr-accessor.git>, Tim Kurvers
- auth0, 4.3.1, MIT, <https://github.com/auth0/node-auth0>, Auth0
- axios, 1.3.4, MIT, <https://github.com/axios/axios.git>, Matt Zabriskie
- axios, 0.27.2, MIT, <https://github.com/axios/axios.git>, Matt Zabriskie
- axios, 0.26.1, MIT, <https://github.com/axios/axios.git>, Matt Zabriskie
- balanced-match, 1.0.2, MIT, <git://github.com/juliangruber/balanced-match.git>, Julian Gruber
- base-64, 0.1.0, MIT, <https://github.com/mathiasbynens/base64.git>, Mathias Bynens
- base64-js, 1.5.1, MIT, <git://github.com/beatgammit/base64-js.git>, T. Jameson Little
- basic-auth, 2.0.1, MIT, <https://github.com/jshttp/basic-auth.git>
- bezier-easing, 2.1.0, MIT, <git://github.com/gre/bezier-easing.git>, Gaëtan Renaudeau
- big.js, 5.2.2, MIT, <https://github.com/MikeMcl/big.js.git>, Michael McLaughlin
- bignumber.js, 9.0.1, MIT, <https://github.com/MikeMcl/bignumber.js.git>, Michael McLaughlin



ATLAS.ti

- binary, 0.3.0, MIT, <http://github.com/substack/node-binary.git>, James Halliday
- binary-extensions, 2.3.0, MIT, <https://github.com/sindresorhus/binary-extensions.git>, Sindre Sorhus
- bindings, 1.5.0, MIT, <git://github.com/TooTallNate/node-bindings.git>, Nathan Rajlich
- bintrees, 1.0.1, MIT, [git://github.com/vadimg/js\\_bintrees.git](git://github.com/vadimg/js_bintrees.git), Vadim Graboys
- bl, 4.1.0, MIT, <https://github.com/rvagg/bl.git>
- bluebird, 3.4.7, MIT, <git://github.com/petkaantonov/bluebird.git>, Petka Antonov
- blueimp-load-image, 2.21.0, MIT, <git://github.com/blueimp/JavaScript-Load-Image.git>, Sebastian Tschan
- body-parser, 1.20.2, MIT, <https://github.com/expressjs/body-parser.git>
- browser, 2.11.0, MIT, <git+https://github.com/lancedikson/browser.git>, Dustin Diaz
- browser, 1.9.3, MIT, <git+https://github.com/ded/browser.git>, Dustin Diaz
- brace-expansion, 2.0.1, MIT, <git://github.com/juliangruber/brace-expansion.git>, Julian Gruber
- brace-expansion, 1.1.11, MIT, <git://github.com/juliangruber/brace-expansion.git>, Julian Gruber
- braces, 3.0.2, MIT, <https://github.com/micromatch/braces.git>, Jon Schlinkert
- broadcast-channel, 3.2.0, MIT, <git+https://github.com/pubkey/broadcast-channel.git>, pubkey
- browser-tabs-lock, 1.2.14, MIT, <git+https://github.com/supertokens/browser-tabs-lock.git>
- buffer, 5.6.0, MIT, <git://github.com/feross/buffer.git>, Feross Aboukhadijeh
- buffer, 5.7.1, MIT, <git://github.com/feross/buffer.git>, Feross Aboukhadijeh
- buffer-crc32, 0.2.13, MIT, <git://github.com/brianloveswords/buffer-crc32.git>, Brian J. Brennan
- buffer-from, 1.1.2, MIT, <https://github.com/LinusU/buffer-from.git>
- buffer-indexof-polyfill, 1.0.2, MIT, <git+https://github.com/sarosia/buffer-indexof-polyfill.git>, <https://github.com/sarosia>
- busboy, 1.6.0, MIT, <http://github.com/mscdex/busboy.git>, Brian White
- byte-buffer, 1.0.3, MIT, <https://github.com/timkurvers/byte-buffer.git>, Tim Kurvers



ATLAS.ti

- bytes, 3.1.2, MIT, <https://github.com/visionmedia/bytes.js.git>, TJ Holowaychuk
- call-bind, 1.0.7, MIT, git+<https://github.com/ljharb/call-bind.git>, Jordan Harband
- camel-case, 4.1.2, MIT, git://github.com/blakeembrey/change-case.git, Blake Embrey
- camelcase, 6.3.0, MIT, <https://github.com/sindresorhus/camelcase.git>, Sindre Sorhus
- canvas, 2.11.2, MIT, git://github.com/Automattic/node-canvas.git, TJ Holowaychuk
- capital-case, 1.0.4, MIT, git://github.com/blakeembrey/change-case.git, Blake Embrey
- chainsaw, 0.1.0, MIT, <http://github.com/substack/node-chainsaw.git>, James Halliday
- chalk, 2.4.2, MIT, <https://github.com/chalk/chalk.git>
- change-case, 4.1.2, MIT, git://github.com/blakeembrey/change-case.git, Blake Embrey
- clipboard, 2.0.8, MIT, <https://github.com/zenorocha/clipboard.js.git>
- color-convert, 2.0.1, MIT, <https://github.com/Qix-/color-convert.git>, Heather Arthur
- color-convert, 1.9.3, MIT, <https://github.com/Qix-/color-convert.git>, Heather Arthur
- color-name, 1.1.4, MIT, git@github.com:colorjs/color-name.git, DY
- color-name, 1.1.3, MIT, git@github.com:dfcreative/color-name.git, DY
- combined-stream, 1.0.8, MIT, git://github.com/felixge/node-combined-stream.git, Felix Geisendörfer
- commander, 2.20.3, MIT, <https://github.com/tj/commander.js.git>, TJ Holowaychuk
- commander, 7.2.0, MIT, <https://github.com/tj/commander.js.git>, TJ Holowaychuk
- commander, 10.0.1, MIT, <https://github.com/tj/commander.js.git>, TJ Holowaychuk
- compress-commons, 4.1.1, MIT, <https://github.com/archiverjs/node-compress-commons.git>, Chris Talkington



ATLAS.ti

- compute-scroll-into-view, 1.0.11, MIT, git+<https://github.com/stipsan/compute-scroll-into-view.git>, Cody Olsen
- concat-map, 0.0.1, MIT, [git://github.com/substack/node-concat-map.git](https://github.com/substack/node-concat-map.git), James Halliday
- concat-stream, 2.0.0, MIT, <http://github.com/maxogden/concat-stream.git>, Max Ogden
- constant-case, 3.0.4, MIT, [git://github.com/blakeembrey/change-case.git](https://github.com/blakeembrey/change-case.git), Blake Embrey
- content-disposition, 0.5.4, MIT, <https://github.com/jshttp/content-disposition.git>, Douglas Christopher Wilson
- content-type, 1.0.5, MIT, <https://github.com/jshttp/content-type.git>, Douglas Christopher Wilson
- cookie, 0.4.2, MIT, <https://github.com/jshttp/cookie.git>, Roman Shtylman
- cookie, 0.6.0, MIT, <https://github.com/jshttp/cookie.git>, Roman Shtylman
- cookie-signature, 1.0.6, MIT, <https://github.com/visionmedia/node-cookie-signature.git>, TJ Holowaychuk
- core-js, 3.31.0, MIT, <https://github.com/zloirock/core-js.git>, Denis Pushkarev
- core-js-pure, 3.21.1, MIT, <https://github.com/zloirock/core-js.git>
- core-util-is, 1.0.3, MIT, [git://github.com/isaacs/core-util-is](https://github.com/isaacs/core-util-is), Isaac Z. Schlueter
- cors, 2.8.5, MIT, <https://github.com/expressjs/cors.git>, Troy Goode
- crc32-stream, 4.0.2, MIT, <https://github.com/archiverjs/node-crc32-stream.git>, Chris Talkington
- create-require, 1.1.1, MIT, <https://github.com/nuxt-contrib/create-require.git>
- cropperjs, 1.5.1, MIT, git+<https://github.com/fengyuanchen/cropperjs.git>, Chen Fengyuan
- cross-spawn, 7.0.3, MIT, [git@github.com:moxystudio/node-cross-spawn.git](https://github.com:moxystudio/node-cross-spawn.git), André Cruz
- cssf lter, 0.0.10, MIT, <https://github.com/leizongmin/js-css-f lter.git>, Zongmin Lei
- cssom, 0.4.4, MIT, <https://github.com/NV/CSSOM.git>, Nikita Vasilyev
- cssom, 0.3.8, MIT, <https://github.com/NV/CSSOM.git>, Nikita Vasilyev
- cssstyle, 2.3.0, MIT, <https://github.com/jsdom/cssstyle.git>



ATLAS.ti

- csstype, 3.1.3, MIT, <https://github.com/frenic/csstype>, Fredrik Nicol
- custom-event-polyfill, 1.0.7, MIT, [git@github.com:kumarharsh/custom-event-polyfill.git](https://github.com/kumarharsh/custom-event-polyfill), Evan Krambuhl
- data-urls, 2.0.0, MIT, [https://github.com/jsdom/data-urls.git](https://github.com/jsdom/data-urls), Domenic Denicola
- dayjs, 1.11.10, MIT, [https://github.com/iamkun/dayjs.git](https://github.com/iamkun/dayjs), iamkun
- debug, 4.3.4, MIT, [git://github.com/debug-js/debug.git](https://github.com/debug-js/debug), Josh Junon
- debug, 2.6.9, MIT, [git://github.com/visionmedia/debug.git](https://github.com/visionmedia/debug), TJ Holowaychuk
- decamelize, 1.2.0, MIT, [https://github.com/sindresorhus/decamelize.git](https://github.com/sindresorhus/decamelize), Sindre Sorhus
- decimal.js, 10.2.1, MIT, [https://github.com/MikeMcl/decimal.js.git](https://github.com/MikeMcl/decimal.js), Michael McLaughlin
- decompress-response, 4.2.1, MIT, [https://github.com/sindresorhus/decompress-response.git](https://github.com/sindresorhus/decompress-response), Sindre Sorhus
- deep-is, 0.1.4, MIT, [http://github.com/thlorenz/deep-is.git](http://github.com/thlorenz/deep-is), Thorsten Lorenz
- deepmerge, 4.3.0, MIT, [git://github.com/TehShrike/deepmerge.git](https://github.com/TehShrike/deepmerge)
- define-data-property, 1.1.4, MIT, [git+https://github.com/ljharb/define-data-property.git](https://github.com/ljharb/define-data-property), Jordan Harband
- define-properties, 1.2.1, MIT, [git://github.com/ljharb/define-properties.git](https://github.com/ljharb/define-properties), Jordan Harband
- delayed-stream, 1.0.0, MIT, [git://github.com/felixge/node-delayed-stream.git](https://github.com/felixge/node-delayed-stream), Felix Geisendörfer
- delegate, 3.2.0, MIT, [https://github.com/zenorocha/delegate.git](https://github.com/zenorocha/delegate)
- delegates, 1.0.0, MIT, [https://github.com/visionmedia/node-delegates.git](https://github.com/visionmedia/node-delegates)
- depd, 2.0.0, MIT, [https://github.com/dougwilson/nodejs-depd.git](https://github.com/dougwilson/nodejs-depd), Douglas Christopher Wilson
- destroy, 1.2.0, MIT, [https://github.com/stream-utils/destroy.git](https://github.com/stream-utils/destroy), Jonathan Ong
- difunc, 0.0.4, MIT, [git+https://github.com/kogosoftwarellc/js-difunc.git](https://github.com/kogosoftwarellc/js-difunc), Joseph Spencer
- dir-glob, 3.0.1, MIT, [https://github.com/kevva/dir-glob.git](https://github.com/kevva/dir-glob), Kevin Mårtensson
- domexception, 2.0.1, MIT, [https://github.com/jsdom/domexception.git](https://github.com/jsdom/domexception), Domenic Denicola



ATLAS.ti

- dommatrix, 1.0.3, MIT, git+<https://github.com/thednp/dommatrix.git>, thednp
- dot-case, 3.0.4, MIT, git://github.com/blakeembrey/change-case.git, Blake Embrey
- dot-prop, 6.0.1, MIT, <https://github.com/sindresorhus/dot-prop.git>, Sindre Sorhus
- eastasianwidth, 0.2.0, MIT, git://github.com/komagata/eastasianwidth.git, Masaki Komagata
- ee-f rst, 1.1.1, MIT, <https://github.com/jonathanong/ee-f rst.git>, Jonathan Ong
- emoji-regex, 8.0.0, MIT, <https://github.com/mathiasbynens/emoji-regex.git>, Mathias Bynens
- emoji-regex, 9.2.2, MIT, <https://github.com/mathiasbynens/emoji-regex.git>, Mathias Bynens
- emojis-list, 3.0.0, MIT, git+<https://github.com/kikobeats/emojis-list.git>, Kiko Beats
- encodeurl, 1.0.2, MIT, <https://github.com/pillarjs/encodeurl.git>
- end-of-stream, 1.4.4, MIT, git://github.com/mafintosh/end-of-stream.git, Mathias Buus
- es-abstract, 1.19.1, MIT, git://github.com/ljharb/es-abstract.git, Jordan Harband
- es-cookie, 1.3.2, MIT, git://github.com/theodorejb/es-cookie.git, Theodore Brown
- es-def ne-property, 1.0.0, MIT, git+<https://github.com/ljharb/es-def ne-property.git>, Jordan Harband
- es-errors, 1.3.0, MIT, git+<https://github.com/ljharb/es-errors.git>, Jordan Harband
- es-to-primitive, 1.2.1, MIT, git://github.com/ljharb/es-to-primitive.git, Jordan Harband
- escalade, 3.1.2, MIT, <https://github.com/lukeed/escalade.git>, Luke Edwards
- escape-html, 1.0.3, MIT, <https://github.com/component/escape-html.git>
- escape-string-regexp, 1.0.5, MIT, <https://github.com/sindresorhus/escape-string-regexp.git>, Sindre Sorhus
- etag, 1.8.1, MIT, <https://github.com/jshttp/etag.git>
- event-target-shim, 5.0.1, MIT, <https://github.com/mysticatea/event-target-shim.git>, Toru Nagashima
- eventemitter3, 4.0.7, MIT, git://github.com/primus/eventemitter3.git, Arnout Kazemier



ATLAS.ti

- events, 3.3.0, MIT, [git://github.com/Gozala/events.git](https://github.com/Gozala/events.git), Irakli Gozalishvili
- exceljs, 4.4.0, MIT, <https://github.com/exceljs/exceljs.git>, Guyon Roche
- expr-eval, 2.0.2, MIT, [git+https://github.com/silentmatt/expr-eval.git](https://github.com/silentmatt/expr-eval.git), Matthew Crumley
- express, 4.19.2, MIT, <https://github.com/expressjs/express.git>, TJ Holowaychuk
- express-basic-auth, 1.2.0, MIT, [git+https://github.com/LionC/express-basic-auth.git](https://github.com/LionC/express-basic-auth.git), LionC
- express-jwt, 8.4.0, MIT, [git://github.com/auth0/express-jwt.git](https://github.com/auth0/express-jwt.git), Matias Woloski
- express-normalize-query-params-middleware, 0.5.1, MIT, [git+https://github.com/kogosoftwarellc/express-normalize-query-params-middleware.git](https://github.com/kogosoftwarellc/express-normalize-query-params-middleware.git), Joseph Spencer
- express-openapi, 10.1.0, MIT, <https://github.com/kogosoftwarellc/open-api/tree/master/packages/express-openapi>, Joseph Spencer
- express-unless, 2.1.3, MIT, [git://github.com/jfromaniello/express-unless.git](https://github.com/jfromaniello/express-unless.git), José F. Romaniello
- extract-files, 11.0.0, MIT, <https://github.com/jaydenseric/extract-files.git>, Jayden Seric
- fast\_array\_intersect, 1.1.0, MIT, [https://github.com/lovasoa/fast\\_array\\_intersect](https://github.com/lovasoa/fast_array_intersect), lovasoa
- fast-csv, 4.3.6, MIT, [git+https://github.com/C2FO/fast-csv.git](https://github.com/C2FO/fast-csv.git), Doug Martin
- fast-deep-equal, 3.1.3, MIT, [git+https://github.com/epoberezkin/fast-deep-equal.git](https://github.com/epoberezkin/fast-deep-equal.git), Evgeny Poberezkin
- fast-glob, 3.3.2, MIT, <https://github.com/mrmlnc/fast-glob.git>, Denis Malinochkin
- fast-json-stable-stringify, 2.1.0, MIT, [git://github.com/epoberezkin/fast-json-stable-stringify.git](https://github.com/epoberezkin/fast-json-stable-stringify.git), James Halliday
- fast-levenshtein, 2.0.6, MIT, <https://github.com/hiddentao/fast-levenshtein.git>, Ramesh Nair
- fast-xml-parser, 4.2.4, MIT, <https://github.com/NaturalIntelligence/fast-xml-parser>, Amit Gupta
- f-late, 0.7.1, MIT, <https://github.com/101arrowz/f-late>, Arjun Barrett
- f-le-type, 16.5.4, MIT, <https://github.com/sindresorhus/f-le-type.git>, Sindre Sorhus



ATLAS.ti

- f le-uri-to-path, 1.0.0, MIT, [git://github.com/TooTallNate/f-le-uri-to-path.git](https://github.com/TooTallNate/f-le-uri-to-path.git), Nathan Rajlich
- f ll-range, 7.0.1, MIT, <https://github.com/jonschlinkert/f-ll-range.git>, Jon Schlinkert
- f nalhandler, 1.2.0, MIT, <https://github.com/pillarjs/f-nalhandler.git>, Douglas Christopher Wilson
- f t-curve, 0.2.0, MIT, <https://github.com/soswow/f-t-curve>, Philip J. Schneider
- f oating-vue, 1.0.0-beta.17, MIT, [git+https://github.com/Akryum/f-loating-vue.git](https://github.com/Akryum/f-loating-vue.git), Guillaume Chau
- follow-redirects, 1.15.2, MIT, [git@github.com:follow-redirects/follow-redirects.git](https://github.com/follow-redirects/follow-redirects.git), Ruben Verborgh
- for-each, 0.3.3, MIT, [git://github.com/Raynos/for-each.git](https://github.com/Raynos/for-each.git), Raynos
- form-data, 3.0.1, MIT, [git://github.com/form-data/form-data.git](https://github.com/form-data/form-data.git), Felix Geisendörfer
- form-data, 4.0.0, MIT, [git://github.com/form-data/form-data.git](https://github.com/form-data/form-data.git), Felix Geisendörfer
- form-data-encoder, 1.7.2, MIT, <https://github.com/octet-stream/form-data-encoder.git>, Nick K.
- formdata-node, 4.4.1, MIT, <https://github.com/octet-stream/form-data.git>, Nick K.
- forwarded, 0.2.0, MIT, <https://github.com/jshttp/forwarded.git>
- fresh, 0.5.2, MIT, <https://github.com/jshttp/fresh.git>, TJ Holowaychuk
- fs-capacitor, 6.2.0, MIT, <https://github.com/mike-marcacci/fs-capacitor.git>, Mike Marcacci
- fs-constants, 1.0.0, MIT, <https://github.com/mafintosh/fs-constants.git>, Mathias Buus
- fs-extra, 5.0.0, MIT, <https://github.com/jprichardson/node-fs-extra>, JP Richardson
- fs-routes, 10.0.0, MIT, <https://github.com/kogosoftwarellc/open-api/tree/master/packages/fs-routes>, Joseph Spencer
- function-bind, 1.1.2, MIT, <https://github.com/Raynos/function-bind.git>, Raynos
- fuzzysort, 2.0.4, MIT, <https://github.com/farzher/fuzzysort.git>, farzher
- generic-pool, 3.9.0, MIT, [git+ssh://git@github.com/coopernurse/node-pool.git](https://github.com/coopernurse/node-pool.git), James Cooper



ATLAS.ti

- get-intrinsic, 1.2.4, MIT, git+<https://github.com/ljharb/get-intrinsic.git>, Jordan Harband
- get-symbol-description, 1.0.0, MIT, git+<https://github.com/inspect-js/get-symbol-description.git>, Jordan Harband
- globby, 11.1.0, MIT, <https://github.com/sindresorhus/globby.git>, Sindre Sorhus
- good-listener, 1.2.2, MIT, <https://github.com/zenorocha/good-listener.git>
- gopd, 1.0.1, MIT, git+<https://github.com/ljharb/gopd.git>, Jordan Harband
- graphql, 16.2.0, MIT, <https://github.com/graphql/graphql-js.git>
- graphql-extensions, 0.10.10, MIT, <https://github.com/apollographql/graphql-extensions.git>, Martijn Walraven
- graphql-iso-date, 3.6.1, MIT, <https://github.com/excitement-engineer/graphql-iso-date.git>, Dirk-Jan Rutten
- graphql-redis-subscriptions, 2.4.2, MIT, <https://github.com/davidyaha/graphql-redis-subscriptions.git>, David Yahalomi
- graphql-subscriptions, 2.0.0, MIT, <https://github.com/apollostack/graphql-subscriptions.git>
- graphql-tag, 2.12.6, MIT, git+<https://github.com/apollographql/graphql-tag.git>
- graphql-upload, 15.0.1, MIT, <https://github.com/jaydenseric/graphql-upload.git>, Jayden Seric
- graphql-ws, 5.5.5, MIT, <https://github.com/enisdenjo/graphql-ws.git>, Denis Badurina
- handlebars, 4.7.7, MIT, <https://github.com/wycats/handlebars.js.git>, Yehuda Katz
- handy-scroll, 1.1.0, MIT, git+<https://github.com/Amphiluke/handy-scroll.git>, Amphiluke
- has, 1.0.4, MIT, git://github.com/tarruda/has.git, Thiago de Arruda
- has-bigints, 1.0.1, MIT, git+<https://github.com/ljharb/has-bigints.git>, Jordan Harband
- has-f ag, 3.0.0, MIT, <https://github.com/sindresorhus/has-f ag.git>, Sindre Sorhus
- has-property-descriptors, 1.0.2, MIT, git+<https://github.com/inspect-js/has-property-descriptors.git>, Jordan Harband
- has-proto, 1.0.3, MIT, git+<https://github.com/inspect-js/has-proto.git>, Jordan Harband



ATLAS.ti

- has-symbols, 1.0.3, MIT, [git://github.com/inspect-js/has-symbols.git](https://github.com/inspect-js/has-symbols.git), Jordan Harband
- has-tostringtag, 1.0.2, MIT, [git+https://github.com/inspect-js/has-tostringtag.git](https://github.com/inspect-js/has-tostringtag.git), Jordan Harband
- hash-sum, 1.0.2, MIT, [git://github.com/bevacqua/hash-sum.git](https://github.com/bevacqua/hash-sum.git)
- hasown, 2.0.2, MIT, [git+https://github.com/inspect-js/hasOwn.git](https://github.com/inspect-js/hasOwn.git), Jordan Harband
- header-case, 2.0.4, MIT, [git://github.com/blakeembrey/change-case.git](https://github.com/blakeembrey/change-case.git), Blake Embrey
- html-encoding-sniffer, 2.0.1, MIT, <https://github.com/jsdom/html-encoding-sniffer.git>, Domenic Denicola
- http-errors, 2.0.0, MIT, <https://github.com/jshttp/http-errors.git>, Jonathan Ong
- http-proxy-agent, 4.0.1, MIT, [git://github.com/TooTallNate/node-http-proxy-agent.git](https://github.com/TooTallNate/node-http-proxy-agent.git), Nathan Rajlich
- https-proxy-agent, 5.0.1, MIT, [git://github.com/TooTallNate/node-https-proxy-agent.git](https://github.com/TooTallNate/node-https-proxy-agent.git), Nathan Rajlich
- humanize-ms, 1.2.1, MIT, <https://github.com/node-modules/humanize-ms>, dead-horse
- iconv-lite, 0.4.24, MIT, [git://github.com/ashtuchkin/iconv-lite.git](https://github.com/ashtuchkin/iconv-lite.git), Alexander Shtuchkin
- iconv-lite, 0.6.3, MIT, [git://github.com/ashtuchkin/iconv-lite.git](https://github.com/ashtuchkin/iconv-lite.git), Alexander Shtuchkin
- ignore, 5.3.1, MIT, [git@github.com:kaelzhang/node-ignore.git](https://github.com:kaelzhang/node-ignore.git), kael
- immediate, 3.0.6, MIT, [git://github.com/calvinmetcalf/immediate.git](https://github.com/calvinmetcalf/immediate.git)
- internal-slot, 1.0.3, MIT, [git+https://github.com/ljharb/internal-slot.git](https://github.com/ljharb/internal-slot.git), Jordan Harband
- ioredis, 4.28.3, MIT, [git://github.com/luin/ioredis.git](https://github.com/luin/ioredis.git), luin
- ip, 2.0.1, MIT, [http://github.com/indutny/node-ip.git](https://github.com/indutny/node-ip.git), Fedor Indutny
- ipaddr.js, 1.9.1, MIT, [git://github.com/whitequark/ipaddr.js](https://github.com/whitequark/ipaddr.js), whitequark
- is-any-array, 2.0.1, MIT, <https://github.com/cheminfo-js/is-any-array.git>, Luc Patiny



ATLAS.ti

- is-bigint, 1.0.4, MIT, git+<https://github.com/inspect-js/is-bigint.git>, Jordan Harband
- is-boolean-object, 1.1.2, MIT, git://github.com/inspect-js/is-boolean-object.git, Jordan Harband
- is-buffer, 1.1.6, MIT, git://github.com/feross/is-buffer.git, Feross Aboukhadijeh
- is-callable, 1.2.7, MIT, git://github.com/inspect-js/is-callable.git, Jordan Harband
- is-date-object, 1.0.5, MIT, git://github.com/inspect-js/is-date-object.git, Jordan Harband
- is-dir, 1.0.0, MIT, <https://github.com/jsdevel/node-is-dir.git>, Joseph Spencer
- is-extglob, 2.1.1, MIT, <https://github.com/jonschlinkert/is-extglob.git>, Jon Schlinkert
- is-fullwidth-code-point, 3.0.0, MIT, <https://github.com/sindresorhus/is-fullwidth-code-point.git>, Sindre Sorhus
- is-glob, 4.0.3, MIT, <https://github.com/micromatch/is-glob.git>, Jon Schlinkert
- is-negative-zero, 2.0.2, MIT, git://github.com/inspect-js/is-negative-zero.git, Jordan Harband
- is-number, 7.0.0, MIT, <https://github.com/jonschlinkert/is-number.git>, Jon Schlinkert
- is-number-object, 1.0.6, MIT, git://github.com/inspect-js/is-number-object.git, Jordan Harband
- is-obj, 2.0.0, MIT, <https://github.com/sindresorhus/is-obj.git>, Sindre Sorhus
- is-potential-custom-element-name, 1.0.1, MIT, <https://github.com/mathiasbynens/is-potential-custom-element-name.git>, Mathias Bynens
- is-regex, 1.1.4, MIT, git://github.com/inspect-js/is-regex.git, Jordan Harband
- is-shared-array-buffer, 1.0.1, MIT, git+<https://github.com/inspect-js/is-shared-array-buffer.git>, Jordan Harband
- is-string, 1.0.7, MIT, git://github.com/ljharb/is-string.git, Jordan Harband
- is-symbol, 1.0.4, MIT, git://github.com/inspect-js/is-symbol.git, Jordan Harband
- is-weakref, 1.0.2, MIT, git+<https://github.com/inspect-js/is-weakref.git>, Jordan Harband
- isarray, 1.0.0, MIT, git://github.com/juliangruber/isarray.git, Julian Gruber



ATLAS.ti

- iterall, 1.3.0, MIT, <https://github.com/leebyron/iterall.git>, Lee Byron
- jose, 4.15.5, MIT, <https://github.com/panva/jose.git>, Filip Skokan
- jose, 4.11.2, MIT, <https://github.com/panva/jose.git>, Filip Skokan
- js-sha3, 0.8.0, MIT, <https://github.com/emn178/js-sha3.git>, Chen, Yi-Cyuan
- js-tiktoken, 1.0.7, MIT, <https://github.com/dqbd/tiktoken>
- js-tokens, 4.0.0, MIT, <https://github.com/lydell/js-tokens.git>, Simon Lydell
- js-yaml, 3.14.1, MIT, <https://github.com/nodeca/js-yaml.git>, Vladimir Zapparov
- js-yaml, 4.1.0, MIT, <https://github.com/nodeca/js-yaml.git>, Vladimir Zapparov
- jsdom, 16.6.0, MIT, <https://github.com/jsdom/jsdom.git>
- json-bigint, 1.0.0, MIT, git@github.com:sidorares/json-bigint.git, Andrey Sidorov
- json-schema-traverse, 1.0.0, MIT, git+<https://github.com/epoberezkin/json-schema-traverse.git>, Evgeny Poberezkin
- json-stable-stringify, 1.0.1, MIT, git://github.com/substack/json-stable-stringify.git, James Halliday
- json5, 1.0.2, MIT, git+<https://github.com/json5/json5.git>, Aseem Kishore
- jsonfile, 4.0.0, MIT, git@github.com:jprichardson/node-jsonfile.git, JP Richardson
- jsonpointer, 5.0.1, MIT, <https://github.com/janl/node-jsonpointer.git>, Jan Lehnardt
- jsonwebtoken, 9.0.0, MIT, <https://github.com/auth0/node-jwt-token>, auth0
- jwa, 1.4.1, MIT, git://github.com/brianloveswords/node-jwa.git, Brian J. Brennan
- jwks-rsa, 3.0.1, MIT, git+<https://github.com/auth0/node-jwks-rsa.git>, Auth0
- jws, 3.2.2, MIT, git://github.com/brianloveswords/node-jws.git, Brian J Brennan
- jwt-decode, 3.1.1, MIT, git://github.com/auth0/jwt-decode, Jose F. Romaniello
- langchain, 0.0.184, MIT, git@github.com:langchain-ai/langchainjs.git, LangChain
- langchainhub, 0.0.6, MIT, Unknown, LangChain
- langsmith, 0.0.48, MIT, git+<https://github.com/langchain-ai/langsmith-sdk.git>, LangChain
- lazystream, 1.0.1, MIT, <https://github.com/jpommerening/node-lazystream.git>, Jonas Pommerening
- levn, 0.3.0, MIT, git://github.com/gkz/levn.git, George Zahariev



ATLAS.ti

- libxmljs2, 0.33.0, MIT, <http://github.com/marudor/libxmljs2.git>, marudor
- lie, 3.3.0, MIT, <https://github.com/calvinmetcalf/lie.git>
- limiter, 1.1.5, MIT, <git://github.com/jhurliman/node-rate-limiter>, John Hurliman
- loader-utils, 1.4.2, MIT, <https://github.com/webpack/loader-utils.git>, Tobias Koppers @sokra
- loadjs, 4.2.0, MIT, <https://github.com/muicss/loadjs.git>
- lodash, 4.17.21, MIT, <https://github.com/lodash/lodash.git>, John-David Dalton
- lodash-es, 4.17.21, MIT, <https://github.com/lodash/lodash.git>, John-David Dalton
- lodash.camelcase, 4.3.0, MIT, <https://github.com/lodash/lodash.git>, John-David Dalton
- lodash.clonedeep, 4.5.0, MIT, <https://github.com/lodash/lodash.git>, John-David Dalton
- lodash.defaults, 4.2.0, MIT, <https://github.com/lodash/lodash.git>, John-David Dalton
- lodash.difference, 4.5.0, MIT, <https://github.com/lodash/lodash.git>, John-David Dalton
- lodash.escaperegexp, 4.1.2, MIT, <https://github.com/lodash/lodash.git>, John-David Dalton
- lodash.flatten, 4.4.0, MIT, <https://github.com/lodash/lodash.git>, John-David Dalton
- lodash.groupby, 4.6.0, MIT, <https://github.com/lodash/lodash.git>, John-David Dalton
- lodash.isarguments, 3.1.0, MIT, <https://github.com/lodash/lodash.git>, John-David Dalton
- lodash.isboolean, 3.0.3, MIT, <https://github.com/lodash/lodash.git>, John-David Dalton
- lodash.isequal, 4.5.0, MIT, <https://github.com/lodash/lodash.git>, John-David Dalton
- lodash.isfunction, 3.0.9, MIT, <https://github.com/lodash/lodash.git>, John-David Dalton
- lodash.isnil, 4.0.0, MIT, <https://github.com/lodash/lodash.git>, John-David Dalton



ATLAS.ti

- lodash.isplainobject, 4.0.6, MIT, <https://github.com/lodash/lodash.git>, John-David Dalton
- lodash.isundefined, 3.0.1, MIT, <https://github.com/lodash/lodash.git>, John-David Dalton
- lodash.mapvalues, 4.6.0, MIT, <https://github.com/lodash/lodash.git>, John-David Dalton
- lodash.merge, 4.6.2, MIT, <https://github.com/lodash/lodash.git>, John-David Dalton
- lodash.sortby, 4.7.0, MIT, <https://github.com/lodash/lodash.git>, John-David Dalton
- lodash.union, 4.6.0, MIT, <https://github.com/lodash/lodash.git>, John-David Dalton
- lodash.uniq, 4.5.0, MIT, <https://github.com/lodash/lodash.git>, John-David Dalton
- loglevel, 1.8.0, MIT, <git://github.com/pimterry/loglevel.git>, Tim Perry
- loose-envify, 1.4.0, MIT, <git://github.com/zertosh/loose-envify.git>, Andres Suarez
- lower-case, 2.0.2, MIT, <git://github.com/blakeembrey/change-case.git>, Blake Embrey
- lru\_map, 0.3.3, MIT, <git+https://github.com/rsms/js-lru.git>, Rasmus Andersson
- lru-memoizer, 2.1.4, MIT, <git://github.com/jfromaniello/lru-memoizer.git>, José F. Romaniello
- make-dir, 3.1.0, MIT, <https://github.com/sindresorhus/make-dir.git>, Sindre Sorhus
- media-typer, 0.3.0, MIT, <https://github.com/jshttp/media-typer.git>, Douglas Christopher Wilson
- memory-pager, 1.5.0, MIT, <https://github.com/mathiasbuus/memory-pager.git>, Mathias Buus
- merge-descriptors, 1.0.1, MIT, <https://github.com/component/merge-descriptors.git>, Jonathan Ong
- merge2, 1.4.1, MIT, <git@github.com:teambition/merge2.git>
- methods, 1.1.2, MIT, <https://github.com/jshttp/methods.git>
- micromatch, 4.0.5, MIT, <https://github.com/micromatch/micromatch.git>, Jon Schlinkert



ATLAS.ti

- microseconds, 0.2.0, MIT, <https://github.com/kamicane/microseconds.git>, Valerio Proietti
- mime, 1.6.0, MIT, <https://github.com/broofa/node-mime>, Robert Kiefer
- mime-db, 1.52.0, MIT, <https://github.com/jshttp/mime-db.git>
- mime-types, 2.1.35, MIT, <https://github.com/jshttp/mime-types.git>
- mimic-response, 2.1.0, MIT, <https://github.com/sindresorhus/mimic-response.git>, Sindre Sorhus
- minimalist, 1.2.8, MIT, [git://github.com/minimistjs/minimist.git](https://github.com/minimistjs/minimist.git), James Halliday
- minizlib, 2.1.2, MIT, [git+https://github.com/isaacs/minizlib.git](https://github.com/isaacs/minizlib.git), Isaac Z. Schlueter
- mkdirp, 1.0.4, MIT, <https://github.com/isaacs/node-mkdirp.git>
- mkdirp, 0.5.6, MIT, <https://github.com/substack/node-mkdirp.git>, James Halliday
- ml-array-mean, 1.1.6, MIT, [git+https://github.com/mljs/array.git](https://github.com/mljs/array.git), Jefferson Hernández
- ml-array-sum, 1.1.6, MIT, [git+https://github.com/mljs/array.git](https://github.com/mljs/array.git), Jefferson Hernández
- ml-distance, 4.0.1, MIT, <https://github.com/mljs/distance.git>, Michaël Zasso
- ml-distance-euclidean, 2.0.0, MIT, [git+https://github.com/mljs/distance-euclidean.git](https://github.com/mljs/distance-euclidean.git), Michaël Zasso
- ml-tree-similarity, 1.0.0, MIT, [git+https://github.com/mljs/tree-similarity.git](https://github.com/mljs/tree-similarity.git), Miguel Asencio
- module-alias, 2.2.2, MIT, [git+https://github.com/learnio/module-alias.git](https://github.com/learnio/module-alias.git), Nick Gavrilov
- mongoose, 7.4.0, MIT, [git://github.com/Automattic/mongoose.git](https://github.com/Automattic/mongoose.git), Guillermo Rauch
- mpath, 0.9.0, MIT, [git://github.com/aheckmann/mpath.git](https://github.com/aheckmann/mpath.git), Aaron Heckmann
- mquery, 5.0.0, MIT, [git://github.com/aheckmann/mquery.git](https://github.com/aheckmann/mquery.git), Aaron Heckmann
- ms, 2.1.2, MIT, <https://github.com/zeit/ms.git>
- ms, 2.0.0, MIT, <https://github.com/zeit/ms.git>
- ms, 2.1.3, MIT, <https://github.com/vercel/ms.git>
- nan, 2.17.0, MIT, [git://github.com/nodejs/nan.git](https://github.com/nodejs/nan.git)
- nan, 2.18.0, MIT, [git://github.com/nodejs/nan.git](https://github.com/nodejs/nan.git)



ATLAS.ti

- nanoid, 3.3.7, MIT, <https://github.com/ai/nanoid.git>, Andrey Sitnik
- natural, 0.6.1, MIT, <git://github.com/NaturalNode/natural.git>, Chris Umbel
- negotiator, 0.6.3, MIT, <https://github.com/jshttp/negotiator.git>
- neo-async, 2.6.2, MIT, <git@github.com:suguru03/neo-async.git>
- no-case, 3.0.4, MIT, <git://github.com/blakeembrey/change-case.git>, Blake Embrey
- node-domexception, 1.0.0, MIT, <git+https://github.com/jimmywarting/node-domexception.git>, Jimmy Wärtling
- node-fetch, 2.7.0, MIT, <https://github.com/bitinn/node-fetch.git>, David Frank
- node-mailjet, 5.1.1, MIT, <git+https://github.com/mailjet/mailjet-apiv3-nodejs.git>, Mailjet
- node-worker-threads-pool, 1.5.1, MIT, <git+https://github.com/SUCHMOKUO/node-worker-threads-pool.git>, mokuo
- node-xml-stream-parser, 1.0.12, MIT, <https://github.com/mfahlandt/node-xml-stream-parser/>, Tommy Dronkers
- normalize-path, 2.1.1, MIT, <https://github.com/jonschlinkert/normalize-path.git>, Jon Schlinkert
- normalize-path, 3.0.0, MIT, <https://github.com/jonschlinkert/normalize-path.git>, Jon Schlinkert
- num-sort, 2.1.0, MIT, <https://github.com/sindresorhus/num-sort.git>, Sindre Sorhus
- nwsapi, 2.2.0, MIT, <git://github.com/dperini/nwsapi.git>, Diego Perini
- object-assign, 4.1.1, MIT, <https://github.com/sindresorhus/object-assign.git>, Sindre Sorhus
- object-inspect, 1.13.1, MIT, <git://github.com/inspect-js/object-inspect.git>, James Halliday
- object-keys, 1.1.1, MIT, <git://github.com/ljharb/object-keys.git>, Jordan Harband
- object-path, 0.11.8, MIT, <git://github.com/mariocasciaro/object-path.git>, Mario Casciario
- object.assign, 4.1.5, MIT, <git://github.com/ljharb/object.assign.git>, Jordan Harband



ATLAS.ti

- object.getownpropertydescriptors, 2.1.3, MIT, [git://github.com/es-shims/object.getownpropertydescriptors.git](https://github.com/es-shims/object.getownpropertydescriptors.git), Jordan Harband
- on-f nished, 2.4.1, MIT, <https://github.com/jshttp/on-f nished.git>
- openai, 3.2.1, MIT, [git@github.com:openai/openai-node.git](https://github.com/openai/openai-node.git), OpenAI
- openapi-default-setter, 10.0.0, MIT, <https://github.com/kogosoftwarellc/open-api/tree/master/packages/openapi-default-setter>, Joseph Spencer
- openapi-framework, 10.1.0, MIT, <https://github.com/kogosoftwarellc/open-api/tree/master/packages/openapi-framework>, Joseph Spencer
- openapi-jsonschema-parameters, 10.0.0, MIT, <https://github.com/kogosoftwarellc/open-api/tree/master/packages/openapi-jsonschema-parameters>, Joseph Spencer
- openapi-request-coercer, 10.0.0, MIT, <https://github.com/kogosoftwarellc/open-api/tree/master/packages/openapi-request-coercer>, Joseph Spencer
- openapi-request-validator, 10.0.0, MIT, <https://github.com/kogosoftwarellc/open-api/tree/master/packages/openapi-request-validator>, Joseph Spencer
- openapi-response-validator, 10.0.0, MIT, <https://github.com/kogosoftwarellc/open-api/tree/master/packages/openapi-response-validator>, Joseph Spencer
- openapi-schema-validator, 10.0.0, MIT, <https://github.com/kogosoftwarellc/open-api/tree/master/packages/openapi-schema-validator>, Joseph Spencer
- openapi-security-handler, 10.0.0, MIT, <https://github.com/kogosoftwarellc/open-api/tree/master/packages/openapi-security-handler>, Joseph Spencer
- openapi-types, 10.0.0, MIT, <https://github.com/kogosoftwarellc/open-api/tree/master/packages/openapi-types>, Joseph Spencer
- openapi-types, 12.1.3, MIT, <https://github.com/kogosoftwarellc/open-api/tree/master/packages/openapi-types>, Joseph Spencer
- optimism, 0.16.1, MIT, [git+https://github.com/benjamn/optimism.git](https://github.com/benjamn/optimism.git), Ben Newman
- optionator, 0.8.3, MIT, [git://github.com/gkz/optionator.git](https://github.com/gkz/optionator.git), George Zahariev
- orderedmap, 1.1.1, MIT, [git+https://github.com/marijnh/orderedmap.git](https://github.com/marijnh/orderedmap.git), Marijn Haverbeke
- p-f nally, 1.0.0, MIT, <https://github.com/sindresorhus/p-f nally.git>, Sindre Sorhus



ATLAS.ti

- p-map, 2.1.0, MIT, <https://github.com/sindresorhus/p-map.git>, Sindre Sorhus
- p-queue, 6.6.2, MIT, <https://github.com/sindresorhus/p-queue.git>
- p-retry, 4.6.2, MIT, <https://github.com/sindresorhus/p-retry.git>, Sindre Sorhus
- p-timeout, 3.2.0, MIT, <https://github.com/sindresorhus/p-timeout.git>, Sindre Sorhus
- papaparse, 5.3.1, MIT, <https://github.com/mholt/PapaParse.git>, Matthew Holt
- param-case, 3.0.4, MIT, <git://github.com/blakeembrey/change-case.git>, Blake Embrey
- parse5, 6.0.1, MIT, <git://github.com/inikulin/parse5.git>, Ivan Nikulin
- parseurl, 1.3.3, MIT, <https://github.com/pillarjs/parseurl.git>
- pascal-case, 3.1.2, MIT, <git://github.com/blakeembrey/change-case.git>, Blake Embrey
- path-case, 3.0.4, MIT, <git://github.com/blakeembrey/change-case.git>, Blake Embrey
- path-is-absolute, 1.0.1, MIT, <https://github.com/sindresorhus/path-is-absolute.git>, Sindre Sorhus
- path-key, 3.1.1, MIT, <https://github.com/sindresorhus/path-key.git>, Sindre Sorhus
- path-to-regexp, 0.1.7, MIT, <https://github.com/component/path-to-regexp.git>
- path-type, 4.0.0, MIT, <https://github.com/sindresorhus/path-type.git>, Sindre Sorhus
- peek-readable, 4.1.0, MIT, <git+https://github.com/Borewit/peek-readable>, Borewit
- picomatch, 2.3.1, MIT, <https://github.com/micromatch/picomatch.git>, Jon Schlinkert
- plyr, 3.7.8, MIT, <git://github.com/sampotts/plyr.git>, Sam Potts
- popper.js, 1.16.1, MIT, <git+https://github.com/FezVrasta/popper.js.git>, Federico Zivolo
- postcss, 8.4.38, MIT, <https://github.com/postcss/postcss.git>, Andrey Sitnik
- postinstall-postinstall, 2.1.0, MIT, <https://github.com/ds300/postinstall-postinstall>, David Sheldrick
- prelude-ls, 1.1.2, MIT, <git://github.com/gkz/prelude-ls.git>, George Zahariev



ATLAS.ti

- process-nexttick-args, 2.0.1, MIT, <https://github.com/calvinmetcalf/process-nexttick-args.git>
- promise-polyfill, 8.2.0, MIT, <https://github.com/taylorhakes/promise-polyfill.git>, Taylor Hakes
- prop-types, 15.8.1, MIT, <https://github.com/facebook/prop-types.git>
- prosemirror-collab, 1.2.2, MIT, <git://github.com/prosemirror/prosemirror-collab.git>
- prosemirror-commands, 1.1.12, MIT, <git://github.com/prosemirror/prosemirror-commands.git>
- prosemirror-gapcursor, 1.2.0, MIT, <git://github.com/prosemirror/prosemirror-gapcursor.git>
- prosemirror-history, 1.2.0, MIT, <git://github.com/prosemirror/prosemirror-history.git>
- prosemirror-inputrules, 1.1.3, MIT, <git://github.com/prosemirror/prosemirror-inputrules.git>
- prosemirror-keymap, 1.1.5, MIT, <git://github.com/prosemirror/prosemirror-keymap.git>
- prosemirror-model, 1.15.0, MIT, <git://github.com/prosemirror/prosemirror-model.git>
- prosemirror-schema-list, 1.1.6, MIT, <git://github.com/prosemirror/prosemirror-schema-list.git>
- prosemirror-state, 1.3.4, MIT, <git://github.com/prosemirror/prosemirror-state.git>
- prosemirror-tables, 1.1.1, MIT, <git://github.com/prosemirror/prosemirror-tables.git>
- prosemirror-transform, 1.3.3, MIT, <git://github.com/prosemirror/prosemirror-transform.git>
- prosemirror-view, 1.23.1, MIT, <git://github.com/prosemirror/prosemirror-view.git>
- proxy-addr, 2.0.7, MIT, <https://github.com/jshttp/proxy-addr.git>, Douglas Christopher Wilson
- proxy-from-env, 1.1.0, MIT, <https://github.com/Rob--W/proxy-from-env.git>, Rob Wu
- psl, 1.8.0, MIT, <git@github.com:lupomontero/psl.git>, Lupo Montero



ATLAS.ti

- punycode, 2.3.0, MIT, <https://github.com/mathiasbynens/punycode.js.git>, Mathias Bynens
- querystringify, 2.2.0, MIT, <https://github.com/unshiftio/querystringify>, Arnout Kazemier
- queue-microtask, 1.2.3, MIT, <git://github.com/feross/queue-microtask.git>, Feross Aboukhadijeh
- ramda, 0.27.1, MIT, <git://github.com/ramda/ramda.git>, Scott Sauyet
- randombytes, 2.1.0, MIT, <git@github.com:crypto-browserify/randombytes.git>
- range-parser, 1.2.1, MIT, <https://github.com/jshttp/range-parser.git>, TJ Holowaychuk
- rangetouch, 2.0.1, MIT, <git://github.com/sampotts/rangetouch.git>, Sam Potts
- raw-body, 2.5.2, MIT, <https://github.com/stream-utils/raw-body.git>, Jonathan Ong
- react-is, 16.13.1, MIT, <https://github.com/facebook/react.git>
- readable-stream, 2.3.8, MIT, <git://github.com/nodejs/readable-stream>
- readable-stream, 3.6.2, MIT, <git://github.com/nodejs/readable-stream>
- readable-web-to-node-stream, 3.0.1, MIT, <https://github.com/Borewit/readable-web-to-node-stream.git>, Borewit
- redis, 4.6.7, MIT, <git://github.com/redis/node-redis.git>
- redis-commands, 1.7.0, MIT, <https://github.com/NodeRedis/redis-commands.git>, luin
- redis-errors, 1.2.0, MIT, <git+https://github.com/NodeRedis/redis-errors.git>, Ruben Bridgewater
- redis-parser, 3.0.0, MIT, <git+https://github.com/NodeRedis/node-redis-parser.git>, Ruben Bridgewater
- regenerator-runtime, 0.14.1, MIT, <https://github.com/facebook/regenerator/tree/main/packages/runtime>, Ben Newman
- regenerator-runtime, 0.13.11, MIT, <https://github.com/facebook/regenerator/tree/main/packages/runtime>, Ben Newman
- regex-escape, 3.4.10, MIT, <git@github.com:IonicaBizau/regex-escape.js.git>, Ionică Bizău



ATLAS.ti

- require-directory, 2.1.1, MIT, [git://github.com/troygoode/node-require-directory.git](https://github.com/troygoode/node-require-directory.git), Troy Goode
- require-from-string, 2.0.2, MIT, <https://github.com/f oatdrop/require-from-string.git>, Vsevolod Strukchinsky
- requires-port, 1.0.0, MIT, <https://github.com/unshiftio/requires-port>, Arnout Kazemier
- response-iterator, 0.2.6, MIT, [git+ssh://git@github.com/kmalakof /response-iterator.git](https://github.com/kmalakof/response-iterator.git), Kevin Malakof
- retry, 0.13.1, MIT, [git://github.com/tim-kos/node-retry.git](https://github.com/tim-kos/node-retry.git), Tim Koschützki
- reusify, 1.0.4, MIT, [git+https://github.com/mcollina/reusify.git](https://github.com/mcollina/reusify.git), Matteo Collina
- rope-sequence, 1.3.2, MIT, [git+https://github.com/marijnh/rope-sequence.git](https://github.com/marijnh/rope-sequence.git), Marijn Haverbeke
- run-parallel, 1.2.0, MIT, [git://github.com/feross/run-parallel.git](https://github.com/feross/run-parallel.git), Feross Aboukhadijeh
- safe-buffer, 5.1.2, MIT, [git://github.com/feross/safe-buffer.git](https://github.com/feross/safe-buffer.git), Feross Aboukhadijeh
- safe-buffer, 5.2.1, MIT, [git://github.com/feross/safe-buffer.git](https://github.com/feross/safe-buffer.git), Feross Aboukhadijeh
- safer-buffer, 2.1.2, MIT, [git+https://github.com/ChALkeR/safer-buffer.git](https://github.com/ChALkeR/safer-buffer.git), Nikita Skovoroda
- saslprep, 1.0.3, MIT, [git+https://github.com/reklatsmasters/saslprep.git](https://github.com/reklatsmasters/saslprep.git), Dmitry Tsvettsikh
- scroll-into-view-if-needed, 2.2.20, MIT, [git+https://github.com/stipsan/scroll-into-view-if-needed.git](https://github.com/stipsan/scroll-into-view-if-needed.git), Stian Didriksen
- seedrandom, 3.0.5, MIT, [git://github.com/davidbau/seedrandom.git](https://github.com/davidbau/seedrandom.git), David Bau
- select, 1.1.2, MIT, <https://github.com/zenorocha/select.git>
- send, 0.18.0, MIT, <https://github.com/pillarjs/send.git>, TJ Holowaychuk
- sentence-case, 3.0.4, MIT, [git://github.com/blakeembrey/change-case.git](https://github.com/blakeembrey/change-case.git), Blake Embrey
- serve-static, 1.15.0, MIT, <https://github.com/expressjs/serve-static.git>, Douglas Christopher Wilson
- set-function-length, 1.2.2, MIT, [git+https://github.com/ljharb/set-function-length.git](https://github.com/ljharb/set-function-length.git), Jordan Harband



ATLAS.ti

- setimmediate, 1.0.5, MIT, <https://github.com/YuzuJS/setImmediate.git>, YuzuJS
- shebang-command, 2.0.0, MIT, <https://github.com/kevva/shebang-command.git>, Kevin Mårtensson
- shebang-regex, 3.0.0, MIT, <https://github.com/sindresorhus/shebang-regex.git>, Sindre Sorhus
- side-channel, 1.0.6, MIT, git+<https://github.com/ljharb/side-channel.git>, Jordan Harband
- sift, 16.0.1, MIT, <https://github.com/crcn/sift.js.git>, Craig Condon
- simple-concat, 1.0.0, MIT, git://github.com/feross/simple-concat.git, Feross Aboukhadijeh
- simple-get, 3.1.1, MIT, git://github.com/feross/simple-get.git, Feross Aboukhadijeh
- slash, 3.0.0, MIT, <https://github.com/sindresorhus/slash.git>, Sindre Sorhus
- smart-buffer, 4.2.0, MIT, <https://github.com/JoshGlazebrook/smart-buffer.git>, Josh Glazebrook
- snake-case, 3.0.4, MIT, git://github.com/blakeembrey/change-case.git, Blake Embrey
- socks, 2.7.1, MIT, <https://github.com/JoshGlazebrook/socks.git>, Josh Glazebrook
- sparse-bitfield, 3.0.3, MIT, <https://github.com/mathiasbuus/sparse-bitfield.git>, Mathias Buus
- standard-as-callback, 2.1.0, MIT, git+<https://github.com/luin/asCallback.git>, luin
- statuses, 2.0.1, MIT, <https://github.com/jshttp/statuses.git>
- stream-browserify, 3.0.0, MIT, git://github.com/browserify/stream-browserify.git, James Halliday
- streamsearch, 1.1.0, MIT, <http://github.com/mscdex/streamsearch.git>, Brian White
- string\_decoder, 1.1.1, MIT, git://github.com/nodejs/string\_decoder.git
- string\_decoder, 1.3.0, MIT, git://github.com/nodejs/string\_decoder.git
- string-width, 4.2.3, MIT, <https://github.com/sindresorhus/string-width.git>, Sindre Sorhus
- string-width, 5.1.2, MIT, <https://github.com/sindresorhus/string-width.git>, Sindre Sorhus



ATLAS.ti

- string-width-cjs, 4.2.3, MIT, <https://github.com/sindresorhus/string-width.git>, Sindre Sorhus
- string.prototype.trimend, 1.0.4, MIT, <git://github.com/es-shims/String.prototype.trimEnd.git>, Jordan Harband
- string.prototype.trimstart, 1.0.4, MIT, <git://github.com/es-shims/String.prototype.trimStart.git>, Jordan Harband
- strip-ansi, 6.0.1, MIT, <https://github.com/chalk/strip-ansi.git>, Sindre Sorhus
- strip-ansi, 7.1.0, MIT, <https://github.com/chalk/strip-ansi.git>, Sindre Sorhus
- strip-ansi-cjs, 6.0.1, MIT, <https://github.com/chalk/strip-ansi.git>, Sindre Sorhus
- strnum, 1.0.5, MIT, <https://github.com/NaturalIntelligence/strnum>, Amit Gupta
- strtok3, 6.3.0, MIT, <https://github.com/Borewit/strtok3.git>, Borewit
- supports-color, 5.5.0, MIT, <https://github.com/chalk/supports-color.git>, Sindre Sorhus
- sylvester, 0.0.12, MIT, Unknown, Chris Umbel
- sylvester, 0.0.21, MIT, Unknown, Chris Umbel
- symbol-observable, 4.0.0, MIT, <https://github.com/blesh/symbol-observable.git>, Ben Lesh
- symbol-tree, 3.2.4, MIT, <https://github.com/jsdom/js-symbol-tree.git>, Joris van der Wel
- tar-stream, 2.2.0, MIT, <git+https://github.com/mafintosh/tar-stream.git>, Mathias Buus
- tdigest, 0.1.1, MIT, <https://github.com/welch/tdigest.git>, Will Welch
- throttle-debounce, 2.3.0, MIT, <git+https://github.com/niksy/throttle-debounce.git>, Ivan Nikolić
- tiny-emitter, 2.1.0, MIT, <https://github.com/scottcorgan/tiny-emitter.git>, Scott Corgan
- tinycolor2, 1.4.1, MIT, <https://bgrins.github.com/TinyColor>, Brian Grinstead
- tmp, 0.2.3, MIT, <https://github.com/raszi/node-tmp.git>, KARASZI István
- to-regexp-range, 5.0.1, MIT, <https://github.com/micromatch/to-regexp-range.git>, Jon Schlinkert
- toidentifier, 1.0.1, MIT, <https://github.com/component/toidentifier.git>, Douglas Christopher Wilson



ATLAS.ti

- token-types, 4.2.1, MIT, <https://github.com/Borewit/token-types>, Borewit
- tr46, 0.0.3, MIT, git+<https://github.com/Sebmaster/tr46.js.git>, Sebastian Mayr
- tr46, 2.1.0, MIT, <https://github.com/jsdom/tr46>, Sebastian Mayr
- tr46, 3.0.0, MIT, <https://github.com/jsdom/tr46>, Sebastian Mayr
- traverse, 0.3.9, MIT, <http://github.com/substack/js-traverse.git>, James Halliday
- ts-invariant, 0.10.3, MIT, git+<https://github.com/apollographql/invariant-packages.git>, Ben Newman
- ts-log, 2.2.4, MIT, <https://github.com/kallaspriit/ts-log.git>, Stagnation Lab
- ts-md5, 1.2.7, MIT, git+<https://github.com/cotag/ts-md5.git>
- ts-node, 10.9.1, MIT, git://github.com/TypeStrong/ts-node.git, Blake Embrey
- type-check, 0.3.2, MIT, git://github.com/gkz/type-check.git, George Zahariev
- type-is, 1.6.18, MIT, <https://github.com/jshttp/type-is.git>
- typed-emitter, 1.3.1, MIT, <https://github.com/andywer/typed-emitter.git>, Andy Wermke
- typedarray, 0.0.6, MIT, git://github.com/substack/typedarray.git, James Halliday
- unbox-primitive, 1.0.1, MIT, git+<https://github.com/ljharb/unbox-primitive.git>, Jordan Harband
- underscore, 1.13.1, MIT, git://github.com/jashkenas/underscore.git, Jeremy Ashkenas
- undici-types, 5.26.5, MIT, git+<https://github.com/nodejs/undici.git>
- unfetch, 4.2.0, MIT, <https://github.com/developit/unfetch.git>
- universalify, 0.1.2, MIT, git+<https://github.com/RyanZim/universalify.git>, Ryan Zimmerman
- universalify, 0.2.0, MIT, git+<https://github.com/RyanZim/universalify.git>, Ryan Zimmerman
- unixify, 1.0.0, MIT, <https://github.com/jonschlinkert/unixify.git>, Jon Schlinkert
- unpipe, 1.0.0, MIT, <https://github.com/stream-utils/unpipe.git>, Douglas Christopher Wilson
- unzipper, 0.10.14, MIT, <https://github.com/ZJONSSON/node-unzipper.git>, Evan Oxfeld



ATLAS.ti

- upper-case, 2.0.2, MIT, [git://github.com/blakeembrey/change-case.git](https://github.com/blakeembrey/change-case.git), Blake Embrey
- upper-case-first, 2.0.2, MIT, [git://github.com/blakeembrey/change-case.git](https://github.com/blakeembrey/change-case.git), Blake Embrey
- url-join, 4.0.1, MIT, [git://github.com/jfromaniello/url-join.git](https://github.com/jfromaniello/url-join.git), José F. Romaniello
- url-parse, 1.5.10, MIT, <https://github.com/unshiftio/url-parse.git>, Arnout Kazemier
- url-polyfill, 1.1.12, MIT, <https://github.com/lifaon74/url-polyfill>, valentin
- util-deprecate, 1.0.2, MIT, [git://github.com/TooTallNate/util-deprecate.git](https://github.com/TooTallNate/util-deprecate.git), Nathan Rajlich
- util.promisify, 1.1.1, MIT, [git+https://github.com/ljharb/util.promisify.git](https://github.com/ljharb/util.promisify.git), Jordan Harband
- utils-merge, 1.0.1, MIT, [git://github.com/jaredhanson/utils-merge.git](https://github.com/jaredhanson/utils-merge.git), Jared Hanson
- uuid, 9.0.1, MIT, <https://github.com/uuidjs/uuid.git>
- uuid, 8.3.2, MIT, <https://github.com/uuidjs/uuid.git>
- uuid-parse, 1.0.0, MIT, <https://github.com/zef erus/uuid-parse.git>
- v-tooltip, 2.1.3, MIT, [git+https://github.com/Akryum/vue-tooltip.git](https://github.com/Akryum/vue-tooltip.git), Guillaume Chau
- v8-compile-cache-lib, 3.0.1, MIT, <https://github.com/cspotcode/v8-compile-cache-lib.git>, Andrew Bradley
- value-or-promise, 1.0.11, MIT, <https://github.com/yaacovCR/value-or-promise>
- vary, 1.1.2, MIT, <https://github.com/jshttp/vary.git>, Douglas Christopher Wilson
- vue, 2.7.14, MIT, [git+https://github.com/vuejs/vue.git](https://github.com/vuejs/vue.git), Evan You
- vue-apollo, 3.1.0, MIT, [git+https://github.com/Akryum/vue-apollo.git](https://github.com/Akryum/vue-apollo.git), Guillaume Chau
- vue-apollo-smart-ops, 0.2.0-beta.1, MIT, <https://github.com/madscience/vue-apollo-smart-ops.git>, Madscience Ltd
- vue-class-component, 7.2.6, MIT, [git+https://github.com/vuejs/vue-class-component.git](https://github.com/vuejs/vue-class-component.git), Evan You
- vue-clipboard2, 0.2.1, MIT, [git+https://github.com/Inndy/vue-clipboard2.git](https://github.com/Inndy/vue-clipboard2.git), Inndy



ATLAS.ti

- vue-i18n, 8.15.0, MIT, git+<https://github.com/kazupon/vue-i18n.git>, kazuya kawaguchi
- vue-js-toggle-button, 1.3.3, MIT, <https://github.com/euwl/vue-js-toggle-button.git>, euwl
- vue-meta, 2.4.0, MIT, git@github.com/nuxt/vue-meta.git
- vue-property-decorator, 9.1.2, MIT, git+<https://github.com/kaorun343/vue-property-decorator.git>, kaorun343
- vue-resize, 1.0.1, MIT, git+<https://github.com/Akryum/vue-resize.git>, Guillaume Chau
- vue-router, 3.5.3, MIT, <https://github.com/vuejs/vue-router.git>, Evan You
- vue-router-multiguard, 1.0.3, MIT, <https://github.com/atanas-angelov-dev/vue-router-multiguard.git>, Atanas Angelov
- vue-scrollto, 2.15.0, MIT, <https://github.com/rigor789/vue-scrollto>, Igor Randjelovic
- vue-style-loader, 4.1.3, MIT, git@github.com:vuejs/vue-style-loader.git, Evan You
- vue-typed-mixins, 0.2.0, MIT, <https://github.com/ktsn/vue-typed-mixins.git>, katashin
- vuelidate, 0.7.7, MIT, <https://github.com/monterail/vuelidate.git>, Paweł Grabarz
- vuex, 3.1.0, MIT, git+<https://github.com/vuejs/vuex.git>, Evan You
- w3c-hr-time, 1.0.2, MIT, <https://github.com/jsdom/w3c-hr-time>, Timothy Gu
- w3c-keyname, 2.2.4, MIT, git+<https://github.com/marijnh/w3c-keyname.git>, Marijn Haverbeke
- w3c-xmlserializer, 2.0.0, MIT, <https://github.com/jsdom/w3c-xmlserializer.git>
- web-streams-polyfill, 3.2.1, MIT, git+<https://github.com/MattiasBuelens/web-streams-polyfill.git>, Mattias Buelens
- web-streams-polyfill, 4.0.0-beta.3, MIT, git+<https://github.com/MattiasBuelens/web-streams-polyfill.git>, Mattias Buelens
- whatwg-encoding, 1.0.5, MIT, <https://github.com/jsdom/whatwg-encoding.git>, Domenic Denicola
- whatwg-mimetype, 2.3.0, MIT, <https://github.com/jsdom/whatwg-mimetype.git>, Domenic Denicola
- whatwg-url, 5.0.0, MIT, <https://github.com/jsdom/whatwg-url.git>, Sebastian Mayr



ATLAS.ti

- whatwg-url, 8.6.0, MIT, <https://github.com/jsdom/whatwg-url.git>, Sebastian Mayr
- whatwg-url, 11.0.0, MIT, <https://github.com/jsdom/whatwg-url.git>, Sebastian Mayr
- which-boxed-primitive, 1.0.2, MIT, [git+https://github.com/inspect-js/which-boxed-primitive.git](https://github.com/inspect-js/which-boxed-primitive.git), Jordan Harband
- word-wrap, 1.2.3, MIT, <https://github.com/jonschlinkert/word-wrap.git>, Jon Schlinkert
- wordnet-db, 3.1.14, MIT, [git://github.com/moos/wordnet-db.git](https://github.com/moos/wordnet-db.git), Moos
- wordwrap, 1.0.0, MIT, [git://github.com/substack/node-wordwrap.git](https://github.com/substack/node-wordwrap.git), James Halliday
- wrap-ansi, 7.0.0, MIT, <https://github.com/chalk/wrap-ansi.git>, Sindre Sorhus
- wrap-ansi, 8.1.0, MIT, <https://github.com/chalk/wrap-ansi.git>, Sindre Sorhus
- wrap-ansi-cjs, 7.0.0, MIT, <https://github.com/chalk/wrap-ansi.git>, Sindre Sorhus
- ws, 7.5.9, MIT, <https://github.com/websockets/ws.git>, Einar Otto Stangvik
- ws, 8.16.0, MIT, [git+https://github.com/websockets/ws.git](https://github.com/websockets/ws.git), Einar Otto Stangvik
- xmlbuilder, 10.1.1, MIT, [git://github.com/oozcitak/xmlbuilder-js.git](https://github.com/oozcitak/xmlbuilder-js.git), Ozgur Ozcitak
- xmlbuilder, 15.1.1, MIT, [git://github.com/oozcitak/xmlbuilder-js.git](https://github.com/oozcitak/xmlbuilder-js.git), Ozgur Ozcitak
- xmlchars, 2.2.0, MIT, <https://github.com/lddubeau/xmlchars.git>, Louis-Dominique Dubeau
- xregexp, 4.4.0, MIT, <https://github.com/slevithan/xregexp.git>, Steven Levithan
- xss, 1.0.10, MIT, [git://github.com/leizongmin/js-xss.git](https://github.com/leizongmin/js-xss.git), Zongmin Lei
- yargs, 17.7.2, MIT, <https://github.com/yargs/yargs.git>
- yn, 3.1.1, MIT, <https://github.com/sindresorhus/yn.git>, Sindre Sorhus
- zen-observable, 0.8.15, MIT, <https://github.com/zenparsing/zen-observable.git>
- zen-observable-ts, 1.2.5, MIT, [git+https://github.com/apollographql/zen-observable-ts.git](https://github.com/apollographql/zen-observable-ts.git)
- zip-stream, 4.1.0, MIT, <https://github.com/archiverjs/node-zip-stream.git>, Chris Talkington
- zod, 3.22.3, MIT, <https://github.com/colinhacks/zod>, Colin McDonnell
- @apollo/protobufjs, 1.2.2, BSD-3-Clause, <https://github.com/apollographql/protobuf.js.git>, Daniel Wirtz



ATLAS.ti

- @mapbox/node-pre-gyp, 1.0.8, BSD-3-Clause, [git://github.com/mapbox/node-pre-gyp.git](https://github.com/mapbox/node-pre-gyp.git), Dane Springmeyer
- @mapbox/node-pre-gyp, 1.0.11, BSD-3-Clause, [git://github.com/mapbox/node-pre-gyp.git](https://github.com/mapbox/node-pre-gyp.git), Dane Springmeyer
- @protobufjs/aspromise, 1.1.2, BSD-3-Clause, <https://github.com/dcodeIO/protobuf.js.git>, Daniel Wirtz
- @protobufjs/base64, 1.1.2, BSD-3-Clause, <https://github.com/dcodeIO/protobuf.js.git>, Daniel Wirtz
- @protobufjs/codegen, 2.0.4, BSD-3-Clause, <https://github.com/dcodeIO/protobuf.js.git>, Daniel Wirtz
- @protobufjs/eventemitter, 1.1.0, BSD-3-Clause, <https://github.com/dcodeIO/protobuf.js.git>, Daniel Wirtz
- @protobufjs/fetch, 1.1.0, BSD-3-Clause, <https://github.com/dcodeIO/protobuf.js.git>, Daniel Wirtz
- @protobufjs/f oat, 1.0.2, BSD-3-Clause, <https://github.com/dcodeIO/protobuf.js.git>, Daniel Wirtz
- @protobufjs/inquire, 1.1.0, BSD-3-Clause, <https://github.com/dcodeIO/protobuf.js.git>, Daniel Wirtz
- @protobufjs/path, 1.1.2, BSD-3-Clause, <https://github.com/dcodeIO/protobuf.js.git>, Daniel Wirtz
- @protobufjs/pool, 1.1.0, BSD-3-Clause, <https://github.com/dcodeIO/protobuf.js.git>, Daniel Wirtz
- @protobufjs/utf8, 1.1.0, BSD-3-Clause, <https://github.com/dcodeIO/protobuf.js.git>, Daniel Wirtz
- @sentry/browser, 6.16.0, BSD-3-Clause, [git://github.com/getsentry/sentry-javascript.git](https://github.com/getsentry/sentry-javascript.git), Sentry
- @sentry/core, 6.17.4, BSD-3-Clause, [git://github.com/getsentry/sentry-javascript.git](https://github.com/getsentry/sentry-javascript.git), Sentry
- @sentry/core, 6.16.0, BSD-3-Clause, [git://github.com/getsentry/sentry-javascript.git](https://github.com/getsentry/sentry-javascript.git), Sentry
- @sentry/hub, 6.17.4, BSD-3-Clause, [git://github.com/getsentry/sentry-javascript.git](https://github.com/getsentry/sentry-javascript.git), Sentry
- @sentry/hub, 6.16.0, BSD-3-Clause, [git://github.com/getsentry/sentry-javascript.git](https://github.com/getsentry/sentry-javascript.git), Sentry



ATLAS.ti

- @sentry/minimal, 6.17.4, BSD-3-Clause, [git://github.com/getsentry/sentry-javascript.git](https://github.com/getsentry/sentry-javascript.git), Sentry
- @sentry/minimal, 6.16.0, BSD-3-Clause, [git://github.com/getsentry/sentry-javascript.git](https://github.com/getsentry/sentry-javascript.git), Sentry
- @sentry/node, 6.17.4, BSD-3-Clause, [git://github.com/getsentry/sentry-javascript.git](https://github.com/getsentry/sentry-javascript.git), Sentry
- @sentry/types, 6.17.4, BSD-3-Clause, [git://github.com/getsentry/sentry-javascript.git](https://github.com/getsentry/sentry-javascript.git), Sentry
- @sentry/types, 6.16.0, BSD-3-Clause, [git://github.com/getsentry/sentry-javascript.git](https://github.com/getsentry/sentry-javascript.git), Sentry
- @sentry/utils, 6.17.4, BSD-3-Clause, [git://github.com/getsentry/sentry-javascript.git](https://github.com/getsentry/sentry-javascript.git), Sentry
- @sentry/utils, 6.16.0, BSD-3-Clause, [git://github.com/getsentry/sentry-javascript.git](https://github.com/getsentry/sentry-javascript.git), Sentry
- abab, 2.0.5, BSD-3-Clause, [git+https://github.com/jsdom/abab.git](https://github.com/jsdom/abab.git), Jef Carpenter
- buf er-equal-constant-time, 1.0.1, BSD-3-Clause, [git@github.com:goinstant/buf er-equal-constant-time.git](https://github.com/goinstant/buffer-equal-constant-time.git), Golnstant Inc., a salesforce.com company
- charenc, 0.0.2, BSD-3-Clause, [git://github.com/pvorb/node-charenc.git](https://github.com/pvorb/node-charenc.git), Paul Vorbach
- crypt, 0.0.2, BSD-3-Clause, [git://github.com/pvorb/node-crypt.git](https://github.com/pvorb/node-crypt.git), Paul Vorbach
- d3-array, 2.12.1, BSD-3-Clause, <https://github.com/d3/d3-array.git>, Mike Bostock
- d3-cloud, 1.2.5, BSD-3-Clause, <https://github.com/jasondavies/d3-cloud.git>, Jason Davies
- d3-dispatch, 1.0.6, BSD-3-Clause, <https://github.com/d3/d3-dispatch.git>, Mike Bostock
- d3-ease, 3.0.1, BSD-3-Clause, <https://github.com/d3/d3-ease.git>, Mike Bostock
- d3-path, 1.0.9, BSD-3-Clause, <https://github.com/d3/d3-path.git>, Mike Bostock
- d3-sankey, 0.12.3, BSD-3-Clause, <https://github.com/d3/d3-sankey.git>, Mike Bostock
- d3-shape, 1.3.7, BSD-3-Clause, <https://github.com/d3/d3-shape.git>, Mike Bostock
- dataloader, 1.4.0, BSD-3-Clause, [http://github.com/facebook/dataloader.git](https://github.com/facebook/dataloader.git)



ATLAS.ti

- dif , 4.0.2, BSD-3-Clause, [git://github.com/kpdecker/jsdif](https://github.com/kpdecker/jsdif) .git
- duplexer2, 0.1.4, BSD-3-Clause, [https://github.com/deoxxa/duplexer2.git](https://github.com/deoxxa/duplexer2), Conrad Pankof
- f at, 5.0.2, BSD-3-Clause, [git://github.com/hughsk/f at.git](https://github.com/hughsk/f-at), Hugh Kennedy
- hoist-non-react-statics, 3.3.2, BSD-3-Clause, [git://github.com/mridgway/hoist-non-react-statics.git](https://github.com/mridgway/hoist-non-react-statics), Michael Ridgway
- ieee754, 1.2.1, BSD-3-Clause, [git://github.com/feross/ieee754.git](https://github.com/feross/ieee754), Feross Aboukhadijeh
- md5, 2.3.0, BSD-3-Clause, [git://github.com/pvorb/node-md5.git](https://github.com/pvorb/node-md5), Paul Vorbach
- protobufjs, 7.2.4, BSD-3-Clause, [https://github.com/protobufjs/protobuf.js.git](https://github.com/protobufjs/protobuf.js), Daniel Wirtz
- qs, 6.11.0, BSD-3-Clause, [https://github.com/ljharb/qs.git](https://github.com/ljharb/qs)
- rw, 1.3.3, BSD-3-Clause, [http://github.com/mbostock/rw.git](https://github.com/mbostock/rw), Mike Bostock
- serialize-javascript, 4.0.0, BSD-3-Clause, [git+https://github.com/yahoo/serialize-javascript.git](https://github.com/yahoo/serialize-javascript), Eric Ferraiuolo
- sha1, 1.1.1, BSD-3-Clause, [git://github.com/pvorb/node-sha1.git](https://github.com/pvorb/node-sha1), Paul Vorbach
- source-map, 0.6.1, BSD-3-Clause, [http://github.com/mozilla/source-map.git](https://github.com/mozilla/source-map), Nick Fitzgerald
- source-map-js, 1.2.0, BSD-3-Clause, [https://github.com/7rulnik/source-map-js.git](https://github.com/7rulnik/source-map-js), Valentin 7rulnik Semirulnik
- sprintf-js, 1.0.3, BSD-3-Clause, [https://github.com/alexei/sprintf.js.git](https://github.com/alexei/sprintf.js), Alexandru Marasteanu
- tough-cookie, 4.1.3, BSD-3-Clause, [git://github.com/salesforce/tough-cookie.git](https://github.com/salesforce/tough-cookie), Jeremy Stashewsky
- @atlas-ti/atlasd3, 0.0.12, UNKNOWN, Unknown
- @atlas-ti/ssd-cloud-dispatcher, 24.1.0-30533, UNKNOWN, Unknown
- buf ers, 0.1.1, UNKNOWN, [http://github.com/substack/node-buf-ers.git](https://github.com/substack/node-buf-ers), James Halliday
- @aws-crypto/crc32, 3.0.0, Apache-2.0, [git@github.com:aws/aws-sdk-js-crypto-helpers.git](https://github.com/aws/aws-sdk-js-crypto-helpers), AWS Crypto Tools Team
- @aws-crypto/crc32c, 3.0.0, Apache-2.0, [git@github.com:aws/aws-sdk-js-crypto-helpers.git](https://github.com/aws/aws-sdk-js-crypto-helpers), AWS Crypto Tools Team



ATLAS.ti

- @aws-crypto/ie11-detection, 3.0.0, Apache-2.0, git@github.com:aws/aws-sdk-js-crypto-helpers.git, AWS Crypto Tools Team
- @aws-crypto/sha1-browser, 3.0.0, Apache-2.0, git@github.com:aws/aws-sdk-js-crypto-helpers.git, AWS Crypto Tools Team
- @aws-crypto/sha256-browser, 3.0.0, Apache-2.0, git@github.com:aws/aws-sdk-js-crypto-helpers.git, AWS Crypto Tools Team
- @aws-crypto/sha256-js, 3.0.0, Apache-2.0, git@github.com:aws/aws-sdk-js-crypto-helpers.git, AWS Crypto Tools Team
- @aws-crypto/supports-web-crypto, 3.0.0, Apache-2.0, git@github.com:aws/aws-sdk-js-crypto-helpers.git, AWS Crypto Tools Team
- @aws-crypto/util, 3.0.0, Apache-2.0, git@github.com:aws/aws-sdk-js-crypto-helpers.git, AWS Crypto Tools Team
- @aws-sdk/abort-controller, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/chunked-blob-reader, 3.310.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/client-s3, 3.347.1, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/client-sso, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/client-sso-oidc, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/client-sts, 3.347.1, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/config-resolver, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/credential-provider-env, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/credential-provider-imds, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/credential-provider-ini, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/credential-provider-node, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team



ATLAS.ti

- @aws-sdk/credential-provider-process, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/credential-provider-sso, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/credential-provider-web-identity, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/eventstream-codec, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/eventstream-serde-browser, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/eventstream-serde-conf g-resolver, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/eventstream-serde-node, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/eventstream-serde-universal, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/fetch-http-handler, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/hash-blob-browser, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/hash-node, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/hash-stream-node, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/invalid-dependency, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/is-array-buffer, 3.310.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/is-array-buffer, 3.201.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/lib-storage, 3.267.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/md5-js, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team



ATLAS.ti

- @aws-sdk/middleware-bucket-endpoint, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/middleware-content-length, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/middleware-endpoint, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/middleware-endpoint, 3.267.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/middleware-expect-continue, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/middleware-f exible-checksums, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/middleware-host-header, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/middleware-location-constraint, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/middleware-logger, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/middleware-recursion-detection, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/middleware-retry, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/middleware-sdk-s3, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/middleware-sdk-s3, 3.267.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/middleware-sdk-sts, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/middleware-serde, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/middleware-serde, 3.267.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/middleware-signing, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team



ATLAS.ti

- @aws-sdk/middleware-ssec, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/middleware-stack, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/middleware-stack, 3.267.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/middleware-user-agent, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/node-conf g-provider, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/node-http-handler, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/property-provider, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/protocol-http, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/protocol-http, 3.267.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/querystring-builder, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/querystring-builder, 3.267.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/querystring-parser, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/querystring-parser, 3.267.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/s3-presigned-post, 3.267.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/s3-request-presigner, 3.267.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/service-error-classif cation, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/shared-ini-f ile-loader, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team



ATLAS.ti

- @aws-sdk/signature-v4, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/signature-v4, 3.267.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/signature-v4-multi-region, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/signature-v4-multi-region, 3.267.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/smithy-client, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/smithy-client, 3.267.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/token-providers, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/types, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/types, 3.267.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/url-parser, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/url-parser, 3.267.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/util-arn-parser, 3.310.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/util-arn-parser, 3.208.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/util-base64, 3.310.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/util-body-length-browser, 3.310.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/util-body-length-node, 3.310.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/util-buffer-from, 3.310.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team



ATLAS.ti

- @aws-sdk/util-buffer-from, 3.208.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/util-config-provider, 3.310.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/util-config-provider, 3.208.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/util-create-request, 3.267.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/util-defaults-mode-browser, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/util-defaults-mode-node, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/util-endpoints, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/util-format-url, 3.267.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/util-hex-encoding, 3.310.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/util-hex-encoding, 3.201.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/util-locate-window, 3.208.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/util-middleware, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/util-middleware, 3.267.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/util-retry, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/util-stream-browser, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/util-stream-node, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/util-uri-escape, 3.310.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team



ATLAS.ti

- @aws-sdk/util-uri-escape, 3.201.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/util-user-agent-browser, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/util-user-agent-node, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/util-utf8, 3.310.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/util-utf8, 3.254.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/util-utf8-browser, 3.259.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/util-waiter, 3.347.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @aws-sdk/xml-builder, 3.310.0, Apache-2.0, <https://github.com/aws/aws-sdk-js-v3.git>, AWS SDK for JavaScript Team
- @grpc/grpc-js, 1.10.1, Apache-2.0, <https://github.com/grpc/grpc-node/tree/master/packages/grpc-js>, Google Inc.
- @grpc/proto-loader, 0.7.10, Apache-2.0, <https://github.com/grpc/grpc-node.git>, Google Inc.
- @linusborg/vue-simple-portal, 0.1.5, Apache-2.0, <https://github.com/linusborg/vue-simple-portal>, Thorsten Lünborg
- @smithy/protocol-http, 1.0.1, Apache-2.0, <https://github.com/aws-labs/smithy-typescript.git>, AWS Smithy Team
- @smithy/types, 1.0.0, Apache-2.0, <https://github.com/aws-labs/smithy-typescript.git>, AWS Smithy Team
- bson, 5.4.0, Apache-2.0, <https://github.com/mongodb/js-bson.git>, The MongoDB NodeJS Team
- cluster-key-slot, 1.1.2, Apache-2.0, git+<https://github.com/Salakar/cluster-key-slot.git>, Mike Diarmid
- crc-32, 1.2.2, Apache-2.0, git://github.com/SheetJS/js-crc32.git, sheetjs
- denque, 1.5.1, Apache-2.0, git+<https://github.com/invertase/denque.git>, Invertase



ATLAS.ti

- detect-libc, 1.0.3, Apache-2.0, [git://github.com/lovell/detect-libc](https://github.com/lovell/detect-libc), Lovell Fuller
- detect-libc, 2.0.3, Apache-2.0, [git://github.com/lovell/detect-libc](https://github.com/lovell/detect-libc), Lovell Fuller
- ecdsa-sig-formatter, 1.0.11, Apache-2.0, [git+ssh://git@github.com/Brightspace/node-ecdsa-sig-formatter.git](https://github.com/Brightspace/node-ecdsa-sig-formatter), D2L Corporation
- fast-text-encoding, 1.0.3, Apache-2.0, [https://github.com/samthor/fast-text-encoding.git](https://github.com/samthor/fast-text-encoding), Sam Thorogood
- fuse.js, 3.6.1, Apache-2.0, [https://github.com/krisk/Fuse.git](https://github.com/krisk/Fuse), Kirollos Risk
- kareem, 2.5.1, Apache-2.0, [git://github.com/vkarpov15/kareem.git](https://github.com/vkarpov15/kareem), Valeri Karpov
- long, 5.2.3, Apache-2.0, [https://github.com/dcodeIO/long.js.git](https://github.com/dcodeIO/long.js), Daniel Wirtz
- long, 4.0.0, Apache-2.0, [https://github.com/dcodeIO/long.js.git](https://github.com/dcodeIO/long.js), Daniel Wirtz
- mixpanel-browser, 2.41.0, Apache-2.0, [https://github.com/mixpanel/mixpanel-js.git](https://github.com/mixpanel/mixpanel-js)
- mongodb, 5.7.0, Apache-2.0, [git@github.com:mongodb/node-mongodb-native.git](https://github.com/mongodb/node-mongodb-native), The MongoDB NodeJS Team
- mongodb-connection-string-url, 2.6.0, Apache-2.0, [https://github.com/mongodb-js/mongodb-connection-string-url.git](https://github.com/mongodb-js/mongodb-connection-string-url)
- mousetrap, 1.6.1, Apache-2.0, [git://github.com/ccampbell/mousetrap.git](https://github.com/ccampbell/mousetrap), Craig Campbell
- openai, 4.17.0, Apache-2.0, [https://github.com/openai/openai-node.git](https://github.com/openai/openai-node), OpenAI
- pdfjs-dist, 2.15.349, Apache-2.0, <https://github.com/mozilla/pdfjs-dist>
- prom-client, 12.0.0, Apache-2.0, [git@github.com:siimon/prom-client.git](https://github.com/siimon/prom-client), Simon Nyberg
- readdir-glob, 1.1.3, Apache-2.0, [git://github.com/Yqnn/node-readdir-glob.git](https://github.com/Yqnn/node-readdir-glob), Yann Armelin
- typescript, 5.2.2, Apache-2.0, [https://github.com/Microsoft/TypeScript.git](https://github.com/Microsoft/TypeScript), Microsoft Corp.
- unload, 2.2.0, Apache-2.0, [git+https://github.com/pubkey/unload.git](https://github.com/pubkey/unload), pubkey
- xml-name-validator, 3.0.0, Apache-2.0, [https://github.com/jsdom/xml-name-validator.git](https://github.com/jsdom/xml-name-validator), Domenic Denicola
- @csstools/normalize.css, 12.1.1, CC0-1.0, [https://github.com/csstools/normalize.css.git](https://github.com/csstools/normalize.css), Jonathan Neal



ATLAS.ti

- binary-search, 1.3.6, CC0-1.0, [git://github.com/darkskyapp/binary-search.git](https://github.com/darkskyapp/binary-search.git), The Dark Sky Company, LLC
- @isaacs/cliui, 8.0.2, ISC, <https://github.com/yargs/cliui.git>, Ben Coe
- @josephg/resolvable, 1.0.1, ISC, [git@github.com:josephg/resolvable.git](https://github.com/josephg/resolvable.git), Joseph Gentle
- abbrev, 1.1.1, ISC, <http://github.com/isaacs/abbrev-js>, Isaac Z. Schlueter
- aproba, 2.0.0, ISC, <https://github.com/iarna/aproba>, Rebecca Turner
- are-we-there-yet, 2.0.0, ISC, <https://github.com/npm/are-we-there-yet.git>, GitHub Inc.
- chownr, 2.0.0, ISC, [git://github.com/isaacs/chownr.git](https://github.com/isaacs/chownr.git), Isaac Z. Schlueter
- cliui, 8.0.1, ISC, <https://github.com/yargs/cliui.git>, Ben Coe
- color-support, 1.1.3, ISC, [git+https://github.com/isaacs/color-support.git](https://github.com/isaacs/color-support.git), Isaac Z. Schlueter
- console-control-strings, 1.1.0, ISC, <https://github.com/iarna/console-control-strings>, Rebecca Turner
- d3, 7.8.5, ISC, <https://github.com/d3/d3.git>, Mike Bostock
- d3-array, 3.2.4, ISC, <https://github.com/d3/d3-array.git>, Mike Bostock
- d3-axis, 3.0.0, ISC, <https://github.com/d3/d3-axis.git>, Mike Bostock
- d3-brush, 3.0.0, ISC, <https://github.com/d3/d3-brush.git>, Mike Bostock
- d3-chord, 3.0.1, ISC, <https://github.com/d3/d3-chord.git>, Mike Bostock
- d3-color, 3.1.0, ISC, <https://github.com/d3/d3-color.git>, Mike Bostock
- d3-contour, 4.0.2, ISC, <https://github.com/d3/d3-contour.git>, Mike Bostock
- d3-delaunay, 6.0.4, ISC, <https://github.com/d3/d3-delaunay.git>, Mike Bostock
- d3-dispatch, 3.0.1, ISC, <https://github.com/d3/d3-dispatch.git>, Mike Bostock
- d3-drag, 3.0.0, ISC, <https://github.com/d3/d3-drag.git>, Mike Bostock
- d3-dsv, 3.0.1, ISC, <https://github.com/d3/d3-dsv.git>, Mike Bostock
- d3-fetch, 3.0.1, ISC, <https://github.com/d3/d3-fetch.git>, Mike Bostock
- d3-force, 3.0.0, ISC, <https://github.com/d3/d3-force.git>, Mike Bostock
- d3-format, 3.1.0, ISC, <https://github.com/d3/d3-format.git>, Mike Bostock
- d3-geo, 3.1.0, ISC, <https://github.com/d3/d3-geo.git>, Mike Bostock



ATLAS.ti

- d3-hierarchy, 3.1.2, ISC, <https://github.com/d3/d3-hierarchy.git>, Mike Bostock
- d3-interpolate, 3.0.1, ISC, <https://github.com/d3/d3-interpolate.git>, Mike Bostock
- d3-path, 3.1.0, ISC, <https://github.com/d3/d3-path.git>, Mike Bostock
- d3-polygon, 3.0.1, ISC, <https://github.com/d3/d3-polygon.git>, Mike Bostock
- d3-quadtree, 3.0.1, ISC, <https://github.com/d3/d3-quadtree.git>, Mike Bostock
- d3-random, 3.0.1, ISC, <https://github.com/d3/d3-random.git>, Mike Bostock
- d3-scale, 4.0.2, ISC, <https://github.com/d3/d3-scale.git>, Mike Bostock
- d3-scale-chromatic, 3.0.0, ISC, <https://github.com/d3/d3-scale-chromatic.git>, Mike Bostock
- d3-selection, 3.0.0, ISC, <https://github.com/d3/d3-selection.git>, Mike Bostock
- d3-shape, 3.2.0, ISC, <https://github.com/d3/d3-shape.git>, Mike Bostock
- d3-time, 3.1.0, ISC, <https://github.com/d3/d3-time.git>, Mike Bostock
- d3-time-format, 4.1.0, ISC, <https://github.com/d3/d3-time-format.git>, Mike Bostock
- d3-timer, 3.0.1, ISC, <https://github.com/d3/d3-timer.git>, Mike Bostock
- d3-transition, 3.0.1, ISC, <https://github.com/d3/d3-transition.git>, Mike Bostock
- d3-zoom, 3.0.0, ISC, <https://github.com/d3/d3-zoom.git>, Mike Bostock
- delaunator, 5.0.0, ISC, <https://github.com/mapbox/delaunator.git>, Vladimir Agafonkin
- detect-node, 2.0.4, ISC, <https://github.com/iliakan/detect-node>, Ilya Kantor
- digest-fetch, 1.3.0, ISC, git+<https://github.com/devfans/digest-fetch.git>, stefanliu@outlook.com
- fastq, 1.17.1, ISC, git+<https://github.com/mcollina/fastq.git>, Matteo Collina
- foreground-child, 3.1.1, ISC, git+<https://github.com/tapjs/foreground-child.git>, Isaac Z. Schlueter
- fs-minipass, 2.1.0, ISC, git+<https://github.com/npm/fs-minipass.git>, Isaac Z. Schlueter
- fs.realpath, 1.0.0, ISC, git+<https://github.com/isaacs/fs.realpath.git>, Isaac Z. Schlueter
- fstream, 1.0.12, ISC, <https://github.com/npm/fstream.git>, Isaac Z. Schlueter



- gauge, 3.0.2, ISC, <https://github.com/iarna/gauge>, Rebecca Turner
- get-caller-f le, 2.0.5, ISC, git+<https://github.com/stefanpenner/get-caller-f le.git>, Stefan Penner
- glob, 7.2.3, ISC, git://github.com/isaacs/node-glob.git, Isaac Z. Schlueter
- glob, 10.3.10, ISC, git://github.com/isaacs/node-glob.git, Isaac Z. Schlueter
- glob-parent, 5.1.2, ISC, <https://github.com/gulpjs/glob-parent.git>, Gulp Team
- graceful-fs, 4.2.11, ISC, <https://github.com/isaacs/node-graceful-fs>
- has-unicode, 2.0.1, ISC, <https://github.com/iarna/has-unicode>, Rebecca Turner
- inf ight, 1.0.6, ISC, <https://github.com/npm/inf ight.git>, Isaac Z. Schlueter
- inherits, 2.0.4, ISC, git://github.com/isaacs/inherits
- internmap, 2.0.3, ISC, <https://github.com/mbostock/internmap.git>, Mike Bostock
- internmap, 1.0.1, ISC, <https://github.com/mbostock/internmap.git>, Mike Bostock
- isexe, 2.0.0, ISC, git+<https://github.com/isaacs/isexe.git>, Isaac Z. Schlueter
- listenercount, 1.0.1, ISC, git@github.com:jden/node-listenercount.git, jden
- lru-cache, 5.1.1, ISC, git://github.com/isaacs/node-lru-cache.git, Isaac Z. Schlueter
- lru-cache, 6.0.0, ISC, git://github.com/isaacs/node-lru-cache.git, Isaac Z. Schlueter
- lru-cache, 10.2.0, ISC, git://github.com/isaacs/node-lru-cache.git, Isaac Z. Schlueter
- lru-cache, 4.0.2, ISC, git://github.com/isaacs/node-lru-cache.git, Isaac Z. Schlueter
- make-error, 1.3.6, ISC, git://github.com/JsCommunity/make-error.git, Julien Fontanet
- minimatch, 5.1.6, ISC, git://github.com/isaacs/minimatch.git, Isaac Z. Schlueter
- minimatch, 3.1.2, ISC, git://github.com/isaacs/minimatch.git, Isaac Z. Schlueter
- minimatch, 9.0.1, ISC, git://github.com/isaacs/minimatch.git, Isaac Z. Schlueter
- minipass, 5.0.0, ISC, git+<https://github.com/isaacs/minipass.git>, Isaac Z. Schlueter
- minipass, 3.3.6, ISC, git+<https://github.com/isaacs/minipass.git>, Isaac Z. Schlueter



ATLAS.ti

- minipass, 7.0.4, ISC, <https://github.com/isaacs/minipass>, Isaac Z. Schlueter
- nano-time, 1.0.0, ISC, git+<https://github.com/sazze/node-nanotime.git>, Kevin Smithson
- nopt, 5.0.0, ISC, <https://github.com/npm/nopt.git>, Isaac Z. Schlueter
- npmlog, 5.0.1, ISC, <https://github.com/npm/npmlog.git>, Isaac Z. Schlueter
- once, 1.4.0, ISC, [git://github.com/isaacs/once](https://github.com/isaacs/once), Isaac Z. Schlueter
- picocolors, 1.0.0, ISC, <https://github.com/alexeyraspopov/picocolors.git>, Alexey Raspopov
- pseudomap, 1.0.2, ISC, git+<https://github.com/isaacs/pseudomap.git>, Isaac Z. Schlueter
- remove-trailing-separator, 1.1.0, ISC, git+<https://github.com/darsain/remove-trailing-separator.git>, darsain
- rimraf, 3.0.2, ISC, [git://github.com/isaacs/rimraf.git](https://github.com/isaacs/rimraf.git), Isaac Z. Schlueter
- rimraf, 2.7.1, ISC, [git://github.com/isaacs/rimraf.git](https://github.com/isaacs/rimraf.git), Isaac Z. Schlueter
- sax, 1.1.6, ISC, [git://github.com/isaacs/sax-js.git](https://github.com/isaacs/sax-js.git), Isaac Z. Schlueter
- saxes, 5.0.1, ISC, <https://github.com/lddubeau/saxes.git>, Louis-Dominique Dubeau
- semver, 7.5.4, ISC, <https://github.com/npm/node-semver.git>, GitHub Inc.
- semver, 6.3.1, ISC, <https://github.com/npm/node-semver.git>, GitHub Inc.
- set-blocking, 2.0.0, ISC, git+<https://github.com/yargs/set-blocking.git>, Ben Coe
- setprototypeof, 1.2.0, ISC, <https://github.com/wesleytodd/setprototypeof.git>, Wes Todd
- signal-exit, 3.0.7, ISC, <https://github.com/tapjs/signal-exit.git>, Ben Coe
- signal-exit, 4.1.0, ISC, <https://github.com/tapjs/signal-exit.git>, Ben Coe
- tar, 6.2.1, ISC, <https://github.com/isaacs/node-tar.git>, GitHub Inc.
- which, 2.0.2, ISC, [git://github.com/isaacs/node-which.git](https://github.com/isaacs/node-which.git), Isaac Z. Schlueter
- wide-align, 1.1.5, ISC, <https://github.com/iarna/wide-align>, Rebecca Turner
- wrappy, 1.0.2, ISC, <https://github.com/npm/wrappy>, Isaac Z. Schlueter
- y18n, 5.0.8, ISC, <https://github.com/yargs/y18n.git>, Ben Coe
- yallist, 3.1.1, ISC, git+<https://github.com/isaacs/yallist.git>, Isaac Z. Schlueter



ATLAS.ti

- yallist, 4.0.0, ISC, git+<https://github.com/isaacs/yallist.git>, Isaac Z. Schlueter
- yallist, 2.1.2, ISC, git+<https://github.com/isaacs/yallist.git>, Isaac Z. Schlueter
- yaml, 2.3.1, ISC, <https://github.com/eemeli/yaml.git>, Eemeli Aro
- yargs-parser, 21.1.1, ISC, <https://github.com/yargs/yargs-parser.git>, Ben Coe
- zod-to-json-schema, 3.21.4, ISC, <https://github.com/StefanTerdell/zod-to-json-schema>, Stefan Terdell
- ag-grid-enterprise, 31.1.1, Commercial, <https://github.com/ag-grid/ag-grid.git>, Niall Crosby
- argparse, 2.0.1, Python-2.0, <https://github.com/nodeca/argparse.git>
- big-integer, 1.6.52, Unlicense, git@github.com:peterolson/BigInteger.js.git, Peter Olson
- robust-predicates, 3.0.2, Unlicense, <https://github.com/mourner/robust-predicates.git>, Vladimir Agafonkin
- browser-process-hrtime, 1.0.0, BSD-2-Clause, git://github.com/kumavis/browser-process-hrtime.git, kumavis
- dingbat-to-unicode, 1.0.1, BSD-2-Clause, git+<https://github.com/mwilliamson/dingbat-to-unicode.git>, Michael Williamson
- dotenv, 8.0.0, BSD-2-Clause, git://github.com/motdotla/dotenv.git
- duck, 0.1.12, BSD-2-Clause, <https://github.com/mwilliamson/duck.js.git>, Michael Williamson
- escodegen, 2.0.0, BSD-2-Clause, <http://github.com/estools/escodegen.git>
- esprima, 4.0.1, BSD-2-Clause, <https://github.com/jquery/esprima.git>, Ariya Hidayat
- estraverse, 5.3.0, BSD-2-Clause, <http://github.com/estools/estraverse.git>
- esutils, 2.0.3, BSD-2-Clause, <http://github.com/estools/esutils.git>
- lop, 0.4.1, BSD-2-Clause, <https://github.com/mwilliamson/lop.git>, Michael Williamson
- mammoth, 1.4.19, BSD-2-Clause, <https://github.com/mwilliamson/mammoth.js.git>, Michael Williamson
- option, 0.2.4, BSD-2-Clause, <https://github.com/mwilliamson/node-options.git>, Michael Williamson



ATLAS.ti

- uglify-js, 3.11.5, BSD-2-Clause, <https://github.com/mishoo/UglifyJS.git>, Mihai Bazon
- uri-js, 4.4.1, BSD-2-Clause, <http://github.com/garycourt/uri-js>, Gary Court
- webidl-conversions, 3.0.1, BSD-2-Clause, <https://github.com/jsdom/webidl-conversions.git>, Domenic Denicola
- webidl-conversions, 6.1.0, BSD-2-Clause, <https://github.com/jsdom/webidl-conversions.git>, Domenic Denicola
- webidl-conversions, 5.0.0, BSD-2-Clause, <https://github.com/jsdom/webidl-conversions.git>, Domenic Denicola
- webidl-conversions, 7.0.0, BSD-2-Clause, <https://github.com/jsdom/webidl-conversions.git>, Domenic Denicola
- google-protobuf, 3.21.2, (BSD-3-Clause AND Apache-2.0), <https://github.com/protocolbuffers/protobuf-javascript>, Google Protocol Buffers Team
- jackspeak, 2.3.6, BlueOak-1.0.0, git+<https://github.com/isaacs/jackspeak.git>, Isaac Z. Schlueter
- path-scurry, 1.10.1, BlueOak-1.0.0, git+<https://github.com/isaacs/path-scurry>, Isaac Z. Schlueter
- jsonify, 0.0.0, Public Domain, <http://github.com/substack/jsonify.git>, Douglas Crockford
- jszip, 3.10.1, (MIT OR GPL-3.0-or-later), <https://github.com/Stuk/jszip.git>, Stuart Knightley
- pako, 1.0.11, (MIT AND Zlib), <https://github.com/nodeca/pako.git>
- sha.js, 2.4.11, (MIT AND BSD-3-Clause), <git://github.com/crypto-browserify/sha.js.git>, Dominic Tarr
- tslib, 2.6.2, 0BSD, <https://github.com/Microsoft/tslib.git>, Microsoft Corp.
- tslib, 1.14.1, 0BSD, <https://github.com/Microsoft/tslib.git>, Microsoft Corp.
- tslib, 2.3.1, 0BSD, <https://github.com/Microsoft/tslib.git>, Microsoft Corp.