

# ATLAS.ti Windows

*Analyze anything, faster.*

ATLAS.ti helps you uncover better insights with intuitive research tools and best-in-class technology. Built for every need: from basic analysis tasks to the most in-depth research projects.

Access to all versions with any license:



# Preface

## ATLAS.ti 22 User Manual

Copyright © by ATLAS.ti Scientific Software Development GmbH, Berlin. All rights reserved.

Document version: 22.0.0.215 (03.02.2022 17:01:11)

Author: Dr. Susanne Frieese

Copying or duplicating this document or any part thereof is a violation of applicable law. No part of this manual may be reproduced or transmitted in any form or by any means, electronic or mechanical, including, but not limited to, photocopying, without written permission from ATLAS.ti GmbH.

Trademarks: ATLAS.ti is a registered trademark of ATLAS.ti Scientific Software Development GmbH. Adobe Acrobat is a trademark of Adobe Systems Incorporated; Microsoft, Windows, Excel, and other Microsoft products referenced herein are either trademarks of Microsoft Corporation in the United States and/or in other countries. Google Earth is a trademark of Google, Inc. All other product names and any registered and unregistered trademarks mentioned in this document are used for identification purposes only and remain the exclusive property of their respective owners.

Please always update to the latest versions of ATLAS.ti when notified during application start.

Preface	1
ATLAS.ti 22 User Manual	1
About this Manual	2
How to Use this Manual	3
Useful Resources for Getting Started	3
ATLAS.ti Account and Licence Activation	4
Requesting a Trial Version	4
Activating a Licence	5
Limited Version after Licence Expiration	8
Introduction	9
ATLAS.ti - The Knowledge Workbench	13
Some Basic Terms	13
General Steps when Working with ATLAS.ti	14
Main Concepts and Features	15
Documents and Document Groups	16
Quotations	17
Codes	18
From a Methodological Perspective	18
From a Technical Perspective	19
References	19
Memos	20
Comments	23
Groups	24
Networks	25
Nodes, Links and Relations	25
Network Manager	26
Network Editor	26
Link Manager	26
Relation Manager	26
Tools for Exploring Text Data	27
Analysis	28
Cross-Tabulation of Codes (Code Co-occurrence)	28
Code-Document Table	28
Query Tool	28
Global Filters	28
Smart Codes	28
Smart Groups	29
Team Tools	30
Project Merge	30
Clean up Redundant Codings	30
Coder Icons in the Margin Area	30

Inter-Coder Agreement	30
User Administration	31
Export	32
Word / PDF	32
Excel Export	32
Print Documents with Margin	32
QDPX Exchange Format For Projects	32
SPSS / PSPP Export	32
Generic Statistic Export for R, SAS, STATA, etc.	33
Image Files	33
Main Steps in Working with ATLAS.ti	34
Data and Project Management	34
Two Principal Modes of Working	34
Data Level Work	35
Conceptual Level Work	35
Welcome Screen	37
Welcome Screen (left-hand side)	37
Welcome Screen (middle section)	37
Welcome Screen (right-hand side)	38
Creating a New Project	39
Importing an Existing Project	42
How to Import Projects	42
If the project contains Linked Media Files	43
The ATLAS.ti Interface	45
The ATLAS.ti Ribbon	45
Software Navigation	49
Browsers	51
Context Menus	53
Working with Docked and Floated Windows	55
The Six Main Entity Types	58
Entity Managers	59
Launching an Entity Manager	59
The Split Bar	59
The Status Bar	60
Selecting Items in an Entity Manager	60
Searching	60
Context Menus	61
Sorting and Filtering	61
View Options	61
Search & Filter Options	62
The Document Manager	63
Filter	64

---



The Document Manager Ribbon	64
Tools Tab	65
Search & Filter / View Tab	66
Quotation Manager	67
Quotation Reference	67
Position in the Document: Start / End / Extent	68
Adding Quotation Names	68
Selection Behaviour	68
Drag & Drop	68
Filter	69
Quotation Manager Ribbon	69
Search & Filter / View Tab	70
Code Manager	71
Good to know	72
Code Manager Ribbon	73
Tools Tab	75
Search & Filter	75
View Tab	75
Relation Manager	78
Relation Manager Ribbon	79
View Tab	79
Link Manager	80
Link Manager Columns for Code-Code Links	80
Link Manager Columns for Hyperlinks	81
Link Manager Ribbon	82
View Tab	82
Memo Manager	83
Drag & Drop	83
Filter	84
Memo Manager Ribbon	84
Network Manager	86
Network Manager Ribbon	87
Search & Filter / View Tab	87
Supported File Formats	88
Textual Documents	88
Transcripts	88
PDF files (Text and Graphic)	89
PDF files (eBooks, PowerPoint, Visio, Draw)	90
Images	90
Audio- and Video Documents	90
Geo Documents	90
Social Network Comments	91

Survey Data	91
Reference Manager Data	91
Twitter	91
Evernote	92
Adding Documents	93
What happens when you add documents to a project	93
What happens when you add documents to a project	93
Important for team projects	93
How to add documents	94
Adding transcripts with multimedia file	95
Size Restrictions	95
A Word about "Big Data"	96
Transcription	97
Preparing your Own Transcript	98
Step 1 - Add an Audio or Video File	98
Step 2 - Create a Word file	98
Step 3 - Associate the Word File	98
Step 4 - Begin to transcribe	99
Importing Transcripts in RTF or Word format	100
Step 1 - Add an Audio or Video File	100
Step 2 - Associate a Transcript	100
Synchronized Scrolling	101
Deleting an As	102
Importing Automated Transcripts in VTT and SRT format	103
How to Generate Automated Transcripts - Useful Links	104
How to Import Automated Transcripts	105
Step 1 - Add an Audio or Video File	105
Step 2 - Associate a Transcript	105
Working With Reference Manager Data	108
Importing Reference Manager Data	108
Inspecting the Imported Documents	110
Importing Social Network Comments	111
Working With Survey Data	114
Importing Survey Data	116
Toolbar	117
Inspecting Imported Survey Data	119
Analyzing Survey Data	122
Importing Twitter Data	123
Automatic Coding and Linking for Tweets	124
Adding a Geo Document to a Project	126
Finding a Location	126
Changing the View from Open Street Map to Bing	127

Working with Geo Documents	128
Change Map Type	128
Creating Geo Quotations	128
Display of Geo Q	128
Activating Geo Quotations	129
Modifying a Geo quotation	129
Coding Geo Quotations	129
Creating a Geo	130
Browsing Geo Locations in Google Map	130
Managing Documents	131
Loading Documents	131
Editing Documents	131
Renaming Documents	132
Deleting Documents	133
Duplicating Documents	133
Renumbering all Documents	133
Project Management	135
Opening a Project	135
Saving a Project	135
Renaming a Project	135
Deleting	135
Password Protection	136
ATLAS.ti Project Data is Saved to a Library	137
Working with the ATLAS.ti Library	137
Creating a Project Backup	140
Exporting a Project	140
Exporting a partial bundle if your project contains multimedia files	143
Project Transfer	144
Creating a Project Snapshot	147
Where Does ATLAS.ti Store Project Data?	148
Default Locations for Files and Text Analysis Models	148
Working With Groups	149
Application of Docume	149
Application of Code Groups	152
Application of Memo Groups	153
Groups as Filters	154
Creating and Renaming Groups	156
Creating Groups in a Manager	156
Creating Groups in the Project Explorer	157
Creating Groups in a Group Manager	158
Creating Document Groups in the Query Tool	160
Renaming a Group	160

Removing Group Members / Deleting Groups	162
Removing Group Members	162
Deleting Groups	163
Importing & Exporting Document Groups	164
Exporting Document Groups to Excel	165
Importing Document Groups from Excel	165
Import Document Groups Table	166
The ATLAS.ti Quotation Level	168
Creating Quotations in Text Documents	169
Quotation ID	170
Changing the Chronological Order of Quotations	170
Adding Quotation Names	171
Creating Quotations in PDF Documents	173
Creating Quotations in Image Documents	175
Creating Quotations in PDF Documents	177
Working with Multimedia Data	179
Creating Multimedia Quotations	179
Creating Multimedia Quotations while Listening / Watching	180
Coding Multimedia Quotations	181
Activating and Playing Multimedia Quotations	181
Adjusting the Size of Multimedia Quotations	182
Renaming a Multimedia Quotation	182
Capturing Snapshots of Video Frames as Image Documents	182
Working with Quotations	183
Making Use of the Quotation Names and Comments for Analytical Purposes	183
Reviewing Coded Quotations and Modify Coding	187
Displaying Quotations in Context	188
Deleting Quotations	188
Changing the Chronological Order of Quotations	189
Coding Data - Basic Concepts	190
Independent Code / Category Code / Subcode	190
How Groundedness is Counted	192
How Density is Counted	193
Creating and Applying Codes	194
Creating New Codes without Coding	194
Coding with a New Code	194
Code In-Vivo	195
Display of Coded Data Segments in the Margin Area	196
Applying Existing Codes	197
Using the Coding Dialogue	197
Drag-and-Drop Coding	197
Quick Coding	198

Document Ribbon when Coding	199
Keyboard Shortcuts For Coding	201
More Drag-And-Drop Options	201
Writing Code Comments	202
Working with Codes	204
Modifying the Length of a Coded Segment	204
Removing a Coding	204
Replacing a Code via Drag & Drop	205
Adding, Changing and Removing Code Color	205
Renaming a Code	207
Deleting One or Multiple Code(s)	207
Duplicating a Code	208
Writing Code Comments	208
Retrieving Coded Data	211
From the Project Explorer, Code Manager or Code Browser	211
Simple Retrieval in the Margin Area	212
Simple Boolean Queries in The Quotation Manager	212
Creating Categories and Subcodes	215
Creating Categories with Subcodes	216
Creating category and subcodes in the coding dialog	219
Easy coding with subcodes of a category	220
How to move subcodes out of a category	221
Organizing Codes in Folders	222
Exploring Coded Data	225
Parts of Speech	226
Merging Codes	230
Splitting a Code	234
Splitting a code into independent codes	234
Splitting a code into a category and subcodes	237
Display of Codes in the Project Explorer and Code Browser	239
View Options the Code Manager	239
Display Code List as Code Cloud or Bar Chart	242
Code Cloud	242
Code List as Bar Chart	242
Working With Code Groups	244
Importing and Exporting a List of Codes	247
Exporting the List of Codes	247
Importing the List of Codes	247
Building a Code System	250
How to Begin Building a Code System	250
Characteristics of a well-structured code list	254
Good Practice Tips	254

The Role of Code Groups in Building a Code System	254
Moving on	255
Literature	255
Creating a Codebook	257
Quotation Reader	259
Exploring Text Data	266
Creating Word Clouds	267
Setting the Scope	268
World Cloud Ribbon	268
Filter	269
Filter Tab	270
Context Menu Options	270
Creating Word Lists	272
Sorting Word Lists	273
Setting the Scope	273
Word List Ribbon	275
Filter Tab	276
Context Menu Options	277
Stop and Go Lists	278
Stop and Go Lists	279
Selecting a Stop List	279
Importing a Stop List	279
Cleaning up a Word Cloud	282
Creating a New Stop or Go Lists	283
Exporting a Stop or Go List	285
Creating a User-Defined Stop or Go List in Excel	286
Automatically Code Data	288
Find Concepts and Auto-Code	289
What makes a concept?	289
Text Search and Auto-Code	293
Carrying out a text search	293
Exact Match Search	296
Expert Search with Regular Expressions (regex)	298
Carrying out a text search with Regex	298
GREG Examples	300
Examples of GREG Searches	302
Named Entity Recognition (NER)	303
Reviewing Search Results	304
The Search Engine Behind NER	308
Sentiment Analysis	309
Application Examples	309
Carrying out a Sentiment Analysis	309

The Search Engine Behind the Sentiment Analysis	312
Analyzing Focus Groups	314
Guidelines for Preparing Focus Group Data	315
Custom Pattern	316
Example transcripts	317
Example A (pattern 1)	317
Example B (pattern 1)	317
Example C (pattern 1)	317
Example D (pattern 2)	318
Recommendation	319
Auto Coding Focus Group Speakers	320
Multimedia Data (Audio & Video)	323
Adding Multimedia Documents to a Project	323
Display of Multimedia Documents	324
Media Controls	325
Multimedia Toolbar	326
Handling Multimedia Data	328
Zooming the Timeline	328
Media Controls	328
Multimedia View Options	329
Use Arrow Keys to Navigate	329
Keyboard Shortcuts	330
Working with Multimedia Data	331
Creating Multimedia Quotations	331
Creating Multimedia Quotations while Listening / Watching	332
Coding Multimedia Quotations	333
Activating and Playing Multimedia Quotations	333
Adjusting the Size of Multimedia Quotations	334
Renaming a Multimedia Quotation	334
Capturing Snapshots of Video Frames as Image Documents	334
Multimedia Preferences	335
Autopreview	335
The Margin Area	336
Margin Drag & Drop	337
Linking	337
Copying	337
Print with Margin	338
Memos and Comments	340
Memos	340
Differences between Memos and Comments	341
Difference between Memos and Codes	344
Working with Comments and Memos	345

Writing a Comment	345
Creating Memos	345
Opening an Exis	346
Link	346
Converting a Memo into a Document	348
Hyperlinks	349
Representing the Rhetoric of Data	349
What Codes Can't Do	349
Mapping Hyperlinks in Networks	350
Creating Hyperlinks	351
Terminology	351
Display of Hyperlinks	351
Creating Hyperlinks in a Document	352
Creating Hyperlinks in the Quotation Manager	354
Creating Hyperlinks in the Margin Area	354
Creating Hyperlinks across Documents	354
Working with Hyperlinks	355
Traversing Hyperlinks	355
Modifying Hyperlinks	355
Editing Hyperlink Comments	356
Creating New Relations for H	357
Further Data Analysis	358
Simple Boolean Retrieval.	358
Analysing Code Distributions	359
Code-Document Table	359
Co-occurrence Analysis	359
The Query Tool	359
Smart Codes	360
Smart Groups	360
Global Filters	360
Available Operators for Querying Data	361
Boolean Operators	361
Proximity Operators	362
The Query Tool	366
How to Build a Query Using Boolean Operators	367
Example 1	367
Inspecting the Results of a Query	369
Options of the Result Pane	371
Removing or Modifying a Query	371
Example 2	371
How to Build a Query using Proximity Operators	374
How to Build a Query using a Mix of Operators	380



Example 1	380
Example 2	382
Restrict a Query to Sub Groups in your Data	384
Opening the Scope Tool	384
Changing the Scope	384
Closing the Scope Tool	384
Storing the Results of a Query	385
Creating Document Groups from Results	386
Query Tool Reports	387
Excel Report	387
Text Report	387
Code-Document Table	388
Running an Analysis in the Code-Document Table	388
How to read the table	389
Code-Document Table: Relative Frequencies	393
Across Group Comparison: Row Relative Frequencies	393
Within Group Comparisons: Column Relative Frequencies	394
Total Relative Frequencies	394
Code-Document Table: Normalization	396
Binarize the Results of a Code-Document Table	397
Visualizing the Code-Document Table	399
Sankey Diagram	399
Layout	401
Interactivity	401
Removing edges	401
Sankey Diagram Ribbon	402
Bar Chart	403
Code Co-Occurrence Tools	406
The Code Co-Occurrence Explorer	407
The Codes Branch	407
The Codes Branch	408
The Documents Branch	408
The Code Co-Occurrence Table	409
How to Read the Table	410
Code Co-Occurrence Table Ribbon	411
Code Co-occurrence Coefficient	413
Distortion due to unequal frequencies	413
Out of Range	414
Summary of Color Indicators	414
Visualizing the Code Co-Occurrence Table	415
Sankey Diagram	415
Layout	417

Interactivity	417
Removing edges	417
Sankey Diagram Ribbon	418
Bar Chart	419
Smart and Snapshot Entities	422
What are Smart Codes?	423
What you cannot do with Smart Codes	423
Working With Smart Codes	424
Creating an ORed Smart Code in the Code Manager	424
Creating a Smart Code in the Quotation Manager	424
Creating a Smart Code in the Q	425
Editing a S	425
What are Smart Groups	426
Working With Smart Groups	427
Creating a Smart Group	427
Editing a Smart Group	427
What are Snapshot Codes and Groups?	429
Snapshot Codes	429
Snapshot Groups	429
Creating Snapshots	430
Working with Global Filters	431
Creating a Global Filter	431
Code Groups as Global filter	431
Document Groups as Global Filter	435
Memo Groups as Global Filter	436
Network Groups as Global Filter	436
Setting a Global Filter	436
Creating a Global Filter	439
Analysing Code Distributions	440
Code Distribution across Documents	440
Code Distribution by Documents	441
Setting a Global Filter	444
Display Of Globa	444
Activating / Deactivating Global Filters	444
Changing a Global Filter	444
Removing a Global Filter	444
Removing / Changing / Activating / Deactivating a Global Filter	445
Removing a Global Filter	445
Changing a Glob	445
Activating or Deactivating Global Filters	445
Global Filters in the Code Co-occurrence Table	446
Global Filters in the Code Document Table	447

ATLAS.ti Networks	448
Nodes And Links	449
Directed and Non-Directed Links	449
First-Class Links	449
Second-Class Links	450
Why Groups Cannot be Linked	450
Relations	451
Link vs. Relation	451
ATLAS.ti Default Relations	452
Formal Properties - Some Definitions	452
Relation Manager	454
Relation Manager Ribbon	455
View Tab	455
The Network Editor	456
Node Types	457
Network View Options	459
Style	460
Network Editor - Layout And Routing Options	461
Layout Options	461
Routing	463
Basic Network Procedures	464
Creating a New Network	464
Adding Nodes to a Network	464
Selecting Nodes	466
Opening Ad-hoc Networks	468
Linking Nodes and Entities	470
Linking via Drag & Drop	470
Linking Two Nodes Using the Ribbon Icon	471
Linking Three or More Nodes	471
Editing a Link	472
Cutting Multiple Links	474
Linking Codes to Codes, Quotations to Quotations, Memos to Memos in Managers and Browsers	474
Linking Entities of Different Types	475
Creating & Modifying Relations	476
Creating New Relations	476
Editing Existing Relations	477
Analytic Functions in Networks	478
Add Neighbors	478
Application: Comparing Cases	479
Add Co-occurring Codes	480
Exporting Networks	482

Saving a Network as Graphic File	482
Saving a Network in the Microsoft XPS format	482
Saving a Network in PDF format	482
Network Editor - Further Options	483
Changing Code Color	483
Merge Codes	483
Duplicate Codes	484
Create Groups	484
Traversing Hyperlinks in Networks	484
Team Work	485
Workflow	485
User Accounts	487
To check who is currently logged in:	487
Change the Current User	487
Creating a new user account	488
Switching user accounts	488
Merging Users	489
Setting Up a Team Project	490
Tasks of the Project Administrator	490
Team Project: Tasks for Team Members	492
Merging Projects	495
Identical Entities Explained	495
Groups are Additive	495
Entities with and without Comments	496
Handling of Deleted Entities	497
How to Merge	499
Housekeeping	504
Inter-coder Agreement (ICA)	505
Why It Matters	505
ICA - Requirements For Coding	508
Semantic Domains	508
Developing the Code System and Semantic Domains	510
Rules for Applying Codes	510
How Agreement and Disagreement is Measured	513
Example Application	514
Methods For Testing ICA	515
Percent Agreement	515
Holsti Index	516
Cohen's Kappa	516
Krippendorff's Family of Alpha Coefficients	518
Alpha binary	518
cu-alpha	518

Cu-alpha	519
Calculation of Krippendorff's Alpha	519
References	521
Sample Size and Decision Rules	522
Sample size	522
Acceptable Level of Reliability	523
Setting Up a Project for Inter-coder Agreement Analysis	524
Instructions for the Principal Investigator (PI)	524
Instructions f	525
Continues Workflow	526
Merging Projects For ICA Analysis	527
Running an ICA Analysis	529
Calculating an ICA Co	531
Tools	533
Project Search	534
Searching in Selected Entities	534
Finding Redundant Codings	535
Creating Reports	536
Create Word / PDF Reports	538
Creating Report from the Code Manager	538
Creating Reports from the Quotation Manager	540
Document Reports	542
Memo Reports	545
Quotation Manager Reports	548
Document Manager Reports	549
Memo Manager Reports	550
Network Manager Reports	551
Creating Excel Reports	552
Report: All Quotations for a Code	552
Info Sheet for Excel Reports	554
Example Reports	555
Report: All Quotations for Multiple Codes	555
Report: Code Book	556
Report: Documents and their Codes	558
Report: for Multimedia Data	560
Exporting Documents	562
To export documents:	562
To Print a Text Document / Save it in P	562
Data Export For Further Statistical Analysis	563
SPSS Syntax Export	565
Creating a Syntax File	565
The Syntax File Explained	566

Generic Export for further Statistical Analysis	570
QDPX - Universal Data & Project Exchange	571
What is QDPX	571
Why is QDPX Great for You?	572
Exporting a Project in QDPX Format	573
Appendix	574
Language Settings	575
Changing the Display Language	575
System Requirements	575
Options	576
Service Packs & Patches - Live Update	577
Useful Resources	578
The ATLAS.ti Website	578
Getting Support	578
ATLAS.ti 22 - What's New	578
Video Tutorials	578
Sample Projects	579
PDF Manuals	579
Research Blog	579
Inter-coder Agreement in ATLAS.ti by Prof. Krippendorff	579
Publications	580
Get In Touch	581
Reporting A Problem	581
Sending Suggestions	581

# About this Manual

This manual describes the concepts and functions of ATLAS.ti 22.

It is not required that you read the manual sequentially from the beginning to the end. Feel free to skip sections that describe concepts you are already familiar with, jump directly to sections that describe functions you are interested in, or simply use it as a reference guide to look up information on certain key features.

For users with no prior knowledge of ATLAS.ti, we do, however, recommend that you especially read through the first part of this manual in order to become familiar with the concepts used by ATLAS.ti and to gain an overview of the available functions. These are the chapters: [The VISE Principle](#), [ATLAS.ti - The Knowledge Workbench](#), and [Main Steps in Working with ATLAS.ti](#).

Further, to set up a project, we recommended that you read:

- [Main Steps in Working with ATLAS.ti](#)
- [Starting ATLAS.ti](#)
- [The ATLAS.ti Interface](#)
- [Adding Documents](#)
- [Project Management](#)

For all basic-level work like creating quotations, coding, and writing memos, consult the chapters under the main heading:

- [Entity Managers](#)
- [Exploring Data](#)
- [Working With Quotations](#)
- [Coding Data](#)
- [Auto-coding Data](#)
- [Working With Comments And Memos](#)
- [Working With Groups](#)

Advanced functions are described under:

- [Working With Hyperlinks](#)
- [Querying Data](#)
- [Working With Networks](#)

The sequence of the chapters follows the steps that are necessary to start and work on an ATLAS.ti project: First, the main concepts that ATLAS.ti utilizes are explained; next, an overview of all available tools is provided. These introductory and more theoretically-oriented parts are followed by more practically-oriented chapters providing step-by-step instructions. You will learn how to manage your data and how to set up and start a project. Once a project is set up, the basic functions such as coding, text search, auto-coding, writing memos, etc. become relevant. Conceptual-level functions such as the network editor, the Query Tool and the Co-occurrence Explorer build on the data-level work (at least in most cases) and are therefore described last.

The section [Useful Resources](#) offers some useful advice on how to get support and where to find further information on the software.

Video tutorial: [What's New in ATLAS.ti 22](#)

## How to Use this Manual

This manual is intended for:

- Those who have no prior knowledge of ATLAS.ti
- Those who have worked with a previous version.

Some general familiarity with concepts and procedures relating to the Windows operating system and computing in general (e.g., files, folders, paths) is assumed.

This is largely a technical document. You should not expect any detailed discussion of methodological aspects of qualitative research other than cursory statements from this manual.

## Useful Resources for Getting Started

To those seeking in-depth instruction on methodological aspects, the ATLAS.ti Training Center offers a full complement of dedicated ATLAS.ti training events worldwide, both through online courses and face-to-face seminars in nearly all parts of the world. Visit the Training Center at <https://training.atlasti.com>.



# ATLAS.ti Account and Licence Activation

For further information on **Multi-User License Management**, see our **Guide for License Holders & Administrators**.

## Requesting a Trial Version

- Go to <https://my.atlasti.com/> to create an account.
- Confirm your email address.
- Request a trial license by clicking on **Trial Desktop**.

This brings you to the Cleverbridge Website.

- Enter the required information and download the software.

If you do not want to download the software immediately, you can always do this later in your ATLAS.ti account. To do so, select **My Applications**.

The trial version can be used for 5 active days by one person on one computer within a period of 3 months. At the end of the test period, you can continue to use ATLAS.ti with limited functionality. If your project contains more than 10 documents, 50 quotations or 25 codes, you can no longer save any changes. Thus, ATLAS.ti then becomes a read-only version.

You can initiate the purchase of a full licence from your ATLAS.ti account. After activating the licence, and the program can be used again at full capacity. You can also continue to work on your project without any data loss.

You cannot install a trial version again on the same computer.

## Activating a Licence

You need to make an online connection at least once to activate your licence. Once the account is activated, you can work offline and no further online connection is required. Please note, if you are using a seat that is part of a multi-user licence, you will block the seat if you are offline.

If you have purchased an individual license from the ATLAS.ti web shop, your license has been added to your account. The next step is to activate it.

Similarly, if you are a member of a team of users under a multi-user license, you have received a license key, an invitation code, or invitation link from the person who manages the license.

The ATLAS.ti License Management System allocates seats of multi-user license dynamically. This means, you are assigned the first free seat under your license. If all seats are occupied, you will be allocated the next seat that opens up.

Log in to your ATLAS.ti account.

Navigate to License Management (the default page) and enter either the license key, or the invite code that you were given by the license owner/license manager.


Click **Activate License**.

Start ATLAS.ti on your computer and click **Check For Updated License** and follow the on-screen instructions to complete a few easy steps to activate your license.


Your installation is now activated, and you can start using ATLAS.ti.

## Accessing Your Account from within ATLAS.ti

On the opening screen, click on the user avatar. If you have not added a picture yet, it will show the first two letters of your account name.



Click on Manage Account. This takes you to the login screen. Enter your log-in information (email and password) to access your account.



## Logging Out


It is important to understand that the installation of ATLAS.ti is independent of the licencing of the software. You can have ATLAS.ti installed on as many computers as you want. A single-user licence gives you the right to use it on two computers, e.g. your desktop computer at the office and your laptop at home; or your Windows computer and your Mac computer; or the Cloud version and a desktop version. If you want to use ATLAS.ti on a third computer, or if you get a new computer, make sure you log out at the computer that you do no longer want to use. If you have been invited to use a multi-user license, you will have one seat for the time when using ATLAS.ti.

There are two ways how to log out to free a seat:

Click on the user avatar in the welcome screen and click **Log Out and Restart**. If you forgot to log out in ATLAS.ti, you can always access your user account via a web browser:

Go to <https://my.atlasti.com/>. Enter your email address and password to log in.

Select the **Log Out** option at the bottom left above your avatar in your ATLAS.ti account.



## Working Off-Line

When starting ATLAS.ti, it checks whether you have a valid licence. If you know that you won't have online-access for a given period, you can set your licence to **off-line** work for a specified period.

If you have a licence that does not expire, the maximum off-line period is four months. If you have a lease licence, the maximum period is dependent on the expiration date of your lease. This means, if your licence expires in 1 month, you cannot set the offline period to an additional 3 months.

To set your licence to off-line use, select **Options** on the Welcome Screen.

Click on the ATLAS.ti icon to review your current licence settings and select a period for offline availability.

#### License and Version Information

Current version: 9.0.18.0

Check for Updates

[Release Notes](#)

**Commercial License**  
License does not expire.

Offline Availability

Extension period: **Four Months** Extend

Available offline in

Check for Updated License

**About ATLAS.ti**  
View ATLAS.ti Version, License Agreement and Copyright

After the period expired, you need to connect to the Internet again to verify your licence.

## Limited Version after Licence Expiration

Once the trial period or a time limited licence expire, the program is converted into a limited version. You can open, read and review projects, but you can only save projects that do not exceed a certain limit (see below). Thus, you can still use ATLAS.ti as a read-only version.

You cannot install a trial version again on the same computer.

## Restrictions of the Limited Version

- 10 primary documents
- 50 quotations
- 25 codes
- 2 memos
- 2 network views
- auto backup is disabled

# Introduction

ATLAS.ti is a powerful workbench for the qualitative analysis of larger bodies of textual, graphical, audio, and video data. It offers a variety of tools for accomplishing the tasks associated with any systematic approach to unstructured data, i.e., data that cannot be meaningfully analyzed by formal, statistical approaches. In the course of such a qualitative analysis, ATLAS.ti helps you to explore the complex phenomena hidden in your data. For coping with the inherent complexity of the tasks and the data, ATLAS.ti offers a powerful and intuitive environment that keeps you focused on the analyzed materials. It offers tools to manage, extract, compare, explore, and reassemble meaningful pieces from large amounts of data in creative, flexible, yet systematic ways.

## The VISE Principle

The main principles of the ATLAS.ti philosophy are best encapsulated by the acronym VISE, which stands for


- Visualization
- Immersion
- Serendipity
- Exploration

## Visualization

The visualization component of the program means directly supports the way human beings think, plan, and approach solutions in creative, yet systematic ways.

Tools are available to visualize complex properties and relations between the entities accumulated during the process of eliciting meaning and structure from the analyzed data.

The process is designed to keep the necessary operations close to the data to which they are applied. The visual approach of the interface keeps you focused on the data, and quite often the functions you need are just a few mouse clicks away.



## Immersion

Another fundamental design aspect of the software is to offer tools that allow you to become fully immersed in your data. No matter where you are in the software, you always have access to the source data. Reading and re-reading your data, viewing them in different ways and writing down your thoughts and ideas while you are doing it, are important aspects of the analytical process. And, it is through this engagement with the data that you develop creative insights.

## Serendipity

Webster's Dictionary defines serendipity as a **seeming gift for making fortunate discoveries accidentally**. Other meanings are: Fortunate accidents, lucky discoveries. In the context of information systems, one should add: Finding something without having actually searched for it.

The term *serendipity* can be equated with an intuitive approach to data. A typical operation that relies on the serendipity effect is *browsing*. This information-seeking method is a genuinely human activity: When you spend a day in the local library (or on the World Wide Web), you often start with searching for particular books (or keywords). But after a short while, you typically find yourself increasingly engaged in browsing through books that were not exactly what you originally had in mind - but that lead to interesting discoveries.

Examples of tools and procedures ATLAS.ti offers for exploiting the concept of serendipity are the Search & Code Tools, the Word Clouds and Lists, the Quotation Reader, the interactive margin area, or the hypertext functionality.



## Exploration

Exploration is closely related to the above principles. Through an exploratory, yet systematic approach to your data (as opposed to a mere *bureaucratic* handling), it is assumed that especially constructive activities like theory building will be of great benefit. The entire program's concept, including the process of getting acquainted with its particular idiosyncrasies, is particularly conducive to an exploratory, discovery-oriented approach.

## Areas of Application

ATLAS.ti serves as a powerful utility for qualitative analysis of textual, graphical, audio, and video data. The content of these materials is in no way limited to any one particular field of scientific or scholarly investigation.

Its emphasis is on qualitative, rather than quantitative, analysis, i.e., determining the elements that comprise the primary data material and interpreting their meaning. A related term would be "knowledge management," which emphasizes the transformation of data into useful knowledge.

ATLAS.ti can be of great help in any field where this kind of *soft data* analysis is carried out. While ATLAS.ti was originally designed with the social scientist in mind, it is now being put to use in areas that we had not really anticipated. Such areas include psychology, literature, medicine, software engineering, user experience research, quality control, criminology, administration, text linguistics, stylistics, knowledge elicitation, history, geography, theology, and law, to name just some of the more prominent.

Emerging daily are numerous new fields that can also take full advantage of the program's facilities for working with graphical, audio, and video data. A few examples:

- Anthropology: Micro-gestures, mimics, maps, geographical locations, observations, field notes
- Architecture: Annotated floor plans
- Art / Art History: Detailed interpretative descriptions of paintings or educational explanations of style
- Business Administration: Analysis of interviews, reports, web pages
- Criminology: Analysis of letters, fingerprints, photographs, surveillance data
- Geography and Cultural Geography: Analysis of maps, locations
- Graphology: Micro comments to handwriting features.
- Industrial Quality Assurance: Analyzing video-taped user-system interaction
- Medicine and health care practice: Analysis of X-ray images, CAT scans, microscope samples, video data of patient care, training of health personal using video data
- Media Studies: Analysis of films, TV shows, online communities
- Tourism: Maps, locations, visitor reviews

Many more applications from a host of academic and professional fields are the reality. The fundamental design objective in creating ATLAS.ti was to develop a tool that effectively supports the human interpreter, particularly in handling relatively large amounts of research material, notes, and associated theories.

Although ATLAS.ti facilitates many of the activities involved in qualitative data analysis and interpretation (particularly selecting, tagging data, and annotating), its purpose is not to fully



automate these processes. Automatic interpretation of text cannot succeed in grasping the complexity, lack of explicitness, or *contextuality* of scientific or everyday knowledge. In fact, ATLAS.ti was designed to be more than a single tool - think of it as a professional workbench that provides a broad selection of effective tools for a variety of problems and tasks.

# ATLAS.ti - The Knowledge Workbench

The image of ATLAS.ti as a **knowledge workbench** is more than just a lively analogy. Analytical work involves tangible elements: research material requires piecework, assembly, reworking, complex layouts, and some special tools. A well-stocked workbench provides you with the necessary instruments to thoroughly analyze and evaluate, search and query your data, to capture, visualize and share your findings.

## Some Basic Terms

To understand how ATLAS.ti handles data, visualize your entire project as an intelligent **container** that keeps track of all your data. This container is your **ATLAS.ti project**.

The project keeps track of the paths to your source data and stores the codes, code groups, networks, etc. that you develop during your work. Your **source data** files are copied and stored in a repository. The standard option is for ATLAS.ti to manage the documents for you in its internal database. If you work with larger audio or video files, they can be linked to your project to preserve disk space. All files that you assign to the project (except those externally linked) are **copied**, i.e., a duplicate is made for ATLAS.ti's exclusive use. Your original files remain intact and untouched in their original location.

Your source data can consist of **text documents** (such as interview or focus group transcripts, reports, observational notes); **images** (photos, screenshots, diagrams), **audio recordings** (interviews, broadcasts, music), **video clips** (audiovisual material), **PDF files** (papers, brochures, reports, articles or book chapters for a literature review), **geo data** (locative data using Open Street Map), **tweets** from a Twitter query, and **social network comments**.

Once your various documents are added or linked to an ATLAS.ti project, your real work can begin. Most commonly, early project stages involve **coding** different data sources.

Selecting interesting segments in your data and coding them is the basic activity you engage in when using ATLAS.ti, and it is the basis of everything else you will do. In practical terms, coding refers to the process of assigning **codes** to segments of information that are of interest to your research objectives. We have modeled this function to correspond with the time-honored practice of **marking** (underlining or highlighting) and **annotating** text passages in a book or other documents.

In its central conceptual underpinnings, ATLAS.ti has drawn deliberately from what might be called the **paper and pencil paradigm**. The user interface is designed accordingly, and many of its processes are based on - and thus can be better understood by - this analogy.

Because of this highly intuitive design principle, you will quickly come to appreciate the **margin area** as one of your most central and preferred work space - even though ATLAS.ti almost always offers a variety of ways to accomplish any given task.

## General Steps when Working with ATLAS.ti

The following sequence of steps is, of course, not mandatory, but describes a common script:

- Create a project, an idea container, meant to enclose your data, all your findings, codes, memos, and structures under a single name. See [Creating a New Project](#).
- Next, add documents, text, graphic, audio and video files, or geo documents to your ATLAS.ti project. See [Adding Documents](#).
- Organize your documents. See [Working With Groups](#).
- Read and select text passages or identify areas in an image or select segments on the timeline of an audio or video file that are of further interest, assign keywords (codes), and write comments and memos that contain your thinking about the data. Build a coding system. See [Working With Comments And Memos](#) and [Coding Data - Basic Concepts](#).
- Compare data segments based on the codes you have assigned; possibly add more data files to the project. See for example [Retrieving Coded Data](#).
- Query the data based on your research questions utilizing the different tools ATLAS.ti provides. The keywords to look for are: simple retrieval, complex code retrievals using the Query Tool, simple or complex retrievals in combination with variables via the scope button, applying global filters, the Code Co-occurrence Tools (tree explorer and table), the Code Document Table, data export for further statistical analysis. See [Data Analysis](#) and [Data Export For Further Statistical Analysis](#).
- Conceptualize your data further by building networks from the codes and other entities you have created. These networks, together with your codes and memos, form the framework for emerging theory. See [Working With Networks](#).
- Finally, compile a written report based on the memos you have written throughout the various phases of your project and the networks you have created. See [Working With Comments And Memos](#) and [Exporting Networks](#).

For additional reading about working with ATLAS.ti, see [The ATLAS.ti Research Blog](#) and [The ATLAS.ti conference proceedings](#).

# Main Concepts and Features

You need to be familiar with the concepts of documents, quotations, codes, and memos as the overall foundation when working with ATLAS.ti, complemented by a variety of special aspects such as groups, networks, and the analytical tools.

Everything that is relevant for your analysis will be part of your ATLAS.ti project residing in the digital domain. For instance, the data you are analyzing, the quotations as your unit of analysis, the codes, the conceptual linkages, comments and memos, are all part of it. One obvious advantage of this container concept is that as user you only have to deal with and think of one entity. Activating the ATLAS.ti project is the straightforward selection of a single file; all associated material is then activated automatically.

The most basic level of an ATLAS.ti project consists of the documents you are analyzing, followed closely by the quotations (= selections from these document). On the next level, codes refer to quotations. And comments and memos - you meet them everywhere. Your ATLAS.ti project can become a highly connected entity, a dense web of primary data, associated memos and codes, and interrelations between the codes and the data. To find your way through this web, ATLAS.ti provides powerful browsing, retrieval and editing tools.

You can access information about each of these tools using the links below:

- [Documents](#)
- [Document Groups](#)
- [Quotations](#)
- [Codes](#)
- [Memos](#)
- [Comments](#)
- [Groups](#)
- [Networks](#)
- [Data Exploration](#)
- [Analysis](#)
- [Team Tools](#)
- [Report](#)
- [Data Export](#)

# Documents and Document Groups

**Documents** represent the data you have added to an ATLAS.ti project. These can be text, image, audio, video or geographic materials that you wish to analyze. Working with text data includes importing survey data, importing data from a reference manager for a literature review, importing twitter data, using interview or focus group data, reports in text or PDF formats, observational notes, etc. For more information, see [Supported file formats](#).

**Document groups** fulfill a special function as they can be regarded as quasi dichotomous variables. You can group all female interviewees into a document group named "gender::female," all male interviewees into a group named "gender::male." You can do the same for different professions, marital status, education levels, etc. See [Working with Groups](#) for further information

Document groups can later in the analysis be used to restrict code-based searches like: "Show me all data segments coded with 'attitude towards the environment' but only for females who live in London as compared to females who live in the countryside."

You can also use document groups as a filter, for example to reduce other types of output, like a frequency count for codes across a particular group of documents.

This is explained in more detail in the section [Code Document Table](#).

# Quotations

A quotation is a segment from a document that you consider to be interesting or important.

Usually, quotations are created manually by the researcher. However, for repetitive words, phrases or structural information like speaker units, the [Search & Code tools](#) can be used. With any of the tools you can automatically segment the data and assigns a code to them.

Although the creation of quotations is almost always part of a broader task like coding or writing memos, quotations can also be created without coding. They are called "free" quotations.

If you for instance are using discourse analysis or an interpretive approach to analysis, or if you work with video data, free quotations can be your starting point for analysis, rather than to code the data right away. See [Working with Quotations](#), and [the ATLAS.ti Quotation Level](#).

The screenshot shows the ATLAS.ti Quotation Manager interface. On the left, there's a 'Codes' list with categories like 'emotions: peaceful {5-0}', 'places that felt uncomfortable {1-0}', 'places that amazed {6-0}', 'places that impressed {7-0}', 'places that touched emotionally {2-0}', and 'places that were nice {15-0}'. The main area displays a table of quotations. The selected quotation is ID 33s, Reference 3:7, Name 'Tectonic plates (Thingvellir)', and Document '3\_Iceland day 2: Golden Circle'. Below the table, a video frame shows a rocky landscape with snow. To the right of the video, a comment is visible: 'Comment: Edited 11/05/2018 16:46 by Susanne. Here you can see where the Eurasian and the North American tectonic plates meet, and, also the way those tectonic plates have drifted apart by a few centimes each year. There was still snow and it was very slippery to walk between those tectonic plates. I didn't feel anything'.

ID	Reference	Name	Text Content	Document
< 2:6	1m 49s			2_Iceland day 1: first day of summer (penisu
2:7	1m 41s		1:41 - 1:44	2_Iceland day 1: first day of summer (penisu
> 2:8	0s		0:00 - 1:54	2_Iceland day 1: first day of summer (penisu
~ < 3:1	2s	Bjarteyjarsandur campsite - early morning		3_Iceland day 2: Golden Circle
~ 3:2	6s	Route 47		3_Iceland day 2: Golden Circle
~ 3:5	17s	Route 48		3_Iceland day 2: Golden Circle
~ < 3:6	30s	Althingi - the world's first democratic parliament		3_Iceland day 2: Golden Circle
~ 3:7	33s	Tectonic plates (Thingvellir)		3_Iceland day 2: Golden Circle
~ 3:8	37s	Waterfall Óxarafoss		3_Iceland day 2: Golden Circle
~ < 3:9	50s	Geysir geothermal field		3_Iceland day 2: Golden Circle
~ < 3:10	1m 17s	Gulfoss		3_Iceland day 2: Golden Circle
~ < 3:11	1m 41s	Secret Lagoon		3_Iceland day 2: Golden Circle

60 quotations

# Codes

The term **code** is used in many ways. First, we would like to define what that term means in qualitative research, and then in ATLAS.ti.

*Coding means that we attach labels to data segments that depict what each segment is about. Through coding, we raise analytic questions about our data from [...]. Coding distills data, sorts them, and gives us an analytic handle for making comparisons with other segments of data.*

Charmaz (2014:4)

*Coding is the strategy that moves data from diffuse and messy text to organized ideas about what is going on.*

(Richards and Morse, 2013:167)

## From a Methodological Perspective

- Codes capture meaning in the data.
- Codes serve as handles for specific occurrences in the data that cannot be found by simple text-based search techniques.
- Codes are used as classification devices at different levels of abstraction in order to create sets of related information units for the purpose of comparison.

I had a long, long list of reasons why I didn't want a child. The epiphany arrived when I finally realized that the main (perhaps only) reason why I didn't want to try was because I was scared. I was not deluded at all, I was very conscious of how easy it is for things to go wrong, during and after the pregnancy. I knew it is very difficult to care for a baby, to raise a child, to deal with a teenager. But I found that I wanted, that I needed that experience. Even though things could go wrong, and it was going to be difficult, and sometimes you end up looking at a stranger with your eyes whom you can't even like but whom you deeply love, nonetheless. We've been outrageously lucky. Our daughter is 2 years old. She is a precious and bright child, has brought a lot of work and stress to my life, and has also made my life richer and filled with laughter. It is just like they say: parenthood is not for the faint of heart, but it is totally worth it.



The length of a code should be restricted and should not be too verbose. If textual annotations are what you want, you should use quotation comments instead.

Keep code names brief and succinct. Use the comment pane for longer elaborations.

## From a Technical Perspective

Codes are short pieces of text referencing other pieces of text, graphical, audio, or video data. Their purpose is to classify data units.

In the realm of information retrieval systems, the terms "tag", "keyword", or "tagging" are often used for "code" or "coding."

Further information can be found in the sections [Coding Data](#) and [Working With Codes](#).

## References

Charmaz, Kathy (2014). Constructing Grounded Theory: A Practical Guide Through Qualitative Analysis. London: Sage.

Richards, Lyn and Janice M. Morse (2013, 3ed). Readme first: for a user's guide to Qualitative Methods. Los Angeles: Sage.



## Memos

Writing is an important part of analysis in qualitative research. When using software, it is easy to fall into the code trap. Always remember that coding the data is only a means to an end, to think, retrieve, and query data (Corbin and Strauss, 2015; Richards, 2009; Richards and Morse, 2013).

Memos are a bit more than just a short scribbled note in the margin area:


*Memos [...] are working and living documents. When an analyst sits down to write a memo or do a diagram, a certain degree of analysis occurs. The very act of writing memos and doing diagrams forces the analyst to think about the data. And it is in thinking that analysis occurs (Corbin and Strauss, 2008: 118).*

*Writing is thinking. It is natural to believe that you need to be clear in your mind what you are trying to express first before you can write it down. However, most of the time, the opposite is true. You may think you have a clear idea, but it is only when you write it down that you can be certain that you do (or sadly, sometimes, that you do not) (Gibbs, 2005).*

Memos thus represent analytical work in progress, and you can later use them as building blocks for your research report (see Friese, 2019). It is probably not by accident that Juliet Corbin includes a lot about memo writing in the third edition of Basics of Qualitative Research; she wants to show readers how it can be done. In a talk at the CAQD 2008 Conference about the book, she linked the poor quality of many of today's qualitative research projects to a failure to use memos. Along the same lines, Birks et al. (2008) devotes an entire journal article to memo writing, criticizing the limited exploration of its value in most qualitative methodologies.

Freeman (2017) states that it is one of the challenges facing novice researchers to understand that writing is inseparable from analysis. We would like to encourage you do it: write a lot already while you code and later when you query the data. If you do it, you will find out why it is useful - but you've got to do it. As Freeman put it: The challenge for novice researchers is: "Needing to do analysis to understand analysis" (2017:3).

When you need more input regarding how to write memos see, for example, the third edition of Basics of Qualitative Research by Corbin and Strauss (2008/2014), Wolcott (2009), Charmaz (2014) or Friese (2019).



In technical terms,

- A memo in ATLAS.ti may *stand alone*, or it may be linked to quotations, codes, and other memos.
- Memos can be sorted by type (method, theoretical, descriptive, etc.), which is helpful in organizing and sorting them, or by creating memo groups.
- Memos may also be included in the analysis as secondary data by converting them into a document. Then they can also be coded.

For more information, see [Working with Comments and Memos](#).

## References

Birks, Melanie; Chapman, Ysanne and Francis, Karin (2008). Memoing in qualitative research: probing data and processes, *Journal of Research in Nursing*, 13, 68–75.

Charmaz, Kathy (2014). *Constructing Grounded Theory: A Practical Guide Through Qualitative Analysis*. London: Sage.

Corbin, Juliet and Strauss, Anselm (2008/2015). *Basics of Qualitative Research: Techniques and Procedures for Developing Grounded Theory* (3rd and 4th ed.). Thousand Oaks, CA: Sage.

Freeman, Melissa (2017). *Modes of Thinking for Qualitative Data Analysis*. NY: Routledge.

Friese, Susanne (2019). *Qualitative Data Analysis with ATLAS.ti* (3. ed.), London: Sage.

Gibbs, Graham (2005). [Writing as analysis. Online QDA](#).

Richards, Lyn and Morse, Janice M. (2013). *Readme First for a User's Guide to Qualitative Methods*.

Richards, Lyn (2009). Handling qualitative data: a practical guide (2. ed), London: Sage.

Wolcott, Harry E. (2009). Writing Up Qualitative Research. London: Sage.

## Comments

You can write comments for all entities in ATLAS.ti. Comments - different from memos - are always directly connected to the entity you write them for. Memos are independent stand-alone entities that have a name and a type. Memos can be grouped and can also have comments on their own.

Writing comments is similar to scribbling notes in the margin of a paper, or attaching sticky notes to things. Comments can be written for documents, quotations, codes, memos, networks, all types of groups, and for relations.

See [Working with Memos and Comments](#) for further detail.

●	◇ PARENTHOOD		0	0	[Paren
●	◇ parenthood: a worthwhile trade-off~		11	3	[Paren
●	◇ parenthood: ambivalence of~		38	1	[Paren
●	◇ parenthood: rewarding~		14	8	[Paren
●	◇ REASONS FOR HC~		1	0	[Reasc
●	◇ reasons for hc: altruism~		14	1	[Reasc
●	◇ reasons for hc: biology~		16	1	[Reasc

**Comment:** Edited 02/09/2020 14:07 by Susanne (2)

This code is applied to all statements or blog posts as a whole when the two sides of parenthood were expressed, the good and the bad, the positive and the negative

**Code comment field**

# Groups

Groups in ATLAS.ti are filter devices.

Document groups can be regarded as attributes or variables. It is possible to combine them using logical operators like AND and OR, for instance to retrieve and analyze data from female respondents living in NYC. This would be an AND combination of two document groups.

Code groups serve as a filter for codes. They can for instance be used to filter all codes that need to be aggregated if you have been coding very detailed and in the process of generated too many codes.

Code groups are not a kind of higher order code. It is NOT recommended using them as categories. For further information see [Building a Code System](#).

For more information on groups, see [Working with Group](#).


The screenshot shows the ATLAS.ti Document Manager window. On the left, the 'Document Groups' pane lists various groups, with 'Gender::female (13)' selected. The main pane displays a table of documents filtered by this group. The table has columns for ID, Name, Media Type, and Groups. Below the table, there are sections for 'SQ: Reasons for having children' and 'SQ: Reasons for not having children', each with a text area and a comment.

ID	Name	Media Type	Groups
D 2	case 2~	Text	[education::some college] [Gender::female] [has children::no] [In
D 3	case 3~	Text	[education::University degree] [Gender::female] [has children::ye
D 6	case 6~	Text	[education::some college] [Gender::female] [has children::no] [In
D 8	case 8~	Text	[education::highschool] [Gender::female] [has children::yes] [Imp
D 11	case 11~	Text	[education::highschool] [education::University degree] [Gender::f
D 12	case 12~	Text	[education::some college] [Gender::female] [has children::yes] [Ir
D 14	case 14~	Text	[education::highschool] [Gender::female] [has children::yes] [Imp
D 15	case 15~	Text	[education::some college] [Gender::female] [has children::yes] [Ir
D 17	case 17~	Text	[education::highschool] [Gender::female] [has children::yes] [Imp
D 20	case 20~	Text	[education::some college] [Gender::female] [has children::yes] [Ir

24 documents      13 filtered documents

# Networks

Networks allow you to conceptualize your data by connecting sets of related elements together in a visual diagram. With the aid of networks you can express relationships between codes and quotations; and you can link other entities like and memos, documents and groups. Also networks themselves can be "nodes" in a network.



## Nodes, Links and Relations

A **node** is any entity that is displayed in a network . You can change their look and move them around in the network editor.

A **link** is a line that allows you to connect two entities.

**Relations** allow you to name a links between two codes or between two quotations.

## Network Manager

The Network Manager contains a list of all saved networks that you have created. It can be used to access a network, to delete existing networks, or to write and edit comments. See [Network Manager](#).

## Network Editor

The network editor displays and offers all editing capability to construct and refine networks. In addition, it allows the visual creation and traversal of hypertext structures.

## Link Manager

The Link Managers provide an overview of all code-code links and of all hyperlinks you have created. See [Link Manager](#).

## Relation Manager

The Relation Manager allows you to modify existing relations or to create new relations. See [Creating New Relations](#).

Find more information on the network function see [Working with Networks](#).

# Tools for Exploring Text Data

ATLAS.ti offers a number of tools that you can use to explore your textual data:

- **Word clouds and word lists** for documents, quotations, and codes. See [Creating Word Clouds](#) and [Creating Word Lists](#).
- the **Search & Code Tools**. These tools offer a combination of text search and auto coding:
  - **Text search**: search for a words, word fragments including synonyms. Logical combinations using AND and OR operators are also possible. See [Text Search](#).
  - **Expert search**: the expert search allows for advances searches using regular expressions (RegEx). With RegEx you can use pattern matching to search for particular strings of characters rather than constructing multiple, literal search queries. See [Expert Search](#).
  - **Named Entity Recognition (NER)**: seeks to locate and classify named entities in text into pre-defined categories such as persons, organizations, locations, or miscellaneous. You can review all hits and code them with the suggested categories. See [Named Entity Recognition](#).
  - **Sentiment Analysis**: is the interpretation and classification of positive, negative and neutral statements within text data using text analysis techniques. Sentiment analysis models detect polarity within a text (e.g. a positive or negative opinion), within the whole document, paragraph, sentence, or clause. It has multiple applications. For instance, it can be used for customer satisfaction analysis or for all forms of evaluations, e.g. also student evaluation of courses. See [Sentiment Analysis](#).



# Analysis

ATLAS.ti contains multiple powerful, dedicated analytical tool to help to make sense of your data.

## Cross-Tabulation of Codes (Code Co-occurrence)

The Co-occurrence Explorer and Table show where you have applied codes in an overlapping manner. Rather than determining the codes yourself, you can ask ATLAS.ti which codes overlap. The output can be viewed in form of a tree view or a table. The table provides a frequency count of the number of co-occurrences and a coefficient measuring the strength of the relation. Since a coefficient is only appropriate for some type of data, its display can be activated or deactivated. It is also possible to directly access the data of each co-occurrence. See [Code Co-Occurrence Tools](#).

## Code-Document Table

The Code Document Table counts the frequency of codes across documents. Aggregated counts based on code and document groups are also available. Optionally, the table cells can also contain the word counts for the quotations per code across documents or document group. The table can be exported to Excel. See [Code Document Table](#).

## Query Tool

For more complex search requests, the Query Tool is at your disposal. Here you can formulate search requests that are based on combinations of codes using one or a combination of 14 different operators, Boolean, semantic and proximity operators. See [The Query Tool](#).

## Global Filters

Global filters are a powerful tool to analyze your data. Global filters have an effect on the entire project, and you can compare and contrast your data in all kind of different ways. Effects and connections that were hidden before can now be seen and patterns emerge. For more information, see [Applying Global Filter](#).

## Smart Codes

A Smart Code is a stored query, thus provides an answer to a question (in the best case) and typically consists of several combined codes. See [Working With Smart Codes](#).

## Smart Groups

Smart groups are a combination of groups. For instance, if you want to compare answers of female respondents from rural areas with female respondents from urban areas, you would create two smart groups that you either use directly in a Code-Document Table, or as filter in a code query. Smart code groups can be used if you frequently need a combination of certain codes. See [Working With Smart Codes](#).

## Team Tools

Often researchers work in teams to collect and analyse data. ATLAS.ti is uniquely suited for collaborative work. A number of special tools and features support efficient work in a team. For further information see the chapter on [Team Work](#).

For collaborative real time coding, you may want to take a look at the [ATLAS.ti Web version](#). ATLAS.ti web projects can be imported to the desktop version to make use of the advanced analysis tools, and the network function.

## Project Merge

When you work in teams, you usually split the project into subprojects. In the desktop version you need to work asynchronously. The project merge tool unites all subprojects again. For more information see [Merging Projects](#).

## Clean up Redundant Codings

Redundant codings are overlapping or embedded quotations that are associated with the same code. Such codings can result from normal coding but may occur unnoticed during a merge procedure when working in teams. The **Codings Analyzer** finds all redundant codings and offers appropriate procedures to correct it. See [Finding Redundant Codings](#).

## Coder Icons in the Margin Area

You can switch the view in the margin area to display an icon for each user instead of the code icon. This way you can see while browsing through the data who applied which code.

## Inter-Coder Agreement

ATLAS.ti allows for a qualitative and quantitative comparison of the codings of various coders. If you are interested in calculating a coefficient, ATLAS.ti offers the following: percent agreement, Holsti, and Krippendorff's family of alpha coefficients. See [Inter-coder Agreement](#).

## User Administration

ATLAS.ti automatically creates a username for each user when logging in. Each entity that is created is stamped with this username. This is a prerequisite for collaborative work, so you can see and compare who did what. You can rename existing users, create new user accounts, delete users and switch users. See [User Accounts](#) for more information.

Please note that **synchronous** team work is not supported in the desktop version. Each team member works in his or her own project file, and these need to be merged from time to time. Use [ATLAS.ti Web](#) if you want to work with your team at the same project at the same time.

# Export

## Word / PDF

There are output options for each of the main entities in ATLAS.ti: [Documents](#), [quotations](#), [codes](#), and [memos](#) and within the various tools. All reports are user configurable, and you can decide which type of content to include. See [Creating Reports](#).

## Excel Export

You find an Excel Export option in each Manager and quotation list. In addition, the results of the [Code Co-occurrence Table](#) and the [Code Document Table](#) can be exported in Excel format. See [Creating Excel Reports](#).

## Print Documents with Margin

You can print or export coded text documents in PDF format as you see them on the screen including the paragraph numbering. See [Print with Margin](#).

## QDPX Exchange Format For Projects

The QDPX format is a QDA-XML standard for exchanging projects between different CAQDAS packages. The project exchange format was launched March 18, 2019. You can see all participating programs on the following website: <http://www.qdasoftware.org>. See [QDPX Universal Data Exchange](#).

## SPSS / PSPP Export

You can export your coded data as SPSS syntax file. This file can also be used in the free basic PSPP version. When executed in SPSS or PSPP, your quotations become cases and your codes and code groups variables. In addition, further identifying information in form of variables is provided like the document name and number for each case, start and end position and creation date. These variables allow you to aggregate your data in SPSS if needed. See [SPSS Export](#).

If you need a less detailed output, see [Code Document Table](#). The table provides an output that is already aggregated by documents or document groups.

## Generic Statistic Export for R, SAS, STATA, etc.

You can export your coded data as Excel file for further analysis in any statistical package. Quotations become cases and codes and code groups variables. In addition, further identifying information in form of variables is provided like the document name and number for each case, start and end position and creation date. See [Generic Export For Further Statistical Analysis](#).

## Image Files

- Networks can be saved in various graphic file formats (jpg, png, tiff, gif, bmp). See [Exporting Networks](#).
- Word clouds can be exported as jpg files. See [Word Clouds](#) and [Word Clouds and Word Lists](#).
- The results of the Code Co-occurrence and the Code Document Table can be visualized in form of Sankey Diagrams. See [Visualization of the Code Co-occurrence Table](#) and [Visualization of the Code Document Table](#).

# Main Steps in Working with ATLAS.ti

## Data and Project Management

A first important but often neglected aspect of a project is data and project management. The first step is data preparation. You find more information on supported file formats in the section [Supported File Formats](#).

Apart from analyzing your data, you also manage digital content, and it is important to know how the software does it. For detailed information, see the section on [Project Management](#).


If you work in a team, please read the following section: [Team Work](#).

## Two Principal Modes of Working

There are two principal modes of working with ATLAS.ti, the data level and the conceptual level. The data level includes activities like segmentation of data files; coding text, image, audio, and video passages; and writing comments and memos. The conceptual level focuses on querying data and model-building activities such as linking codes in networks, in addition to writing some more comments and memos.

The figure below illustrates the main steps, starting with the creation of a project, adding documents, identifying interesting things in the data and coding them. Memos and comments can be written at any stage of the process, whereas there is possibly a shift from writing comments to more extensive memo writing during the latter stages of the analysis. Once your data is coded, it is ready to be queried using the various analysis tools provided. The insights gained can then be visualized using the ATLAS.ti network function.

Some steps need to be taken in sequence. For instance, logic dictates that you cannot query anything or look for co-occurrences if your data has not yet been coded. But other than that there are no strict rules.



## Data Level Work

Data-level activities include [Exploring Data](#) using word clouds and word lists, segmenting the data that you have assigned to a project into [quotations](#), adding comments to respective passages [note-making/annotating](#), linking data segments to each other called [hyperlinking](#) in ATLAS.ti, and coding data segments and memos to facilitate their later retrieval. The act of comparing noteworthy segments leads to a creative conceptualization phase that involves higher-level interpretive work and theory-building.

ATLAS.ti assists you in all of these tasks and provides a comprehensive overview of your work as well as rapid [search](#), [retrieval](#), and [browsing functions](#).

Within ATLAS.ti, initial ideas often find expression through their assignment to a code or memo, to which similar ideas or text selections also become assigned. ATLAS.ti provides the researcher with a highly effective means for quickly retrieving all data selections and notes relevant to one idea.

## Conceptual Level Work

Beyond coding and simple data retrieval, ATLAS.ti allows you to query your data in lots of different ways, combining complex code queries with variables, exploring relationships between codes and to visualize your findings using the network tool.

ATLAS.ti allows you to visually connect selected passages, memos, and codes into diagrams that graphically outline complex relations. This feature virtually transforms your text-based work space into a graphical playground where you can construct concepts and theories based on relationships between codes, data segments, or memos.




This process sometimes uncovers other relations in the data that were not obvious before and still allows you the ability to instantly revert to your notes or primary data selection. - For more detail, see [Querying Data](#) and [Working With Networks](#).

# Welcome Screen

When you open ATLAS.ti, you see the Welcome Screen. It is divided into three parts:

## Welcome Screen (left-hand side)

On the left-hand side, you find [licence information](#), you can [create a new project](#) or [import an existing project](#), and you can access [Options](#).




## Welcome Screen (middle section)

In the middle section you can see and access all of your projects. If you have lots of projects, the search field will help you to locate a project.

You can sort projects by name, created, last modified, and last used.

## Context menu for projects



If you have lots of projects, you can **hide** those that you do not need at the moment. You can switch between showing all projects or only those that are currently not hidden. See the **Show all projects** option.

Other options in the context menu are to **open** a project, to **pin** it to the favorite list, to **rename** a project, or to **delete** a project. A pinned project is listed in a separate section above the list with all other projects.

If you delete a project, it is deleted permanently. It cannot be recovered. If you still want to have access to the project at a later time, make sure that you export it first and store a **project bundle file** at a secure location.

## Welcome Screen (right-hand side)

On the right-hand side of the Welcome Screen, you have access to useful information and resources:

- **News** about current workshops, updates, newsletters, interesting articles, etc.
- **Resources** Quick Tour, User Manual and sample projects
- **Video Tutorial:** Learn ATLAS.ti quickly by watching our video tutorials that walk you through the entire process from project creation to analysis and reporting step by step.

If you rather use this space to view the list of your projects, you can click on the button with the right-arrow.

If you want to see the screen with the news and resources again, click on the button with the left-arrow.

# Creating a New Project

Video Tutorial: [Creating a project and adding data](#). If you just started ATLAS.ti,

In the opening window on the left-hand side of the screen click on the button:  
Create New Project.

**Your Projects**

Search

Last used

☐ Show all projects

**A22 Children & Happin...**   
29 Documents, 483 Quotations, 70 Cod...  
Last used: 08/12/2021

**A22 Minecraft Review**   
45 Documents, 263 Quotations, 53 Cod...  
Last used: 08/12/2021

**A22 Children & Happin...**  
3 Documents, 4 Quotations, 52 Codes, 3...  
Last used: 08/12/2021

**Automatic Literature R...**  
10 Documents, 340 Quotations, 7 Codes  
Last used: 07/12/2021

**Survey Import**  
24 Documents, 48 Quotations, 2 Codes  
Last used: 07/12/2021


**Welcome**

**New Project**

**Import Project**

Options

Enter a name for the project, optionally a comment, and click on **Create**.




## New Project

Create an empty ATLAS.ti project.

Project name:

Comment:

  
Create

×

If a project is already open,

click on **File > New** to open the backdrop. From there select **Create New Project**. Enter a name for the project, optionally a comment, and click on **Create**.

# Importing an Existing Project

The following project types can be imported:

Version	File Type
Version 22	Project Bundle
ATLAS.ti Web	Project Bundle
Version 9	Project Bundle
Version 8	Project bundle
Version 7	Transfer bundle or copy bundle
Version 6 and older	Copy bundle

Project Exchange format | QDPX

Exported projects from the Ipad or Android apps can also be imported. ATLAS.ti Cloud projects can currently not be imported into the desktop version.

## How to Import Projects

If you just started ATLAS.ti,

Select the Import Project option on the right-hand side of the opening screen.

If ATLAS.ti is already open,

Select File > New and from there the Import Project option.

## Options

- You have the option to rename the project before importing. This is useful for team project work and if you do not want to overwrite an existing version.



## Import Project

Project Name:

You may choose a different name for the project.

- If the project that you are importing already exists in your library, you have the choice to either overwrite the existing project with the version you are importing, or whether you want to rename the project that you are importing.



## Import Project

Project Name:

A project with this name already exists. Please change the name or choose one of the options below:

- ☒ Keep existing project
- ☐ Overwrite existing project

## If the project contains Linked Media Files

If the project contains linked media files, and the files have not been included in the bundle, you can relink them. This requires that you have a copy of the file on your computer, or a file that is accessible on an external drive or server.

In the example shown below, the source for document 23 is a video that is available in the library. The source for document 26 is a linked video and needs to be relinked in order for it to be displayed in ATLAS.ti:

1 media sources not available. You can relink them now, or later in the document manager. Your codings are not affected.

ID	Name	Size
D 23	sample video _ Remote Learning	23.03 MB
D 26	video interview	21.55 MB

 Relink files ...



You can also decide not to relink the files at this stage and proceed with importing the files. The linked multimedia documents are still listed under Documents, but you cannot load them. They will appear gray in the Document Manager.

If you double-click on a multimedia file that is not available, ATLAS.ti gives you the option to repair the link. This means, you point ATLAS.ti to the folder where the multimedia file is stored, so that it can be relinked to your project.



**Document content unavailable.**


The document content seems to be unavailable.  
Repair the link to make it usable again.

[Repair Link](#)

# The ATLAS.ti Interface

When you open a project, you see the ribbon on top, the project navigator on the left-hand side and the ATLAS.ti logo in the middle of the working area.

At the top of the screen, you see the title bar where the name of the current project is displayed. It also includes the Save, Undo and Redo functions on the left-hand side.



You are probably familiar with ribbons from other contemporary Windows software that you use. A ribbon is a graphical control element in the form of a set of toolbars placed on several tabs. They are grouped by functionality rather than object types. Ribbons, in comparison, use tabs to expose different sets of controls, eliminating the need for numerous parallel toolbars. This highly improves the workflow and makes it easier for users to see which functions are available for a given context.

## The ATLAS.ti Ribbon


The six core tabs in ATLAS.ti are:

- Home
- Search & Code
- Analyze

- Import & Export
- Tools
- Help

Depending on the function you are using, additional contextual tabs will appear. These will be highlighted by a colored box at the top of the ribbon.


The **Home** ribbon is the starting point for most projects. You can start here to add documents to a project, create new codes, memos and networks. You can open various navigators to be displayed in the navigation area on the left-hand side of the screen and access all entity managers.




The **Search & Code** tab allows searching through text data by different criteria:

- You can enter [search expressions](#) including synonyms
- You can let ATLAS.ti [identify entities](#) for you
- You can search for [positive, negative, or neutral sentiments](#).
- You can let ATLAS.ti [identify concepts](#) for you.


You can explore data through [word cloud](#) and [word lists](#), applying stop and go lists, or reducing finds to 'parts of speech'.



The **Analyze** tab offers a number of advanced functions to analyze your data after coding. See [Querying Data](#).



The **Import & Export** ribbon offers a number of import option for specific data types:




- Twitter data. See [Working with Twitter Data](#).
- Data from Evernote. See [Support File Types](#).
- Literature stored in reference managers like EndNotes, Mendeley, etc. ATLAS.ti supports EndNote XML and BibTex. See [Working with Reference Manager Data](#).
- Survey data from Excel. See [Working with Survey Data](#).
- [Social Network Comments](#)


Further you can import and export code books and document list with their groups. See [Importing and Exporting Code Lists](#) and [Importing and Exporting Document Groups](#).

If you are interested in a mixed-method approach, you can generate a SPSS syntax file for further quantitative analysis of your qualitative coding, or export a generic version in form of an Excel file for import in R, SAS or STATA. See [Data Export for Further Statistical Analysis](#).

The Tools ribbon holds tools for user management (see [User Management](#)) and for cleaning up your project by finding and removing redundant codings. See [Finding Redundant Codings](#).



Via the **Help** ribbon you can access our support resources including Live Chat.



## File Menu / Backstage

Under **File** you find all options that concern your project, like creating a new project, open existing projects, saving and deleting projects, creating a snapshot (=copy) of your project, exporting and merging projects. See [Project Management](#).

Info

New

Open

Save

Snapshot

Export

Merge

Close

Options

Exit

# Info

Set Password

## Protect Project

Set a password for this project.

## Project


Name:	A22 Children & Happiness
Created:	29/11/2011 11:56:30 by Susanne
Modified:	07/12/2021 23:24:03 by Susanne Frieze (Kwarc)
Hidden:	No
Documents:	29
Codes:	70
Quotations:	483
Memos:	15

# Software Navigation

In the following it is explained how to work with the various entities and features in the main work space. If you want to click along, you may want to open the [Children & Happiness sample project](#).


After you downloaded the project bundle file, import it. See [Importing An Existing Project](#).

When you open a project, the Project Navigator opens automatically on the left-hand side. From the main branches you can access documents, codes, memos, networks and all groups. If you are looking for something in particular, you can enter a search term into the search field. If you open the branches of the various entities, they will only show you items that contain the search term.




To open a branch, click on the triangle in front of each entity.

When double-clicking a main branch, the respective manager of the selected entity type is opened. See [Entity Managers](#).



- Under the main **Documents** branch, you see all documents. Below each document, you can access all quotations of a document.
- Under the main **Codes** branch, you see the folders, categories, subcodes and independent codes. For further information see: [Basic concepts](#)
- Under the main **Memos** branch, you see the list of all memos. On the next level, you see all linked entities, which for memos can be other memos, quotations and codes.
- Under the main **Networks** branch, you see the list of all networks. On the next level, you see all entities that are contained in the network.
- Under the **Groups** branches, you see the list of all groups and below each group, the list of all members of the selected group.

If an entity has a comment, this is indicated by a yellow dot attached to the entity icon.




## Browsers

In addition to the Project Navigator that contains all project items, you can open browsers that only contain one entity type. Browsers are available for documents, quotations, memos and networks.

To open one of the browsers, click on the drop-down arrow of the **Navigator** button. As the documents and codes browsers are frequently needed, you can also launch them directly from the navigator group.





Explore | **Codes** | Documents | Memos | Networks

Search Codes

Name		Density
Experience of parenthood		0
negative effects		0
perception	62	1
positive effects	41	0
Independent Codes	149	0
Reasons for having children	119	0
sociodemographics	100	0
Survey questions	48	0
Attitude	68	0
< happiness	16	4
= level of happiness	17	4
> happiness	22	2
children are unrelated to happiness	13	1
Definition happiness	18	0
sources of happiness	36	0
study design	34	0

**Comment:** Edited 08/12/2021 17:05 by Susanne .


statements that talk about sources of happiness

The

single entity browsers open in tabs next to the Project Navigator. Each browser also has a search field on top. This facilitates working with long lists.

## Context Menus

Each item in the navigation panel has a context menu, which means a context-sensitive menu opens when you right-click. Depending on the entity that you click, each context-menu will be slightly different.




## Working with Docked and Floated Windows


When you first open a manager or other windows, they will be opened in floating mode. All windows can however also be docked. Depending on what you are currently doing, you may prefer a window to be docked or floated. Once you have docked a window, ATLAS.ti will remember this as your preferred setting for the current session. This is how you do it:

Open the Code Manager by clicking the Codes button in the Home Tab.

To dock this window, click on the fourth icon from the right (left of the minimize button).



To float a window, click on the dropdown arrow next to the manager name and select Float.



### Always On Top

A floating window disappears in the background if you click outside the window. If you prefer the window to stay on top of other windows, right-click on the button at the top left of the window and select the option **Always On Top**.


## Working With Tabs and Tab Groups

When you load documents or open managers, networks and memos, they are displayed in tabs next to each other. Depending on what you do, it is more convenient to see certain items side-by-side in different tab groups. This is how you do it.

Load for instance two documents. You do this by opening the document tree in the navigation area on the left-hand side and double-click a document.

When double-clicking on two or more documents, they are loaded into different tabs in the main work space. The tab of the currently loaded document is colored in white.

To move one of the documents into a new tab group, click on the down arrow next to the document name in the header and select **New Tab Group > Right**.



You have the option to move it into a tab group to the right, left, down or up.

This can also be done with any other items you open, be it a list of codes, a memo, or a network. You can individualize your work space as it suits your needs. An example is shown below.

D 2: 2\_Parenting blog by Lisa Belkin

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11

## Parenting blog – Blog by Lisa Belkin discussing the study by Powdthavee

April 1, 2009, 4:06 pm

### Does Having Children Make You Unhappy?

By LISA BELKIN


Children do not bring happiness. In fact more often they seem to bring unhappiness. That is the conclusion of one academic study after the next — and there are so many that it makes one wonder if researchers kept trying, hoping for a different result.

In the April edition of the online Journal of the British Psychological Association, researcher Nattavudh Powdthavee, of the University of York in Great Britain (whose own academic work concludes that there is no difference between the life satisfaction levels of parents and non-parents) summarizes the existing studies:

Using data sets from Europe and America, numerous scholars have found some evidence that, on aggregate, parents often report statistically significantly lower levels of happiness ([Alesina et al., 2004](#)), life satisfaction ([Di Tella et al., 2003](#)), marital satisfaction ([Twenge et al., 2003](#)) and mental well-being ([Clark & Oswald, 2002](#)) compared with non-parents.

- effects neg: on relationships
- 2:4 on aggregate, parents often report statistically significantly lower
- children: = level of happiness
- children: < happiness

D 30: Don't worry be happy



Memo – \*Research diary

Write your research diary here....

Code Manager

Search Code Groups

Search Codes

Code Groups	Name	Grounded	Density
Attribute codes (4)	"blog comment"~	138	0
Children & Happiness (a)	#fam: 1 child~	23	9
Defining happiness (4)	#fam: 2 or more children~	19	7
Explaining the research f	#fam: don't have children~	20	0
Negative effects of paren	#fam: have children~	74	13
Parenthood (4)	C_CHILDREN & HAPPINESS	0	0
Positive effects of parent	children: < happiness~	16	4
Reasons for having child			
Reasons for not having c			
RQ! (14)			
Sources of happiness (7)			
Study design (4)			

Comment:

Select a single item to show its comment

# The Six Main Entity Types

The six main entity types in ATLAS.ti are:

- [Documents](#)
- [Quotations](#)
- [Codes](#)
- [Memos](#)
- [Networks](#)
- [Links](#)

All entity types have their own manager. See [Entity Managers](#). The Entity Managers allow access to the entities and provide several options and functions.

To open a manager, double-click on the button in the ribbon.

Entity Managers are *child* or dependent window of the main editor. Child windows have some common properties:

- They are closely related to the parent window 'knows' about changes in the child window, like the selection of an item, and vice versa.
- They can be resized and positioned independently of their parent window.
- They are minimized when the parent window is minimized, and they are restored with their parent window.
- They are closed when the parent window is closed.
- However, child windows do NOT move with the parent window.

## Miscellaneous Goodies

You can copy the content of every entity, be it a document name, a group name, a code, memo or quotation name, or a node in a network and paste it into an editor or a network.

If you copy an entity name from a list into an editor, the name is pasted.

If you copy a node and paste it into an editor, the name of the node is pasted.

If you copy the name of an entity and paste it into a network, it is pasted as node. If links already exist, they will be shown immediately.

# Entity Managers

There is a separate manager for each of the six entity types: Documents, Quotations, Codes, Memos, Networks, and Links. The **Entity Managers** allow access to the entities and provide several options and functions. As there are differences among the various entity types, you find a section on each of the managers.

## Launching an Entity Manager

To open for instance the Document Manager, click on the **Documents** button in the **Home tab**. To open the Quotation Manager, click on the Quotations button; to open the Code Manager click on the Codes button, and so on.

An alternative way is to double-click on Documents, Codes, Memos, etc. in the Project Explorer in the navigation panel on the left.

The managers open as floating windows, but all windows can be docked as well. See [Software Navigation](#).

Each manager contains a list of the entities it manages, and some detailed information about them. At the bottom of the list, you find a comment field in each manager and in some managers, also a preview field.

In the Document and Quotation Manager you can preview the content of either the selected document, or the selected quotation. In the Memo Manager, the memo content is shown next to the comment field.

Another common element is the filter area on the left-hand side, which can be used to quickly access and filter the elements listed in the managers via groups or codes. They allow immediate access to fundamental activities like selecting codes, groups, creating groups and smart groups, and setting local and global filters. This allows a much more effective integration into the work flow and saves a lot of mouse movements and clicks. It is also possible to run simple Boolean queries in entity managers.

You can activate or deactivate the filter area by selecting the first option in the **View tab**, which is to show or hide entity groups. See **View Options** below.

## The Split Bar

The relative size of the side panel, list, preview and comment pane can be modified by dragging the split bar between the panes. The cursor changes when the mouse moves over the split bar. You can re-size the adjacent panes by dragging the split bar to the desired position.



## The Status Bar

You find a status bar at the bottom of the window when the Manager opens in floating mode, or at the bottom of your screen when the manager is in docked mode. It shows the number of items listed in the manager.

## Selecting Items in an Entity Manager

A single click with the left mouse button selects and highlights an item in each of the Entity Managers.

Double-clicking an item selects the entity and invokes a procedure depending on the type and state of the entity.


For multiple selections, you can use the standard Windows selection techniques using the Ctrl or Shift key.

To jump to a specific entry in the list, first select an item and then click the first, second and subsequent letters of a word to jump to the entry in the list. For example, suppose a number of codes begin with the two letters 'em' as in emotions typing 'em' will jump to the first of the EMotion ... codes. Every other character typed advances the focus to the next list entry unless a matching name cannot be found.

Avoid long delays between entering characters. After a certain system-defined timeout, the next character starts a new forward search.

## Searching

In the filter area and all entity lists, you find a search field.



The screenshot shows the 'Quotation Manager' application window. The 'Search & Filter' tab is active, displaying two search fields: 'Search Codes' (circled in green) and 'Search Quotations' (circled in red). Below these fields is a table of quotations. The table has columns for Name, ID, Reference, Name, Text Content, Document, Density, and Codes. The 'Evaluation' category is expanded, showing sub-categories like 'benefit', 'downside', and 'Sentiment'. The 'Sentiment' category is further expanded, showing 'negative', 'positive', and 'positive but'. The 'negative' category is selected, and the first item, 'Occasionally they use a swear word.', is highlighted.

Name	ID	Reference	Name	Text Content	Document	Density	Codes
Evaluation	136						
benefit	54	1:2	1:5	This is a great game for gifted kid...	Case 12	3	[*Review] [bene
downside	17	1:3	1:5	He is getting a good sense of ho...	Case 12	1	[benefit: buildin
Sentiment	77	1:4	1:5	This is a great game for gifted kid...	Case 12	3	[benefit: educat
negative	11	1:6	1:2	Great for budding engineers or gi...	Case 12	3	[*Header] [Sent
positive	49	1:9	1:5	With the help of videos, my son is...	Case 12	1	[benefit: educat
positive but	17	1:10	1:5	Occasionally they use a swear word.	Case 12	1	[Sentiment: neg
		2:1	1:2	A box of blocks	Case 1	1	[*Header]

Use the search field to search for either documents, quotations, codes or memos in the respective managers.

If you enter a search term, all objects that include the term somewhere will be shown in the list. For example, if you enter the term children in the code manager, all codes that include the word children somewhere in the code name will be shown.

Remember to delete the search term if you want to see all items again.

**Incremental Search:** This feature is available in the list pane of all Entity Managers. Select any number of items in the list and type in an arbitrary sequence of characters into the search field to jump to a subsequent list entry matching this sequence.

## Context Menus

The list and text panes offer context-sensitive popup menus. The context menus contains a portion of the commands that you also find in the ribbon.


## Sorting and Filtering

The Entity Managers permit comfortable sorting and filtering. With a click on a column header all items are sorted in ascending or descending order based on the entries in the selected column.

When creating entity groups, you can also use them to filter the list of items in a manager. When selecting a group, only the members of the selected group are shown in the list. When selecting multiple entities, you can combine them with the operators 'AND' or 'OR'. See [Simple Boolean Queries in the Quotation Manager](#).

In all managers but the Links Manager you find both a *View*, and a *Search & Filter* tab. In the Document and Code Manager, there is an additional *Tools* tab.

## View Options



In the View tab, you can activate or deactivate the filter area, the preview field (if available) or the comments. In addition, you can switch between *Detail* and *Single Column* view.

The Code Manager offers two additional view options, a **cloud** and **bar chart** view of the codes. See [Code Manager](#) for more detail.

## Search & Filter Options

The screenshot shows the 'Search & Filter' tab in the application. It includes checkboxes for 'Name', 'Content', and 'Comment'. There are input fields for 'Search Term' and 'Created by'. There are also checkboxes for 'Use Grep' and 'Case-Sensitive'. On the right side, there are buttons for 'Set Global Filter' and 'Remove Global Filter'. A 'Filter' button is located at the bottom right. A 'Search in Documents' button is located at the bottom left of the search area.

The search allows you to search through the entire content of documents, quotations or memos, through entity names and comments, or entities created or written by a selected author. The search term can contain regular expression. See [Regular Expressions \(GREG\)](#).


The search option in managers is restricted to the respective entity type.

Further options are to set or remove [global filters](#), and to filter by selected criteria:

- today
- this week
- only mine
- commented

# The Document Manager

The Document Manager helps you to organize your data, to group documents or to filter them.



Further you can access:

- the [Search & Code](#) tools if you want to code your data automatically
- the [focus group coding tool](#) to auto code speaker units or other structural information on your data.
- the [word clouds](#) or [word lists](#) for exploring your documents.
- you can search for [concepts](#).
- You can create reports or view [geo locations in Google Maps](#).

**Status Bar:** The status bar at the bottom of the screen shows how many documents there are in the project. **ID:** The first column shows the blue document icon, and the document number. The document number is a consecutive number given to the document by ATLAS.ti when it is added to a project.

**Name:** The default name is the file name of the original source file that you added to the ATLAS.ti project. You can rename each document if you prefer a different name.

**Location:** Here you see whether a document is stored in the ATLAS.ti library or whether ATLAS.ti opens it from a linked location. For further information see [Adding Documents](#).


Below the document list you see a [Code Distribution across Documents](#). You can switch between seeing a document preview or the bar charts.

## Filter

Click on one or more document groups in the filter area on the left to set a local filter. This means only the items in the manager are filtered.

If you want to filter the entire project, right-click on a document group to set a global filter. See [Applying Global Filters For Data Analysis](#).

## The Document Manager Ribbon



From left to right:

**Add Document(s):** Add a new document to your project. See [Adding Documents](#).

**New Group:** Create a new document group. See [Working With Groups](#).

**New Smart Group:** Smart Groups are a combination of existing document groups using Boolean operators. See [Working With Smart Groups](#) for further detail.

**Search & Code:** Here you can directly access the various search and code functions offered by ATLAS.ti to automatically code your data. See [Search & Code](#) for further information.

**Focus Group Coding:** You can automatically code all speaker units in a focus group. See [Focus Group Coding](#) for further information. This option can also be used to code data units in other type of structural data.

**Rename:** When adding a document to an ATLAS.ti project, the default name is the file name. You can change this name internally in ATLAS.ti. It does not change the name of data file.

**Delete:** Remove selected document(s) from a project. This is a permanent deletion. It also means that all coding done on the document(s) is deleted. You can revert the action using UnDo, but only within the currently active session.

**Edit Comment:** Open a text editor for writing or editing a comment for a selected document. See [Working With Comments And Memos](#).

**Open Group Manager:** See [Working With Groups](#).

**Open Network:** Open a network on the selected document(s). The network only contains the document and does not display links yet. This option is for instance useful if you want to compare cases. See [Analytic Functions in Networks](#).

**Word Cloud:** Word Clouds visualize the frequency of words. The more frequent a word occurs, the larger the word is displayed in the image. Word Clouds are an exploratory tool that allow you to gain quick inside into your data. It can be the basis for auto coding and further analysis. See [Creating Word Clouds](#).


**Word List:** This function allows you to generate a list of all words that occur in selected documents. The list can be sorted in alphabetic order or by frequency. You can export it to Excel for further data crunching. See [Word Lists](#).

**Concepts:** Let ATLAS.ti find concepts in your data that you then can review and autocode. See [Find Concepts](#).

**Report / Excel Export:** Reports can be created as text file (Word, PDF), or in Excel format. All reports are customizable. See [Creating Reports](#).

Many of the options available in the ribbon are also available from the context menu of a document.

## Tools Tab



**Renumber Documents:** When adding documents to a project, they are numbered by ATLAS.ti in consecutive order. If you remove one or more documents, this may result in gaps. Use this option to close these gaps.

You can also use this option to re-order documents the way you want them to be ordered. To achieve this, rename the document in a way so that sorting them by name results in the order you want them to be in. Next click on the 'name' column to sort the documents by name and then select the 'renumber' option. The document numbers will then follow the alphabetical order. See also [Managing Documents](#).

**Renumber Quotations:** Selecting this option will close any gap in the numbering of quotations.

Each quotation that you create has an ID. The ID consists of the document number, and a number indicating the chronological order *when* the quotation was created. For example, the ID 3:12 means that this quotation is in document 3 and that it was the twelfth quotation that was created in this document.

If you delete quotations or modify them, the ID does not change. If you delete a quotation with the ID 3:11, this does not mean that quotation 3:12 automatically becomes quotation 3:11. Such an automatism is not always desired. If you for instance have already started the writing process and made reference to some quotations using their ID, you would not want ATLAS.ti to change the IDs automatically.

If you do want all quotations to be numbered in sequential order, you need to evoke it manually by selecting the **Renumber Quotations** option.

**Import Transcript:** This option is available after you have added a multimedia document (audio or video). If you have a transcript with timestamps for this document, you can add it as transcript. The transcript and multimedia document are synchronized via the time marks. See [Importing Multimedia Transcripts](#).

**Document Export:** This option allows you to export your documents as external data files. Text files are exported as Word docx files, all PDF, image and multimedia files in their original format.

**Repair Link:** If you have linked an audio or video file to a project, and the link is no longer valid, you can repair the link using this option.

**Remove Codings:** You can use this option if you want to unlink all codes from all quotations. This means all quotations and all codes remain in the document, but none of the quotation is coded. This is useful at times for team projects and inter-coder agreement analysis.

**Browse Geo Location;** All geo documents are based on Open Street Map or Bing. If you want to see a geo-location in Google Maps, you can use this option. See [Working With Geo Docs](#).

**Duplicate document(s):** This allows you to create an exact copy of one or more documents with all quotations, codes, links, ect. This can be useful if for instance you want to code a document based on different aspects. This option will allow you to split a document, also when it is already coded. You duplicate it first, then (entering edit mode) you delete the second part of one document, and the first part in the other.

## Search & Filter / View Tab

As these tabs are the same in all manager, they are discussed here [Entity Manager](#).

# Quotation Manager

The screenshot shows the Quotation Manager application. The interface includes a ribbon with tabs for 'Quotations', 'Search & Filter', and 'View'. The 'Quotations' tab is active, displaying various icons for managing quotations, such as 'Smart Code', 'Apply Codes', 'Code in Vivo', 'Quick Coding', 'Rename Quotation', 'Delete', 'Edit Comment', 'Merge Quotations', 'Renummer Quotations', 'Link Source', 'Link Target', 'Show in Network', 'Word Cloud', 'Word List', 'Report', and 'Excel Export'. Below the ribbon, there are two search bars: 'Search Codes' and 'Search Quotations'. The main area displays a table of quotations with columns: Name, ID, Reference, Name, Text Content, Document, Density, and Codes. The table lists various quotations with their IDs, references, and associated codes. A detailed view of a selected quotation is shown at the bottom, displaying the text: 'With the help of videos, my son is now designing a virtual computer within the Minecraft world. He is getting a good sense of how circuits work, and we are now also building physical circuits in the "real" world. Very cool.' The status bar at the bottom indicates '266 quotations'.

The Quotation Manager can be used for retrieving and reviewing data by codes, creating smart codes, writing comments, creating reports, or opening networks. When working with multimedia and geo data, it is useful to rename quotation names as titles for audio- or video segments or for location names for geo data. See [Working with Quotations](#).

## Quotation Reference

**ID:** The ID consist of two numbers best explained by an example: An ID 3:10 means that the quotation comes from document 3, and it is the 10th quotation that was created in this document. Quotations are numbered in chronological and not in sequential order.

**Reference:** The reference indicates the location of the quotation in the document, e.g., paragraph 12 - 13. For audio and video documents, the reference gives the start position in h:m:s. For geo quotations, the geo-location is provided.

**Indicator of Hyperlinks:** Brackets (< or >): indicate that the quotation is a start anchor or target for a hyperlink. For further information see [Working with Hyperlinks](#).



## Position in the Document: Start / End / Extent

If you scroll a bit to the right, you find information about start and end position of a quotation in the document, and the total length of a quotation. The measure that is used is dependent on the media type:

### Start / End

- *Text quotation*: number of paragraphs
- Text PDF: page number in ATLAS.ti plus number of characters on the page
- *Graphic quotation*: upper left coordinates / lower right coordinates
- *Audio quotation*: hours:minutes:seconds: milliseconds
- *Video quotation*: hours:minutes:seconds: milliseconds
- *Geo quotation*: n/a

### Extent

- Text quotation: total number of paragraphs
- Text PDF: total number of pages covered
- Graphic quotation: height in pixel of the quotation's rectangle.
- Audio quotation: hour:minutes:seconds:milliseconds
- Video quotation: hour:minutes:seconds:milliseconds
- *Geo quotation*: n/a

## Adding Quotation Names

**Name:** The name field initially is empty. You can enter a name for each quotation, e.g., to enter a title, a description for an image quotation, or a geo-location. See also [Working with Quotations](#).

## Selection Behaviour

A **single-click** selects a quotation. If you have written a comment for the selected quotation, it is displayed in the at the bottom of the window.

A **double-click** on a quotation loads its document (unless already loaded) and displays its content in context.

**Multiple Selection:** You can select more than one quotation at a time, either to delete them, to attach codes, to open a network on them, or to create output.


## Drag & Drop

By dragging one or more quotations onto other quotations, you create hyperlinks. See [Working with Hyperlinks](#) for further information.

## Filter


Click on one or more codes in the filter area on the left to view only quotations linked to the selected code(s).

By default the quotation preview is shown in the bottom pane of the window. You can switch to the comment pane, by clicking on the burger menu at the top right-hand side of the pane.



**Status Bar:** The status bar at the bottom shows how many quotations there are in the project.

## Quotation Manager Ribbon



From left to right:

**Smart code:** After selecting codes in the side panel of the Quotation Manager you can create smart codes. See [Working with Smart Codes](#).

**Code in Vivo:** In-vivo coding creates a quotation from the selected text AND uses the selected text as the code name.

**Apply Coding:** Coding a selected data segment with a new or existing code. See [Coding Data](#).

**Quick Coding:** Coding with the last used code.

**Rename Quotation:** You have the option to enter a name for each quotation. This is useful for interpretive analysis approaches, e.g., to summarize the quotation content or to use it as 'initial code' when using Charmaz's constructive grounded theory approach. It is also useful when working with multimedia data to describe the multimedia content in words.

**Delete:** Removes the quotation and all codings and other links from the project.

**Edit Comment:** Open a text editor for writing or editing a comment for a selected quotation. See [Working With Comments and Memos](#).

**Merge Quotations:** You can merge two or more quotations. The new quotation boundary can either be the boundary of a selected target quotation, or it can be expanded to include all selected quotations.

**Renumber Quotations:** This eliminates all gaps in quotation numbering due to deletion and rennumbers all quotations in sequential order as they occur in the document.

**Link Source:** Uses the selected quotation as source in the process of creating a hyperlink. See [Creating Hyperlinks](#).

**Link Target:** Click to select the selected quotation as target in the process of creating a hyperlink. See [Creating Hyperlinks](#).

**Open Network:** Open a network on one or more selected quotations. See [Opening an ad-hoc Network](#).

**Word Cloud:** Word Clouds visualize the frequency of words. The more frequent a word occurs, the larger the word is displayed in the image. In the Quotation Manager you can create word clouds for selected quotations. See [Creating Word Clouds](#).

**Word List:** This function allows you to generate a list of all words that occur in selected quotations. The list can be sorted in alphabetic order or by frequency. You can export it to Excel for further data crunching. See [Word Lists](#).

**Report / Excel Export:** Reports can be created as text file (Word, PDF), or in Excel format. All reports are customizable. See [Creating Reports](#).

## Search & Filter / View Tab

As these tabs are the same in all manager, they are discussed here [Entity Manager](#).

# Code Manager

The Code Manager is frequently used to:

- create and modify codes
- to code data segments via drag & drop
- to set code colors
- to retrieve coded data segments
- to organize them in code groups
- to merge and to split codes
- to filter them
- to review them in networks
- to review its content using word clouds and word lists
- to create reports.

**Code Manager**

Search Code Groups:

Search Entities:


Name	Grounded	Density	Groups
age range	(5)	136	0
benefits	(6)	54	0 [benefits]
benefits + Downside	(12)	17	0 [Downside]
Description of the game	(14)	77	0
Downside	(6)	79	0
educational	(4)	39	0 [Survey Items]
features	(3)	40	0 [Survey Items]
Guidance	(5)	23	0 [features]
Modes	(6)	36	0 [Guidance]
online	(4)	22	0 [Modes]
Survey Items	(2)	23	0 [online]
*Header		31	0 [age range]
*Review		69	0 [Description of the game]
Feature			
Guidance			
Mode			
Online component			
Recommended age			
The game is:			

**Code Distribution Over Documents**

59 codes

In the bottom pane below the code list, you can either view the code comments or a diagram. For more information about the diagram, see [Code Distribution Over Documents](#).

To change between comment and diagram view, click on the burger menu on the top right-hand side of the diagram.



## Good to know

**Groundedness:** Code frequency or groundedness. It shows how many quotations are linked to a code.

**Density:** Number of linkages to other codes. See [Linking Nodes](#).

**Colors:** If you add code colors, a colored circle is displayed in front of the code icon and name. Code colors also have an effect on the display of code nodes in networks. See [Working with Networks](#).

If you do not want to see all columns, right-click on a column header and deselect, what you do not want to see.

## Selection behaviour

A double click on a code opens the list of linked quotations in the [Quotation Reader](#). You can browse through the list of quotations and view them highlighted in the context of its document. If there is only one quotation linked to a code, it will immediately be highlighted in the context of its document.

**Single-click:** Selects a code. If you have written a definition for the selected code, it is displayed in the comment pane below the list. Once selected, the code can be used for drag & drop coding, or you can add it to a code group via drag & drop. **Multiple Selection:** You can select more than one code at a time by holding down the Ctrl or Shift key. This is useful to:

- delete multiple codes
- to code a data segment with multiple codes
- to open a network that includes all selected codes
- to create reports based on the selected codes
- to assign multiple codes to a code group or to remove them from a group
- to create a new code group based on the selected codes

## Drag & Drop


You can use the Code Manager as a convenient tool for coding by dragging codes onto a highlighted piece of data. If you drag codes onto another code within the same list pane, code-links will be created. If you drag a code on top of another code in the margin area, it will be replaced.

## Filter

Click on one or more code groups in the filter area on the left to set a local filter. This means only the items in the manager are filtered. If you want to filter your entire project, then you need to set a global filter. See [Applying Global Filters for Data Analysis](#).

**Status Bar:** The status bar at the bottom shows how many codes there are in the project.

## Code Manager Ribbon



From left to right:

**New Codes:** Create one or more new codes.

**New Folder:**

**New Smart Code:** If you select two or more codes in the Code Manager, you can create ORed smart codes i.e., a smart code that combines all selected codes with the OR operator. For further information see [Working with Smart Codes](#).

**Create Snapshot:** You can create a 'snapshot' of a smart code to turn it into a regular code again with real links to quotations. The word snapshot indicates that it conserves the state of the smart code. See [Creating Snapshot Codes](#).

**New Group:** Create a new code group based on a selection you have made.

**New Smart Group:** Smart Groups are a combination of existing groups using Boolean operators. For further information see [Working with Smart Groups](#).

**Duplicate Code(s):** This option duplicates an existing code with all its links. It is a 1:1 clone of the original. Before the code splitting function became available it was a helpful first step for splitting. Now this is no longer necessary. However, you might find some other usages for it. See [Working with Codes](#).

**Rename Code:** When building a code system it is often necessary to rename a code.

**Delete:** Delete selected code(s).

**Edit Comment:** Open a text editor for writing or editing a comment for a selected code. See [Working with Comments and Memos](#).

**Edit Smart Code:** A smart code is a saved query. If you want to see the query that the smart code is based upon or edit it, use this option. For further information see [Working with Smart Codes](#).

**Open Group Manager:** Open the Group Manager for Codes. See [Working with Groups](#) for more detail.

**Change Color:** Select a color for one or more selected codes.

**Merge Codes:** This option allows you to merge two or more codes into one code. If the codes have a comment, it will be added to the merged code. In addition, information about which codes were merged will be added to the comment of the merged code as an audit trail. Also see [Merging Codes](#).

You need to select multiple codes (i.e., all codes that you want to merge) in order for the **Merge** option to become selectable.

**Split:**

**Split Code:** The split code function supports you in developing sub codes for a category. See [Splitting a Code](#).

**Split into Subcodes:**

**Show in Network:** Opens an ad-hoc network on the selected code that shows all existing links. See [Opening ad-hoc Networks](#).

**Word Cloud:** Word Clouds visualize the frequency of words. The more frequent a word occurs, the larger the word is displayed in the image. Word Clouds are an exploratory tool that allow you to gain quick insight into your data. If you create a word cloud for selected codes, it shows you the frequencies of the words that are coded with the code(s). See [Creating Word Clouds](#).

**Word List:** This function allows you to generate a list of all words that occur in the quotation of the selected code(s). The list can be sorted in alphabetic order or by frequency. You can export it to Excel for further data crunching. See [Word Lists](#).

**Concepts:** Let ATLAS.ti find concepts in your data that you then can review and autocode. See [Find Concepts](#).

**Report / Excel Export:** Reports can be created as text file (Word, PDF), or in Excel format. All reports are customizable. See [Creating Reports](#).

## Tools Tab

**Import / Export Codebook:** A codebook including codes and code colors, code definitions and code groups can be imported or exported in two formats: Excel and the QDPX exchange format. See [Importing & Exporting Code Lists](#) and [QDPX Universal Data Exchange](#).


**Find Redundant Codings:** It can happen that you code a longer segment and then within this segment you code a segment using the same code again. This is redundant.

ATLAS.ti can find all those instances for you to help you clean up your coding. It is a helpful option when working in teams where redundant codings may occur after merging. See [Finding Redundant Codings](#).

## Search & Filter

The options under the Search tabs are the same as in all other managers, and are discussed here: [Entity Manager](#).

## View Tab




The above image shows the default options: You see the code groups on the left-hand side, the comment field below the code list, and the code list in 'Details' view.



## Code Cloud


Click on the button Cloud to visualize your code list in form of a word cloud:



If you right-click on a code, the same context menu opens as in 'Details' view. Thus, in the cloud view you can start the same actions as in the regular view. You can for instance rename codes, split or merge codes, or open a network on one or multiple codes.

## Code List as Bar Chart

Select Bar Chart to visualize your code list in form of a bar chart:



The codes in the bar chart view also have a context menu. Thus, also from here, you can start the same actions as in standard view. Select multiple codes if you want to merge codes.

# Relation Manager

The Relation Manager is used to review the properties of existing relations, to edit existing relations, or to create new relations. You can switch between relations for code-code links and relations for hyperlinks. As the column information and the ribbon options are the same for both, below you find only one description. For further information see [Working With Networks](#).

You can access the Relation Manager from within networks or via the drop-down option of the Links button in the Home ribbon.

The screenshot shows the 'Relation Manager' window with the 'Relations' tab selected. The ribbon includes options for 'Code-Code Relations' and 'Hyperlink Relations', 'New Relation' and 'Duplicate Relation(s)', 'Rename Relation' and 'Delete Relation(s)', 'Line Color', 'Line Width', 'Line Style', 'Layout Direction', 'Formal Property', 'Filter', and 'Excel Export Report'. The main area displays a table of relations with columns: Name, Usage, Style, Width, Layout, Short, Symbol, Formal Property, Created by, Modified by, Created, and Modified. The 'is a' relation is selected, and its details are shown in the bottom panel.

Name	Usage	Style	Width	Layout	Short	Symbol	Formal Property	Created by	Modified by	Created	Modified
contradicts	0		1	↑	A	<>	Symmetric	ATLAS.ti	ATLAS.ti	01/01/1989 13:00	01/01/19
in contrast to	2		1	→			Symmetric	Susanne	Susanne	29/04/2020 09:23	29/04/20
is a	0		2	↑	O	isa	Asymmetric	ATLAS.ti	ATLAS.ti	01/01/1989 13:00	01/01/19
is a property of	0		1	↑	P	*}	Asymmetric	ATLAS.ti	ATLAS.ti	01/01/1989 13:00	01/01/19
is associated...	9		1	↑	R	==	Symmetric	ATLAS.ti	ATLAS.ti	01/01/1989 13:00	01/01/19
is cause of	0		1	↑	N	=>	Asymmetric	ATLAS.ti	ATLAS.ti	01/01/1989 13:00	01/01/19
is part of	1		1	↑	G	[]	Asymmetric	ATLAS.ti	ATLAS.ti	01/01/1989 13:00	01/01/19
noname	0		1	↑			Symmetric	ATLAS.ti	ATLAS.ti	01/01/1989 13:00	01/01/19
remedy	1		1	→			Asymmetric	Susanne	Susanne	29/04/2020 09:33	29/04/20
therefore read	1		1	→			Asymmetric	Susanne	Susanne	29/04/2020 09:21	29/04/20

Layout Direction: down-up  
Formal Property: Asymmetric  
Name: is a  
Symbolic Name: isa

10 relations

**Usage:** Number of times it is used in the project.

**Style:** Preview of line: direction, color, width and property (directed, non-directed)


**Layout:** Automatic layout direction if you open a network on an entity.

**Short:** Short name as an alternative to the full name. You can either display full names, short names or the symbolic name for all relations in a network.

**Symbol:** Symbolic name as an alternative to the full name. You can either display full names, short names or the symbolic name for all relations in a network.

**Formal Property:** The formal property of a relation: symmetric or asymmetric. See [About Relations](#).

## Relation Manager Ribbon



From left to right:

**New Relation:** Select to create a new relation.

**Duplicate Relation(s):** Duplicate a relation, e.g., if you want to create a new relation based on an already existing relation with a few modifications.

**Rename Relation:** Select a relation and rename it.

**Delete Relation(s):** Select on or more relations that you want to delete.

**Line Color:** Select the line color.

**Line Width:** Select the line width.

**Line Style:** Select the line style(solid or dashed).

**Layout Direction:** Select the layout direction. If you open an ad-hoc network, the layout directions are used to position the nodes in the network.

**Formal Property:** Select the property for the relation. Options are: symmetric (non-directed) and asymmetric (directed). This is further explained in the section [About Relation](#)

**Filter:** You can filter relations based on the following options: created today, created this week, created by yourself, or all relations that have a comment. An additional option is to invert the filter.

**Excel Export:** You can export the information you see in the manager as Excel table.


## View Tab

As the View tab is the same in all manager, it has been described here [Entity Manager](#).

# Link Manager

The Links Manager lists all existing code-code links and all existing hyperlinks (links between two quotations). It is frequently used to review, modify or comment these links. You can switch to view the list of Code-Code Links and the list of Hyperlinks.

## Link Manager Columns for Code-Code Links



The information provided for each code-code link consists of:

**Source:** The start position of a link. This is relevant for directed (asymmetric and transitive) links.

**Relation:** Relations can be used to name a link. This is possible for code-code links and for links between quotations (hyperlinks). See the section on [Working with Networks](#) for more detail.

**Target:** The end position of a link.

**Created by:** The name of the user who created the link.


**Modified by:** The name of the user modifying the link.

**Created / Modified:** Date and time when a link was created and modified.

In the side panel on the left-hand side you see the list of all available relations and how often they have been used (number in parentheses). Click on one or more relations in the side panel filter the list of links.

## Link Manager Columns for Hyperlinks

The information provided for each hyperlink consists of:



**Source:** The start position of a hyperlink. This is relevant for directed (asymmetric and transitive) links.

**Relation:** Relations can be used to name a hyperlink. See the section on [Working with Hyperlinks](#) for more detail.

**Target:** The end position of a hyperlink.


**Created By:** The name of the user who created the hyperlink.

**Modified By:** The name of the user modifying the hyperlink.

**Created / Modified:** Date and time when a hyperlink was created and modified.

In the side panel on the left-hand side you see the list of all available relations for hyperlinks and how often they have been used (i.e., number in parentheses). If you click on one or more relations, all hyperlinks will be filtered by the selected relations.

## Link Manager Ribbon



The ribbon is the same for Code-Code and hyperlinks.

From left to right:

**Cut Link(s):** Cutting the link between selected codes or quotations.

**Flip Link(s):** Change source and target of selected link.

**Change Relation:** Change the relation of a selected link.

**Edit Comment:** Open a text editor for writing or editing a comment for a selected link.

**Open Relation Manager;** You can access the Relation Manager from here, if you want to create or modify a relation. See [Creating New Relations](#).

**Filter:** You can filter links by selecting a relation in the filter area on the left. The Filter button in the ribbon offers some additional options: you can invert the filter, or filter by links created today, created this week, created by yourself, or by all links that have a comment.

**Open Network:** Open a network on the selected link(s). See [Open ad-hoc Network](#).


**Excel Export:** You can export the information you see in the manager as Excel table.

## View Tab

As the view tab is the same in all manager, it is discussed here: [Entity Manager](#).

# Memo Manager

The Memo Manager is used to keep track of your writing. You can create, read and review, comment, sort and organize, and group your memos. Further options are to view a memo and its connection in a network, or to turn a memo into a document for further analysis.



**Groundedness:** Number of quotations to which a memo is connected.

**Density:** Number of codes and other memos to which the memo is connected.

Double-click opens the memo editor as floating window. This window can be docked into the currently active region.

Ctrl + Double-click opens the list of quotations that are linked to a memo.

## Drag & Drop

You can attach a memo to a quotation by dragging it onto the quotation in the document or the margin area.




A memo can also be dragged to a quotation, code or memo in the Project Explorer or any other list. Vice versa, you can also drag quotations, codes or memos from any list or from the margin area to a memo to link it.

## Filter

Click on one or more memo groups in the filter area on the left to set a local filter. This means only the items in the manager are filtered.

**Status Bar:** The blue status bar at the bottom shows how many memos there are in the project.

## Memo Manager Ribbon



From left to right:

**Create Free Memo:** Create a new memo.

**New Group:** Create a new memo group based on the selection you have made.

**Create Smart Group:** Smart Groups are a combination of existing groups using Boolean operators. For further information see [Working with Smart Groups](#)

**Duplicate Memo(s):** Duplicate an existing memo. Maybe it became too long, and you want to split it into two memos.

**Convert to Document:** If you want to code a memo, or create quotations to hyperlink selected passages from a memo to other data segments, you can convert a memo into a project document.

**Edit Memo:** Open text pane for writing the contents of a memo in a full-fledged text editor.

**Rename Memo:** Change the name of a selected memo.

**Delete Memo(s):** Delete selected memo(s).

**Edit Comment:** Open a text editor for writing or editing a comment for a selected memo. See [Working With Comments And Memos](#).

**Set Type:** The default memo type is "memo". This can be changed to a user defined type. Memo-types can be used to sort and organize memos.

**Open Group Manager:** Open the Memo Group Manager. See [Working With Groups](#) for more detail.

**Open Network:** Open a network on the selected memo(s) that show all other entities the memo is linked to. See [Opening an ad hoc Network](#).


**Report / Excel Export:** Reports can be created as text file (Word, PDF), or in Excel format. All reports are customizable. See [Creating Reports](#).

### [Search & Filter / View Tab](#)

As these tabs are the same in all manager, they are discussed here: [Entity Manager](#).

# Network Manager

The Network Manager is frequently used to create and open networks, to rename, comment and group them.



**Degree:** Number of nodes in a network.


**Double-click** opens the network editor as floating window. This window can be docked into the currently active region.

**Drag & Drop:** You can add a network as node to a network editor, or assign selected networks to a group via drag & drop.

**Filter:** Click on one or more network groups in the filter area on the left to set a local filter. This means only the items in the manager are filtered.

**Status Bar:** The Status Bar shows how many networks there are in the project.

## Network Manager Ribbon



From right to left:

**Create Network:** Create a new network.

**New Group:** Create a new network group based on the selection you have made.

**New Smart Group:** Smart Groups are a combination of existing network groups using Boolean operators. This option is only available to offer consistent choices in all managers. You may not even feel the need to create network groups, let alone combining them using smart groups :-).

**Duplicate:** Duplicates the selected network. This option is useful if you want to create a spin-off of an already existing network where parts of the existing network are still relevant, and you want to build on it further.

**Rename Network:** Change the name of an existing network.

**Delete:** Delete selected network(s).

**Edit Comment:** Open a text pane for writing or editing a comment for a network in a full-fledged text editor.

**Open Group Manager:** Open the group manager for networks.

**Show in Network:** Opens the network

**Excel Export:** Exports the information displayed in the Network Manager.

## Search & Filter / View Tab

As these tabs are the same in all manager, they are discussed here: [Entity Manager](#).

## Supported File Formats

In principle, most textual, graphical, and multimedia formats are supported by ATLAS.ti. For some formats, their suitability depends on the state of your Windows system. Before deciding to use an exotic data format, you should check if this format is available and if it is sufficiently supported by your Windows system.

### Textual Documents

The following file formats are supported:

Format	File Type
MS Word	.doc; .docx; .rtf
Open Office	.odt
HyperText Markup Language	.htm; .html
Plain text	.txt
other	.ooxml

Text documents can be edited in ATLAS.ti. This is useful to correct transcription errors, to change formatting, or to add missing information. When adding an empty text document to an ATLAS.ti project, you can also transcribe your data in ATLAS.ti. We however recommend using a dedicated transcription tool or use automated transcriptions. You can add transcripts with timestamps and synchronize them with the original audio or video file. For this you use **Multimedia Transcripts**.

### Transcripts

You can [prepare your own transcripts](#) in ATLAS.ti, or [import transcripts](#) that have been created elsewhere.

This could mean - you or another person transcribing data for you - have used a specialized transcription software like:

- Easytranscript
- f4 & f5 transcript
- Transcribe
- Inqscribe
- Transana
- ExpressScribe, a.o.;

Other sources are transcripts prepared automatically by services like Microsoft Teams, Zoom or YouTube in SRT or VTT format. Examples of supported services are:

- MS Teams
- Zoom
- YouTube
- Happyscribe
- Trint
- Descript
- Sonix
- Rev.com
- Panopto
- Transcribe by Wreally
- Temi
- Simon Says
- Vimeo
- Amberscript
- Otter.ai
- Vocalmatic
- eStream

For further information on how to import transcripts from these services, see [Importing Automated Transcripts in VTT and SRT format](#)

## PDF files (Text and Graphic)

PDF files are perfect if you need the original layout. When PDF was invented, its goal was to preserve the same layout for onscreen display and in print.

If the PDF file has annotations, they are displayed in ATLAS.ti. However, they cannot be edited.

When preparing PDFs, you need to pay attention that you prepare a text PDF file and not a graphic PDF. If you do the latter, then ATLAS.ti treats it as a graphic file, and you cannot search it or retrieve text.

When scanning a text from paper, you need to use character recognition software (OCR, frequently provided with your scanner) in order to create a text PDF file. Another option is to apply character recognition in your PDF reader/writer software.

When you retrieve text from a coded PDF segment the output will be rich text. Thus, you may lose the original layout. This is due to the nature of PDF as mentioned above. It is a layout format and not meant for text processing.

## PDF files (eBooks, PowerPoint, Visio, Draw)

The following file types will be transformed into PDF files, when adding them to an ATLAS.ti project:

- eBooks: \*.epub, \*.mobi
- Microsoft Visio: \*.vsd, \*.vsdx
- LibreOffice / OpenOffice Draw: \*.odg, \*.odp, \*.ods
- PowerPoint: \*.ppt, \*.pptx

## Images

Supported graphic file formats are: bmp, gif, jpeg, jpg, png, tif and tiff.

**Size recommendation:** Digital cameras and scanners often create images with a resolution that significantly exceeds the resolution of your screen. When preparing a graphic file for use with ATLAS.ti, use image-processing software to reduce the size so that the graphics are comfortably displayed on your computer screen. ATLAS.ti does resize the images if they are too big. But this requires additional computer resources and unnecessarily uses space on your computer hard disk.

To resize an image manually, you can use the zoom function via the mouse wheel or the zoom button in ATLAS.ti.

## Audio- and Video Documents

Supported audio file formats are: aac, m4a, mp3, mp4, wav. Supported video file formats are: 3g2, 3gp, 3gp2, 3gpp, asf, avi, m4v, mov, mp4, wmv. For audio files, our recommendation is to use \*.mp3 files with AAC audio, and for video files \*.mp4 file with AAC audio and H.264 video. These can be played both in the Windows and in the Mac version. More information is [available here](#). As video files can be quite sizable, we recommend linking video files to an ATLAS.ti project rather than to import them. See [Adding Documents](#) for further information.

## Geo Documents

When you want to work with Geo data, you only need to add a new Geo Document to your ATLAS.ti project. This opens an Open Street world map. When you click on the option *Query Address*, you can navigate to a specific region or location on the map. For more information, see [Working With Geo Docs](#).

## Social Network Comments

ATLAS.ti imports Excel files generated by [exportcomments.com](https://exportcomments.com). You can use the service for free to export up to 100 comments per link. For a small fee, you can use the service for three days to download the data you need. This also allows you to export nested comments.

Supported social networks are:

- Facebook
- Twitter
- Instagram
- YouTube
- TikTok
- VK
- Twitch
- Discord

For further information see [Importing Social Network Data](#).

## Survey Data

The survey import option allows you to import data via an Excel spreadsheet (.xls or .xlsx files). Its main purpose is to support the analysis of open-ended questions. However, this option can also be used for other case-based data that can easily be prepared in form of an Excel table.

In addition to the answers to open-ended questions, data attributes (variables) can also be imported. These will be turned into document groups in ATLAS.ti. For more information, see [Working With Survey Data](#).

## Reference Manager Data

In order to support doing a **Literature Review** with ATLAS.ti, you can import articles from reference managers. The requirement is that you are using a reference manager that can export data as Endnote XML file like Endnote, Mendeley, Zotero, or Reference Manager.

If your reference manager cannot export data in Endnote xml format, you can export data in RIS or BIB format and use the free version of Mendeley or Zotero to produce the xml output for ATLAS.ti.

See [Working With Reference Manager Data](#).

## Twitter

You can collect data from Twitter searching for keywords, hashtags, users, etc. ATLAS.ti can collect tweets that are **not older than one week** !



You need to sign in with your own Twitter account to import twitter data to ATLAS.ti. See [Working With Twitter Data](#).

## Evernote

If you collect and store you data using Evernote, you can directly import files and folders from Evernote. See [Bring out the best in Evernote with ATLAS.ti 8 Windows](#).

Supported formats are:

Evernote Export	File Type
Evernote 2.x database	.enb
Evernote exported XML data	.enex
Evernote database	.exb
Evernote data	.reco
Evernote handwritten notes and sketches	.top
Evernote for Google Android note file	.enml

# Adding Documents

Video Tutorial: [Creating a project and adding data](#).

## What happens when you add documents to a project

All documents that you add to a project are copied, and the copies become internal ATLAS.ti files. This means, strictly speaking, that ATLAS.ti no longer needs the original files. However, we strongly recommend that you keep a backup copy of your original source files.

When you add documents to a project, they are stamped with a unique ID. This ID allows ATLAS.ti to detect if documents are the same when merging different projects.

## What happens when you add documents to a project

All documents that you **add** to a project are copied, and the copies become internal ATLAS.ti files. This means, strictly speaking, that ATLAS.ti no longer needs the original files. However, we strongly recommend that you keep a backup copy of your original source files.

As audio and video files can be quite sizable, you have the option to create an external reference to the files. This means the multimedia documents remain at their original location and are accessed from there. Preferably, these files should not be moved to a different location. If the files need to be moved, you need to re-link the files to your project. ATLAS.ti will alert you, if there is an issue, and a file can no longer be accessed.


## Important for team projects

When you work in a team and want to work on the same documents, it is important that one person is setting up the project and adds all documents and codes that should be shared. The reason for this is that **all all entities are stamped with a unique ID when they are created**. This ID allows ATLAS.ti to detect if entities are the same when merging projects.

If the same documents (or codes) are added on different computers to different projects, then they all have different IDs. Rather than being merged when you merge all projects, they are added. Thus, the merged project contains duplicates. You can [merge duplicated codes](#) yourself, but you cannot merge duplicated documents! If this happens, you need to manually transfer all coding that has been done from the duplicated documents. See [Team Work](#) for further information.

## How to add documents

Click on the Add Documents button in the Home tab, or click on the dialog box launcher (drop-down arrow), or drag- and-drop them from the File Manager either onto the document display area or the ribbon.




If you click on "Add Documents", you can select individual files. If you want to add entire folders or link larger multimedia files (audio / video) to your project, click on the dialog box launcher and select the appropriate option.

All added or linked documents are numbered consecutively starting with D1, D2, D3 and so on.

### Linking video files

As video files can be quite sizable, you have the option to link them to a project instead of adding them. This means they remain at their original location and are accessed from there. Preferably, these files should not be moved to a different location.

If the files need to be moved, you need to re-link the files to your project. ATLAS.ti will alert you, if there is an issue, and a file can no longer be accessed. You find a **Repair Link** option in the Document Manager under the [Document Manager > Tools Tab](#).



## Sort Order of Documents

The default sort order is by name in alphabetical order. You cannot change the order of the documents by dragging them to a different position. However, it is possible to change the order of the documents by renaming and then renumbering them. See [User-defined document sort order](#).

## Adding transcripts with multimedia file

If you have a transcript and want to enter it together with its audio or video file, you first need to add the multimedia file. In a second step you add and link the transcript to the multimedia file. For further information see [Importing Transcripts](#) or [Importing Auto Transcripts](#)

## Size Restrictions

Theoretically, size restrictions do not play a major role due to the way ATLAS.ti handles documents. However, you should bear in mind that your computer's processing speed and storage capacity may affect the performance.

Excessively large documents can be uncomfortable to work with, even when you have an excellently equipped computer. The crucial issue is not always the file size, but rather, in the case of multimedia files, the length of playing time.

For textual documents, the number and size of embedded objects may cause extraordinarily long load times. There is a high likelihood that if a textual document loads slowly in ATLAS.ti, it would also load slowly in WORD or WordPad.

For very long texts or multimedia files, scrolling to exact positions can be cumbersome.

Please keep those issues in mind when preparing your files.

## A Word about "Big Data"

Please keep in mind that the focus of ATLAS.ti is to support qualitative data analysis and to a lesser extent the analysis of qualitative data.

Big data is a buzz word nowadays, and a lot of big data often comes as text or images, hence could be considered qualitative. ATLAS.ti, however, is not suited for true big data analysis, which is not the same as qualitative data analysis.

As point of orientation, coding can be supported using the auto coding feature. However, you still need to read and correct the coding, and most coding in ATLAS.ti is done while the researcher reads the data and creates or selects and applies a code that fits.

A project is too large if you have so much data that you need to rely on a machine to do all the coding for you, and you cannot read what has been coded yourself. If this is the case, ATLAS.ti might not be the right tool for you.

# Transcription

You can [prepare your own transcripts](#) in ATLAS.ti, or [import transcripts](#) that have been created elsewhere.

This could mean - you or another person transcribing data for you - have used a specialized transcription software like:

- Easytranscript
- f4 & f5 transcript
- Transcribe
- Inqscribe
- Transana
- ExpressScribe, a.o.;

Other sources are transcripts prepared automatically by services like Microsoft Teams, Zoom or YouTube in SRT or VTT format. Examples of supported services are:

- MS Teams
- Zoom
- YouTube
- Happyscribe
- Trint
- Descript
- Sonix
- Rev.com
- Panopto
- Transcribe by Wreally
- Temi
- Simon Says
- Vimeo
- Amberscript
- Otter.ai
- Vocalmatic
- eStream

For further information on how to import transcripts from these services, see [Importing Automated Transcripts in VTT and SRT format](#)

# Preparing your Own Transcript

A multimedia transcript in ATLAS.ti consists of two documents: an audio or video file plus an associated transcript. The first step is to add the audio or video file to a project. Then you can associate one or multiple transcripts with the document.

It is not yet possible to set timestamps in ATLAS.ti Windows. You can only view existing timestamps if you import transcripts from other sources like automated transcripts prepared by Teams or Zoom.

## Step 1 - Add an Audio or Video File

To add an audio or video file: click on the **Add Documents** button in the Home ribbon; or select the link option from the dropdown menu: **Add Documents > Add Linked Video/Audio**.

For more information see: [Add a multimedia file](#) to your project.

## Step 2 - Create a Word file

Create a new document in Word and save it under a meaningful name like "TR\_Tim Miller\_m\_t\_south\_58"

(TR = transcript; Tim Miller = interviewee name or pseudonym; m = male; south = from region south; 58 = age 58).

## Step 3 - Associate the Word File

Load the multimedia document, select the **Tools** tab in the toolbar, and from there **Import Transcript**. Select the Word document that you have prepared in step 2.

The transcript will be imported into the project and loaded next to the multimedia file, and you see a new entry in the Project Explorer under the Multimedia Transcripts branch.

## Step 4 - Begin to transcribe


Click on the Edit button.

Start the recording by clicking on the Play button, and listen to as much as you can remember. Stop the audio or video recording.

Start typing the transcript in the space on the right-hand side.

Repeat.

Click on the **Save** button in the edit toolbar from time to time. When you close the edit mode without saving, ATLAS.ti will remind you.



In the future, you will also be able to set timestamps that synchronize the audio/video file with the transcript. This is currently only available in the ATLAS.ti Mac version.



# Importing Transcripts in RTF or Word format

A multimedia transcript in ATLAS.ti consists of two documents: an audio or video file plus an associated transcript. The first step is to add the audio or video file to a project. Then you can associate one or multiple transcripts with the document.

The different transcription programs use various formats for time stamps. ATLAS.ti supports the following:

Transcription Software	Format of time stamps
Easytranscript, f4 & f5transcript	#hh:mm:ss-x#
Transcribe	[hh:mm:ss]
HyperTRANSCRIBE, Inqscribe, Transcriva	[hh:mm:ss.xx]
HyperTRANSCRIBE, Inqscribe, Transcriva	[hh:mm:ss.xxx]
Transana	(h:mm:ss.xx)
Transcriber Pro	hh:mm:ss

This is how you import an existing transcript:


## Step 1 - Add an Audio or Video File

To add an audio or video file: click on the **Add Documents** button in the Home ribbon; or select the link option from the dropdown menu: **Add Documents > Add Linked Video/Audio**.

For more information see: [Add a multimedia file](#) to your project.

## Step 2 - Associate a Transcript

Load the multimedia document, select the **Tools** tab in the toolbar, and from there **Import Transcript**.




inst

Select the transcript that belongs to the audio or video file and click Open.

Currently, supported file formats are: txt, rtf, doc, docx, srt, and vtt.

The transcript will be imported into the project and loaded next to the multimedia file. Below you see an audio recorded interview transcribed with f4 transcript.

Further, you see a new entry in the Project Explorer under the Multimedia Transcripts branch.



It is possible to associated multiple transcripts with the same audio or video file, e.g. if you have different language versions.

## Synchronized Scrolling

By default, **synchronized scrolling** is activated in the toolbar after importing a transcript. This means when you play the multimedia file, the text segment in the transcript between two timestamps is highlighted while the multimedia file is playing.

In the lower area of the multimedia file you can see the timestamps. However, these are not visible in the transcript in the current Windows version and cannot be modified.

## Deleting an As

Open the Multimedia Transcripts branch in the Project Explorer, right-click on either transcript or the multimedia file, and select **Delete**.


This does not remove the document from the project. The multimedia file and transcript are still available in the Documents branch, but they are no longer associated.

If you want to remove an associated document from the project, you need to delete the association first.

# Importing Automated Transcripts in VTT and SRT format

## Video Tutorial: Importing automated transcripts

A key shift that we have seen due to the COVID-19 pandemic is that researchers conduct their interviews via MS Teams or Zoom. Both create an automated transcript or caption of the recording, which can serve as a first version rough transcript. With ATLAS.ti you can import the transcript and associate it with the video recorded interview.



The automated transcripts are provided in form of VTT or SRT files. This is standard also used by many other services. Thus, with ATLAS.ti's native support for this format, you can now import transcripts from a great many services. Examples are:

- MS Teams
- Zoom
- YouTube
- Happyscribe
- Trint
- Descript
- Sonix
- Rev.com
- Panopto
- sonix
- Transcribe by Wreally
- Temi
- Simon Says
- Vimeo
- Amberscript
- Otter.ai

- Vocalmatic
- eStream

All what you then need to do is to go through the text and make changes as necessary, and your transcript is done!

## How to Generate Automated Transcripts - Useful Links

For most services, you will find instructions on how to generate and export transcripts on their websites. This is the best source of information as we are currently witnessing a rapid development in the area of automated transcription and procedures may change quickly. For your convenience, below we provide some links but invite you to also search yourself for updated information.

### Zoom

- [Instructions how to generate transcripts from Zoom recordings](#)

### Microsoft Teams

- [Instructions on how to record a meeting in MS Teams](#)
- [Information on how to generate automatic captions](#)
- [In the following video it is demonstrated how to conduct and transcribe interviews with Microsoft Teams.](#)

YouTube does not provide information directly on how to access the subtitles. If you search online, you will find a number of third-party tools that support the download of YouTube videos with subtitles.

# How to Import Automated Transcripts


## Step 1 - Add an Audio or Video File

To add an audio or video file: click on the Add Documents button in the Home ribbon; or select the link option from the dropdown menu: Add Documents > Add Linked Video/Audio.

For more information see: [Add a multimedia file](#) to your project.

## Step 2 - Associate a Transcript


Load the multimedia document, select the Tools tab in the toolbar, and from there Import Transcript.




inst

Select the VVT or SRT file and click Open.

The transcript will be imported into the project and loaded next to the multimedia file. Further, you see a new entry in the Project Explorer under the Multimedia Transcripts branch.



Below you see a video interview recorded in MS Teams with the auto generated transcript in VTT format. The transcription will not be perfect, however it serves as a good starting point. Editing the transcript will take less time than starting from scratch. Furthermore, reading and correcting the transcript allows you to familiarize yourself with the data.



It is possible to associated multiple transcripts with the same audio or video file, e.g. if you have different language versions.



# Working With Reference Manager Data

ATLAS.ti is frequently used for assisting with literature reviews. See for example:

- [On Conducting a Literature Review with ATLAS.ti](#)
- [Using ATLAS.ti 8 Windows in Literature Reviews](#)
- [Managing Literature Reviews Using ATLAS.ti](#)


video tutorial [Literature Review with ATLAS.ti Windows & Mac](#)

You may have collected lots of articles in a reference manager. Not all of these articles will be relevant for the literature review for a particular research or paper you are writing. Thus, create a collection of 50 to 200 articles in your reference manager for further coding and analysis in ATLAS.ti.

You can import EndNote XML files or bibtex files. This should allow you to import data from almost all reference managers.


## Importing Reference Manager Data

To start importing the file into ATLAS.ti, select the Import & Export tab and the button Reference Manager.



## Reference Manager Import

To import reference manager data to ATLAS.ti, you need to export the data to an EndNote XML file.  
Select exported EndNote XML file:

C:\Users\info\OneDrive\Documents\Dokumente\1 My Documents\2 ATLAS.ti\ATLAS.ti Training centr 

Create Document Groups


<input checked="" type="checkbox"/> First author	<input type="checkbox"/> Co-authors
<input checked="" type="checkbox"/> Type (article, book, etc.)	<input type="checkbox"/> Language
<input type="checkbox"/> Source (EndNote, Mendeley, Zotero, etc.)	
<input type="checkbox"/> Periodical	<input type="checkbox"/> Year
<input type="checkbox"/> Volume	<input type="checkbox"/> Issue
<input type="checkbox"/> Edition	<input type="checkbox"/> Publisher

Document Name Format

☒ Include first author name  
☒ Include publishing year  
 Author (Year) - Title

If the full document is not available, ATLAS.ti can generate a document from the abstract.

☒ Import abstract as document

  
Import

If your reference manager does not export the PDF files into a separate folder, make sure that the PDF files are stored at the locations indicated in the XML or bibtex files. Usually this will be the library of your reference manager.

ATLAS.ti can create document groups for you based on the following metadata:

- First authors
- Co-authors
- Publication type (journal article, book, book chapter, etc.)
- Language
- Source - If you import documents from more than one reference manager, it is useful to group documents by source, so that you know where they were coming from.
- Periodical
- Year
- Volume
- Issue
- Edition
- Publisher

Document name format

The default name for the document in ATLAS.ti is the name of the document as it used in the Reference Manager. For easier sorting and organization, you can choose to add the name of the first author, and the publishing year to the document name (**recommended**).

#### If the full document is not available

If only the document abstract is available and not the full document, you can select to import the abstract as a document.

If you have written a note about the document in your Reference Manager, this note will be imported as document comment.

■ Make your selections.

■ Click on the file loader icon and select the XML or bibtex file that you have exported from your reference manager.

## Inspecting the Imported Documents

■ Open the Document Manager

The imported documents are sorted by author and year in alphabetical order, if you selected this option. Further, document groups are created from all options that were selected.

The text entered as note in the reference manager is imported as document comment. If the URL of a document is available, it will also be added into the comment field.

# Importing Social Network Comments

**Video Tutorial:** [Importing social network comment](#). Social networks provide a powerful reflection of the structure and dynamics of the modern society. Often it is not a single tweet or post that is interesting, but the reactions and interactions of the social network users. There are many applications for analysing user comments such as: social movements, brand communities, marketing campaigns, political discourse, discourses on currently relevant topics within a given community or society, understanding your audience, or even shit-storms.

ATLAS.ti imports Excel files generated by [exportcomments.com](#). You can use the service for free to export up to 100 comments per link. For a small fee, you can use the service for three days to download the data you need. This also allows you to export nested comments.


Supported social networks are:

- Facebook
- Twitter
- Instagram
- YouTube
- TikTok
- VK
- Twitch
- Discord

Look for a post on social networks whose comments you want to analyse.  
Copy the URL.

Go to [exportcomments.com](#), enter the URL and download the comments.

Go to ATLAS.ti and select the Import & Export tab and from there the Social Network Comments button.



Select the Excel file you exported from [exportcomments.com](#) and click Open.

ATLAS.ti codes all users automatically and creates categories for each social network. All automatically generated codes are grouped into a code group (Codes from social media comment import).


Name	Grounded	Density	Groups
YouTube	100	0	
Aaliyah Rose	1	0	[Codes from social media comment import]
Airs1	1	0	[Codes from social media comment import]
Antonio Diaz Ruiz	1	0	[Codes from social media comment import]
Armen Simonyan	1	0	[Codes from social media comment import]
Arthur Christ	1	0	[Codes from social media comment import]

This is how the document after import could look like. The title and a screenshot of the video that is being discussed have been added to the document:

D 32: The All-New 2022 Grand Cherokee Reveal

1 **YouTube** Jeep® | The All-New 2022 Grand Cherokee Reveal – [source](#)

2



3 **George Hougiazos**

4 Got a winner...but stuffed up without Diesel...AUSTRALIA

5 Likes: 0 • 02/10/2021 00:45

6 **Mr. G**

7 For the amount of money Stellantis wants for these Jeep's they need to add more exterior and interior color options. I see a blue JGC on their campus in this video but it's not available as a build color option. The Summit trims exterior have only mono black and the rest are the ugly 2-tone. The lower trims are available in only black or gray interior.

8 Likes: 19 • 02/10/2021 01:27

9 **John Smith**

10 Not a fan of how it looks. Looks to much like a luxury suv and not a off road vehicle. This is why I ordered a 2021

11 Likes: 1 • 02/10/2021 02:42

12 **Steve Adams**

13 25 mile electric? I'm not impressed yet. Cover 10x that and I'll get more serious about your GC

14 Likes: 0 • 02/10/2021 02:45

3 YouTube: George Hougiazos

32:2 For t...

32:3 YouTube: Mr. G

32:3 YouTube: John Smith

3 YouTube: Steve Adams

A possible next step is to run a [sentiment analysis](#):

## D 32: The All-New 2022 Grand Cherokee Reveal ▾ ×

1 YouTube Jeep® | The All-New 2022 Grand Cherokee Reveal – source



3 **George Hougiazos**

4 Got a winner...but stuffed up without Diesel...AUSTRALIA

5 Likes: 0 • 02/10/2021 00:45

3 Sentiment: Positive

YouTube: George Hougiazos

6 **Mr. G**

7 For the amount of money Stellantis wants for these Jeep's they need to add more exterior and interior color options. I see a blue JGC on their campus in this video but it's not available as a build color option. The Summit trims exterior have only mono black and the rest are the ugly 2-tone. The lower trims are available in only black or gray interior.

8 Likes: 19 • 02/10/2021 01:27

32 Sentiment: Negative

YouTube: Mr. G

9 **John Smith**

10 Not a fan of how it looks. Looks to much like a luxury suv and not a off road vehicle. This is why I ordered a 2021

11 Likes: 1 • 02/10/2021 02:42

3 Sentiment: Negative

YouTube: John Smith

12 **Steve Adams**

13 25 mile electric? I'm not impressed yet. Cover 10x that and I'll get more serious about your GC

14 Likes: 0 • 02/10/2021 02:45

3 Sentiment: Negative

YouTube: Steve Adams

15 **Happy Free**

16 Chrysler tech center

17 Likes: 0 • 02/10/2021 03:03

3 YouTube: Happy Free

18 **s foot continuation**

19 Jeeps are fun especially the kind with the doors that come off.

20 Likes: 0 • 02/10/2021 03:07

3 Sentiment: Positive

YouTube: s foot continuation

21 **sohail kazi**

22 @Jeep is this beast going to be launched in india??? Please answer

23 Likes: 0 • 02/10/2021 08:53


3 YouTube: sohail kazi

## Working With Survey Data

**Video Tutorial: [Importing Survey Data](#).** These days, most surveys are conducted online. A positive side effect is that (a) all data is immediately available in a digital format and (b) respondents often do write lengthy answers to open-ended questions. If you work with surveys from the analog world, chances are, they will end up in an Excel™ spreadsheet at some point. Regardless how your surveys originate, ATLAS.ti can handle them once they exist in that format.

Online surveys can be created using a number of tools. What most of these tools have in common is that they let you export your data as Excel™ file. When importing such an Excel file via the Survey Import option in ATLAS.ti, a wizard will guide you through the import process, and you can decide which information from your survey should be included, which questions should be turned into document groups for comparative analysis, and which questions will make up the body of the data.

In addition to the answers to open-ended questions, demographic information like age, profession, or age group, answers to single choice questions (yes/no, or offering more than two options) and answers to multiple choice questions can be imported. Within the framework of ATLAS.ti these are mapped in the form of document groups, one group per value.



A survey broadly consists of the name of the survey, the questions, and the answers for each respondent. Questions can be of different type:

- Single choice between two (yes/no) or more options
- Multiple choice
- Open-ended

Within the framework of ATLAS.ti these concepts are mapped as follows:

Survey Concept	ATLAS.ti Concept
Open-ended question	Code (and code comment)
Answer to an open ended question	Content of a quotation (data)
Single Choice question	a document group for each value
Multiple Choice question	a document group for each value

ATLAS.ti automatically codes each open-ended question with the information provided in the header. As this is usually the question, the code name would be very long. Therefore, you can split it into code label and comment. The recommendation is to use the question number as code label and the text of the full question as comment. In order to do this you add two columns (::) between question number and question, as in: *'Question 1::Tell me about the highlights of your last vacation'*.

**Data are imported case-based.** This means each row of the Excel™ table that is imported from the online survey tool is transformed into a document.

Click here to learn how to [Import Survey Data](#).



# Importing Survey Data

If you import the same table repeatedly, rows with already existing documents are ignored. This way, you do not have to wait until the last respondent has filled out the questionnaire.

When importing the same data again with updated information, you can only import new cases (i.e. rows in Excel), but not new questions (i.e. columns in Excel).

Select the Import & Export tab and then the Survey button.

Inst

Select the Excel file to be imported and click Open.

A wizard opens that guides you through the next steps:

	Header	Body	Column Types
A	case no.	case 1	Open-Ended Question
B	Name	Paul	Undefined
C	Gender	male	Ignored
D	has children	yes	DOCUMENT ATTRIBUTES
E	number of children	1	Name
F	marital status	divorced	Comment
G	bring happiness	1	DOCUMENT GROUPS
H	bring fulfillment & purpose	1	Single-Answer Question
I	education	highschool	Multiple-Answer Question
J	Question 1::Reasons for having children	Children whittle away your time in v	CODED DOCUMENT CONTENT
K	Question 2::Reasons for not having children	Responsibility. All of life's prior resp	Open-Ended Question
			Multiple-Answer Question

Header Rows: 1 Answer Separator: , Body Row: 1

Cancel Import

For each table column you can decide whether it should be transferred into a document attribute, a document group, or content of a coded document. You can also exclude columns.

**Undefined:** ATLAS.ti tries to make an educated guesses for each column. If this is not possible, then 'undefined' is entered. You then need to select a suitable option. The data cannot be imported if some columns are set to 'undefined'.

**Ignored:** Select if you do not want to import this column. We recommend that you clean up your table beforehand in Excel and remove everything that you don't want to import to ATLAS.ti. This will facilitate the import.

**Document Attribute: name:** use the content of each cell in this column as document name. You can also select more than column to make up the name as shown in the example here. If both 'case no.'

and 'Name' are chosen to become the document name, the document name will be 'case 1 Paul', 'case 2 Anne', 'case 3 Toni', etc. You can use the **Body row** option in the toolbar at the bottom of the wizard to move through the contents of each row.

**Document Attribute: comment:** Use the information in this column as document comment.

**Document Group: single-answer question:** If you have a question where you ask respondents to indicate their marital status, and the possible answer choices are: single, married, divorce, then ATLAS.ti creates a document group for each of these values:

- marital status::single
- marital status::married
- marital status::divorce

**Document Group: multiple-answer question** Use this option, if respondent can give multiple answers to one question. For example: "What are your favorite flavors of ice cream? Select any that you like." ATLAS.ti will create a document group for each answer choice. The default answer separator is a comma (,). See the bottom section of the wizard. Adjust the separator, if a semicolon (;) is used.

**Coded document content: open-ended question:** All answers that should become part of the body of the document.

## Toolbar

Header Rows:  Answer Separator:  Body Row:

## Header Rows

Some survey apps use two header rows as header, like Survey Monkey for instance. This means, your Excel output could look like this:

A	B	C	D	E
Respondent ID	Collector ID	Favorite flavor	Favorite flavor	Least favorite::Which flavor of ice cream is your least favorite?
		Provided choices	Other (please specify)	Response
3884969241	52484160	Strawberry		Chocolate
3190527412	52484160	Strawberry		Chocolate
3190527234	52484160	Strawberry		Vanilla
3190527229	52484160	Strawberry		Strawberry
3190527228	52484160	Chocolate		Chocolate
3190527225	52484160	I don't like ice cream		Vanilla
3190527068	52484160	Other (please specify)	Melon	Vanilla
3190527060	52484160	Strawberry		Chocolate
3190527058	52484160	Other (please specify)	Pie	Strawberry
3190527055	52484160	Vanilla		Chocolate
3190526891	52484160	Other (please specify)	Bubble gum	Strawberry
3190526882	52484160	Chocolate		Vanilla
3190526879	52484160	Other (please specify)	Not sure	Vanilla

If this is the case, you need to change the header rows from 1 to 2. Below you see an example:

1 row

Favorite flavor family member:	Mother	Single-Answer Question
	Father	Ignored
	Brother	Ignored
	Sister	Ignored

2 rows

Favorite flavor family member: [Mother]	Open-Ended Question
Favorite flavor family member: [Father]	Open-Ended Question
Favorite flavor family member: [Brother]	Open-Ended Question
Favorite flavor family member: [Sister]	Open-Ended Question



coding in ATLAS.ti

Favorite flavor family member	200
[Brother]	50
[Father]	50
[Mother]	50
[Sister]	50

# Inspecting Imported Survey Data

Open the Document Manager and take a look at what has been added to the project:

Document Manager		
Search Document Groups	Search Documents	
Document Groups	ID	Name
<b>bring fulfillment &amp; purpose::0</b> (9)	D 1	case 1 Paul
bring fulfillment & purpose::1 (15)	D 2	case 2 Anne
bring happiness::0 (12)	D 3	case 3 Toni
<b>bring happiness::1</b> (12)	D 4	case 4 Hans
education::highschool (10)	D 5	case 5 Linda
education::some college (7)	D 6	case 6 Chris
<b>education::university degree</b> (7)	D 7	case 7 Leo
Gender::female (13)	D 8	case 8 Sandra
<b>Gender::male</b> (11)	D 9	case 9 Peter
has children::no (9)	D 10	case 10 Christopher
<b>has children::yes</b> (15)	D 11	case 11 Lena
<b>Imported survey data</b> (24)	D 12	case 12 Lisa
marital status::divorced (7)	D 13	case 13 Mikel
<b>marital status::married</b> (10)	D 14	case 14 Luisa
marital status::single (7)	D 15	case 15 Michaela
number of children::0 (9)	D 16	case 16 Felix
number of children::1 (5)	D 17	case 17 Susanne
<b>number of children::2</b> (8)	D 18	case 18 Nils
number of children::3 (2)	D 19	case 19 Ole

**Document names:** If you do not specify a name for each case, the default is case 1, case 2, case 3 and so on. In the example shown here, the case no. and the name is used as document name.

**Document groups:** Based on the information provided in the Excel table, document groups are created. The highlighted respondent 'case 7 Leo' in the example has a university degree, is a male, is married, and has 2 children. He answered the question: 'Do children fulfillment & purpose' with yes.

ATLAS.ti automatically creates a group that contains all survey data in case you work with data from multiple sources.


**Data:** The document text for each case consists of the answers to the open questions. Each answer is automatically coded with the information provided in Excel. The code can just be the question number or a longer label.

*Reasons for having children*

We are both past age 35 and are concerned that if we put off having children any longer, I might have trouble getting pregnant or have complications in pregnancy or delivery.

*Reasons for not having children*

A baby takes so much time and attention that spouses must already have a great friendship and work well together before the baby arrives. It is a certainty that one spouse will disagree with the other about decisions on how to care for the child. It is likely that one spouse will resent the lost time with the other. A marriage with some difficulties will get much worse when a baby is crying and the parents are sleep deprived.



You can now begin to add some more detailed coding for each question. Useful tools that help you to quickly gain insights into your data are [sentiment analysis](#) and [letting ATLAS.ti look for concepts](#).

For a comparative analysis based on the document groups that have been created, you can use the [Code Document table](#):



The image above shows a comparison of respondents with 1, 2, and 3 children. Compared are the kind of reasons they give pro and contra having children.

# Analyzing Survey Data

- Analyzing survey data requires that you know how to code. See [Working With Codes](#).
- You may want to explore the data first by creating Word Clouds or Word Lists, see [Exploring Data](#) and by using the auto coding feature. See [Search & Code](#).
- After coding, further analysis options that are often used with survey data are:
  - the [Code-Document Table](#)
  - the [Query Tool](#) in combination with the Scope option
  - the [Code Co-occurrence Table](#)

# Importing Twitter Data

You need a Twitter account to use this function.

To import Twitter data, select the Import & Export tab and then the Twitter button.

If you do this for the first time, you have to authorize ATLAS.ti to access your account by entering your username and password.

Note that you only will be able to import tweets from the past week. Further, as the final selection is done by Twitter and not within our control, queries at different times, or on different computers may result in different tweets. There is also a rate limit set by Twitter. This means you can make 180 requests within a time period of 15 minutes.


Enter a query. You can also look for multiple hashtags or authors by using OR. For example: #WorldAidsDay|#HIV|#Aids.

Next, select whether you want to import the most recent or the most popular tweets and whether to include re-tweets, images and profile images.

After you have made your select, click **Import Tweets**.



✕



Please note that a Twitter search only serves tweets from the past week.

## ATLAS.ti Twitter Import

Rate Limit 177

Enter Query:

#ATLAS*ti*
✕ ⓘ

Result Type

☒ Mixed
☐ Recent
☐ Popular

Max Tweets: 50 ▲ ▼

Include

☒ Tweets
☐ Retweets
☐ Images


Create Codings from

☒ Authors
☒ Hashtags
☐ Query Hashtags Only

☐ Mentions
☒ Locations
☒ Languages

Create Links

☐ Author-Mentions
☒ Author-Location



Import  
Tweets

## Automatic Coding and Linking for Tweets

The imported data is automatically coded based on the selection you make:

Tweets often contain many more hashtags than the original one that you searched for. Coding all hashtags often results in great many codes.

You can choose to code:


- only the queried hashtags.
- the author
- all mentioned Twitter users
- the location
- the language.

An automatic link can be created between:

- authors and locations
- authors and mentioned Twitter users.

These linkages can be visualized using [ATLAS.ti networks](#).

## Inspecting Imported Twitter Data



Load the document with imported tweets.

On the top of the document, you can read how many tweets and retweets were imported and how many you requested. Each tweet is coded with the selection you have made.

Open the Code Manager to inspect the code and code groups that have been created.


The code groups help you to navigate through your codes. By clicking on the code group Twitter: Languages, for instance, you can immediately see how many and which languages are used in the tweets you imported.

# Adding a Geo Document to a Project

ATLAS.ti uses Open Street Map or Bing Map / Big Satellite Map as its data source for geo documents. Even though there is only one data source, you can also use more than one geo docs in your project, e.g. to create distinct sets of locations, to simulate tours, to simply tell different stories.

To add a geo document to the project, go to the Home tab, look for the Add Documents button, click on the dropdown arrow and select New Geo Document.

A new document is added and if you open it you see the world map. The default name is "New Geo Document". You may want to rename it, so it better describes your analytic intention.



## Finding a Location

The first thing you probably want to do is to query an address:

In the Document tab, click on the button Query Address.

A new tab opens in the navigator on the left. Enter a search term.

The map immediately displays the location that fits the search term and adds a place mark.

## Changing the View from Open Street Map to Bing

If you prefer to use Bing Map or Bing Satellite Map,

Select the contextual Tools Tab and change the Map Type in the section Maps.

For further information, see [Working with Geo Data](#).

# Working with Geo Documents

## Change Map Type

Under the tools tab, you can change how you want to view your geo document. Options are:

- Open Street Map
- Road Map (Here - Map Data)
- Satellite Map (Here - Map Data)

## Creating Geo Quotations

For more general information on quotations, see [Quotation Level](#) and [Working with Quotations](#).

Creating a Geo quotation is not much different from creating other type of quotations. The only difference is that the quotation is just one location on the map - the place mark, and not a region.

Right-click on the place mark and select the option **Create Free Quotation** (or click on the *Create Free Quotation* button in the Document ribbon).

To create further quotations:

inst

Either enter a new address and search for a location of interest, or left-click a point of interest on the map to set a place mark.

Right-click and select **Create Free Quotation** from the context menu.


If you move your mouse over a quotation, a text window opens displaying information about the quotation like the name, the author, when it was created, any codes and memos that are attached to it, the longitude and latitude and the address.

## Display of Geo Q

Geo quotations can be access in the margin area, the Quotation Manager, the Project Explorer, and from within networks. Geo quotations are displayed as follows:

- The quotation icon shows a place mark.

- In the Project Explorer, the Quotation Reader and Manager and all reports, geo quotations are referenced in decimal degrees, e.g. LAT 48.859911° LON 2.377317°. In addition, the Quotation Manager shows a preview of the Geo location. You may want to consider renaming Geo quotations, e.g. by adding the name of the location to the coordinates. Another option is to add a comment. See also [Working with Multimedia Quotations](#).



## Activating Geo Quotations

Select a Geo quotation in any of the following places and double-click:

- margin area
- Quotation Manager
- Project Explorer
- Network

The quotation will be displayed in context.

An activated place mark is colored in orange. Non-activated place marks are colored in gray.

## Modifying a Geo quotation

To modify a Geo quotation, activate it, so it is highlighted in orange.

Move the place mark to a different location. The quotation follows along.

## Coding Geo Quotations

For more general information on coding, see [Coding Data](#).

You can also create a quotation and link a code to it in one step, or code an existing quotation:

Set a place mark or select an existing quotation, right-click and select the option **Apply Codes** (or click on the equivalent coding buttons in the Document ribbon).

All other drag-and-drop operations described for coding also apply.

## Creating a Geo

You can create a snapshot from the geographic region that is currently shown on your screen. This snapshot is automatically added as a new image document.

The advantage of the image is that you can select a region as quotation and not only a single point on a map. Further you can browse the Geo location in Google Maps (see below).

Open a Geo document.

In the toolbar, click **Snapshot**.

A new document is created. The default name is: 'Geo Snapshot @ longitude:latitude' of the last selected location.

As a snapshot results in an image document, you can also handle it like an image document. See for example [Creating Image Quotations](#).

## Browsing Geo Locations in Google Map

Create a Geo snapshot.

In the contextual **Tools** tab, selecting the button **Browse Geolocation**

This opens Google Maps in your default browser outside of ATLAS.ti.

# Managing Documents

Whenever the content of a document needs to be displayed, printed, or searched, it accesses its data source and loads the content. This request is often triggered indirectly, e.g., by displaying a quotation. The following lists a few procedures that directly or indirectly load the content of a document:

- Activating a document in the Project Explorer or the Document Manager.
- Activating a quotation in a Navigator, the Quotation Manager or the Quotation Reader.
- Selecting a quotation for an activated code or memo.
- Activating a hyperlink in the margin area.

## Loading Documents

Select a document in the Project Explorer and double-click. It will be loaded in the next available tab.

Alternatively:

Double-click a document in the Document Manager. (To open the Document Manager double-click on the main document branch in the Project Explorer.)


## Editing Documents

To edit a document, click on the **Edit** button in the toolbar. The ribbon changes, and you see all editing options that are available.

inst

To leave edit mode, click on the button **Exit Edit Mode**.





We recommend not to stay in edit mode while coding. You may accidentally modify text while highlighting text segments for coding.

When working in a team, we strongly recommend not to edit text. If team members edit the same document, you will lose one version when merging the project. If text needs to be modified, it should only be edited in the Master Project by the project administrator.

## Renaming Documents

Right-click a document in the Project Explorer or Document Manager and select the Rename option from the context menu.

Alternatively:

Select a document and press the F2 key.

Renaming a document in ATLAS.ti does not change the name of the original source file. As described above under [Adding Documents](#), documents are copied into the ATLAS.ti library when adding them to an ATLAS.ti project, and ATLAS.ti no longer needs the original source files.

## Deleting Documents

If you accidentally have added documents or want to remove them from your project for other reasons, you can remove them.

Select one or multiple documents in the Project Explorer or the Document Manager, right click and select **Delete**.

If you delete a document by mistake, you can always use the **Undo** option in the Quick Access toolbar.

After deleting documents, the consecutive numbering may be off. To renumber documents in consecutive order again, select the **Tools** tab in the Document Manager, and from there the **Renumber Documents** option.

## Duplicating Documents

If you need a document for different purposes, e.g. you want to view it from different angles and want to code different aspects; or if you want to associate it with different transcripts, you can duplicate a document. All work that you have done so far in the document, like the document comment you have written, all quotations and their comments, all hyperlinks, all linked codes and memos will be duplicated as well,

Open the Document Manager and select one or more documents that you want to duplicate.

Click on the **Tools** tab and select **Duplicate Document(s)**

The duplicated document(s) will be added at the end of the list of documents. They have the same name as the original document(s) plus a consecutive number in parentheses.

In terms of project size, the file(s) in the library are not duplicated. The duplicated document uses the same source file as the original document.

## Renumbering all Documents

This option becomes useful after you removed one or more documents from a project. This results in gaps in the sequence of document numbers. You may remove these gaps by renumbering all documents using the *Renumber Documents* option.

Open the Document Manager.  
inst

Select the **Tools** tab and from there: **Renumber Documents**.

## User-defined Document S

If the documents are not listed in the order you want them to be listed as by default, you can impose your own sort order. This is how you do it:

Rename the documents in a way that when sorted in alphabetic order by name, they show up in the order you want them to be.

Click on the **Name** column in the Document Manager to resort the documents.

Check whether the documents are now in the correct order.

Select the **Renumber Documents** option from the **Tools** tab.

It is not necessary to renumber documents for working with ATLAS.t! However, it might be useful for your own work organization, and it can give reports a cleaner appearance.

# Project Management

## Opening a Project

To open a project, click on a project in the list of projects on the [Welcome Screen](#), or if a project is already open, and you want to open another one, select **File > Open**.

## Saving a Project

To save a project, click on the **Save** icon in the Quick Access toolbar, select **File > Save**, or use the key combination Ctrl+S. The project is saved as internal ATLAS.ti file in the ATLAS.ti library. The default location for the library is the application folder on your computer. See [Where Does ATLAS.ti Store Project Data?](#)

It is possible to either change the default location for the ATLAS.ti library or to create new libraries. See [About ATLAS.ti Libraries](#).

If you want to save an external copy of your project, you need to export it. See [Project Export](#).

## Renaming a Project

You can rename projects from the welcome screen, either when you start ATLAS.ti or when closing all projects.

To rename a project:

Select a project on the welcome screen. Right-click on a project and select the option **Rename Project**.

## Deleting

You can delete projects from the welcome screen, either when you start ATLAS.ti or when closing all projects.

To delete a project:

Right-click on a project and select the option **Delete Project** from the context menu  
You will be asked to confirm the deletion as this is a permanent action that cannot be undone.

## Password Protection

To set a password for your project, you need to load it first.

Select File > Info.

Click on the **Set Password** button and follow the instructions on the screen.



ATLAS.ti Scientific Software GmbH does not save your passwords. We cannot access, read or recover your password. If you cannot remember your password, you can no longer access your project!

# ATLAS.ti Project Data is Saved to a Library

## Working with the ATLAS.ti Library


The default location for ATLAS.ti project files is on the C drive. If it is not possible for all users to work on the C drive, either because of institutional restrictions or the C drive is already full and there is not enough space, there is an option to create a custom location where your ATLAS.ti-data are saved. **Important to know**

- Each user works within her or his own ATLAS.ti library.
- Each user can define where the ATLAS.ti library should be located. This location can be on your computer, on a server, or an external drive.
- It is not possible to use a cloud sharing service like Dropbox because the specific way in which such systems work can jeopardize the integrity of the ATLAS.ti library.
- It is possible to work with multiple libraries. Theoretically, you could create a new empty library every time you start a new project. This, however, requires careful data management on your part as you need to keep track where all of these different libraries are located.


## Changing the Library Location

When you start ATLAS.ti, select **Options** at the bottom left of your screen. If a project is already open, you need to close it. You cannot change the location of the library, if a project is currently open.

Select **Application Preferences > ATLAS.ti Library location > Switch Library**.



A wizard opens that guides you through the process. The next choice you need to make is whether you want to open an existing library, move the library to a different location, or create a new empty library.



**Moving the Library to a Different Location:** Chose this option if you want or need to move your current library to a different location, e.g. because you do no longer want to work on the C drive. It is possible to keep a copy of the library at the old location.

**Creating a New Library:** This option allows you to create a new library at a location of your choice. If you already have projects, none of these will be moved over into the new library. To fill this library, you either create new projects from scratch, or you import project bundle files that you previously exported from other libraries.

**Open an existing library:** Chose this option if you work with multiple libraries, and you want to gain access to an already existing library at a different location.

After you made your choice, click **Next**.

- If you selected to **open an existing library**: Select the location for this library
- If you selected to **move the library**: Select the location where you want this library to be. You can keep a copy of the actual state of the library at the current location. Just keep in mind that this copy is not updated if you continue your work using the library at the new location.
- If you selected to **create a new empty library**: Select where this new library shall be created. After confirming the new location, your opening screen will be empty, and you can begin to fill it with new projects.

**A note from the Help Desk:** We know that your project data is very valuable to you and that you do not want to lose it. Therefore, please select a sensible location for the ATLAS.ti library. For instance: Do not store it on the desktop. You probably have a folder where you store all project related data. If you cannot or do not want to use the ATLAS.ti default location, we recommend that you create a sub-folder for your ATLAS.ti related work within your project folder, and within this sub-folder, a dedicated folder for your library. Make sure your project folder is included in any automated back-up routine of your computer!



## Creating a Project Backup

ATLAS.ti 22 projects cannot be used in previous versions.

Please export your projects on a regular basis and store the bundle files in a safe location. In case something happens to your computer, you still have a copy of your project to fall back on!

To create a backup of your project, you need to **export** it and save it as project bundle file on your computer, an external drive, a server or cloud location.

A **project bundle file** serves as external backup of your project independent of the ATLAS.ti installation on your computer.

- The project bundle file contains all documents that you have added or linked to a project, and the project file that contains all of your coding, the codes, all memos, comments, networks and links. Large audio or video files can be excluded from the bundle.
- Project bundle files are also used to **transfer projects** between computers. They can be read by both ATLAS.ti Mac and Windows. See [Project Transfer](#).
- If your project contains linked documents, they can be excluded when creating a project bundle file. See "Creating Partial Bundles" below.

## Exporting a Project

To export your project to either save it as backup or to use it for transferring it to a different computer:

 Select File > Export.



Click on the Project Bundle button.

If your project does not contain multimedia files, the Windows File Manager opens. If it does contain multimedia files, see [Exporting partial bundle files](#).

The default name for the bundle will be the project name plus the name of the currently logged-in user and the date: **project name (user name YYYY-MM-DD)**. You can rename the project bundle file at this stage, which however does not change the name of the project that is contained within the bundle.

Select a name and location where you want to store the project and select **Save**.

Think of the project bundle file like a bag that contains your project. Putting a different label on the outside of the bag does not change anything that is inside, which is your project with all your coded segments, comments, memos, networks, etc. and all documents that have been added to it. When you import the project bundle, the project name after import will still be the original name. If you want to rename the project file, you need to do this either during the process of importing the project, or on the opening screen. See [Project Management](#).



## Exporting a partial bundle if your project contains multimedia files

If your project contains large multimedia files, you can exclude those. This reduces the size of the bundle file. When preparing a partial project bundle, make sure you also back up the multimedia files that you excluded from the bundle. If you import the project at a later stage, you can relink excluded files to the project during or after import.

If you export a project that does contain multimedia files, the following window opens:

### Export Project Bundle

The Project Bundle compiles all of your project data and media. The bundle will reflect the current state of your loaded project.

#### Reduce Bundle Size


Your project contains large multimedia files. In order to reduce the project's file size, you can omit some file from the exported project by deselecting them below.

Please note that the deselected documents and all their quotations, codings, etc. will still be part of the project. However, they will not be playable on the importing system unless made available to ATLAS.ti or already available in the library.

☐ Select All

	ID	Name	Size	Status	Location
<input type="checkbox"/>	D 2	2_Iceland day 1: first day of summer (peninsula)~	21 MB	✓	Library
<input type="checkbox"/>	D 3	3_Iceland day 2: Golden Circle~	71 MB	✓	Library
<input type="checkbox"/>	D 4	4_Iceland day 3: Skogafoss_glacier_Reynisfjara Beach~	24 MB	✓	Library
<input type="checkbox"/>	D 5	5_Iceland day 4: way to the airport	22 MB	✓	Library

All documents will be excluded from the export



Deselect all files that should NOT be included in the bundle, then click on the Project Bundle button.

# Project Transfer

You can transfer ATLAS.ti 22 projects to the web version and vice versa, ATLAS.ti web projects to ATLAS.ti 22. The latter is the recommended option - begin your work in the Web version, especially if you are interested in synchronous coding with a team. If you want to use the functionality of the desktop version, export your project and import it into the desktop version. If you transfer a desktop project to ATLAS.ti web, the formatting of document changes as online you work in a browser. Therefore, you cannot set up a mixed team work project where some people work in the desktop version and others in the web version.

ATLAS.ti 22 projects cannot be used in previous versions.

In order to transfer a project to a different computer, e.g., to share it with team members, you need to create a **project bundle file**.

A project bundle file contains all documents that you have added or linked to a project. In addition, it contains the project file with all codings, codes, memos, comments, networks, and links.

To create a project bundle file:

Select File > Export.



If your project does not contain multimedia files, the Windows File Manager opens. If your project does contain multimedia files, see [Creating Partial Bundle Files](#).

Click on the **Project Bundle** button.

The default name for the bundle will be the project name plus the name of the currently logged-in user and the date: **project name (user name YYYY-MM-DD)**. You can rename the project bundle file at this stage, which however does not change the name of the project that is contained within the bundle.

Select a name and location where you want to store the project and select **Save**.

Think of the project bundle file like a bag that contains your project. Putting a different label on the outside of the bag does not change anything that is inside, which is your project with all your coded segments, comments, memos, networks, etc. and all documents that have been added to it. When you import the project bundle, the project name after import will still be the original name. If you want to rename the project file, you need to do this either during the process of importing the project, or on the opening screen. See [Project Management](#).



## Creating a Project Snapshot

A project snapshot is a copy of the internal ATLAS.ti project file. Reasons for creating a snapshot are:


- to preserve certain stages of your project to review it later.
- as fall-back version before a merge, in case something turns out different from what you expected, and you have already saved the merged project. See [Project Merge](#).
- as a copy of your project that you want to use as template for another project.
- as a copy of your project to prepare for inter-coder agreement analysis. See [Inter-coder Agreement](#).

When creating a snapshot, ATLAS.ti automatically adds the following to the project name: *(Snapshot YYYY-MM-DD hh:min:sec)*. You can, however, also enter any other name.

To create a snapshot,

Select File > Snapshot.

Accept the default name or enter another unique name, and click Create Snapshot.



Just like ATLAS.ti project files, snapshots are saved internally in the ATLAS.ti environment. A snapshot has the same ID as the project from which it is created.



## Where Does ATLAS.ti Store Project Data?

By default, ATLAS.ti projects and all documents that you add to a project are stored in a sub folder called Scientific Software in the application folder on your computer.

The application folder in Windows is called: AppData and can be found under your user account's home folder. Within the sub folder Roaming, you find folders from a number of different applications, also for ATLAS.ti.

The AppDataRoaming folder is a hidden folder and can either be accessed by entering the full path name or by typing %appdata% into the Windows 10 search field. If the username is "Mary." the full path would be:

C:\Users\Mary\AppData\Roaming\Scientific Software\ATLAS.ti.22

The ATLAS.ti library is a system folder and not meant for user access. Files in this folder cannot be used outside ATLAS.ti!


If you need to change the default location for the library, see [Working with the ATLAS.ti Library](#).

## Default Locations for Files and Text Analysis Models

You can check which default location are used by your installation of ATLAS.ti as follows:

When you start ATLAS.ti, select **Options** at the bottom left of your screen. If a project is already open, you need to close it. You cannot change the location of the library, if a project is currently open.

Select **Application Preferences** and look for the section **ATLAS.ti Default File Location**.



# Working With Groups

Groups in ATLAS.ti help you to sort, organize and filter the various entities. Groups are available for documents, codes, memos, and networks.

Common to all groups are:

- An entity can be sorted into multiple groups. For example if you sort a document into the group *gender::female*, it can also be sorted into other groups like *location::urban*, or *family status::single*.
- If you click on a group in a manager, you activate a filter (see below). Then only the items that are in the selected groups are displayed.
- You can combine groups using Boolean operators. See for example [Exploring Coded Data](#).
- You can save a combination of groups for further re-use in form of a [smart group](#).
- You can set groups as [global filter](#).

There are no groups for quotations, as codes already fulfil this function. Codes group quotations that have a similar meaning. Therefore instead of groups, you see the codes in the side panel of the [Quotation Manager](#).

## Application of Docume

**Video Tutorial:** [Organizing documents and document groups](#). Often data come from different sources, locations, respondents with various demographic backgrounds etc. To facilitate the handling of the different types of data, or to compare respondents based on sociodemographic characteristics, they can be organized into document groups. You can also use document groups for administrative purposes in team projects if different coders should code different documents. You can then create a group containing all documents for coder 1, another group containing the documents for coder 2 and so on.

Document Groups
coder::Anne (4)
coder::Lisa (4)
coder::Tom (4)
Gender::female (2)
Gender::male (2)
Location::rural (2)
Location::urban (2)
Phase 1 (7)
Phase 2 (5)
Type::article (2)
Type::image (1)
Type::interview (4)
Type::video (2)
Type::web (3)

Another application is the use of document groups for analytic comparisons in the [Code Document Table](#).

Document Groups		benefits 6 53	Downside 6 17	Totals
Educational rating::1	6 22	5		5
Educational rating::2	17 107	23	7	30
Educational rating::3	13 91	18	3	21
<b>Totals</b>		46	10	56

Document Groups are also useful as global filters for instance for [Code Co-occurrence Analysis](#).

**Code Co-Occurrence Table** ▾ ×

☒ Filter quotations from documents in group **parents who play**

	eval: negative 11	eval: positive 49	eval: positive but 17
benefit: building		3	
benefit: collabora...		3	1
Benefit: creativ...		6	1
benefit: educational			
benefit: skill development	13	5	
downside: dangerous / distra...	3		
downside: game can be bori...	2	1	
downside: griefers	3		
downside: scam	2		
downside: social & emotion...	8	3	1

**Document Groups as global filter in the Code Co-occurrence Table**


**Code Co-Occurrence Table** ▾ ×

☒ Filter quotations from documents in group **parents who do not play**

	eval: negative 11	eval: positive 49	eval: positive but 17
benefit: building	1	5	4
benefit: collabora...		2	1
Benefit: creativ...		5	3
benefit: educational	15	7	2
benefit: skill development	13	1	1
downside: dangerous / distra...	3	4	
downside: game can be bori...	2		
downside: griefers	3	1	3
downside: scam	2	1	
downside: social & emotion...	8	3	5

**Document Groups as global filter**

Document groups can also be added to [Networks](#) and you can show which codes have been applied to which group.




## Application of Code Groups

Code groups can be used to sort and organize codes in the Code Manager. Code groups facilitate the navigation of codes in the Code Manager as local filter.

Name	Grounded	Density	Groups
● BENEFIT		0	0 [benefits]
● benefit: building things~		18	1 [benefits]
● benefit: collaboration~		7	2 [benefits]
● Benefit: creative~		17	1 [benefits] [educational]
● benefit: educational~		15	0 [benefits] [educational]
● benefit: skill development~		13	2 [benefits] [educational]

Code groups can be used as global filters in analysis.



Code groups can also be used in the [Code Document Table](#) for case comparisons.

**Code Groups in the Code-Document Table**

		1: f_SHAZIA 87	3: m_ALEXANDER 79	Totals
activities:	7 28	4	8	12
benefits of friendship	6 35	12	10	22
characteristics of friendship	8 46	16	12	28
<b>Totals</b>		32	30	62

Users often mistake code groups as a kind of higher order code, which they are not. They do however can be quite useful in [building a coding system](#).

## Application of Memo Groups

Memo groups come in handy if you have written lots of memos. You could for example group memos by function: methodological notes, team memos, research diaries, analysis.

If you have multiple memos that contain answers to one research question, you can group all those memos.

If you have multiple memos that contain input for a particular section in the research report, you may want to create a memo group for those.

Memo Manager

Search Memo Groups

Memo Groups

Admin (2)

analysis (6)

Chapter 4.1 (2)

Chapter 4.2 (2)

method (2)

theory (2)

Search Memos

Name

Grounded

Density

Analysis Plan

0

0

changing attitude over time

3

1

congruence (Roger)

0

0

Factors hindering and facilitating "coming home"

3

2

Project description

0

0

research diary

0

0

research questions

0

0

role of family background

4

4

Strategies to deal with the experience (during the war)

4

5

Strategies to deal with the war experience after the war

5

2

Taumatic experience

5

0

war experience combatant / non-combatant

7

1

You find more information on working with memos here: [Memos and Comments](#).

## Groups as Filters

Groups are listed in the filter area of the document, code, memo and network manager.

Click on one or more groups to filter the list of items. If you want to select multiple groups hold down the Ctrl key.


Once you have set one or more groups as filter, a yellow bar appears above the entity list indicated that a) a filter has been set, and b) which one.

To reset the filter to see all entities again, click the X on the top right-hand side of the yellow bar.

It is also possible to run simple AND and OR queries:

As soon as you select more than one group, you see the word **any** in blue in the filter bar. This means the default operation is to combine the items of the selected groups with OR.

If you want to filter by the intersection of two or more groups, click on the word "any" and change it to all. This is the Boolean AND operator.



An example would be to filter by all female respondents who live in an urban region. This requires that you have grouped the documents by these two criteria:

- education::some college
- Gender::female The same options are available for all entity types.




# Creating and Renaming Groups

You can create groups in various ways and at various places in the software.


## Creating Groups in a Manager

Open the Document Manager, e.g. with a click on the Documents button in the Home tab.

Select several documents and drag-and-drop them into the side panel on the left. Use the common Windows selection technique (hold down the Ctrl- or Shift key).



Enter a name for the group and click Create.




Another way to create groups in a manager is:

- To select a number of entities in a manager, right-click and select the option **New Group** from the context menu.
- Enter a name for the group and click **Create**.

## Creating Groups in the Project Explorer

- Select a number of entities in a branch of the Project Explorer, right-click and select the option **New Group** from the context menu.



## Creating Groups in a Group Manager


Open the Group Manager by double-clicking on a group in the Project Explorer.

Alternatively:

In the Home tab, click on the drop-down for documents, codes, memos or networks and select the respective **Group Manager**.

In the Group Manager:

Select the button **New Group** and enter a name.



Next select on ore more items on the right-hand side in the pane: 'Documents / Codes / Memos / Networks not in group' and move them to the left-hand side 'Documents / Codes / Memos / Networks in group' by clicking on the button with the left arrow (<). You can also double-click each item you want to move.

Search Memo Groups

Name ▲	Size	Created by	Created	Modified by	Modified
analysis	0		05/01/2021 18:17		05/01/2021 18:17

Memos in group:

Name

Memos not in group:

Name

- changing attitude over time
- congruence (Roger)
- Factors hindering and facilitating "coming home"
- role of family background
- Strategies to deal with the experience (during the war)
- Strategies to deal with the war experience after the war
- Taumatic experience
- war experience combatant / non-combatant

Search Memo Groups

Name ▲	Size	Created by	Created	Modified by	Modified
analysis	6		05/01/2021 18:17		05/01/2021 18:17

Memos in group:

Name

- changing attitude over time
- Factors hindering and facilitating "coming home"
- role of family background
- Strategies to deal with the experience (during the war)
- Strategies to deal with the war experience after the war
- war experience combatant / non-combatant

Memos not in group:

Name

- congruence (Roger)
- Taumatic experience

## Creating Document Groups in the Query Tool

At times, you first need to code the data to find relevant information like years of working experience, special skills, attitudes about something, relationship to other people, etc. For this you need an option to create document groups based on query results.

You can create groups based on queries - thus based on information that you have coded. See [Creating Document Groups From Results](#).

## Renaming a Group

Select a group in the Group Manager and click on the Rename option in the ribbon.

Right-click on a group and select the Rename option from the context menu.



Select a group and press F2. This opens the 'Rename dialogue'.

# Removing Group Members / Deleting Groups

## Removing Group Members

You can remove group members at four different locations:


### Project Explorer

Open the branch for a group, select one or more items that you do not want to have in the group, right click and select **Remove from Group** from the context menu.

### In Managers

Open a Manager and select a group.

Select one or more items in the list that you do no longer want to have in the group, right click any of the selected items and select **Remove from Group** from the context menu.



### Filter Area in Managers

Open a Manager and select a group.

Select one or more items in the list that you do no longer want to have in the group, right-click on the group and select **Remove from Group** in the context menu.

### Removing Group Members in the Group Manager


Open the Group Manager by double-clicking on a group in the Project Explorer.

Alternatively:

In the **Home** tab, click on the drop-down for documents, codes, memos or networks and select the respective **Group Manager**.

inst

Next select on ore more items on the left-hand side in the pane: 'Documents / Codes / Memos / Networks in group' and move them to the right-hand side 'Documents / Codes / Memos / Networks not in group' by clicking on the button with the right arrow (>). You can also double-click each item you want to remove.



## Deleting Groups

Select one or more groups in the Project Explorer or the side panel of a manager.

inst

Right-click and select **Delete** from the context menu.

It is also possible to delete a group in a Group Manager. In Group Managers you can only delete one group at a time.



# Importing & Exporting Document Groups

You can export and import the list of documents and their groups to and from Excel.

Exporting the data gives you an overview of all your document groups and their members. It can also be used as a starting point to prepare an Excel file for import.

You may want to import a Document Group table, if you already have an Excel file with information about each document like gender, education levels, location, etc.

The content of the **Document Group Table** consists of the following:

- First column: document name.
- Second and subsequent columns: document groups or document attributes

As document groups in ATLAS.ti are dichotomous, the document groups are listed in the columns, and the cells contain a 0 if the document is not in the group, and a 1 if the document is in the group.

If you do not follow the ATLAS.ti naming conventions (see below), the table will look as follows:

	A	B	C	D	E
1	Document Name	images	online data	reader comments	research findings
2	1_Powdthavee:_Think children will make you happy?	0	0	0	1
3	2_Parenting blog by Lisa Belkin	0	1	0	0
4	3_Parenting blog: reader comments	0	1	1	0
5	4_NYTM: reader comments on article "All Joy and No fun"	0	1	1	0
6	5_Happiness Research: main findings	0	0	0	1
7	Don't worry be happy	1	0	0	0
8	The route is the goal	1	0	0	0

If you use the ATLAS.ti naming convention for document groups: **attribute name::attribute label or value**, then ATLAS.ti uses the attribute name as column header and the attribute label or value for each cell. For instance, if you have the following groups:


- education::high school
- education::some college
- education::University degree
- gender::male
- gender::female
- has children::yes
- has children::no
- marital status: single
- marital status: married
- marital status: divorced
- number of children:1
- number of children:2

....the Excel table looks as follows:

	A	B	C	D	E	F
1	Document Name	#education	#Gender	#has children	#marital status	#number of children
2	case 1	highschool	male	yes	divorced	1
3	case 2	some college	female	no	single	
4	case 3	University degree	female	yes	divorced	2
5	case 4	highschool	male	yes	married	2
6	case 5	some college	male	yes	divorced	2
7	case 6	some college	female	no	single	
8	case 7	University degree	male	yes	married	2
9	case 8	highschool	female	yes	married	1
10	case 9	some college	male	no	single	
11	case 10	University degree	male	yes	divorced	2
12	case 11	highschool	female	yes	married	2
13	case 12	some college	female	yes	married	1

## Exporting Document Groups to Excel

Select the Import & Export tab in the ribbon and from there the Document Groups button with the up arrow.



This opens a File Manager. Select a location for saving the Excel file. Accept the default name or change it. Select **Save**.

tip

If you use the naming convention for document groups as shown above, then the table shows the more conventional format with attributes / variables as column header and the various values for each variable in the table cells.

## Importing Document Groups from Excel

If you want to prepare a table for import, the easiest way is to export a table first. This way you generate a table that already contains all document names in the order as they occur in ATLAS.ti

Export a document group table (see above).

Add the document attributes as column headers. See examples below.

- If there are multiple values for a variable, add the prefix #.
- If you do not add a prefix, a document is assigned to the group if the cell value is 1.

Enter the values for each document in the table cells.

- if there is no entry in a cell, the document is not assigned to a group.
- if two or more values of the same attribute apply to the document, then enter the values separated by a coma.

In the following you see two examples:

Document Name	#gender	#age group	likes chocolate	#favorite drink
doc 1	male	1	1	cola
doc 2	female	2		milk,beer
doc 3	female	2	1	juice
doc 4	male	1		tea, coffee, cola
doc 5	male	3	1	coffee


Save the table in Excel.

Example Excel table ready for import to ATLAS.ti:

Document Name	#Type	Phase 1	#coder	#Gender	#Location
article: Powdthavee_The Psychologist	article	1	Tom		
article: Summary of research findings on happiness	article	1	Tom		
image: The way to get there is the goal	image		Lisa		
int: f_16_rural_SHAZIA	interview		Lisa	female	rural
int: f_16_urban_DEBORAH	interview		Anne	female	urban
int: m_17_rural_TREVOR	interview		Lisa	male	rural
int: m_18_urban_ALEXANDER	interview		Lisa	male	urban
web: Belkin blog_discussion	web	1	Anne		
web: blog_Belkin_comments on Powdthavee	web	1	Tom		
web: NYTM_discussion of article "All Joy and No fun"	web	1	Tom		
video_Remote Learning	video	1	Anne		
video_Face-to-Face Learning	video	1	Anne		

## Import Document Groups Table

Select the Import & Export tab in the ribbon and from there the Document Groups button with the down arrow.



This opens a File Manager. Select the Excel file and click Open.

tip

If you want to add new groups even though a few groups already exist, you can proceed as described. Just leave existing groups in the table. ATLAS.ti will recognize them and does not create them anew.

# The ATLAS.ti Quotation Level

Christine Silver, expert in computer assisted qualitative data analysis software, explains the ATLAS.ti quotation level as follows:

"When you create a quotation, you're marking a segment of data that can later be retrieved and reviewed. You might know, right at that point how and why it's interesting or meaningful, in which case you can immediately capture that – by re-naming it, commenting on it, coding it, linking it to e.g. another quotation, or a memo. If you don't yet know, you can just create the quotation, and come back and think about it later, perhaps when you have a better overview of the data set in its entirety and are ready to conceptualise meaning in relation to your research objectives."

"One of my favourite things about ATLAS.ti is that quotations can be visualised and worked with in a graphical window, i.e., the ATLAS.ti networks. The content of quotations can be seen within the network, and quotations can be linked, commented upon, and coded in that visual space. This is very useful if you like to work visually or are used to analysing qualitative data manually with highlighters, white-boards, post-it notes etc. Networks can also be used as visual interrogation spaces – for example to review quotations which have more than one code attached, which is very powerful. Everything you do in the network is connected throughout the ATLAS.ti project."

The ATLAS.ti quotation level offers an extra layer of analysis. In ATLAS.ti you are not required to immediately code your data as in most other CAQDAS software. You can first go through your data and set quotations, summarize the quotations in the quotation name and write an interpretation in the comment field. See [Working with Quotations](#). This is useful for many interpretive analysis approach for the process of developing concepts. Once you have ideas for concepts you can begin to code your idea.

This prevents you from falling into the coding trap, i.e. generating too many codes. Codes that can be applied to only one or two segments in your data are not very useful. Code names should be sufficiently abstract so that you can apply them to more than just a few quotations.


You will also see later in the analysis process that you find that none of the further analysis tools like the [Code Document Table](#) or the [Code Co-occurrence Table](#) seem to be very useful.

If you find yourself generating 1000 or more codes, take a look [what you can do with quotations instead](#). Based on that develop codes on a more abstract level allowing you [to build a well-rounded code system](#).

## Creating Quotations in Text Documents

When you code data, quotations are created automatically. See [Coding Data](#). You can however also create quotations without coding. To do so:

Highlight a section in your text, right click and select the option Create Free Quotation. Alternatively, you can also select the equivalent button in the ribbon.



Once a quotation is created, you see a blue bar in the margin area and an entry in the Quotation Manager and the Document tree in the Project Explorer.



was scared. I was not deluded at all, I was very conscious of how easy it is for things to go wrong, during and after the pregnancy. I knew it is very difficult to care for a baby, to raise a child, to deal with a teenager. But I found that I wanted, that I needed that experience. Even though things could go wrong, and it was going to be difficult, and sometimes you end up looking at a stranger with your eyes whom you can't even like but whom you deeply love, nonetheless.

We've been outrageously lucky. Our daughter is 2 years old. She is a precious and bright child, has brought a lot of work and stress to my life, and has also made my life richer and

8:1 I knew it is very difficult...

## Quotation ID

Each quotation has an ID, which consists of two numbers:

- The ID 8:1 means that the quotation was created in document 8, and it is the first quotation that was created in this document.
- The ID 3:10 means that the quotation comes from document 3, and it is the 10th quotation that was created in this document.

Quotations are numbered in chronological and not in sequential order. If you want to change this order, see the next section:


## Changing the Chronological Order of Quotations

The quotation ID numbers quotations in the chronological order when they have been created. For various reasons, at times users want the quotations to be numbered in the sequential order as they occur in the document.

When you delete quotations, the numbering is not automatically adjusted. Instead, they are gaps. Renumbering the quotations also closes those gaps.

To renumber quotations:

Open the Quotation Manager and select the Renumber Quotations option in the ribbon.




## Adding Quotation Names

Being able to name each quotation has a number of useful applications.


- It allows you to quickly glance through your quotations in list view.
- You can use the name field to paraphrase a quotation as required by some content analysis approaches, or to write a short summary.
- You can use the name field for fine-grained coding (line-by-line Grounded Theory coding; initial coding in Constructive Grounded Theory, or as required by other interpretative approaches) instead of applying codes. If you already apply codes during this phase, you will end up with too many codes that are useless for further analysis. See [Building a Code System](#).
- Adding titles to multimedia quotations. See [Working with Multimedia Data](#).

To add a name to a quotation, right-click on a quotation in the margin area, the Project Explorer, the Quotation Manager or in the Quotation Reader and select Rename.




If you select a quotation in the Quotation Manager, you see a preview of the quotation in the panel below the quotation list. This applies to all data file formats.





Modifying the length of a quotation is easy.




## Creating Quotations in PDF Documents

A text PDF file can contain images as well, like picture, graphs or tables. In ATLAS.ti you can create quotations for text and images in PDF documents.

**Text selection:** Select the text just like you do in a Word file. Make sure you place the cursor right next to a letter.

**Selecting a graphical element:** Like selecting an area in a graphic file, draw a rectangular area with your mouse. See also [Creating Graphic Quotations](#).



Select a segment in the PDF document, right click and select the option **Create Free Quotation**. Alternatively, you can also select the equivalent button in the ribbon.

PDF files can be text or image files. Sometimes users accidentally add an image PDF and wonder why they can only create graphic quotations and cannot select text. If this happens, you need to re-create the PDF file, e.g. by letting an OCR scanner running over your PDF image file. In a lot of PDF creators these days this is an option in the software, no additional physical scan is needed.

How to create quotations in audio and video documents, see [Creating Multimedia Quotations](#).


How to create quotations in image documents, see [Creating Image Quotations](#).

# Creating Quotations in Image Documents

If you work with pictures, video or geo snapshots, or PDF image documents:

Move the mouse pointer to the upper left corner of the rectangular section that you are going to create, hold down the left mouse button and drag the mouse to the lower right corner of the rectangle. Release the mouse button. You have now created a selection, and the rectangle will be highlighted.

Right click and select the option **Create Free Quotation**. Alternatively, you can also select the equivalent button in the ribbon.



inst

To modify an image quotation, just re-size the rectangle.

You can preview graphical quotations in the Quotation Manager; they can be inserted into networks, and they are included as graphical snippets in reports.

**Quotation Manager**

Quotations Search & Filter View

Smart Code Apply Codes Code in Vivo Quick Coding Rename Quotation Delete Edit Comment Merge Quotations Renummer Quotations Link Source Link Target Open Network Word Cloud Word List

New Coding Manage Hyperlink Explore & Analyze

**No codes**  
[Learn more about coding data](#)

**Search Quotations**

ID	Reference	Name	Document	Density
~ 28:3	548 x 502		Lit Review with ATLAS.ti	

**Add a name, e.g. as title for the quotation.**

**Comment:** Edited 07/01/2021 12:11...  
Write a comment to describe / interpret / analyse the quotation.

1 quotations




# Creating Quotations in PDF Documents

A text PDF file can contain images as well, like picture, graphs or tables. In ATLAS.ti you can create quotations for text and images in PDF documents.

**Text selection:** Select the text just like you do in a Word file. Make sure you place the cursor right next to a letter.

**Selecting a graphical element:** Like selecting an area in a graphic file, draw a rectangular area with your mouse. See also [Creating Graphic Quotations](#).



Select a segment in the PDF document, right click and select the option **Create Free Quotation**. Alternatively, you can also select the equivalent button in the ribbon.

**warn**

PDF files can be text or image files. Sometimes users accidentally add an image PDF and wonder why they can only create graphic quotations and

cannot select text. If this happens, you need to re-create the PDF file, e.g. by letting an OCR scanner running over your PDF image file. In a lot of PDF creators these days this is an option in the software, no additional physical scan is needed.

# Working with Multimedia Data

In this section, the following options are discussed:

- Creating multimedia quotations
- Creating multimedia quotations while listening to the audio file or viewing the video file
- Display of multimedia quotations
- Coding multimedia quotations
- Activating and playing multimedia quotations
- Adjusting the size of multimedia quotations
- Renaming a multimedia quotation
- Capturing video snapshots as image documents for further analysis

## Creating Multimedia Quotations


You can also immediately code multimedia files. However, as especially video files contain so much more information as compared to text, it is often easier to first go through and segment the audio or video file, i.e. creating quotations before coding.

To create an audio or video quotation, move your mouse pointer on top of the audio waveform and mark a section by clicking on the left mouse button where you want it to start. Then drag the cursor to the end position. The times of the end and start positions are shown, as well as the total length of the segment.

As soon as you let go of the mouse, a quotation is created, and you see the blue quotation boundary in the margin area

If you want to make a selection first and then create a quotation, you can change the default settings. See [Project Preferences](#). If you deactivate *Automatically create new quotation on selection*, to create a quotation you need to hover with the mouse over the selection and click **Create Quotation**.





## Creating Multimedia Quotations while Listening / Watching

You can also create an audio or video quotation while listening to or viewing a document. For this, you can use the buttons *Mark Position* and *Create Quotation* buttons in the toolbar; or the short-cut keys (see below).

### Using the Ribbon Buttons

inst

Play the video. If you find something interesting that you want to mark as a quotation, click *Mark Position*. This set the start position. To set the end point and create a quotation, click *Create Quotation*.

Continue listening / watching and setting quotations.

### Using Short

To mark the start position: use (<) or (,)

To create a quotation: use (>) or (.)

Which short-cut key to use depends on your keyboard. Use those keys where you do not have to use Shift.

Play the video. If you find something interesting you want to mark as a quotation, click on the (,) or the (<) key. This sets the start position.

To set the end position and create a quotation, click on the (.) or (>) key.

- A new quotation will be listed in the Quotation Manager, the Project Explorer or Quotation Browser. The quotation ID consists of the number of the document plus a consecutive count in chronological order by time when a quotation was created in the document. The quotation ID 15:5 for examples means that this is a quotation in document 15, and it was the 5th quotation that was created in the document.
- After the ID you see the quotation reference, which is the start position of the audio or video quotation. The name field is empty. You can for instance add a short title for each multimedia quotation, see below.
- Depending on the media type, the quotation icon changes.

Audio and video quotations can be easily recognized by their special icon.

## Coding Multimedia Quotations

Coding multimedia quotations is not different from coding text or image documents:

Right-click the quotation and select **Apply Codes**. For further information see: [Coding Data](#).

## Activating and Playing Multimedia Quotations

### In the Margin Area

To play the quotation, double-click on the quotation bar, or hover over the audio waveform with the mouse and click on the **play** icon.

You can move the play-head with the mouse to any position within an audio or video file.

## From other Places

- You can double-click on a multimedia quotation in the Project Explorer, the Quotations Browser or the Quotation Manager to play it in context.
- You can preview a multimedia quotation in the preview area of the Quotation Manager.
- You can preview a multimedia quotation if it is part of a hyperlink. See [Working with Hyperlinks](#).

## Adjusting the Size of Multimedia Quotations

To adjust or change the length of the quotation, drag the start or end position to the desired position.

## Renaming a Multimedia Quotation

When you create audio or video quotation, the name field is empty. You can enter a name for instance to add a short description of what the audio or video quotation is all about.

Right-click on the quotation in the margin area or in the Quotation Manager and select the **Rename** option. This allows you to create a meaningful text output of coded audio and video segments.

Use the comment area to add further information, e.g. describe the segment and offer a first interpretation

See also [Making Use of Quotation Name and Comment for Analytical Purposes](#).

See [Example Reports](#) for an instruction on how to create reports for named and commented multimedia quotations.

## Capturing Snapshots of Video Frames as Image Documents

If you want to analyze particular frames of your video in more detail, you can capture a snapshot.

Move the play head to the desired position in the video.

Click on the camera icon in ribbon, or right-click on the video and select the option **Capture Video Frame**.

The snapshot is automatically added as a new image document to your project. See [Creating Quotations in Images](#) for further information on how to work with image files.

# Working with Quotations

Video Tutorial: [Working with quotations.](#)

## Making Use of the Quotation Names and Comments for Analytical Purposes


You can use the quotation name field for paraphrasing or summarizing the content of textual quotations, as a title for video and image quotations, or for entering the location for geo quotations.

The quotation name can also be used for instance for the phase of line-by-line coding in Grounded Theory, or for initial coding in Constructive Grounded Theory, or for other inductive approaches. Instead of generating too many codes on a descriptive level, the quotation name can be used for this type of coding.

Open the Quotation Manager into a new tab group next to the document you are currently working on. See [Working with Tabs and Tab Groups](#).

Create a quotation in the document. This quotation will also be added to the Quotation Manager.

Right-click on a quotation in the Quotation Manager and select **Rename**, or select **F2**, or select the rename button in the ribbon of the Quotation Manager.



The example below shows an example where a name was added to add titles for video quotations:

Quotation Manager

Quotations Search & Filter View

Smart Code Apply Code in Vivo Quick Coding Rename Quotation Delete Edit Comment Merge Quotations Renummer Quotations Link Source Link Target Open Network Word Cloud Word List Report Excel Export

New Coding Manage Hyperlink Explore & Analyze

Search Codes Search Quotations

Codes	ID	Reference	Name	Text Content	Document
emotions: peaceful {5-0}	~ < 3:1	2s	Bjarteyjarsandur campsite - early morning		3_Iceland day 2: Golder
placed that felt uncomfortable {1	~ < 3:2	6s	Route 47		3_Iceland day 2: Golder
places that amazed {6-0}	~ < 3:5	17s	Route 48		3_Iceland day 2: Golder
places that impressed {7-0}	~ < 3:6	30s	Althingi - the world's first democratic parliament		3_Iceland day 2: Golder
places that touched emotionally {	~ < 3:7	33s	Tectonic plates (Thingvellir)		3_Iceland day 2: Golder
places that were nice {15-0}	~ < 3:8	37s	Waterfall Óxarafoss		3_Iceland day 2: Golder
	~ < 3:9	50s	Geysir geothermal field		3_Iceland day 2: Golder
	~ < 3:10	1m 17s	Gulfoss		3_Iceland day 2: Golder
	~ < 3:11	1m 41s	Secret Lagoon		3_Iceland day 2: Golder

Comment: Edited 11/05/2018 17:40 by Susanne

I left around 8 am. It was a beautiful sunny and peaceful morning. I was more or less alone on the road, just 2 or 3 other cars that came by.

I stopped along the way to take a picture of the waterfall and the ruins -maybe from ancient Wiking times?

[https://en.wikipedia.org/wiki/Route\\_47](https://en.wikipedia.org/wiki/Route_47)

60 quotations

Further interpretations can be written into the comment field of the quotation. Below you see an example where this feature was used extensively for a grounded theory analysis.



Quotation Manager

Search Codes

Search Quotations

Show quotations with comments

ID	Reference	Name	Text Content	Document	Density	Codes
~ < > 1:1	¶ 12 – 13	P:	Basically, I come from a...	Participant 1 (nurse)	4	[#background: personal] [ε
~ > 1:2	¶ 13	I	I left home at 16. I worked a c...	Participant 1 (nurse)	3	[#background: professiona
~ 1:7	¶ 15	I ...	most of the time I was the...	Participant 1 (nurse)	2	[*war: episodes]
~ 1:10	¶ 16	I	guess during the time I was...	Participant 1 (nurse)	1	[dealing with (d): ignoring
~ < 1:13	¶ 16 – 17	As far as I know, I never killed...	Participant 1 (nurse)	3	[war experience: killing]	
~ 1:14	¶ 17 – 19	And if I remember correctly,...	Participant 1 (nurse)	2	[enemy: depersonalising] [	
~ 1:16	¶ 18	You couldn't communicate wi...	Participant 1 (nurse)	0		
~ 1:20	¶ 21	Like I said, there were times...	Participant 1 (nurse)	3	[dealing with (d): ignoring	
~ 1:21	¶ 20	There was never a question a...	Participant 1 (nurse)	2	[enemy: depersonalising] [	
~ 1:24	¶ 26	Some of the other inconsiste...	Participant 1 (nurse)	1	[dealing with (d): normaliz	

Comment: Edited 13/12/2018 21:21 by Susanne

depersonalizing is expressed in not using peoples names

resulting in not bothering about people's well-being, which I think must be against the codex of being a nurse (?) It shouldn't matter whom you need to treat when this person is injured

019: emotions were not completely dulled,

176 quotations 35 filtered quotations



If you are interested to read more about this study, you can read the following paper [CAQDAS and Grounded Theory Analysis](#), or the book chapter: [Grounded Theory Analysis and CAQDAS: A Happy Pairing or Remodeling GT to QDA](#).

See [Example Reports](#) for an instruction on how to create reports for named and commented (multimedia) quotations.


## Reviewing Coded Quotations and Modify Coding

There are several ways how to review coded quotations:

- Double-click on a code anywhere. This opens the [Quotation Reader](#) - or gives an option to open the Quotation Reader.



- Open the Quotation Manager and select a code in the side panel.





- Create a query in the [Query tool](#), a [Code Document Table](#), or a [Code Co-occurrence Table](#) and review quotations in the result lists.

	parents who do not play	parents who play	Totals
benefit: building things	18	4	13
benefit: collaboration	7	4	11
Benefit: creative	17	7	14
benefit: educational	15	1	11
benefit: skill develop...	13	5	7
<b>Totals</b>	<b>31</b>	<b>21</b>	<b>52</b>

**Search Results:**

- 10:12 1 5 in Case 9**  
Depending on the server, there can be enjoyable collaborating between players. (2 Codings)
- 25:25 1 5 in Case 25**  
When he started, my son pretty much would dig a hole and then complain about getting out. We told him to figure it out himself. He now digs entire caves, has built several houses and makes his own to... (2 Codings)
- 33:1 1 2 in Case 33**  
Creating a beautiful Minecraft world together (4 Codings)
- 33:3 1 5 in Case 33**  
Since then, we have spent a wonderful summer building a big and beautiful world together. We brainstorm ideas daily. The amount of problem solving, innovation and creativity involved in the process is... (3 Codings)

For further information, see [Quotation Reader](#).

## Displaying Quotations in Context

Displaying quotations in context means that you can view a quotation that is listed in a browser or a list in the context of the original data.

- Double-click on an entry in the [Quotation Manager](#).

**Quotation in context**

**Codes:**

- \*Header (39-0)~
- \*Review (40-0)~
- AGE RANGE (0-0)~
- age range: 9 plus (7-0)~
- age range: all ages (7-0)~
- age range: younger kids (11-0)~
- BENEFIT (0-0)~
- benefit: building things (18-1)~
- benefit: collaboration (17-2)~**
- Benefit: creative (17-1)~
- benefit: educational (15-0)~
- benefit: skill development (13-2)~
- DOWNSIDE (0-0)~
- downside: dangerous / distracting (1-0)~
- downside: game can be boring (2-0)~
- downside: grievers (3-2)~
- downside: scam (2-1)~
- downside: social & emotional dang (1-0)~
- EVAL (0-0)~
- eval: negative (11-0)~
- eval: positive (49-0)~
- eval: positive but (17-0)~
- FEATURE (0-0)~

**Search Quotations:**

ID	Reference	Name	Text Content	Document
10:12	1 5		Depending on the server, there ca...	Case 9
25:25	1 5		When he started, my son pretty m...	Case 25
28:5	1 5		There are "mods" (modifications)...	Case 28
33:1	1 2		Creating a beautiful Minecraft wo...	Case 33
33:3	1 5		Since then, we have spent a wond...	Case 33
37:13	1 5		On the other hand, learning from...	Case 37
40:3	1 5		Minecraft has helped to teach my...	Case 40

**Comment:**

There are "mods" (modifications) that they can download for free to expand the possibilities of what they can build. It's very open ended and doesn't come with any instructions so you almost need a friend to help you get oriented and show you how things work. My sons like to look for YouTube videos that show tips and tricks for the game, which can have profanity or other objectionable material

- Click on the quotation bar in the margin area.
- Double-click on the quotation in the Document sub-branch in the Project Explorer.
- Once you have coded data, quotations can also be retrieved via their codes. See [Quotation Reader](#).
- Quotations can be activated in networks. See [Working With Networks](#).
- Quotations can be activated from a result list of a project search (see [Project Search](#)).

## Deleting Quotations

To delete a single quotation, right-click on a quotation and select the **Delete** option from the context menu.

This option is available in all browsers, windows and lists where you see quotations, i.e. the Project Explorer, the Quotation Reader, the Quotation Manager, in a network, or the margin area.

Deleting a quotation does not delete the data itself. Think of quotations like a layer on top of your data. Deleting this layer does therefore not delete the underlying data. However, all other existing links like links to codes, memos or hyperlinks will be removed when deleting a quotation.


## Changing the Chronological Order of Quotations

The quotation ID numbers quotations in the chronological order when they have been created. For various reasons, at times users want the quotations to be numbered in the sequential order as they occur in the document.

When you delete quotations, the numbering is not automatically adjusted. Instead, they are gaps. Renumbering the quotations also closes those gaps.

To renumber quotations:

Open the Quotation Manager and select the Renumber Quotations option in the ribbon.



## Coding Data - Basic Concepts

*"Coding means that we attach labels to 'segments of data' that depict what each segment is about. Through coding, we raise analytic questions about our data from [...]. Coding distills data, sorts them, and gives us an analytic handle for making comparisons with other segments of data" (Charmaz, 2014:4).*

*"Coding is the strategy that moves data from diffuse and messy text to organized ideas about what is going on" (Richards and Morse, 2013:167).*

*"Coding is a core function in ATLAS.ti that lets you "tell" the software where the interesting things are in your data. ... the main goal of categorizing your data is to tag things to define or organize them. In the process of categorization, we compare data segments and look for similarities. All similar elements can be grouped under the same name. By naming something, we conceptualize and frame it at the same time" (Frieze, 2019).*
















### Independent Code / Category Code / Subcode

ATLAS.ti 22 offers you new ways to organize your codes in the code system. If you do not have the need to organize your code into a hierarchy of higher and lower order codes, you can work with *independent codes*. If you want to create a hierarchy of codes, you can make use of category codes and subcodes. If some codes do not fit in any category, they can just remain independent codes.

An additional way to organize your codes are folders. You can add independent codes and categories with their subcodes to folders. Folders can also contain other folders.

## Name

---

- ▷ ○  Experience of parenthood
- ▷ ○  Image composition
- ▷ ○  Reasons for having children
- ▷ ○  sociodemographics
  -  \*blog comment
  -  \*research questions
  -  \*scientific evidence
- ▷ ●  Attitude
- ◀ ●  Definition happiness
  -  fulfillment
  -  is subjective
  -  long term view
- ▷ ●  sources of happiness
- ▷ ●  study design
- ▷ ●  Survey questions



folders



independent codes



category with subcodes

Below each of these types are explained in more detail:

**Independent code:** If you start coding your data, and you begin with creating some new codes, those will be independent first level codes. They remain independent codes until you add them to a category as subcode. The groundedness of an independent code is the number of quotations coded by it.

**Free code:** A free code is also an independent code, but one that has not (yet) been used for coding. Its groundedness is zero and it has no subcodes.

**Category Code:** A code becomes a category, when you drag & drop codes underneath it. These can be independent codes or subcodes that you move from a different category. The category itself does not code quotations. Therefore, you can only insert other codes as subcodes underneath if the code is not linked to quotations.

The reason for this is that via the category code you can retrieve all quotations from all sub codes. So, if you want an aggregated view of your data, just select the category. If you could apply the category code and its subcodes to the same quotations, you would get duplicated quotations. This is prevented by not allowing the category code to be used for coding.

The groundedness of a category code is the number of quotations coded by all of its subcodes. Since you can apply several codes to the same quotation, the total for a category can differ from simply adding up quotations for all subcodes. Both sums are only equal, if you use subcodes in a mutual exclusive manner, as for example required for [inter-code agreement analysis](#)










For all previous ATLAS.ti users, because the category code can retrieve all quotations from its subcodes, the semantic operators SUB, UP and SIBLING are no longer needed and have been removed from the query tool.

**Subcode:** A subcode is a code that is sorted under a category code. No further subcodes can be created under subcodes. The reason for this is methodical rather than technical. Each code should only appear once in a code system. See: [How to build a code system](#). If you use a deeper hierarchy, you will likely start duplicating and even multiplying codes at the lower levels. Not only does this make your code system long and difficult to maintain, it also prevents you from performing effective comparative analysis.

**Folder:** Folders help you organize your codes. You can move independent codes and categories with their subcodes into folders. A folder can also contain folders, as many as you want. Folders cannot be used to code data.

The number behind a folder, is the number of quotations coded by independent codes or subcodes that are contained within the folder. As you can apply multiple codes to the same quotation (i.e., multi-value coding), the total can be different from adding up all the numbers for all independent and all subcodes.


## How Groundedness is Counted

Name	Grounded
 Experience of parenthood	<div><div></div></div> 139
▶  negative effects	<div><div></div></div> 42
▶  parenthood	<div><div></div></div> 62
▶  positive effects	<div><div></div></div> 41
 fulfillment	<div><div></div></div> 6
 improved relationships	<div><div></div></div> 7
 life is richer	<div><div></div></div> 6
 personal growth	<div><div></div></div> 10
 positive emotions	<div><div></div></div> 15

**Independent Code:** The groundedness of an independent code is the number of quotations coded by it.

**Category Code:** The groundedness of a category code is the number of quotations coded by all of its subcodes. Since you can apply several codes to the same quotation, the total for a category can differ from simply adding up quotations for all subcode. Both sums are only equal, if you use subcodes in a mutual exclusive manner, as for example required for [inter-code agreement analysis](#)

The image above shows the category *positive effects*. Adding up the quotations coded by all subcodes, the sum is 44. The groundedness for the category however is 41. This means there are 3 quotations that are coded with more than one of the subcodes. This is illustrated in the image below:



**Subcode:** The groundedness of a subcode is the number of quotations coded by it. For example, the subcode *life is richer* is coding 6 quotations.

**Folder:** The groundedness of a folder is the number of quotations coded by independent codes or subcodes that are contained within the folder. As you can apply multiple codes to the same quotation (i.e., multi-value coding), the total can be different from adding up all the numbers for all independent and all sub codes or categories. In the above example the folder *Experience of Parenthood* has a groundedness of 139 quotations. This is lower than the sum for the three categories contained in the folder ( $42 + 62 + 41 = 145$ ). Again, this means that some quotations are coded by more than one of the codes in the folder. Counted are only unique quotations and not the number of codings.

## How Density is Counted

The **code density** is unrelated to the code hierarchy and the number of codings. Density is defined as the number of linkages between two codes. You can link two codes to each other via drag-and-drop, or as recommended, in a network. See the chapter on [networks](#) for further information.


# Creating and Applying Codes

Video Tutorial: [How to code data](#).

## Creating New Codes without Coding

You can create codes that have not (yet) been used for coding. Such codes are called "free" codes. See [Coding Data - Basic Concepts](#). This can for example be useful when ideas for codes come to mind during normal coding work and that cannot be applied to the current segment but will be useful later. If you already have a list of codes, possibly including code descriptions and groupings elsewhere, you can use the option: [Importing A List Of Codes](#).

In the Home tab, click on New Entities and from the drop-down menu select New Code(s). The short-cut key combination is Ctrl+K.



You can also create new codes in the Code Manager.

Click on the button New Codes in the ribbon of the Code Manager.

## Coding with a New Code


Open a document and highlight a data segment, i.e., a piece of text, audio or video data, an area in a graphic document, or a location in a geo document.

Right-click and select **Apply Codes**, or use the short-cut **Ctrl+J**, or click on the 'Apply Codes' button in the ribbon.





Enter a name and click on the plus button or press enter. After the code is created, you can enter a definition in the comment field.



You can continue to add more codes, or simply continue to select another data segment. The dialogue closes automatically.

for more information on working with data other than text, see [Working With Multimedia Data](#) and [Working With Geo Docs](#).

## Code In-Vivo

Use in-vivo coding when the text itself contains a useful and meaningful name for a code.

In-Vivo coding can only be applied to textual primary documents.

In-vivo coding creates a quotation from the selected text AND uses the selected text as the code name. If the selected text's boundaries are not exactly what you want for the quotation, modifying




the quotation's "spread" is often the next step after creating the in-vivo code. See [Working with Codes > Modifying the length of a coded segment](#).

Select a segment in a text document, right-click and select **Code in Vivo**, or the corresponding button in the ribbon (Windows) / toolbar (Mac).

*"Over-dependence on in-vivo codes ... 'can limit your ability to transcend to more conceptual and theoretical levels of analysis and insight' (Saldana, 2009:77). Where they are descriptive and unique to one person, the coder needs to move on from them quite quickly to generate a more analytical code." (Bazeley, 2013:166).*

## Display of Coded Data Segments in the Margin Area

The coded segment is displayed in the margin area. A blue bar marks the size of the coded segment (= quotation), and the code name appears next to it. When coding data in this way, a new quotation is created automatically, and the code is linked to this quotation.



The yellow post-it within the code icon indicates that a comment has been written for this code.


# Applying Existing Codes

Existing codes can be applied using the Coding Dialogue or via Drag & Drop.

## Using the Coding Dialogue

Highlight a data segment, right-click and select **Apply Codes**, or simply double-click on the quotation.

.....  
 If anything, I think what this maybe shows is that happiness isn't everything. I have a 4-year-old daughter, and having a child has probably made me less "happy" — there are more opportunities for conflict with my wife, more financial stress, more activities that would fun but have to deferred to the future. On the other hand, I love my daughter and wouldn't change things for anything, even if having her sometimes means less day to day "fun" or "enjoyment." Sometimes, things worth doing and having involve a lot of difficulty and effort. They don't make us "happy" necessarily, but that doesn't mean that we shouldn't undertake them.  
 .....



It is easy to quickly jump to the code you are looking for by entering the first few letters of the code in the search field.

Select one of the existing codes, click on the plus button or press Enter.

## Drag-and-Drop Coding


Drag-and-Drop Coding is possible from the following locations:

- the Codes branch from the **Project Explorer**
- the **Code Browser** in the navigation panel.
- the **Code Manager**

At the end of this chapter, you find other Drag-and-Drop options that are also available for your convenience.

## Drag & Drop Coding from the Code Browser

To open the Code Browser, go to the **Home** ribbon and select **Codes** from the **Navigator** section. The search field in the Code Browser facilitates handling a longer code list. Rather than scrolling the list, you enter the first letters of a code.




Highlight a data segment, select one or more codes from the code list and drag the code onto the highlighted data segment.

By the way, in case you were wondering, code density is not a value that is calculated by the software. It goes up, when the researcher begins to link codes to each other. See [Working With Networks](#).

## Drag & Drop Coding from the Code Manager

When using the Code Manager for drag & drop coding, it is recommended to place it next to the data you are coding into a new tab group. See [Working With Docked And Floated Windows](#). You can quickly access codes using code groups to filter the code list, or by using the search field. In the Code Manager you can see and edit code comments.



Highlight a data segment, select one or more codes from the code list and drag the code onto the highlighted data segment.


## Quick Coding

Quick Coding assigns the last used code to the current data segment. This is an efficient method for the consecutive coding of segments using the most recently used code.

Highlight a data segment or click on an existing quotation.

Right click and select **Quick Coding** from the context menu, or use the short-cut **Ctrl+L**. Another option is to click on the Quick Coding button in the ribbon.

## Document Ribbon when Coding




**Create Free Quotation:** Use if you want to create a quotation without coding it.

**Apply Codes:** Opens the Coding Dialogue.

**Code In vivo:** In-vivo coding creates a quotation from the selected text AND uses the selected text as the code name.

**Quick Coding:** Quick Coding assigns the last used code to the current data segment.

**Search & Code:** You can access the four [Search & Code](#) functions from here:



**Focus Group Coding:** You can start the [Focus Group Coding](#) function from here.

**Rename:** This allows you to rename a selected quotation.

**Delete:** Select a code in the margin area or a quotation. Only the quotation will be deleted.

**Unlink:** You can unlink codes from a quotation, or a hyperlink using this option.

**Reverse Link:** Reverses the link of a selected hyperlink.

**Relation:** Opens the Relation Manager.

**Comment:** Click the drop-down arrow and select which comment you want to view or edit.

**Word Cloud:** Creates a word cloud from the document.

**Word List:** Creates a word list from the document.


**Concepts:** Searches for concepts in your data to review and autocode. See [Concept Search](#).

**Search Document:** Searches the content of the document.

**Edit:** Starts edit mode, so you can modify the content of the document. When selected the ribbon changes, and you see the available edit options:



**Print:** Click on this option if you want to print the document as you see it on your screen including the margin area. After clicking this option, the following printer dialog opens:



**Printer:** Select if you want to send the output to a printer or whether you want to save it as PDF document.

**Orientation:** The default selection is 'Landscape', as this is likely the best option to see the document and all codes in the margin area.

**Margin space:** Under 'Margin space', you can adjust the width of the margin if you need more or less space.

**Pages:** You can print all pages, or a page range.

With the 'Previous' and 'Next Page' buttons you can preview all pages.

The print with margin option is available for text, PDF and image documents.

## Keyboard Shortcuts For Coding

Coding	Short-Cut
Create Free Code	Ctrl+K
Apply Codes	Ctrl+J
Quick Coding	Ctrl+L
Code In-Vivo	Shift + Ctrl + V

## More Drag-And-Drop Options

- You can drag-and-drop quotations in the Quotation Manager to a code in the side-panel in the Quotation Manager.
- You can drag-and-drop quotations from the Quotation Manager to a code in Code Manager.
- You can drag-and-drop one or more codes to a quotation in the Quotation Manager.
- You can drag-and-drop one or more codes to a quotation in the Quotation Browser in the Navigation Panel.
- You can drag-and-drop quotations from the Quotation Browser to a code in Code Manager.
- You can drag-and-drop quotations from the Quotation Browser in the Navigation panel to a code in side panel of the Quotation Manager.




# Writing Code Comments

Code comments can be used for various types of purposes. The most common usage is to use them for a code definition. If you work in teams, you may also want to add a coding rule, or an example quote. If you work inductively, you can use code comments to write down first ideas of how you want to apply this code. You can also use it to write up summaries of all segments coded with this code and your interpretation about it. There are several ways to write a code comment.


- Adding a code comment when creating a new code in the coding dialog:

Enter a new code name and click on the + to create the code. Now you can enter a description or code definition in the comment field.

- Select a code in the Project Explorer or the Code Browser. The comment field is shown below the list.



- In the margin area, you can double-click on a code to open the editor for writing a comment editor. Another option is to right-click on a code and select the **Edit Comment** option from the context menu. You can also click on the Edit Comment button in the ribbon of the contextual Code tab.



- In the Code Manager is open, you can use the comment field at the bottom of the window. Note that you can switch between seeing bar charts or the comments.

Another option is to right-click on a code anywhere and select the **Edit Comment** option from the context menu.


All codes that have a comment shows a little yellow dot on top right-hand side of the code icon.



# Working with Codes

## Modifying the Length of a Coded Segment

Select the quotation by clicking on the quotation bar or code in the margin area. Then move the handle in form of a little white circles to the right or left, or up and down, depending on whether you want to shorten or lengthen the quotation.



## Removing a Coding


This option is the reverse function of coding. It removes the links between codes and quotations. Unlike the delete function, neither codes nor quotations are removed; only the association between the code, and the quotation is removed.

### In the Margin Area

Right-click on the code in the margin area and select the option **Unlink from** the context menu.

## In the Coding Dialogue

Double-click on quotation in the margin area. This opens the Coding Dialogue. Click on **Applied Codes** to quickly see which codes have been applied to the quotation. Click on the button with the minus (-) to remove a code.



## Replacing a Code via Drag & Drop

If you want to replace a code that is linked to a data segment:

You can drag and drop another code from either the Project Explorer, Code Browser, or the Code Manager on top of it.

## Adding, Changing and Removing Code Color

### Via the ribbon


To change the code color, select one or multiple codes in the Code Manager and click on the **Change Color** button in the Code ribbon. Select one of the offered colors.

To remove code color, select one or multiple codes in the Code Manager, click on the **Change Color** button in the Code tab and click on **Remove color**.

Code color can also be modified in a network. See [Further Options in Networks](#).

## Via the context menu

Select one or multiple codes in the Code Manager, the Project Explorer or Code Browser, right-click and select Change Color from the context menu. Select one of the offered colors.



The default color palette is suitable also for colorblind people. Additional colors can be added if you import a list of codes from Excel. See [Importing code lists](#).

## Renaming a Code

Right-click on a code in the margin area and select the **Rename** option from the context menu.



Other places where you can rename a code are:

In the Project Explorer, the Code Browser, or Code Manager, right-click on a code and select the **Rename** option. In the Code Manager, you can also click the **Rename** button in the ribbon. Another option is to click the **F2** key.

## Deleting One or Multiple Code(s)

In the Project Explorer, the Code Browser, or Code Manager, right-click on a code and select the **Delete** option. In the Code Manager, you can also click on the **Delete** button in the ribbon.

### About Renaming, Deleting and Unlinking Codes

Renaming and deleting codes are procedures that seem trivial, but understanding the scope of these operations can be a problem for new users. For both operations you must understand, that there is only **ONE** code, for example 'source of happiness: children' in a given project, even if you *applied* this code many times.

In the margin are, you may see the code appear many times while scrolling through your document. In fact, you are seeing the *codings* for this code. Technically speaking, these are links between a quotation represented by a blue bar and the code, represented by its name and icon.

Removing a coding in the margin area (i.e., unlinking the code) is like erasing a word in the margin of a paper document with an eraser. It only affects one coding, i.e., one specific occurrence of the code. All other occurrences of the same code are untouched. The effect of the operation is local.

By renaming or removing a code from a project, you are affecting every occurrence of the code throughout the entire project. The effect is *global*. Renaming the code will instantly change all the code links in the margin to reflect the new name. Deleting it will remove all occurrences in the margin (and from all other contexts in which it was engaged, like networks, groups, etc.).

## Duplicating a Code

It is also possible to duplicate codes with all its linkages. The duplicated code is a perfect clone of the original code including color, comment, code-quotation links, code memo links and code-code links. Duplicating a code can be a useful option to clean up or modify a code system.

To duplicate a code, open the Code Manager, select one or more codes, right-click and select the **Duplicate Code(s)** option from the context menu. Another option is to select the Duplicate Code(s) button in the ribbon. The clone has the same name as the original code plus a consecutive number, i.e., (2).

This option is also available in the Network Editor. See [Further Options in Networks](#).


## Writing Code Comments

Code comments can be used for various types of purposes. The most common usage is to use them for a code definition. If you work in teams, you may also want to add a coding rule, or an example quote. If you work inductively, you can use code comments to write down first ideas of how you want to apply this code. You can also use it to write up summaries of all segments coded with this code and your interpretation about it. There are several ways to write a code comment.


- Adding a code comment when creating a new code in the coding dialog:

Enter a new code name and click on the + to create the code. Now you can enter a description or code definition in the comment field.

- Select a code in the Project Explorer or the Code Browser. The comment field is shown below the list.



- In the margin area, you can double-click on a code to open the editor for writing a comment editor. Another option is to right-click on a code and select the **Edit Comment** option from the context menu. You can also click on the Edit Comment button in the ribbon of the contextual Code tab.



- In the Code Manager is open, you can use the comment field at the bottom of the window. Note that you can switch between seeing bar charts or the comments.

Another option is to right-click on a code anywhere and select the **Edit Comment** option from the context menu.

All codes that have a comment shows a little yellow dot on top right-hand side of the code icon.




# Retrieving Coded Data

Video Tutorial: [Retrieving coded data.](#)


## From the Project Explorer, Code Manager or Code Browser

Double-click a code. This opens the [Quotation Reader](#) and you can review all codings.



If you prefer to read the data in context, you can dock the Quotation Reader to the right or left-hand side of your screen in single line format. To do so:

Select the option Dock to Navigation Area in the ribbon:





8 Quotations of code "def happiness: fulfillment"

Search	Quotation	Codings
3:51 ¶ 94, It is critically important to dist...	1 Coding	
3:299 ¶ 257, Happiness in my mind is m...	1 Coding	
3:314 ¶ 43, How about measuring a sens...	1 Coding	
4:5 ¶ 11, I also have projects that so con...	1 Coding	
4:34 ¶ 45, At the heart of the debate for...	2 Codings	
4:51 ¶ 84, happiness is best defined in th...	1 Coding	
4:96 ¶ 140, I agree with Martin Seligman...	1 Coding	
5:1 ¶ 1, Nobody is happy all of the time,...	1 Coding	

92 Happiness is far to relative to be quantified via such means. The struggles of love, of any sort, are always going to be the most difficult, but the love that results will always be the greatest happiness. Seldom have I heard anyone refer to their life as worse for having children.

93

94 It is critically important to distinguish between the sense of "fulfillment" in having accomplished something with our lives and self-proclaimed "happiness". Any amount of the latter is dependent upon some measure of the former. For many people children provide a sense of purpose and meaning.

95 As for the question of "why does have children in the first place?", well that's easy. Beyond the choice to have them, as per the statement above, people are VERY motivated by sex, and children are very often a by-product. In humanity's distant past and for most other species, there is little to no thought about whether to have children... it just happens, and we're wired to care for them, thankfully.

study design: measuring happi...

"blog comment"

#fam: have children

reasons for hc: biology

As for the question...

## Simple Retrieval in the Margin Area

If you double-click on a code in the margin area, the comment field opens. From there you can access the quotations coded with the code.

ny showers about?  
focus on the  
rselfes to an

ed to think about  
ure up pictures of  
e even when the  
pily about

Powdhavtee

aniel Gilbert  
eneration to  
-replicator," can  
is stop having  
little bit like  
even if it is a

here are moments  
e as "enough of

he National  
ng sprees in the  
a lot of time

2:9 reasons for hc: cultural embed...

2:10 There is a wi...

2:10 reasons for hc: biology

2:14 And are these rose-colored...

2:14 Why do we have s...

2:14 reasons for hc: cultural embed...

2:11 parenthood: ambivalence of

2:11 parenthood: rewarding

2:15 reasons for hc: cultural embed...

2:15 It is, if

Code "r..."

reasons for having children


most people grow up with the idea and value that at some point in their life they will get married and have kid.

Show Quotations

## Simple Boolean Queries in The Quotation Manager

Open the Quotation Manager.

Select a code in the filter area. If you have a long list of codes, you can enter a few letters into the *Search Code* field to reduce the list to only the codes you are looking for:



The list of quotations only shows the quotations of the selected code. If you click on a quotation, it will be shown in the preview area. If you double-click, the quotation will be shown in the context of the document.

The yellow bar on top shows the code(s) you are using as filter.

When selecting two or more codes in the side panel, the filter is extended to an OR query: *Show quotations coded with of ANY of the codes....*

Search Codes

Codes
EFFECTS POS (0-0)~
<b>effects pos: fulfillment (6-4)~</b>
effects pos: improved relationships (7-5)~
effects pos: life is richer (5-3)~
effects pos: personal growth (7-4)~
effects pos: positive emotions (15-5)~
PARENTHOOD (0-0)
parenthood: a worthwhile trade-off (11-2)~
parenthood: ambivalence (11-2)~
parenthood: rewarding (11-2)~
REASONS FOR HC (1-1)
reasons for hc: altruism (14-1)~
reasons for hc: biology (16-1)~
reasons for hc: cultural embedded beliefs (28-2)~
reasons for hc: for oneself / self-centered (13-1)~
REASONS FOR NHC (0-0)~
reasons for nhc: don't feel the need (4-0)
reasons for nhc: not worth the trade-off (4-0)
reasons for nhc: personality (10-4)~
S_SOURCES OF HAPPINESS (0-0)~
source: activities and experiences (5-0)~
source: attitude (8-1)~
source: children (8-1)

Select one or more codes here

Search Quotations

Show quotations coded with any of the codes **effects pos: fulfillment** or **effects pos: life is richer**




ID	Reference	Text Content	Codes
3:9	¶ 13	We've been outrageously lucky. Our d...	[effects pos: life is richer]
3:12	¶ 21 – 22	forced me to understand things abou...	[effects pos: improved relationships] [eff
3:35	¶ 80	I am a relatively new parent myself. I...	[effects pos: fulfillment]
3:41	¶ 86	We are lucky in that we have a daugh...	[effects pos: fulfillment]
3:56	¶ 108	I simply don't understand those who...	[effects pos: life is richer]
3:136	¶ 199	Kids can be difficult, contrary, stubbo...	[effects pos: life is richer] [parenthood: a
3:174	¶ 257	Sure, life was good before, even mor...	[effects neg: less fun] [effects pos: life is
3:240	¶ 50	What exactly is happy? I agree, I don't...	["blog comment"] [#fam: have children]
3:263	¶ 197	I will never know if I would have been...	["blog comment"] [#fam: have children]
3:328	¶ 110	. I suppose an appropriate definition...	[effects pos: fulfillment]
4:36	¶ 45	At the heart of the debate for me is n...	["blog comment"] [#fam: 1 child] [#fam:

I am a relatively new parent myself. I understand—and knew going in—that parenting takes away freedom, adds stress, and has all sorts of other negative qualities. But there is a deep sense of fulfillment in life in having children. I do not begrudge anyone who chooses not to have children. There are plenty of human beings on the planet. Nonetheless, I think there is some value in being a parent, in that it's one important part of the human experience. A fulfilling life is not about "happiness"—particularly as the Americans

Quotation content

Comment:

Click on the blue underlined any operator. This opens a drop-down, and you can change between *ANY* and *ALL*.

Search Quotations				
Show quotations coded with <b>any</b> of the codes <b>effects pos: fulfillment</b> or <b>effects pos: life is richer</b>				
Show quotations coded with <b>any</b> of the codes <b>effects pos: fulfillment</b> or <b>effects pos: life is richer</b>				
Show quotations coded with <b>all</b> of the codes <b>effects pos: fulfillment</b> and <b>effects pos: life is richer</b>				
	3:35	¶ 80	I am a relatively new parent myself. I...	[effects pos: fulfillment]
	3:41	¶ 86	We are lucky in that we have a daugh...	[effects pos: fulfillment]
	3:56	¶ 108	I simply don't understand those who...	[effects pos: life is richer]

- **ANY:** Show all quotations linked to **any** of the selected codes.
- **ALL** Show quotations where **all** the selected codes apply. This means that two or more codes have been applied to the exact same quotation.


If you want to export the results, click on either the Report or Excel Export button in the ribbon. Find more detail see [Creating Reports](#).

Quotation Manager


nt

ations


Quotations




Link Source




Link Target




Open Network




Word Cloud



Word List



Report



Excel Export

Hyperlink

Explore & Analyze

Search Quotations

Show quotations coded with **any** of the codes **effects pos: fulfillment** or **effects pos: life is richer**

ID	Reference	Text Content	Codes
 3:9	¶ 13	We've been outrageously lucky. Our d...	[effects pos: life
 3:12	¶ 21 – 22	forced me to understand things abou...	[effects pos: imp
 3:35	¶ 80	I am a relatively new parent myself. I...	[effects pos: full

## Creating Categories and Subcodes


**Video Tutorial:** [Building a code hierarchy](#). If you want to sort your codes into higher and lower order codes, you can make use of **categories and subcodes**. An additional way to organize your codes are folders. Folders can contain other folders. This gives you multiple levels of organizing your codes. Only independent codes and subcodes can contain coded data. The reason for this is methodical rather than technical. If you use a deeper hierarchy, you will likely start duplicating and even multiplying codes at the lower levels. Not only does this make your code system long and difficult to maintain, it also prevents you from performing effective comparative analysis. Below we quote just one of the many authors who offer this advice:

*"If you have a typical project of moderate complexity, it should require no more than 10 top-level [parent] categories" to cover the topic [...]. Furthermore, most code systems do not go more than two or three levels deep. If they do, it is likely that the categories being used are no longer true subcategories of the higher-order categories they are under; and, on a practical level, it becomes inconvenient for the coder to remember, locate, and effectively use them" (Bazeley, 2013. p. 183).*

See also: [How to build a code system](#).

An additional way to organize your codes are **folders**. You can add independent codes and categories with their subcodes to folders. Folders can also contain other folders. This allows you to group codes under themes or topics that are too abstract anyway to be used for coding.

Below is an example showing a 3 level hierarchy, illustrated using the ATLAS.ti network function:




## Creating Categories with Subcodes

There are two ways to create a category: by moving codes via drag & drop under a *free* code, or by splitting a code that already has codings.

### Moving Codes under a Free Code

- Create a new code.
- Select one or more codes in the code list using the common selection techniques for multi selections.
- Drag the codes to the newly created code. A context menu opens. Select the first option: **Build Code Hierarchy**:

Once you have added subcodes to an independent code, it becomes a category. The code icon changes. See image below.



Show codes in group **effects positive**

Name

- positive emotions
- meaningful life
- improved relationships
- personal growth
- Positive effects

**Build Code Hierarchy**

Move 4 codes under Positive effects

**Merge Codes**

Merge 4 codes into Positive effects

**Link 4 codes**

is a property of Positive effects

contradicts Positive effects



Name	Grounded	Density
Positive effects	20	0
improved relationships	4	0
meaningful life	6	0
personal growth	8	0
positive emotions	5	0



## Creating a Category via Splitting

Select a code that you want to split into subcodes.

Right-click and select the option **Split into Subcodes**, or click on the dropdown next to Split in the ribbon and select Split into Subcodes from there. The Split Code tool opens.

Click on **Add Codes** to enter the labels for the subcodes. After entering the first code, press the down arrow to move to the next entry field to enter the second label, and so on. Once you are done, click on **Add**.

By default, a subcode with the name **Undecided** is added to the first column of the table. All quotations are added to this subcode. The next step is to assign the quotations to the new subcodes you have created. If a quotation does not fit into any of these subcodes, you can just leave it in the subcode 'Undecided'.

This is how you assign the quotations to one or more subcodes:

Select a quotation. Its content is shown at the bottom of the screen. Assign the quotation by clicking on the checkbox of the subcodes that apply.

To speed up the process, you can press the number keys (1,2,3, usw.) to assign the selected quotation to subcode 1, 2, 3, usw.

Split Code: "effects positive" into Sub Codes

New Codes

Split a code by moving its codings to sub codes. Use the 'Create Codes' button for adding sub codes to the table.  
Press the space key to toggle the selected coding for the original code. Press the number keys (1, 2, 3 ...) to toggle the selected coding for the added codes.

Undecided	Quotation	improved relationships	personal growth	meaningful life	good vibes
<input type="checkbox"/>	3:182 ¶ 213, Being a parent (and nc	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	3:184 ¶ 214, I may not be happier (	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	3:206 ¶ 242 – 243, My personal sun	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	3:218 ¶ 257, Sure, life was good be	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	3:226 ¶ 265, for very high levels of	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	3:286 ¶ 328, It's certainly more ther	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	3:364 ¶ 189, I never feel more alive	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	3:387 ¶ 66, But when I get to see hc	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	5:40 ¶ 45, At the heart of the debat	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	5:78 ¶ 97, However, I find that the s	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	5:83 ¶ 105, In many aspects my rel	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	5:120 ¶ 146, I grow, learn and expe	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

5:120 ¶ 146 in NY magazin blog: Discussion of "All Joy and No fun" article  
I grow, learn and experience life as my daughter does. I experience pure bliss each and every day experiencing the most normal mundane activities such as getting her ready for daycare or feeding her in the morning. Parenting requires less focus on the SELF and I've really welcomed that change

2 Codings



















effects positive
perception whether children bri...

☒ Copy comments  
☒ Copy Links  
☐ Mutually exclusive

Split Code

**Mutually exclusive:** If you do not want to allow that a quotation is coded with two of the subcodes, activate the option **Mutually Exclusive**. This is a requirement for some content analysis approaches and for calculating inter-coder agreement. See [Requirements for Coding](#).

Once all quotations have been assigned to one or more subcodes, click on **Split Code**. The code that you split will be turned into a category. This is indicated by the changed code icon. If you click on the drop-down arrow in front of the code, you can expand the category to see the subcodes.

▲ ○  effects positive		21		0
○  improved relationships		4		0
○  meaningful life		4		0
○  personal growth		8		0
○  positive emotions		5		0
○  Undecided		2		0

The groundedness of a category code is the number of quotations coded by all of its subcodes. Since you can apply several codes to the same quotation, the total for a category can differ from simply adding up quotations for all subcodes. Both sums are only equal, if you use subcodes in a mutual exclusive manner.


## Creating category and subcodes in the coding dialog

When double-clicking on a quotation in the margin, or when highlighting a data segment and selecting the **Apply Codes** option from the context menu, the coding dialog opens. You can create a new category with a subcode directly here in the dialog, or add a new subcode to an existing category.

### Adding a category with subcode

In order to create a category code with a subcode, you simply have to enter as label: category name: subcode name:






## Adding a new subcode to an already existing category

Start typing the name of the category code. This filters the code list.

Select one of the existing sub codes, highlight the subcode name and type over the new name, or delete that part of the name first and then add the new subcode name.



## Easy coding with subcodes of a category

There is a very easy way to apply subcodes to your data via drag & drop coding.

Highlight a section of your data and drag & drop a category code from other the project explorer, code browser or code manager onto the text.

A window pops up showing you the list of subcodes. Select one of the subcodes to code.

If you select an existing quotation and one or more subcodes of the selected category have already been applied, this is indicated by a check mark.

● ♦ *blog comment	138	0
○ ♦ *research questions	3	0
○ ♦ *scientific evidence	8	0
▶ ♦ Attitude	68	0
▶ ♦ Definition happiness	18	0
▶ ○ emotion	1	0
▶ ♦ sources of happiness	53	0
▶ ♦ study design	34	0
▶ ♦ Survey questions	48	0
	14	
	15	

try was because I was scared. I was not deli  
how easy it is for things to go wrong, durin  
very difficult to care for a baby, to raise a c  
that expe  
difficult, and  
u can't ev  
Our daugh  
of work a  
h laughter  
not for the faint of heart, but it is totally wo  
.....  
I only clicked on the first two s, the JBPA p  
may be that other papers answer my questio

Choose value for: Attitude

- children are unrelated to happiness
- children: < happiness
- children: = level of happiness
- children: > happiness

I only clicked on the first two s, the JBPA p  
may be that other papers answer my questio  
Were the papers about happiness in parenti  
sina et al seems t  
ole, Table 1-US  
.....  
Of course children do not bring happiness.  
themselves. It is a form of emotional cruelty

Choose value for: study design

- asking the wrong question
- critique
- measuring happiness

## How to move subcodes out of a category

You have two options, you can move subcodes from one category to another category via drag & drop.

If you want to move subcodes out of a category to the first level, they become independent codes again. If you move all subcodes, the category code also becomes an independent code again.

Highlight the subcodes you want to move and drag them to the left side until you see a black vertical line, then drop:

















The subcodes will be sorted into your code list in alphabetic order. The groundedness of the category will be adjusted. In the example illustrated below, all subcodes were moved out of the category; the category has become an independent code with groundedness 0:

▷ ● ◆	Attitude	68
▷ ● ◆	Definition happiness	17
● ◆	Q1: Reasons for having children	24
● ◆	Q2: Reasons for not having children	24
▷ ● ◆	sources of happiness	53
▷ ● ◆	study design	34
● ◆	Survey questions	0

## Organizing Codes in Folders

Independent codes or categories with their subcodes can be organized into folders. In contrast to code groups, a code or a category cannot be in more than one folder. The folder structure is hierarchical, code groups are not.

Folders can be contained in other folders. There might be projects that require a fourth level of organization. Below you find an example with three levels. See also the recommendations in the chapter [How to build an effective code system](#).


Name	Grounded
 Experience of parenthood	139
 negative effects	42
 perception	62
 positive effects	41
 Image composition	18
 content	16
 focus	15
 Independant codes	149
 *blog comment	138
 *research questions	3
 *scientific evidence	8
 Reasons for having children	119
 contra	38
 pro	81

## How to create folders

In the Code Manager ribbon, click on the New Folder icon.

Or:

Select one or more codes or categories, right-click and select the option New Folder with Selection from the context menu.



If you delete a folder, all content in the folder is also deleted.

### How to move items between folders or out of a folder

You have two options: You can move independent codes, categories, or subcodes from one folder to another folder via drag & drop. The second option is to highlight all items that you want to move, and drag them to the left side until you see a black vertical line; then drop.


## Exploring Coded Data

To explore the words that have been used in the quotations linked to one or more codes, you can create a word list or word cloud. Word lists and word clouds are described in detail in the section [Exploring Data](#).

To create a Word Cloud or Word List, right-click on a code or code group somewhere in your project and select either the word cloud or word list option from the context menu. Another option is to use the ribbon button in the Code Manager.

You can also create a Word Cloud or Word List for selected quotations:

Open the Quotation Manager, select one or more codes in the side panel to retrieve their quotations. Click the Word Cloud or Word List button in the Quotation Manager ribbon.



You can aggregate the words by activating the two options 'Ignore Case' and 'Infer base forms'. The latter summarizes for instance 'child' and 'children', or 'bring', 'brings' and 'brought'. If you use this option you can hover over a word, and it will tell you which words have been combined under the term.

☒ Ignore Case  
☒ Infer base forms  

Showing all Parts of Speech

Filter

ready might job enjoy self pe  
 agree me really  
 fun take want  
 y 're bad see Ca

**Inflected Form**

6 Tokens

enjoy	5 Token
enjoyed	1 Token

## Parts of Speech

You can also select to only display words that belong to a certain category of words, the so-called 'parts of speech'.

A part of speech is a term used in traditional grammar for one of the main categories into which words are classified according to their functions in sentences, such as nouns or verbs. Also known as word classes, these are the building blocks of grammar.

Commonly listed English parts of speech are noun, verb, adjective, adverb, pronoun, preposition, conjunction, interjection, numeral, article, or determiner.

### Noun

Nouns are a person, place, thing, or idea. They can take on a myriad of roles in a sentence, from the subject of it all to the object of an action. They are capitalized when they're the official name of something or someone, called proper nouns in these cases. Examples: pirate, Caribbean, ship, freedom, Captain Jack Sparrow.

### Pronoun

Pronouns stand in for nouns in a sentence. They are more generic versions of nouns that refer only to people. Examples: you, he, she, it, ours, them, who, which, anybody, ourselves.



## Verb

Verbs are action words that tell what happens in a sentence. They can also show a sentence subject's state of being (is, was). Verbs change form based on tense (present, past) and count distinction (singular or plural). Examples: sing, dance, believes, seemed, finish, eat, drink, be, became

## Adjective

Adjectives describe nouns and pronouns. They specify which one, how much, what kind, and more. Adjectives allow readers and listeners to use their senses to imagine something more clearly. Examples: hot, lazy, funny, unique, bright, beautiful, poor, smooth.

## Adverb

Adverbs describe verbs, adjectives, and even other adverbs. They specify when, where, how, and why something happened and to what extent or how often. Examples: softly, lazily, often, only, hopefully, softly, sometimes.

## Preposition

Prepositions show spacial, temporal, and role relations between a noun or pronoun and the other words in a sentence. They come at the start of a prepositional phrase, which contains a preposition and its object. Examples: up, over, against, by, for, into, close to, out of, apart from.

## Conjunction

Conjunctions join words, phrases, and clauses in a sentence. There are coordinating, subordinating, and correlative conjunctions. Examples: and, but, or, so, yet, with.

## Articles and Determiners

Articles and determiners function like adjectives by modifying nouns, but they are different from adjectives in that they are necessary for a sentence to have proper syntax. Articles and determiners specify and identify nouns, and there are indefinite and definite articles. Examples: articles: a, an, the; determiners: these, that, those, enough, much, few, which, what.

Some traditional grammars have treated articles as a distinct part of speech. Modern grammars, however, more often include articles in the category of determiners, which identify or quantify a noun. Even though they modify nouns like adjectives, articles are different in that they are essential to the proper syntax of a sentence, just as determiners are necessary to convey the meaning of a sentence, while adjectives are optional.



## Interjection

Interjections are expressions that can stand on their own or be contained within sentences. These words and phrases often carry strong emotions and convey reactions. Examples: ah, whoops, ouch, yabba dabba do!

## Open and Closed Word Classes

The parts of speech are commonly divided into open classes (nouns, verbs, adjectives, and adverbs) and closed classes (pronouns, prepositions, conjunctions, articles/determiners, and interjections). The idea is that open classes can be altered and added to as language develops and closed classes are pretty much set in stone. For example, new nouns are created every day, but conjunctions never change.

In contemporary linguistics, the label part of speech has generally been discarded in favor of the term word class or syntactic category. These terms make words easier to qualify objectively based on word construction rather than context. Within word classes, there is the lexical or open class and the function or closed class.

Source: [The 9 Parts of Speech: Definitions and Examples](#)

In ATLAS.ti, you can select one or more of the following parts of speech:

Show all	
Show None	
✓	Adjective
✓	Preposition/Postposition
✓	Adverb
✓	Auxiliary
✓	Coordinating Conjunction
✓	Determiner
✓	Interjection
✓	Noun
✓	Numeral
✓	Particle
✓	Pronoun
✓	Proper Noun
✓	Punctuation
✓	Subordinating Conjunction
✓	Symbol
✓	Verb
✓	Other

All other options are explained in the chapter [Exploring Text Data](#)

# Merging Codes

## Video Tutorial:


You may begin your coding very close to the data generating lots of codes. In order not to drown in a long list of codes, you need to aggregate those codes from time to time, which means merging and renaming them to reflect the higher abstract level. Another reason for merging is that you realize that two codes have the same meaning, but you have used different labels.

Moving all low frequency codes under a category code to "clean up" is not a good solution. You may start by using descriptive labels for independent codes, but you need to aggregate them at some point, usually after having gone through your first few sources. If you have too many of those low frequency codes, you create a proliferating coding system that becomes unmanageable (Bazeley, 2013). In addition, it will also not be very useful for your analysis.






There are a few exceptions as always. Codes with low frequencies that capture an exceptionally insightful thought, for instance, don't and also should not be merged. There should only be a few of those and not dozens or hundreds.

This is how you do it:

Select two or more codes in the Code Manager and drag them to the code where you want to merge them into. A menu opens. Select the second option **Merge code ... into ...**



A comment is automatically inserted into the target code that provides an audit trail of which codes have been merged. If the codes that are merged had a comment, these comments are also added to the target code.

<input type="radio"/>  life is richer	<div><div></div></div> 1
<input type="radio"/>  love my partner more	<div><div></div></div> 1
<input checked="" type="radio"/>  personal growth	<div><div></div></div> 5
<input type="radio"/>  richer life	<div><div></div></div> 1
<input type="radio"/>  understanding own parents better	<div><div></div></div> 1

---

**Comment:** Edited 24/11/2021 15:08 by Susanne .

24/11/2021 15:08:30, merged with  
**questioning yourself, your life and values**

24/11/2021 15:08:30, merged with  
**more accurate self-perception**

24/11/2021 15:08:30, merged with  
**more mature**


---

es

Another option is to select the **Merge Codes** option from the context menu, or the ribbon.

Select two or more codes in the Code Manager and click on the **Merge** button in the ribbon (or right-click and select the Merge option from the context menu).

Next, select the target code into which all other codes should be merged, and click on the **Merge Codes** button.



## Select Merge Target

Select the code into which other codes will be merged.

a bit wiser


becoming a better person

getting to know oneself

has brought out the best in me

I am "more" than I was before

personal growth

  
Merge Codes

It is also possible to use the network editor for merging codes. This provides a visual space where you can arrange your codes, review, sort and order them and decide which once to merge. See [Networks: Further Options](#).

## Splitting a Code

*"Inevitably, not all codes you produce will continue to prove useful. Some will be too general, others too specific to one or two segments of data (see [Merging Codes](#)). With the exception of contextual codes, a category that is so broad or so vaguely defined that it codes a very large number of passages or very lengthy passages is less likely to be useful in analysis" (Bazeley, 2013:185).*


Splitting a code is necessary if you have been lumping together many quotations under a broad theme. This is a suitable approach for a first run through to get an idea about your data. At some point those codes need to be split up into codes with a lower number of codings or into subcodes of a category to be meaningful for analysis.

This can be done in two ways:

1. Splitting into independent codes
2. Splitting into subcodes (creating a category)


### Splitting a code into independent codes

Select a code that you want to split in the Code Manager, and click the **Split Code** button in the ribbon. Or select a code in the Code Manager, Project Explorer or Code Browser, right-click and select **Split** from the context menu.



In the Split Code tool, you see the list of the quotations coded with the code.

Click on **New Codes** to enter the labels for the subcodes. After entering the first code, press the down arrow to move to the next entry field to enter the second label, and so on. Once you are done, click on **Create**.




By default, the name of the original codes is added to the first column of the table. All quotations are still linked to it. The next step is to assign the quotations to the new codes you have created. If a quotation does not fit into any of these new codes, you can just leave it linked to the original code.

This is how you assign the quotations to one or more subcodes:

Select a quotation. Its content is shown at the bottom of the screen. Assign the quotation by clicking on the checkbox of the codes that apply. The quotation is automatically unlinked from the code that you are splitting.

To speed up the process, you can press the number keys (1,2,3, usw.) to assign the selected quotation to subcode 1, 2, 3, usw.





After you have distributed some or all of the quotations into sub codes, click on **Split Code**. Now the new codes are created, and the quotations are assigned accordingly.

It is not required that you assign all quotations to the new codes. Quotations can remain linked to the original code, or also to the original code and any of the newly created codes.

### Options

- **Copy Comments:** Select if you want all sub codes to have the same comment as the code you split.
- **Copy links:** Select if you want all sub codes to inherit existing links to other codes or memos.
- **Mutually exclusive:** If activated, you can assign a quotation to only one sub code. This is a requirement for some content analysis approaches and for calculating inter-coder agreement.

### Mutually Exclusive Coding

If you do not want to allow that a quotation is coded with two of the codes, activate the option **Mutually Exclusive**. This is a requirement for some content analysis approaches and for calculating inter-coder agreement. See [Requirements for Coding](#).

effects positive	Quotation	context	reason	consequences
<input type="checkbox"/>	3:218 ¶ 257, Sure,	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	3:226 ¶ 265, for vi	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	3:286 ¶ 328, It's α	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	3:364 ¶ 189, I new	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	3:387 ¶ 66, But w	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	5:40 ¶ 45, At the t	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	5:78 ¶ 97, Howe	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	5:83 ¶ 105, In mar	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	5:120 ¶ 146, I gro	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

non-mutual exclusive coding

mutual exclusive coding

## Splitting a code into a category and subcodes

Select a code that you want to split into subcodes.

Right-click and select the option **Split into Subcodes**, or click on the dropdown next to Split in the ribbon and select Split into Subcodes from there. The Split Code tool opens.

Click on **New Codes** to enter the labels for the subcodes. After entering the first code, press the down arrow to move to the next entry field to enter the second label, and so on. Once you are done, click on **Create**.

By default, a subcode with the name **Undecided** is added to the first column of the table. All quotations are added to this subcode. The next step is to assign the quotations to the new subcodes you have created. If a quotation does not fit into any of these subcodes, you can just leave it in the subcode 'Undecided'.

This is how you assign the quotations to one or more subcodes:

Select a quotation. Its content is shown at the bottom of the screen. Assign the quotation by clicking on the checkbox of the subcodes that apply. The quotation is automatically unlinked from the subcode 'Undecided'.

To speed up the process, you can press the number keys (1,2,3, usw.) to assign the selected quotation to subcode 1, 2, 3, usw.

Split Code: "effects positive" into Sub Codes

New Codes

Split a code by moving its codings to sub codes. Use the 'Create Codes' button for adding sub codes to the table.  
Press the space key to toggle the selected coding for the original code. Press the number keys (1, 2, 3 ...) to toggle the selected coding for the added codes.

Undecided	Quotation	improved relationships	personal growth	meaningful life	good vibes
<input type="checkbox"/>	3:182 ¶ 213, Being a parent (and nc	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	3:184 ¶ 214, I may not be happier (	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	3:206 ¶ 242 – 243, My personal sun	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	3:218 ¶ 257, Sure, life was good be	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	3:226 ¶ 265, for very high levels of	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	3:286 ¶ 328, It's certainly more ther	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	3:364 ¶ 189, I never feel more alive	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	3:387 ¶ 66, But when I get to see hc	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	5:40 ¶ 45, At the heart of the debat	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	5:78 ¶ 97, However, I find that the s	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	5:83 ¶ 105, In many aspects my rel	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	5:120 ¶ 146, I grow, learn and expe	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

5:120 ¶ 146 in NY magazin blog: Discussion of "All Joy and No fun" article

I grow, learn and experience life as my daughter does. I experience pure bliss each and every day experiencing the most normal mundane activities such as getting her ready for daycare or feeding her in the morning. Parenting requires less focus on the SELF and I've really welcomed that change

2 Codings

effects positive



















perception whether children bri...

☒ Copy comments  
☒ Copy Links  
☐ Mutually exclusive

Split Code

**Mutually exclusive:** If you do not want to allow that a quotation is coded with two of the subcodes, activate the option **Mutually Exclusive**. This is a requirement for some content analysis approaches and for calculating inter-coder agreement. See [Requirements for Coding](#).

Once all quotations have been assigned to one or more subcodes, click on **Split Code**. The code that you split will be turned into a category. This is indicated by the changed code icon. If you click on the drop-down arrow in front of the code, you can expand the category to see the subcodes.

▲ ○  effects positive		21		0
○  improved relationships		4		0
○  meaningful life		4		0
○  personal growth		8		0
○  positive emotions		5		0
○  Undecided		2		0

The groundedness of a category code is the number of quotations coded by all of its subcodes. Since you can apply several codes to the same quotation, the total for a category can differ from simply adding up quotations for all subcodes. Both sums are only equal, if you use subcodes in a mutual exclusive manner.

## Display of Codes in the Project Explorer and Code Browser

In the Project Explorer under the main Codes branch, all codes are listed. If you only want to see the list of codes, go to the **Home** ribbon and select **Codes** from the Navigator section. The number behind a main codes branch, e.g., (11) is the total number of first level entries. These can be folders, categories and independent codes.

The number behind a folder, is the number of quotations coded by independent codes or sub codes that are contained within the folder. As you can apply multiple codes to the same quotation (i.e., multi-value coding), the total can be different from adding up all the numbers for all independent and all subcodes.

The number behind a category code is the number of quotations coded by all of its sub codes. As you can apply multiple codes to the same quotation, the total for a category can be different from adding up the numbers for each subcode. It is only the same if you apply subcodes in a mutual exclusive manner, as for example required for [inter-code agreement analysis](#)

IMAGE


## View Options the Code Manager

There are three **View Modes**: You can view codes in list view (default), as cloud or in form of a bar chart:

### Code Cloud




Click on the button **Cloud** to visualize your code list in form of a word cloud:



If you right-click on a code, the same context menu opens as in 'Details' view. Thus, in the cloud view you can start the same actions as in the regular view. You can for instance rename codes, split or merge codes, or open a network on one or multiple codes.

## Code List as Bar Chart

Select Bar Chart to visualize your code list in form of a bar chart:



The codes in the bar chart view also have a context menu. Thus, also from here, you can start the same actions as in standard view. Select multiple codes if you want to merge codes.


The chart "Code Distribution by Document" that you see below the code list is explained in the chapter [Analysing Code Distributions](#) ,

# Display Code List as Code Cloud or Bar Chart

An alternative way to view your list of codes is in form of a code cloud or a bar chart.

## Code Cloud


In the Code Manager, select the Views tab and from there the Cloud option.



The image above shows a code list filtered by a code group that contains three categories and their subcodes. The subcodes are displayed with their long names in the code cloud (category: subcode).

## Code List as Bar Chart

Select the option Bar Chart to visualize your code list in form of a bar chart.




If you right-click on a code, the same context menu opens as in 'List' view. Thus, in the cloud view you can start the same actions as in the regular view. You can for instance rename codes, split or merge codes, or open a network on one or multiple codes.

## Printing the Code-Cloud or the Bar Chart View

You can print both the 'Cloud' view and the 'Bar Chart'. In order to do so:

Select the Image button from the main Codes tab.



The image will be saved as jpg file in HD resolution 1920 × 1080 and 96 dpi.



## Working With Code Groups

Code groups help in organizing codes, they make it easy to access specific codes from a long list of codes, and they allow you to create any kind of filter you need for querying your data.

Code groups can be created in two ways - you can create them in the Code Group Manager, or in the side panel of the Code Manager.


To create a group in the Code Manager, click on the Home tab and open the Code Manager by clicking on the Codes button.

Select a few codes and drag them into the filter area on the left-hand side.

The screenshot shows the Code Manager interface. On the left, there is a panel titled "No code groups" with the instruction "Drag codes here to create a group" and a link "Learn more about groups". On the right, there is a table of codes with columns "Name", "Grounded", and "Density". A mouse cursor is dragging a code from the table into the filter area on the left.

Name	Grounded	Density
AI: role of human analyst~	3	3
AI: will change analysis~	2	2
ATLAS.ti CLOUD	0	0
ATLAS.ti Cloud: core functions~	3	3
ATLAS.ti cloud: further development~	2	2
ATLAS.ti cloud: integration with other tools~	2	2
ATLAS.ti cloud: team~	1	1
BENEFITS	0	0
Benefits: easy for new users~	0	0
Benefits: easy for new users~	1	1
Benefits: platform independent~	5	5
Benefits: allows for new task~	0	0
CHARACTERISTICS	0	0
characteristics: training & support~	1	1
characteristics: usability~	1	1
characteristics: user experience~	2	2
DESKTOP-CLOUD	0	0
desktop-cloud: integration~	5	5


After dropping the codes, enter a name for the code group and click on the button Create.



When you click on the newly created code group, only the codes from this group will show up in the list on the right-hand side. This allows you to quickly access codes in your list without having to scroll the list all the time. Above the list of codes, you see a beige bar that shows by which group(s) you have filtered:

Search Code Groups		Search Codes			
Code Groups		Show codes in group <b>Benefits</b>			
Benefits (4)					
Characteristics (4)					

To show all codes again, close the yellow pane that shows up on top of the code list when selecting a group.



For more information on how to work with groups, see [Working With Groups](#).

If you are interested in learning about the differences between codes, code groups and smart codes, please view this [video](#).

# Importing and Exporting a List of Codes

## Exporting the List of Codes

Use this option if you want to export a list of codes for re-use in another ATLAS.ti project, or in another software. For the latter, you need to use the QDPX export option. For further information see the chapter on [Universal Data Exchange](#)

To export all codes with comments and groups for use in another ATLAS.ti project, select the Import & Export tab and from there Export Codebook / Export to Excel.

Select a location where you find to save the file, and decide whether the Excel file should contain headers for codes, comments and groups, and whether to open the list in Excel immediately.

## Importing the List of Codes

For purposes of creating a code book for a report or appendix, we recommend using the Export option offered in the Code Manager. This export is already formatted. See [Report Examples](#).

Importing an already existing code book can be useful for a number of reasons:

- To prepare a stock of predefined codes in the framework of a given theory. This is especially useful in the context of a team project when creating a Master project.
- To code in a "top-down" (or deductive) way with all necessary concepts already at hand. This complements the "bottom-up" or *inductive coding* stage in which concepts emerge from the data.

You can prepare a code book including code descriptions, code groups and colors in Excel and import the Excel file. This is how you need to prepare the Excel file:

You can enter headings like Code, Code Definition, Code Group 1, Code Group 2, but you do not have to. The headers can be in any language. The columns are interpreted in the following order, whether you add headings or not:

- column 1: code name
- column 2: code description (comment)
- column 3: code group 1
- column 4: code group 2
- all subsequent columns: further code groups

Code	Comment	Code Group 1	Code Group 2
*Header	Header of the online review		
*Review	Reviews for Minecraft		
benefit			benefits
benefit: building things	all statements where building something is mentioned		benefits
benefit: collaboration	statements about the positive effects of collaboration like developing team skills		benefits
benefit: creative	elements of the game developing creativity in children		benefits
benefit: educational	mentioned that the game is educational, or specific outcomes were mentioned like learning how to build a circuit, math problemsthere is only one statement (34:3), where the respondents says it is less educational than you may think.		benefits
benefit: skill development	skill development like:•problem solving•spatial skills•learning how to setting up a		benefits
downside	All s... Overall, very few respondents have	Downside	
downside: dangerous / distractive	As indicated in the code name, a 2 respondents feel that the game is distrative, even dangerous for kids, making children's mind go numb.	Downside	

- All single codes are imported as independent codes.
- All codes that have the same prefix will be imported as subcodes. Based on the prefix, ATLAS.ti determines the category codes. As in the example shown here: 'benefit' will become a category code; all codes like 'benefit: creative' or 'benefit: collaboration', will become subcodes of benefit.
- If you color the code names, this color is used in ATLAS.ti as code color.


Folders cannot be imported via the Excel file. They need to be added later.

To import the Excel file, select the Import & Export tab and next Codebook. From the dropdown menu, select Import from Excel

Select a file. Depending on whether you have inserted headers in the Excel file, activate or deactivate the option "My data contains headers."

If your project already has codes, you need to decide what ATLAS.ti should do if the list of codes in the Excel table contains codes that are already in your project. You can update the attributes of the existing codes, i.e., code color and comment, so they match the information that is in the Excel sheet.

Make your choices and click Import.



You also find the Import / Export Codebook options in the Tools tab of the Code Manager.

# Building a Code System

A well-structured code list is important for further analysis, where you look for relationships and patterns in the data, with the goal of integrating all results to tell a coherent story. If, as in a survey, you only have questions with the answer categories "yes" and "no" in your questionnaire, your data will only consist of nominal variables. This means that the analysis is limited and does not go beyond the descriptive level. This is comparable to a codebook that consists of a set of codes whose analysis level remains indefinite. The aim of building a code system is that you can access your data through the codes and that you can make full use of the analysis tools.

At the end of the chapter you will find a list of articles and books based on which the following recommendations were written.

## How to Begin Building a Code System

Unless you are working with theoretically derived a priori codes, to start with, you will be creating codes to catch ideas as they happen. The list of code grows, and it becomes more and more difficult to keep an overview. It is time to begin managing your list of codes. This can be after coding one document, one interview or a few. Managing your code means to start sorting and ordering them into folders, categories and subcodes. Code groups can help in this process as well. Via code groups you can collect codes that are connected. Then set the code group as filter so that you can focus on this smaller subset of codes. Which codes might form a category, which ones need to be [merged](#) or [split](#)?

Applying a hierarchically organised catalogue to your code system has several benefits. See also Bazely (2013:179-183).

- It creates order: you know where to look to place or find a particular code
- It brings conceptual clarity for yourself and others
- It provides a prompt to code additional aspects as you continue to code. You are for instance reminded to code for 'reasons for having children', 'sources of happiness', 'definition of happiness', etc. because you have a category for these types of things. It also sensitizes you to notice other subcodes that appear in the data.
- it will assist you in identifying patterns of relationships in your data. Not only will you be able to ask questions about a particular category, this will also allow you to explore relationships between categories, e.g., between emotions and events. You can for instance explore whether particular events regularly bring forth particular emotions. This can best be achieved if the kinds of things whose associations you want to explore are coded to different categories, in this case a category 'Emotion' with the various types of emotions as subcodes, and a category 'Event' with the various events as subcodes. Hence, you only need a 2-level hierarchy consisting of categories and subcodes.

Several authors provide suggestions in what kind of ways codes in a code system might be grouped. Lofland (1971) for example suggested acts, activities, meanings, participation, relationships, and settings. Bogdan and Biklen (1992) proposed setting/context, definition of the situation, perspectives, understandings of people and objects, process, activities, events, strategies, relationships and social structure. Bazeley (2013) added people/actors/players, issues, i.e., matters raised about which there may be some debate, attitudes, beliefs, ideological positions, frameworks, cultural context, emotional responses or states, personal characteristics, impact/outcomes (facilitator or barriers).

You may find that some of these ideas easily translate into a category with subcodes; others might be too abstract to code with them. Instead, they can be used at the folder level. Within the folder you can develop categories with subcodes which can be applied to code the data.

Below we show you an example. In the first screenshot, you only see the folder and category level. Code groups have been created as means to filter on folder and category level for different purposes. See [Further Data Analysis](#)

Code Manager ▾ ×				
Search Code Groups		Q	Search Entities	
Code Groups			Name	Grounded
Attribute codes	(4)		Experience of parenthood	139
Children & Happiness (attitude)	(5)		Independent Codes	149
Codes for research question 1	(14)		Reasons for having children	119
Codes for research question 2	(6)		sociodemographics	100
codes for research question 3	(17)		Survey questions	48
Defining happiness	(4)		Attitude	68
Negative effects of parenting	(7)		Definition happiness	18
Perception parenthood	(4)		sources of happiness	36
Positive effects of parenting	(6)		study design	34
Reason for and against having kids	(14)			
Reasons contra	(7)			
Reasons pro	(8)			
Sources of happiness	(11)			
Study design	(4)			
Survey questions	(2)			

In the second screenshot, the folders have been expanded, and you see the type of categories which were sorted into the various folders.



Name	Grounded
<ul style="list-style-type: none"> <li>Experience of parenthood <ul style="list-style-type: none"> <li>negative effects</li> <li>perception</li> <li>positive effects</li> </ul> </li> <li>Independent Codes <ul style="list-style-type: none"> <li>*blog comment</li> <li>*research questions</li> <li>*scientific evidence</li> </ul> </li> <li>Reasons for having children <ul style="list-style-type: none"> <li>contra</li> <li>pro</li> </ul> </li> <li>sociodemographics <ul style="list-style-type: none"> <li>children</li> <li>No. of children</li> </ul> </li> <li>Survey questions <ul style="list-style-type: none"> <li>Q1: Reasons for having children</li> <li>Q2: Reasons for not having children</li> </ul> </li> <li>Attitude</li> <li>Definition happiness</li> <li>sources of happiness</li> <li>study design</li> </ul>	<ul style="list-style-type: none"> <li>139</li> <li>42</li> <li>62</li> <li>41</li> <li>149</li> <li>138</li> <li>3</li> <li>8</li> <li>119</li> <li>38</li> <li>81</li> <li>100</li> <li>94</li> <li>42</li> <li>48</li> <li>24</li> <li>24</li> <li>68</li> <li>18</li> <li>36</li> <li>34</li> </ul>

If you have interview transcripts and want to "code" for respondent attributes like gender, age, family status and the like, you need to use [document groups](#). You only code for sociodemographic characteristics if there are multiple respondents in one document as for instance is the case with focus group data.

In the third screenshot, some categories have been expanded, and you see the subcodes. In previous versions of ATLAS.ti it was useful to use the same colour for all codes of a category. Given the new visualizations tools, e.g., in the Document and Code Manager, it can be useful to give each subcode a different color as shown for the category 'sources of happiness'.

## Search Entities

Name	Grounded
<ul style="list-style-type: none"> <li>Experience of parenthood <ul style="list-style-type: none"> <li>negative effects <ul style="list-style-type: none"> <li>less fun</li> <li>loss of freedom</li> <li>more worries/stress/responsibilities</li> <li>on financial issues</li> <li>on relationships</li> <li>on self</li> </ul> </li> <li>perception</li> <li>positive effects</li> </ul> </li> <li>Independent Codes</li> <li>Reasons for having children</li> <li>sociodemographics <ul style="list-style-type: none"> <li>children <ul style="list-style-type: none"> <li>no</li> <li>yes</li> </ul> </li> <li>No. of children <ul style="list-style-type: none"> <li>1 child</li> <li>2 or more</li> </ul> </li> </ul> </li> <li>Survey questions</li> <li>Attitude</li> <li>Definition happiness</li> <li>sources of happiness <ul style="list-style-type: none"> <li>activities and experiences</li> <li>attitude</li> <li>children</li> <li>financial security</li> <li>personal responsibility</li> <li>relationships</li> </ul> </li> <li>study design</li> </ul>	<ul style="list-style-type: none"> <li>139</li> <li>42</li> <li>5</li> <li>9</li> <li>13</li> <li>3</li> <li>12</li> <li>6</li> <li>62</li> <li>41</li> <li>149</li> <li>119</li> <li>100</li> <li>94</li> <li>20</li> <li>74</li> <li>42</li> <li>23</li> <li>19</li> <li>48</li> <li>68</li> <li>18</li> <li>36</li> <li>5</li> <li>8</li> <li>8</li> <li>3</li> <li>9</li> <li>7</li> <li>34</li> </ul>

## Characteristics of a well-structured code list

- Each code is distinct, its meaning is different from the meaning of any other code.
- The meaning of each code is described in the code comment.
- Each category can be clearly distinguished from other categories.
- All subcodes that belong to a category are similar as they represent the same kind of thing. Nonetheless, each sub code within a category is distinct.
- Each code appears only once in the code system.
- The code system is a-theoretical. This means the code system itself does not represent a model nor a theory. The codes merely describe the data, so that the data can easily be accessed through them.
- The code system should be logical, so you can find what you are looking for.
- The code system contains between 10 and 25 top-level categories.
- The code system is no more than two to three levels deep. Thus, it consists of folders, categories and their subcodes. If there are layers of meaning in a section of your data, it is better to create separate codes and double-code the data. This way you can later associate those layers of meaning, e.g., by using the [Code Co-occurrence Table](#).

## Good Practice Tips

Organize your code structure based on conceptual similarities, not observed or theoretical associations, nor according to how you think you will want to write the result chapters.

Use a separate code for each element of what the text is about, i.e., each code should encompass one concept only. If there are multiple aspects, the passage can be coded with multiple codes.

Don't worry if not all of your codes can be sorted into a category. Some codes will remain single codes. In order not to "loose" them collect them in a folder, so they show up in their own section in the code system.

## The Role of Code Groups in Building a Code System

If you have a lot of low frequency codes that you want or need to merge, then code groups are a good way to collect them. After you have added all low level codes that belong to the same theme / topic / idea, you can set this code group as filter. This makes it easier to merge the codes. The next most likely step is to create a category and add the merged codes as subcodes. You may want to keep the code group because it will come in handy later in the analysis as filter.

## Moving on

Once the data is coded, you have a good overview of your material and can describe it. You can then take the analysis a step further by querying the data. The tools that can be used include the [code co-occurrence table](#), the [code document table](#), the [query tool](#), and the [networks](#).

The goal is to delve deeper into the data and find relationships and patterns. Writing [memos](#) is very important at this stage as much of the analysis does not just happen because you apply a tool. The insights come when [reading the data resulting from a query](#), and when writing summaries and interpretations.

## Literature

The recommendations in this section are based on the following authors:

Bazeley, Pat (2013). *Qualitative Data Analysis: Practical Strategies*. London: Sage.

Bernard, Russel H. and Ryan, Gery W. (2010). *Analysing Qualitative Data: Systematic Approaches*. London: SAGE Publications.

Bodgan, R., and Biklen, S.K. (1992). *Qualitative Research for education: An introduction to theory and methods (2nd ed.)*. Boston: Allyn & Bacon.

Charmaz, Kathy (2006/2014). *Constructing Grounded Theory: A Practical Guide Through Qualitative Analysis*. London: SAGE Publications.

Corbin, Juliet and Strauss, Anselm (2008/2015, 3rd and 4th ed.). *Basics of Qualitative Research: Techniques and Procedures for Developing Grounded Theory*. Thousand Oaks, CA: SAGE Publications.

Freeman, Melissa (2017). *Modes of Thinking for Qualitative Data Analysis*. NY: Routledge.

Friese, Susanne (2019). *Qualitative Data Analysis with ATLAS.ti*. London: Sage.

Gibbs, G. (2008). *Analysing Qualitative Data*. London: SAGE.

Guest, G., MacQueen, K.M., and Namey, E.E. (2012). *Applied Thematic Analysis*. Los Angeles: SAGE Publications.

Guest, G., Kathleen M. MacQueen, and Emily E. Namey (2012). *Applied Thematic Analysis*. Los Angeles: Sage.

Hammersley M., and Atkinson P. (2007) *Ethnography: Principles in Practice*. Third edition. London: Routledge.

Johnston, L. (2006). Software and method: Reflections on teaching and using QSR NVivo in doctoral research. *International Journal of Social Research Methodology*, 9(5), 379–391.

Lofland, J. (1971). *Analyzing social settings: A guide to qualitative observation and analysis*. CA: Wadsworth.

Miles, Matthew B., Huberman, M., and Saldaña, J. (2014, 3rd ed.). *Qualitative Data Analysis*. Thousand Oaks, CA: SAGE Publications.

Richards, L., and Morse, J.M. (2013, 3rd ed). *Readme first: for a user's guide to Qualitative Methods*. Los Angeles: Sage

Richards, L. (2021, 4ed). *Handling qualitative data: A practical guide*. London: SAGE Publications.

Saldaña, J. (2021). *The Coding Manual for Qualitative Researchers*. London: SAGE Publications.

Spradley, James P. (2016). *The Ethnographic Interview*. Waveland Press.

Strauss, A. (1987). *Qualitative analysis for social scientists*. Cambridge, UK: Cambridge University Press.


Weston, C., Gandell, T., Beauchamp, J., Beauchamp, C., McApline, L., and Wiseman, C. (2001). Analyzing Interview Data: The Development and Evolution of a Coding System, *Qualitative Sociology*, 24(3): 381-400.

## Creating a Codebook

If you want to create a codebook for the appendix of a report, do not use the **Export Codebook** option that you find under the Import / Export tab. The purpose of this option is to transfer codebooks between projects or computers. The recommended option to create a code book is to use the Excel export option from the Code Manager:

Open the Code Manager and select **Excel Export** in the ribbon.

Select all options that you want to include. Essential options for a code book are codes and comments. You may also want to include groundedness, density and code groups.



### Example Outcome:

Folders and independent codes are listed in the first column, categories in the second column, and subcodes in the third column.

A	B	C	D	E	F
Code			Comment		Grounded Code Groups
o Experience of parenthood				139	
	• positive effects		statements that deal with the effects parenting has on one personally or on one's life	41	Positive effects of parenting RQ 2
	• positive emotions		general positive effects like: experiencing childhood again closer contact to other people wider world view being loved and adored love partner in a different way (as father) feel alive	15	Positive effects of parenting RQ 2
	• fulfillment		being a parent gives a sense of fulfillment / one feels more fulfilled as a person	6	Positive effects of parenting RQ 2
	• life is richer		life is richer, purposeful, meaningful	6	Positive effects of parenting RQ 2
	• personal growth		being a parent forces one to grow up makes one reflect on life, brought out good things, helped to understand oneself better	10	Positive effects of parenting RQ 2
	• improved relationships		being a parent oneself helped improve the relationships with one's own parents one sees the partner in a new life and falls in love all over again	7	Positive effects of parenting RQ 2


## Quotation Reader

The Quotation Reader allows you to conveniently read quotations coded by a selected code or as a result of a query. You can modify existing codes, which means add or remove codes. Elsewhere, this has been referred to as **coding on**.

In the Quotation Reader, you can:

- change between single line, small and large preview
- add or modify the quotation name
- write a comment for a quotation
- apply new or existing codes
- remove applied codes
- view a quotation in the context of the original document
- delete a quotation







**View Options:** Depending on the length of your quotations you can adjust the view mode. If you have very short quotations, the single line view might be all what you need to see. It is also useful if you have created your own name for quotations, e.g. to paraphrase textual data or wrote titles for multimedia quotations.

**Apply Codes:** To change the coding for a quotation, either click on **Apply Codes** in the ribbon or click on the green code icon. This opens the coding dialogue, and you use all options that are explained in the section [Coding Date](#).


You can also select multiple quotations and code them with a new or an existing code.




**View in Context:** If you want to see a quotation in the context of the original document, either click on the up arrow, or the **Go to Context** button in the ribbon.



**Rename:** Select a quotation and click on **Rename** to add a name for the quotation or to modify a previously entered name.



**Open Network:** If you want to see all links of a quotation, select one or multiple quotations, right-click and select **Open Network**, or select the **Open Network** button in the ribbon. See [Working with Networks](#).



**Select All:** This option allows you to quickly add or remove codes from all quotations, or to delete all quotations.


If you select all quotations and then the **Apply Codes** option, you can add a new code or select an existing one. When you click on the + button, all quotations are coded with this code.

## Writing Comments for Quotations

If you want to write a comment for a quotation, select it and write a comment in the comment area at the bottom of the Quotation Reader window.

Alternatively, right-click and select **Edit Comment** from the context menu.





## Creating a Report

You can export all or selected quotations from a Quotation Reader in Excel format. To do so, click on the Excel button in the ribbon. Learn more about creating reports [here](#).

## Exploring Text Data

A quick way to get a feeling for the content of text documents is by creating a word cloud or word list.

**Word lists** offer word "crunching" capabilities for a simple quantitative content analysis. This feature creates a list of word frequency counts, and some additional metrics like word length, and percentage of occurrence within or across all selected entities. Word lists can be exported to Excel.

**Word clouds** are a method for visually presenting text data. They are popular for text analysis because they make it easy to spot word frequencies. The more frequent the word is used, the larger and bolder it is displayed. Word clouds can be exported as image.

Word clouds and word lists can be created for:

- documents and document groups
- quotations
- content of quotations by code and code group

A stop and go list including a list of 'ignorable' characters can be used to control the analysis. Words can also be temporarily removed from a list or cloud without the need to add them to a stop list.

For information see [Creating Word Lists](#) and [Creating Word Clouds](#)

# Creating Word Clouds

To create a word cloud for documents or codes or quotations select one or more items e.g. in the Project Explorer or in the respective manager.

In the Project Explorer, right-click and select the option **Word Cloud**. In a manager, select the **Word Cloud** option from the ribbon.

You can always add or remove more items of the same entity type to the cloud or list, once the word cloud has been created.

Other options are:

- to load a document first and select the **Word Cloud** button in the ribbon.
- to open a manager and select the **Word Cloud** button in the ribbon.
- You can also access the Word List / Word Cloud via the **Search & Code** tab.

When you select to create a word cloud from one or multiple codes, the word cloud shows the words of the quotations coded with the selected code(s). If you want your list of codes to be displayed in form of a cloud, you need to select the View tab in the Code Manager and from there the option 'Cloud'. The size of the codes in the **Code Cloud** is related to its frequency. See [Working with Codes](#).



When you hover over a word, its frequency is shown (= token / number of occurrences of a unique word).




## Setting the Scope

Once you created a word cloud, you see a side panel on the left. The check-boxes of the currently active entities are checked. You can check further entities or uncheck already activated entities.

You can also change the entity type. Options are to change between:

- documents
- document groups
- codes
- code groups
- quotations



Another scope option is to enter a search term into the **search field** to look for a specific document, code, or quotations that only contain specific words.

## World Cloud Ribbon

The Word Cloud ribbon provides several options:

**Show Scope:** You can activate or deactivate the side panel that allows you to select the scope.

**Spiral:** Display of the words in a spiral (default).

**Typewriter:** Display of words from left to right. You can select whether to list the words in alphabetic order, by frequency of occurrence or by word length in either ascending or descending order.

**Sorting:** The word cloud can be sorted in alphabetical order, by frequency or word length.

**Threshold:** By moving the slider from left to right, you can determine that only words with a certain frequency are displayed. The number on the left-hand side shows the lowest, the number on the right-hand side the highest occurring frequency.


**Exclude:** You can exclude single character words, numbers, hyphens and underscores.

**Stop / Go Lists:** To exclude particular words, you can select stop lists. If only certain words should be displayed, you can create a Go List. See the section on "Stop and Go Lists" below.

**Image:** You can save a word cloud as graphic file (.jpg).

## Filter

- **Ignore Case:** Select this option, if you do not want to count words separately depending on whether they contain upper or lower case letters.
- **Infer base forms:** The plural forms of nouns, the past tense, past participle, and present participle forms of verbs, and the comparative and superlative forms of adjectives and adverbs are known as inflected forms. If you activate this options, the word cloud only shows the basic form of the word, e.g. building but not buildings.
- **Parts of Speech:** This options allows you to filter your data by specific grammatical elements (parts of speech) like adjectives, nouns, numerals, pronouns, etc. Below you see an example that only shows adjectives:



## Filter Tab



**Character Filter:** In this section you can enter special characters that you do not want to be counted and displayed in the word cloud. By default, the following characters are excluded:

| " ( ) { } [ ] &lt; &gt; / # + - \_ % \$ &amp; ' " " ' ` @ ^ , ,


You can select whether these characters should generally be removed or only at word ends.

If you add or remove characters, or deactivate the restriction to word ends, you can click on the **Reload** button. This updates the word cloud.

## Context Menu Options

When you right-click on a word, you have the following options:

- Remove from Word Cloud
- Add to Stop List
- Copy to Clipboard
- Search in Context



The option **Remove from Word Cloud** temporarily removes the word from the cloud.

If you have selected a **stop list** (see below), you can add more words to it. The option will be grayed out as shown in the image above, if no stop list has been selected yet.

The **Copy to Clipboard** option is useful, if you want to run the auto coding tool based on some words in the word cloud. See [Text Search](#).

The Search in Context option opens the [Project Search](#) and shows the selected word in its context.

le last obviously want  
oming ther we're right girls  
ina friend feel sch  
et care fit we  
s lot really let  
ss ill people ten  
that's taik go  
good one us years  
ething em see lau  
g old university five ki  
r nice little came back wo  
d ever wanna we'd m  
ter known working matu  
touch couldn't saw seem  
r look lets lost

Text Search Result

☒ Document

☐ Networks

☐ Code Groups

☐ Code Links

☐ Name

☐ Memos

☐ Document Groups

☐ Network Groups

☐ Hyperlinks

☒ Content

☐ Codes

☐ Memo Groups

☐ Quotations

☐ Elements

☐ Comment

Search Term: p

Created by:

Name	Type	Created by	Date	Field	Location	Length
f_SHAZIA	Document	Susanne	13/03/2018	Content	5426	6
to like start from the beginning again because it's, it's just like, it's just literally carrying on from where you left off instead of having like to like re-explain all the stories like, all the people in the stories she knows all about them anyway so I don't have, like if I tell anyone else I just have to like go like miles back and say "... this person did this and ... like this year they did that and s						
f_SHAZIA	Document	Susanne	13/03/2018	Content	10345	6
INT: But I think that's a sign of a really good friend as well cause I think you're right. Em it can be quite scary going to university and you want those people perhaps						
f_SHAZIA	Document	Susanne	13/03/2018	Content	12956	6
INT: ..., OK, emm and how, and is there someone sort of that you've met, cause you've obviously met people at university? How did you find it when you first came to university in terms of making new friends?						
f_SHAZIA	Document	Susanne	13/03/2018	Content	15865	6
like that cultural understanding as well, cause like with my girls on the floor there was like a Chinese girl, a black person, white, but I think like with Asians, well just anyone like people of your own race and stuff you know like cultures that are similar to yours they seem to understand you more , they're likely to understand more and I think that's why I gelled more with those two.						


162 matches found for people

## Creating Word Lists

To create a word list for documents or codes or quotations select one or more items e.g., in the Project Explorer or the respective manager.

In the Project Explorer, right-click and select the option **Word List**. In the Managers, select the **Word List** option in the ribbon.

You can always add or remove more items of the same entity type to the list, once the word list has been created (see *Setting the Scope* below).



The screenshot shows the 'Code Manager' window with the 'Manage' ribbon selected. The 'Word List' button, represented by a list icon, is highlighted with a red rectangle. Other buttons in the ribbon include 'Rename Code', 'Delete', 'Edit Comment', 'Edit Smart Code', 'Open Group Manager', 'Change Color', 'Merge Codes', 'Split', 'Show in Network', 'Word Cloud', 'Concepts', 'Report', and 'Excel Export'.

Name	Grounded	Density	Groups
Experience of parenthood	139	0	
negative effects	42	0	[Codes for research question 1] [codes for research]
perception	62	0	[Perception parenthood]
positive effects	41	0	[Codes for research question 1] [codes for research]
Independent Codes	149	0	
Reasons for having children	119	0	

Other options are:

- to load a document first and select the **Word List** button in the ribbon.
- to open a document, quotation or code manager and select the **Word List** button in the ribbon.
- You can also access the Word List / Word Cloud via the **Search & Code** tab.

When you select to create a word list from codes, the word list shows the words of the quotations coded with the selected code(s).

Word	Length	Count	%
ability	7	2	0.01
able	4	16	0.07
absolute	8	1	0.00
absolutely	10	27	0.12
abusive	7	1	0.00
academic	8	3	0.01
acad		3	0.01
acce		5	0.02
acce		3	0.01
accepting	9	2	0.01

When you hover over a word, its frequency is shown (= token / number of occurrences of a unique word).

## Sorting Word Lists

By default, word lists are sorted in alphabetic order by the first column 'Word'. You can also sort by any of the other columns by clicking on the column header.

Listed sorted in alphabetic order

Word	Length	Count	%
absolutely	10	2	0.09
advice	6	2	0.09
again	5	3	0.14
ago	3	1	0.05
area	4	1	0.05
areas	5	1	0.05
asking	6	1	0.05
baby	4	2	0.09
babysat	7	1	0.05
back	4	3	0.14
backgrounds	11	1	0.05

Listed sorted by count

Word	Length	Count ▼	%
and	3	122	5.77
you	3	101	4.78
like	4	65	3.07
to	2	50	2.36
know	4	43	2.03
that	4	43	2.03
the	3	42	1.99
just	4	38	1.80
so	2	34	1.61
of	2	28	1.32
was	3	28	1.32

## Setting the Scope


Once you created a word list, you see a side panel on the left. The check-boxes of the currently active entities are checked. You can check further entities or uncheck already activated entities.

Word	Count 1	Count 2	Count 3	Count 4
acting	6	1	0,03	1
activities	10	1	0,03	1
actualization	13	1	0,03	1
actually	8	3	0,10	3
adams	5	1	0,03	1
addicted	8	1	0,03	1
adding	6	1	0,03	1
admirable	9	1	0,03	1
adopted	7	3	0,10	3
adored	6	2	0,07	2
adult	5	2	0,07	2
adults				
age				
ages				
aggra				
ago				
agonizing	9	1	0,03	1

Types: 1227    Tokens: 2872    Type-Token Ratio = 0,427

You can also change the entity type. Options are to change between:


- documents
- document groups
- codes
- code groups
- quotations



Another scope option is to enter a search term into the **search** field to look for a specific document, code, or quotations that only contain specific words.



## Word List Ribbon



**Show Scope:** You can activate or deactivate the side panel that allows you to select the scope.

**Show Details:** Display of the word counts of each document if you have selected multiple documents.

**Show Percent:** Display the relative frequency of each word (word count relative to the total number of words in the document / all selected documents)

**Threshold:** My moving the slider from left to right, you can determine that for instance only words with a frequency of at least 10 should be displayed. The number of the left-hand side shows the lowest, the number on the right-hand side the highest occurring frequency.

**Exclude:** You can exclude single character words, numbers, hyphens and underscores.

**Stop / Go Lists:** To exclude particular words, you can select stop lists. If only certain words should be displayed, you can create a Go List. See the section on "Stop and Go Lists" below.

**Excel:** You can export the results of the word list as Excel table. There are limits in terms of how much data can be meaningfully processed, or moreover handled by and displayed in Excel. Assuming there are 2000 unique words in a document, and you process 100 documents, this results in an Excel table consisting of 200.000 cells.

## Filter

- **Ignore Case:** Select this option, if you do not want to count words separately depending on whether they contain upper or lower case letters.
- **Show Inflected Forms:** The plural forms of nouns, the past tense, past participle, and present participle forms of verbs, and the comparative and superlative forms of adjectives and adverbs are known as inflected forms. If you activate this options, the word cloud only shows the basic form of the word, e.g. building but not buildings.
- **Parts of Speech:** This options allows you filter your data by specific grammatical elements (parts of speech) like adjectives, nouns, numerals, pronouns, etc. Below you see an example that only shows nouns:



☒ Single-Character Words  
☒ Numbers  
☒ Hyphens ☒ Underscores  
☐ All  
☒ Exclude: English  
☐ Only:

☒ Ignore Case  
☐ Infer base forms  
☐ Showing Selected Parts of Speech

Exclude Filter

Word	Length	Count	%
ability	7	1	0,09
accomplishment	14	2	0,18
act	3	1	0,09
activities	10	1	0,09
actualization	13	1	0,09
adult	5	2	0,18
adults	6	3	0,27
advance	7	1	0,09
adventures	10	1	0,09
age	3	2	0,18
ages	4	2	0,18
aggravation	11	1	0,09
aide	4	1	0,09
allies	6	1	0,09
alright	7	1	0,09
altruism	8	1	0,09
amazement	9	1	0,09
ambitions	9	1	0,09
anticipation	12	1	0,09
anxiety	7	1	0,09

Show all  
 Show None  
 Adjective  
 Preposition/Postposition  
 Adverb  
 Auxiliary  
 Coordinating Conjunction  
 Determiner  
 Interjection  
☒ Noun  
 Numeral  
 Particle  
 Pronoun  
 Proper Noun  
 Punctuation  
 Subordinating Conjunction  
 Symbol  
 Verb  
 Other

431

## Filter Tab

File Home Search & Code Analyze Import & Export Tools Help Word Cloud Filter

☒ Remove from Text before Counting

☒ Restrict Removal to Word Ends  
 Character Filter

**Character Filter:** In this section you can enter special characters that you do not want to be counted and displayed in the word cloud. By default, the following characters are excluded:

|\"(){}[]<>/\#+-\_%\$&\"'\"'&#96;@^'„


You can select whether these characters should generally be removed or only at word ends.

If you add or remove characters, or deactivate the restriction to word ends, you can click on the **Reload** button. This updates the word cloud.

## Context Menu Options

When you right-click on a word, you have the following options:

- Remove from List
- Add to Stop List
- Copy to Clipboard
- Search in Context



**Word List** ✕

Word	Length	Count▼	%	benef
like	4	65	5.79	23
know	4	43	3.83	16
just	4	38	3.39	20
it's	4	26	2.32	11
erm	3	10	1.60	4
can				8
yeah				3
oh				4
friends				4
go				4
i'm				8
people	6	12	1.07	1
think	5	12	1.07	9
well	4	12	1.07	3
er	2	11	0.98	4
int	3	11	0.98	3

Context menu options for 'erm':

- Remove from List
- Add to Stop List
- Copy to Clipboard
- Search in Context

The option **Remove from List** temporarily removes the word from the list.

If you have selected a **stop list** (see below), you can add more words to it.

The **Copy to Clipboard** option is useful, if you want to run the auto coding tool based on some words in the word list. See [Text Search](#).

The **Search in Context** option opens the [Project Search](#) and shows the selected word in its context.

The screenshot shows the ATLAS.ti Text Search Result window. On the left, a word list is displayed with columns for the word, its frequency, and its location. The word 'talk' is highlighted in blue and circled in red. On the right, the search results for 'talk' are shown. A blue box highlights the search results for 'talk'.

Name	Type	Created by	Date	Field	Location	Length
f_SHAZIA	Document	Susanne	13/03/2018	Content	46965	4
f_SHAZIA	Document	Susanne	13/03/2018	Content	48246	4
f_SHAZIA	Document	Susanne	13/03/2018	Content	274	4
f_SHAZIA	Document	Susanne	13/03/2018	Content	53160	4

Showing a word in context.

82 matches found for talk

## Stop and Go Lists

Working with Stop and Go Lists are explained in detail [here](#).


## Stop and Go Lists

Words in **stop lists** are words which are filtered out when processing text. *Stop words* are short function words that occur very often and which do not convey any particular meaning. Examples are 'the', 'a', 'you', 'is', 'at', 'on' and 'which'. ATLAS.ti offers predefined stop lists in 35 languages. These stop lists are based on the information provided by [Ranks NL](#).

In contrast, if you set a word list as **Go List**, then only the words that are in the list are counted.


### Selecting a Stop List

To select a stop list, click on the drop-down button for **Exclude**




### Importing a Stop List

If you have been importing an older version 8 project, the selection list might be empty:




All available stop lists are however already on your computer. They were copied during the installation on ATLAS.ti. To retrieve them:

Click on the Edit button and select Import Lists.



This brings you to the directory where all stop lists that come with ATLAS.ti are stored:


C:\Users...\Documents\Scientific Software\ATLAS.ti.22\Stopwords



Select all lists that you want to use and click **Open**.

Close the window, return to the word cloud and select a stop list.

Below you see an example for a word cloud where a stop list was applied:



## Cleaning up a Word Cloud


In the word cloud above, there are still a lot of words that distract from the content of the interviews like all speaker IDs: INT, SHAZ, DEB, AL, STU.

You can either **remove** the words from the current cloud, or **add the words the stop list**. Then they are also not counted in other word clouds that you create later.


To remove a word from a word cloud temporarily, select the word, right-click and select **Remove**.

If you want to remove it from all word clouds permanently:

Right-click on a word and select **Add to stop list**.




The cleaned up word cloud might look as follows:




## Creating a New Stop or Go Lists

In the ribbon in the section Stop/Go Lists, click on the **Edit** button.





In the next window, select **New List** from the ribbon.



Enter a name for the list and select as list type: **Stop List** or **Go List**. Enter an optional comment to describe the purpose of the list.

Click **Create**.

## Create New List

Name:

List Type: ☒ Stop List ☐ Go List

Comment:

The new list can be either a stop list or a go list.


A stop list rejects all words contained in the stop list.

A go list only accepts words contained in the go list.


Create

To add words to the newly created list, click on the **New Word** button a few times. Every time you click, a new field is added where you can enter a word.

**RegEx:** You can enter regular expressions, if you want to enter specific terms to the list. If so, you need to tick the RegEx box. Optionally you can write a comment that explains the regular expression.



You can turn a stop list into a go list (or vice versa) by changing the *List Type*. Other options in the ribbon are to duplicate and to delete word lists.



## Exporting a Stop or Go List

Exporting a stop or go list allows you to:

- share it with other users
- use it in another project

In the ribbon, click on **Export List**. A file manager opens. Select a location and enter a name and click on **Save**.

The list is saved as Excel file.

## Creating a User-Defined Stop or Go List in Excel

Importing a user defined list works as follows:

Export an existing list and open it in Excel. It serves as a template.

In Excel, change the name of the list, but leave all the header information as is. If you want to prepare a go list, enter 'no' in the second column/second row under Stop List.

Now delete all words and replace them with new words, one word per row.

<b>Name</b>	<b>Stop List</b>		<b>Comment</b>
Change the name	yes		
<b>Word or Regex</b>	<b>Enabled</b>	<b>Regex</b>	<b>Comment</b>
(\d+)(([.,])\d+)?	no	yes	Excludes numbers of any length (including e notation 0.234e25)
\b(\w)\b	no	yes	Excludes words consisting of a single character
_+	no	yes	Excludes strings of underscores
-+	no	yes	Excludes strings of hyphens of arbitrary size
	yes	no	
	yes	no	
	yes	no	
	yes	no	
	yes		
	yes		
	yes		
	yes		
	yes	no	
	yes	no	

Remove all words and add new ones.

Save the list under a new name and import it.

## Type-Token Ratio

The type-token ratio (TTR) is the relationship between the number of unique words that occur in a text and their frequencies. The number of unique words in a text is often referred to as the number of tokens. Several of these tokens are repeated.

- The type-token ratio can vary between 0 and 1.
- The more types there are in comparison to the number of tokens (the higher the value), the more varied is the vocabulary. This means there is greater lexical variety in the text.

The type-token ratio is calculated as follows:

**Type-Token Ratio = (number of types/number of tokens) \* 100**


In word lists and word clouds, you find the type-token ratio in the status bar at the bottom.

The type/token ratio (TTR) varies very widely in accordance with the length of the text - or corpus of texts - which is being studied. A 1,000-word article might have a TTR of 40%; a shorter one might reach 70%; 4 million words will probably give a type/token ratio of about 2%.

## Automatically Code Data

With the recent advances in deep learning, the ability of algorithms to analyse text has improved considerably. Creative use of advanced artificial intelligence techniques can be an effective tool for doing in-depth research.

Under the **Search & Code** tab, ATLAS.ti offers five ways of searching for relevant information in your data that can then be automatically coded.



- [Find Concepts and Auto-code](#)
- [Text search](#)
- [Expert search](#) with regular expressions
- [Named Entity Recognition \(NER\)](#)
- [Sentiment Analysis](#)

As ATLAS.ti is a tool for qualitative data analysis, the process is not fully automated. Before coding the data, you can review all results, make modifications or decide not to code certain finds.

Artificial intelligence techniques have been developed for big data analysis. The data corpora usually handled by ATLAS.ti are considerably smaller. Thus, you cannot expect all results to be perfect. Reviewing the results will be a necessary component of the analysis process when using these tools. When working with the tools, you will see that the tools will add another level to your analysis. You find things that you simply do not see when coding the data manually, or would have not considered to code. We, at ATLAS.ti, consider manual and automatic coding to be complementary; each enhancing your analysis in a unique way.

# Find Concepts and Auto-Code

**Video Tutorial:** [Concept search](#). Let ATLAS.ti find relevant concepts for you. Review them in context and auto code.

This function is available for all interface languages

## What makes a concept?


In a first step, the significant noun phrases (for example, health care system) are detected in order to identify the most frequently occurring concepts in the data. In the second step, the concepts and their frequencies are collected across all files in the set being processed.

ATLAS.ti actively filters the concepts — only the most relevant concepts are presented in the results. You can review the concepts in their surrounding context in the Quotation Reader, and then decide which concepts you want to be coded automatically.

You can search for concepts in documents, document groups, codes or code groups for concepts.


There are several ways how you can start a concept analysis:

Select the Search & Code tab and from there Concepts.



or:


Open the Document or Code Manager, select one or more entities and select Concepts in the ribbon.




From the dropdown menu select where you want to search (documents, document groups, codes or code groups). Then select one or multiple documents, document groups, codes, or code groups.

As soon as you select an entity, ATLAS.ti begins to analyse the data. The results are displayed in form of a word cloud. Optional you can also view the result as list. Just change the view option to List.





If you hover over a concept or select it, the noun phrases it is based upon are displayed. If you click on a concept or any of the noun phrases, the data surrounding the concept / noun phrase are shown on the right-hand side in the Quotation Reader.



If you find something interesting that you want to code, click on the **Apply Proposed Codes** button in the ribbon.



The screenshot shows the ATLAS.ti 'Concepts' window. A red circle highlights the 'Apply All Codes' button in the 'Concepts' toolbar. The main area displays a word cloud of concepts, with 'practice' being the most prominent. Below the word cloud, a list of document groups is visible on the left, and a search results panel on the right shows excerpts from a document titled 'Narrative Ethics'.

**Concepts**

Apply Proposed Codes | Save as Memo | Show List | Show Cloud

Apply All Codes | practice

Search Document Groups

Name

- ☒ 2019
- ☐ Article type::Empirical
- ☐ Article type::Theoretical~
- ☐ before 2019
- ☐ Discipline::STEM

Word cloud concepts: cian, inequity, scope, test, blueprint, representation, axis, sion, illness, engagement, manual, study, site, institutional dimensions, ity, action, position, montreal, fat, outlook, e, tion, eric, racine, clinique, institut, detail, loci, practical implications, claudia, barned, blow, individual, ethical, embodied, impact, foot, context, corinne, lajoie, pathology, call, structure, course, power, idea, application, practice, ing.

all (18) | practice (5) | a clinical practice (2) | a practice (2) | health care practices (2) | practices (2) | clinical practice (1) | practices (1) | a reciprocal practice (1)

**Results: 13**

Search

of human experience rather than generalizir the experiences of one particular segment c

320 p 2 in Lanphier (2019) - Narrative Ethics  
Rita Charon has described narrative competency as the ability to "absorb, interpret, and respond to stories" (Charon 2001). While this is a clinical competency, its goal is not for clinicians merely to master ye

320 p 2 in Lanphier (2019) - Narrative Ethics  
Narrative is a practice of coming into seeing with another, not merely assessing the othe

320:4 p 2 in Lanphier (2019) - Narrative Eth  
When engaged attentively, narrative provide a reciprocal practice that can be, in itself, therapeutic, and can support the therapeuti success of the clinical encounter (Paulsen 2011). Merely deploying an intersec- tional

**Comment:**

Nothing to c


# Text Search and Auto-Code

**Video Tutorial:** [Text search and auto-code](#). When using this tool, you enter your own search term and can let ATLAS.ti automatically code your data. The tool offers a number of additional functions that make it more than a simple auto coding tool:

- You can select synonyms. Synonyms are offered in all interface languages (English, Spanish, Portuguese, German and Simplified Chinese).
- You can combine multiple search terms using Boolean operators (AND; OR) to look for occurrences within a sentence or paragraph, or multiple syllabuses in a word.
- You can search for inflected forms, i.e. searching for "run" will also search for running, runs, ran.
- You can use wildcards (\*)
- You can search for exact phrases by entering parentheses as in: „limited liability corporations“.

## Carrying out a text search

To open the tool, select the **Search & Code** tab and from there **Text Search**.  
inst  
Select documents or document groups that you want to search and click  
**Continue**.



Select the base unit for the search and the coding:

- Paragraphs
- Sentences
- Words
- Exact matches (wild cards can be used)

**Text Search: Define Query**  
Search for combinations of words and compounds

**Selected Documents (2)**

- D3 3\_Parenting blog: re...
- D4 4\_NYTM: reader co...

Find **Paragraphs** that contain

child **Synonyms 8/46**

AND parent **Synonyms 9/43**

Add

☐ Include inflected forms  
Finds all inflected forms of a word. For example, searching for paragraphs with "run" will automatically include paragraphs with "running", "runs" and "ran".

Find paragraphs that contain:

child (8 synonyms) AND  
parent (9 synonyms)

Back Show Results

Enter a search term. If *synonyms* are available, you can select them from the drop-down list right to the search entry field.

You can add more search terms linking them with Boolean operators:


- **AND:** All of the entered search terms must occur in the selected context (paragraph, sentence, word).
- **OR:** Results are returned if any of the search terms occur in the selected context (paragraph, sentence, word).

Activate the option **inflected forms** if desired. This option is currently available for all interface languages.

**Inflected forms:** The plural forms of nouns, the past tense, past participle, and present participle forms of verbs, and the comparative and superlative forms of adjectives and adverbs are known as inflected forms. To improve results you can download and install a more comprehensive model. To do so, click on *Manage Models*.

To run the search, click on **Show Results**.

The result page shows you a **Quotation Reader** indicating where the quotations are when (auto-)coding the data. If coding already exist at the quotation, it will also be shown.



By clicking on the eye, you can change between small and large previews.

You can auto code all results with one code by highlighting all data segments, e.g. via Ctrl+A. Then select **Apply Codes**, enter a code name and click the plus icon.

Depending on the area you have selected, either the exact match, the word, the sentence or the paragraph is coded.

Another options is to review each find and code it by clicking on the coding icon. This opens the regular **Coding Dialogue**.

## Exact Match Search

An *exact match* search finds the characters as they are entered into the search field. The search results for 'emotion' could look as follows:

- emotions
- emotionless
- demotion

- demotional

If you only want to find "emotion", you need to add parentheses around the search term. See: *Exact Phrase Search*.

## Exact Phrase Search

When you want to search using an exact phrase, you simply surround your search expression with quotation marks. For example, if you want to search for limited liability corporations but only want to retrieve results in which the terms appear as an exact phrase, type "limited liability corporations" (including the quotation marks) into the search field.

Your search results will only include data segments that contain the exact phrase - limited liability corporations - as typed between the quotation marks, but will not include results where the terms are separated by other words, as in: corporations *with* limited liability.

For best results, do not include wildcard characters in an exact phrase search unless the wildcard character \* is part of the phrase you are looking for.

---

For synonyms, ATLAS.ti uses a database provided by [TT Software / Databases](#). ATLAS.ti Scientific Software GmbH ist not responsible for the content.

## Expert Search with Regular Expressions (regex)

GREP is a well-known search tool in the UNIX world. The original GREP tool printed each line containing the search pattern, hence the acronym **GREP** (Globally search for a Regular Expression and Print matching lines).

In ATLAS.ti, the results of a GREP search are not printed line-by-line; rather, the text matching the search pattern is highlighted on the screen, or you can automatically code the results including some surrounding context.

The core of a GREP search is the inclusion of special characters in the search string that control the matching process. GREP finds instances in your data that match certain patterns.

You can test and debug any regular expression you formulate on this website: <https://regex101.com/>

### Carrying out a text search with Regex

To open the tool, select the **Search & Code** tab and from there **Expert Search**.

Select documents or document groups that you want to search and click **Continue**.

Select the base unit for the search and the coding:

- Paragraphs
- Sentences
- Words
- Exact matches

**Regular Expression Search: Define Query**  
Search for combinations of words and compounds

**Selected Documents (5)**

- D41 Barned (2019) -...
- D99 Cho (2019) - Can...
- D320 Lanphier (2019)...
- D339 Linton (2019) -...
- D359 Macer (2019) - I...

Find **Paragraphs** that contain

☒ Case-sensitive

Use this text to check your regular expression. Matches will be highlighted.

A [regular expression](#), or [regex](#), is a sequence of [characters](#) that define a search [pattern](#). Usually such patterns are used by [string searching algorithms](#). It is a technique developed in [theoretical computer science](#) and [formal language theory](#).

The following regex describes a series of letters, digits, dots, underscores, percentage signs, plus signs and hyphens, followed by an @ sign, followed by another series of letters, digits, dots and hyphens, finally followed by a single dot and between two and four letters. In other words: This pattern describes a simple email address like: support@atlasti.com

```
\b[\w\.\%+-]+\@[ \w\.-]+\.\w{2,4}\b
```

(Please note that this is an educational example which does not take into account the complexities of some real-world email addresses.)

The following is an excerpt from an interview transcript that you can use to test a regular expression. You can also insert your own text for testing:

INT. ...

**Back** **Show Results**

Enter a search term. You can test your search expression in the text that you see in the lower half of the screen.

To run the search, click on **Show Results**.

The result page shows you a **Quotation Reader**, indicating where the quotations are when (auto)coding the data. If codings already exist at the quotation, those will also be shown.



**Regular Expression Search: Results (41)**  
Create quotations from search results and code them.

41 paragraphs matching  
(|Wo)man

**Selected Documents (5)**

- D41 Bamed (2019) -...
- D99 Cho (2019) - Can...
- D320 Lanphier (2019)...
- D339 Linton (2019) -...
- D359 Macer (2019) - I...

**99:22** pp 1 – 2 in *Cho (2019) - Can Intersectionality He...* 1 Coding

Address correspondence to Hae Lin Cho, Department of Bioethics, National Institutes of Health Clinical Center, Bethesda, MD 20892-1504, USA. E-mail: hae.cho@nih.gov Intersectionality in Clinical Medicine February, Volume 19, Number 2,...

**99:10** p 2 in *Cho (2019) - Can Intersectionality Help Le...* 1 Coding

Using an intersectional lens that considers Carla's identity as a woman of color may help Carla's physician during her diagnosis. First, Carla's physician could take into account Carla's identity as a woman of color and consider how this may imp...

**99:11** p 2 in *Cho (2019) - Can Intersectionality Help Le...* 1 Coding

Beyond this, Carla's physician (who may be female or male, African American or another race) could also think about how she herself might be impacted by Carla's identities. Is she feeling skeptical about Carla's description of her sympto...

**99:14** p 2 in *Cho (2019) - Can Intersectionality Help Le...* 1 Coding

CASE 2 Tina is a 42-year-old woman with anxiety disorder who is at her primary care physician's office due to fatigue, abdominal cramping, and low appetite. Utilizing an intersectional framework, the physician may recognize that Tina may experience...

Back New Search

By clicking on the eye icon, you can change between small, medium and large previews.

You can autocode all results with one code by highlighting all data segments, e.g. via Ctrl+A. Then select **Apply Codes**, enter a code name and click the plus icon. Depending on the area you have selected, either the exact match, the word, the sentence or the paragraph is coded.

Another options is to review each find and code it by clicking on the coding icon. This opens the regular **Coding Dialogue**.

## GREP Examples

GREP Expression	Description
^	Matches an empty string at the beginning of a line.

GREP Expression	Description
\$	Matches an empty string at the end of a line.
.	Matches any character except a new line.
+	Matches at least one occurrence of the preceding expression or character.
*	Matches the preceding element zero or more times. For example, <b>ab*c</b> matches "ac," "abc," "abbbc," etc.
?	Matches the preceding element zero or one time. For example, <b>ba?</b> matches "b" or "ba."
[ ]	Matches a range or set of characters: <b>[a-z]</b> or <b>[0-9]</b> or <b>[aeiou]</b> . For example: <b>[0-9]</b> finds all numeric characters, while <b>[^0-9]</b> finds all non-numeric character
\b	Matches an empty string at a word boundary
\B	Matches an empty string not a word boundary
<	Matches an empty string at the beginning of a word
>	Matches an empty string at the end of a word

Enclose ORed expressions with parentheses if OR should be restricted to certain sequences of characters or expressions. See example below

Backspace character disables the special GREP functionality of the following character:

GREP Expression	Description
\d	Matches any digit (equivalent to <b>[0-9]</b> )
\D	Matches anything but a digit
\s	Matches a white-space character
\S	Matches anything but a white-space character
\w	Matches any word constituent character
\W	any character but a word constituent

## Character classes

Character Class	Description
<b>[ :alnum: ]</b>	Any alphanumeric, i.e., a word constituent, character
<b>[ :alpha: ]</b>	Any alphabetic character
<b>[ :cntrl: ]</b>	Any control character. In this version, it means any character whose ASCII code is < 32.
<b>[ :digit: ]</b>	Any decimal digit
<b>[ :graph: ]</b>	Any graphical character. In this version, this mean any character with the code >= 32.
<b>[ :lower: ]</b>	Any lowercase character
<b>[ :punct: ]</b>	Any punctuation character
<b>[ :space: ]</b>	Any white-space character

Character Class	Description
<b>[ :upper: ]</b>	Any uppercase character
<b>[ :xdigit: ]</b>	Any hexadecimal character

Note that these elements are components of the character classes, i.e. they have to be enclosed in an extra set of square brackets to form a valid regular expression. A non-empty string of digits or arbitrary length would be represented as **[[:digit:]]+**

## Examples of GREP Searches

In the following, a few search examples are presented showing the matching GREP expression in the column on the right.

- The expression **man|woman** matches "man" and "woman." You could also use **(|wo)man** to the same effect.
- **H(a|e)llo** matches "Hello" and "Hallo."
- **H(a|e)+llo** matches "Haaaaaallo" as well as "Heeeeeaaaaeaeaeaeello."
- And how about **the (angry|lazy|stupid) (man|woman) (walk|run|play|fight)ing with the gr(a|e)y dog** - get the idea?

# Named Entity Recognition (NER)

**Video Tutorial:** [Named Entity Recognition](#). In natural language processing, Named Entity Recognition (NER) is a process where a sentence, or a chunk of text is parsed through to find entities that can be put under categories like person, organization, location, or miscellaneous like work of arts, languages, political parties, events, title of books, etc.

Currently supported languages are: English, German, Spanish and Portuguese

You can think of it like a special auto coding procedure, where you as the user do not enter a search term. Instead, ATLAS.ti goes through your data and finds entities for you.

You can select which entities you want to search for:

- person
- organization
- location
- miscellaneous (work of arts, languages, political parties, events, title of books, etc.)

After the search is completed, ATLAS.ti shows you what it found, and you can make corrections. In the next step you can review the results in context and code all results with the suggested codes, or decide for each hit whether to code it or not.

To open the tool:

Select the **Search & Code** tab and from there **Named Entity Recognition**.  
inst  
Select documents or document groups that you want to search and click **Continue**.

Select whether the base unit for the search, and the coding should be **paragraphs**, **sentences**, or **word**, and which entity category you want to search for.

Named Entity Recognition

## Named Entity Recognition: Define Query

Select the categories you want the algorithm to look for

**Selected Documents (5)**

- D41 Bamed (2019) - ...
- D99 Cho (2019) - Can...
- D320 Lanphier (2019)...
- D339 Linton (2019) - ...
- D359 Macer (2019) - I...

Find **Paragraphs** that contain

**Entity Category**

- ☐ Persons
- ☒ Locations
- ☒ Organizations
- ☐ Miscellaneous

You are using the most comprehensive machine learning models. Detected languages:  
**English**

[Manage Models](#)

[Back](#) [Continue](#)

**Manage Models:** If you want to improve your results, you can download and install a more comprehensive model.

Click on **Manage Models** if you want to install or uninstall an extended model.

Click **Continue** to begin searching the selected documents. On the next screen, the search results are presented, and you can review them.

## Reviewing Search Results

If you selected to search for all entity types (persons, location, organization and miscellaneous), you can review them all together, or just focus on one entity at a time. To do so, deactivate all other entity types.

**Named Entity Recognition: Select Results**  
Choose the results you want to use for coding in the next step

**Selected Documents (5)**

- D41 Banned (2019) -...
- D99 Cho (2019) - Can...
- D320 Lanphier (2019)...
- D339 Linton (2019) -...
- D359 Macer (2019) - I...

**167 Entities, 14 Selected**

Show Categories: ☐ Person ☒ Location ☒ Organization ☐ Miscellaneous

☐ Select all

Search

	Entity	Category	Suggested Code
<input type="checkbox"/>	DC	Locations	Locations: DC
<input type="checkbox"/>	Deferred Action for Childhood Arrivals	Organizations	Organizations: Deferred
<input type="checkbox"/>	Department of Bioethics	Organizations	Organizations: Departme
<input checked="" type="checkbox"/>	Department of Homeland Security	Organizations	Organizations: Departme
<input checked="" type="checkbox"/>	Department of Philosophy	Organizations	Organizations: Departme
<input type="checkbox"/>	Depression	Organizations	Organizations: Depressio
<input type="checkbox"/>	doi:10.1056	Locations	Locations: doi:10.1056
<input type="checkbox"/>	Duke University Press	Organizations	Organizations: Duke Univ
<input type="checkbox"/>	EMRODIED ASPECTS	Organizations	Organizations: EMRODIE

Code Name

☐ Category only ☒ Create Code Groups from Categories

☒ Category: Entity

Back Show Results

Select all results that you want to code. If a result is interesting but comes up in the wrong category, you can change the category in the second column of the result list. In the third column, the suggested code name is listed.

## Autocode results


You have three options for the code name:

- **Category only:** If you select this option, all search hits will be coded under the NER category: Person, Location, Organization, Miscellaneous
- **Category: Entity:** If you select this option, categories with subcodes will be created for the NEW categories: Person, Location, Organization, Miscellaneous. The entities will become the subcodes.

You also have the option to group all codes of a NER category into a code group. This option is useful if you selected the second option with subcodes.

Click **Show Results** to inspect the results in context.

The result page shows you a [Quotation Reader](#) indicating where the quotations are when coding the data with the proposed code. If coding already exist at the quotation, it will also be shown.



By clicking on the eye, you can change between small and large previews.

You can go through and review each data segment and then code it by clicking on the plus next to the code name. Or, you can code all results at once by selecting **Apply Proposed Codes**. You can select the first option *Apply All Codes*, or select only one code from the list.

If you have selected the category: subcode option for coding, the coding results might look as follows:

<ul style="list-style-type: none"> <li>Locations           <ul style="list-style-type: none"> <li>Canada</li> <li>Toronto</li> <li>UK</li> <li>United States</li> <li>USA</li> <li>Washington</li> <li>Washington State</li> </ul> </li> <li>Organizations           <ul style="list-style-type: none"> <li>Department of Homeland Security</li> <li>Department of Philosophy</li> <li>the National Academy of Sciences</li> <li>The University of Chicago Legal Forum</li> <li>University of South Carolina School of Medicine</li> <li>University of Toronto</li> <li>Vanderbilt University</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>15</li> <li>2</li> <li>1</li> <li>3</li> <li>3</li> <li>5</li> <li>1</li> <li>1</li> <li>10</li> <li>1</li> <li>2</li> <li>1</li> <li>2</li> <li>1</li> <li>1</li> <li>4</li> </ul>
--	--

Depending on the area you have selected at the beginning, either the word, the sentence, or the paragraph is coded.

The regular [Coding Dialogue](#) is also available to add or remove codes.

The screenshot displays a list of text segments with their corresponding codes. The interface is divided into two main columns: 'Applied code' and 'Proposed code'.

- Applied code:** This column shows codes that have been applied to the text segments. For example, the first segment is coded with 'Organizations: Vanderbilt Univ...'. The second segment is coded with 'Locations: USA', 'Organizations: Departmen...', 'Organizations: Vanderbilt...', and 'identity'.
- Proposed code:** This column shows codes that are proposed for the text segments. For example, the third segment is coded with 'Locations: USA'.

The text segments are as follows:

- antidiscrimination doctrine, feminist theory and antiracist politics. **The University of Chicago Legal Forum** 1989 (1): 139-167.
- 41:14 p 3 in *Barned (2019) - Addressing the Practical Im...* 1 Coding
  - Narrative Ethics and Intersectionality Elizabeth Lanphier, **Vanderbilt University** Uchenna E. Anani, Vanderbilt University Medical Center Dr. Williams is an African American pediatrician seeing her patient Michael for his 2-month well-child visit.
- 41:9 pp 3 - 4 in *Barned (2019) - Addressing the Practic...* 1 Coding
  - Similar to the authors' initial case, our case involves racial and sex concordance between Ms. Johnson and Dr. Williams. Whether they share other similar identities is unknown. If we indicated that Dr. Williams is also a single mother from a similar fa...
- 99 pp 1 - 2 in *Cho (2019) - Can Intersectionality He...* No Codings
  - Address correspondence to Hae Lin Cho, Department of Bioethics, National Institutes of Health Clinical Center, Bethesda, MD 20892-1504, **USA**. E-mail: hae.cho@nih.gov Intersectionality in Clinical Medicine February, Volume 19, Number 2,...



## The Search Engine Behind NER

ATLAS.ti uses spaCy as its natural language processing engine. More detailed information can be found [here](#).

Input data gets processed in a pipeline - one step after the other as to improve upon the derived knowledge of the prior step. Click [here](#) for further details.

The first step is a tokenizer to chunk a given text into meaningful parts and replace ellipses etc. For example, the sentence:

"I should've known (didn't back then)." will get tokenized to: "I should have known ( did not back then )."

The tokenizer uses a vocabulary for each language to assign a vector to a word. This vector was pre-learned by using a corpus and represents a kind of similarity in usage in the used corpus. Click [here](#) more information.

The next component is a tagger that assigns part-of-speech tags to every token and lexemes if the token is a word. The character sequence "mine", for instance, has quite different meanings depending on whether it is a noun or a pronoun.

Thus, it is not just a list of words that is used as benchmark. Therefore, there is also no option to add your own words to a list or to see the list of words that is used.

The entity recognizer is trained on wikipedia-like text and works best in grammatically correct, encyclopedia-like text. We are using modified pre-trained/built-from-the-ground-up models - depending on the language.

# Sentiment Analysis

**Video Tutorial:** [Sentiment Analysis](#). Sentiment analysis is the interpretation and classification of emotions (positive, negative and neutral) within text data using text analysis techniques.

Currently supported languages are interface languages: English, German, Spanish, Portuguese and Simplified Chinese.

## Application Examples

- identifying and cataloguing a piece of text according to the tone conveyed by it.
- understanding the social sentiment of a brand, product or service.
- identifying respondent sentiment toward the subject that is discussed in online conversations and feedback.
- analysing student evaluations of lectures, seminars, or study programs.


Sentiment analysis works best on structured data like open-ended questions in a survey, evaluations, online conversations, etc.

## Carrying out a Sentiment Analysis

To open the tool, select the **Search & Code** tab and from there **Sentiment Analysis**.

inst

Select documents or document groups that you want to search and click **Continue**.



Select the base unit for the search and the coding:

- paragraphs
- sentences

Select the type of sentiment you want to code:

- positive
- neutral
- negative

ATLAS.ti proposes subcode labels for each sentiment: Positive / Neutral / Negative. If you want to use different names, you can change them here.

**Sentiment Analysis: Define Query**  
Select the categories you want the algorithm to look for

**Selected Documents (1)**

D32 The All-New 2022 Grand Che...

Find **Paragraphs** that contain the following sentiments

☒ Paragraphs  
☐ Sentences

☒ Positive Positive  
☐ Neutral Neutral  
☒ Negative Negative

Improve your results by using more comprehensive machine learning models for these languages:  
**English**  
Manage Models

Back Show Results

**Manage Models:** If you want to improve your results, you can download and install a more comprehensive model.


Click on **Manage Models** if you want to install or uninstall an extended model.

Click **Show Results** to begin searching the selected documents. On the next screen, the search results are presented, and you can review them.

The result page shows you a **Quotation Reader** indicating where the quotations are when coding the data with the proposed code. If coding already exist at the quotation, it will also be shown.

By clicking on the **eye** icon, you can change between small. medium and large previews.

You can code all results with one of the proposed codes or with all proposed codes at once; or you can go through review each data segment and then code it by clicking on the **plus** next to the code name.



Depending on the area you have selected at the beginning, either the sentence or the paragraph is coded.

The regular [Coding Dialogue](#) is also available to add or remove codes.

## The Search Engine Behind the Sentiment Analysis

We are using spaCy as our natural language processing engine. More detailed information can be found [here](#).

Input data gets processed in a pipeline - one step after the other as to improve upon the derived knowledge of the prior step. Click [here](#) for further details.

The first step is a tokenizer to chunk a given text into meaningful parts and replace ellipses etc. For example, the sentence:

"I should've known(didn't back then)." will get tokenized to: "I should have known ( did not back then )."

The tokenizer uses a vocabulary for each language to assign a vector to a word. This vector was pre-learned by using a corpus and represents a kind of similarity in usage in the used corpus. Click [here](#) more information.

The next component is a tagger that assigns part-of-speech tags to every token and lexemes if the token is a word. The character sequence “mine”, for instance, has quite different meanings depending on whether it is a noun or a pronoun.

Thus, it is not just a list of words that is used as benchmark. Therefore, there is also no option to add your own words to a list or to see the list of words that is used.

The sentiment analysis pipeline is trained on a variety of texts ranging from social media discussions to peoples' opinions on different subjects and products. We are using modified pre-trained/built-from-the-ground-up models - depending on the language.

## Analyzing Focus Groups

Generally, it can be said that analyzing focus group data is not much different from the analysis of any other kind of interview data. Most people who ask for specific analytic tools in focus groups do so because they don't have experience with analyzing other kinds of qualitative data, so they think there must be something unique about focus groups.

Focus groups are different to a certain extent as there is more interaction. In the vast majority of studies, researchers are interested in the content of what gets said, rather than the mechanics of how it gets said.

If you are interested in the interaction, then a discourse analysis might be an appropriate method. In addition to the regular tools you use in ATLAS.ti for data analysis, consider using hyperlinks to explore the interaction [Quotation Level](#) and [Hyperlinks](#).

The most widely used analysis methods for interview as well as focus group data are versions of content analysis and thematic analysis. For some inspiration, take a look at this chapter on [focus group analysis](#).

ATLAS.ti facilitates the coding of speaker units, so that you can compare responses of different speakers or different group of speakers by attributes like age, gender, etc.

In order for ATLAS.ti to recognize speakers, you need to use speaker IDs or names consistently when transcribing the data. See [Guidelines for Preparing Focus Group Data](#) for more detail.

Focus group auto coding requires text documents in doc, docx, rtf, or txt format. You cannot use PDF documents with this function.

## Guidelines for Preparing Focus Group Data

There is only one requirement when preparing focus group data: Each speaker or needs to have a unique identifier and this identifier should be applied consistently throughout the entire transcript.

ATLAS.ti offers two default patterns to recognize speakers:

- name: (pattern 1)
- @name: (pattern 2)

Using pattern 2 when transcribing data, it is unlikely that ATLAS.ti finds anything but speakers. Searching for pattern 1, ATLAS.ti also finds things like *"for example:....."*



## Custom Pattern

You can also define your own pattern including the use of regular expressions.

This might be useful if you have previously prepared transcripts and speaker IDs have not been used consistently.

For instance, the regular expression: `To+(m|n)` matches "Toom," "Ton," or "Toon" to find different spellings of the name 'Tom'.

`([A-Z]+)`: recognizes identifiers consisting of letters from A to Z.

`([A-Z]+[0-9]+)`: recognizes identifiers that consist of a combination of letters and numbers

For more information, see [Regular Expressions \(GREG\)](#).

You can use this functionality to auto code any data that has a specific structure. It does not necessarily have to be a speaker. It could be a date, a number, or any other type of identifier.

## Example transcripts

The speaker IDs do not have to be in bold letters. Bold letters are used here only to make it easier for you to see, which ones are the speaker IDs.

### Example A (pattern 1)

**Alex:** I don't know, I'm the sort, I don't really struggle to make friends cos everyone tells me I've got a big mouth, and I don't stop talking [laughs]

**Tom:** So is that how, is that how you met just, just through you striking up a conversation?

**Deb:** I'm trying to think exactly [laughs] I think that's what it was, we were both in the same research methods class ...

### Example B (pattern 1)

**Alex:**

I don't know, I'm the sort, I don't really struggle to make friends cos everyone tells me I've got a big mouth, and I don't stop talking [laughs] .

**Tom:**

So is that how, is that how you met just, just through you striking up a conversation?

**Deb:**

I'm trying to think exactly [laughs] I think that's what it was, we were both in the same research methods class.

### Example C (pattern 1)

It is also possible to add further information to each speaker like their gender, age group, educational level etc. This way, also this information will be automatically coded.

**Alex: male: age group 1: high school:**

I don't know, I'm the sort, I don't really struggle to make friends cos everyone tells me I've got a big mouth, and I don't stop talking [laughs]

**Tom: male: age group 2: high school:**

So is that how, is that how you met just, just through you striking up a conversation?

Deb: female: age group 2: some college:

I'm trying to think exactly [laughs] I think that's what it was, we were both in the same research methods class.

## Example D (pattern 2)

@Alex: I don't know, I'm the sort, I don't really struggle to make friends cos everyone tells me I've got a big mouth, and I don't stop talking [laughs].

@Tom: So is that how, is that how you met just, just through you striking up a conversation?

@Deb: I'm trying to think exactly [laughs] I think that's what it was, we were both in the same research methods class.

If your data is not transcribed yet, we recommend using **pattern 2** as it is unlikely this pattern will find sections that are not speaker units.

## Recommendation

For readability, you may want to consider starting each speaker unit on a new line.

Additionally, you may want to enter an empty line between speaker units.

Both is not required. When a pattern is recognized the chosen code(s) are applied from the first letter of the pattern to the start of the next recognized pattern. Therefore, it does not matter whether a new unit starts on a new line or whether there is an empty line in between.

## Auto Coding Focus Group Speakers

Focus group auto coding requires text documents in doc, docx, rtf, or txt format. You cannot use PDF documents with this function.

Select a focus group transcript in the Document Manager and select **Focus Group Coding** from the Documents ribbon.

Alternatively:

Right-click on a document in the Project Explorer and select **Focus Group Coding** from the context menu.

Next, select a pattern for recognizing speaker units. See [Preparing Focus Group Data](#).

**Choose Pattern**

Choose how to detect participants:

☒ **Pattern 1**      Peter:

☐ **Pattern 2**      @Peter:

☐ **Custom Pattern:**

• **Pattern**

• Coding

• Summary

Back    Next    Cancel

After selecting a pattern, click **Next**.

ATLAS.ti lists all strings that fit the selected pattern and uses these as code name. If a colon (:) was used also elsewhere in the transcripts, not all finds are speakers.

Deselect all finds that are not speakers, if any.

Check the suggested codes and modify the names if desired.

Add additional codes, if you want to code the speaker units with multiple codes. Each code needs to be separated by a semicolon.



- Pattern
- Coding
- Summary

## Choose Coding

Select all		Deselect all	
	Match	Codes	
<input checked="" type="checkbox"/>	X	X	
<input checked="" type="checkbox"/>	Mary	Mary; female; French	
<input checked="" type="checkbox"/>	Lindy	Lindy; female; Japanese	
<input checked="" type="checkbox"/>	John	John; male; Japanese	
<input checked="" type="checkbox"/>	Beatrice	Beatrice; female; French	
<input checked="" type="checkbox"/>	Tom	Tom; male; Chinese	
<input checked="" type="checkbox"/>	Others	Others	

Select matches to be coded. The suggested codes can be changed and new ones added.

If you enter codes that already exist in your code list, they will not be duplicated.

Click on the button Code.

ATLAS.ti codes all speaker units. Once it is done, you see a summary screen.

Double-check the results in context and take a look at the Code Manager. ATLAS.ti also creates a code group from all codes. If the results are not what you expected, you can undo all coding at this stage.

ATLAS.ti does not yet organize the focus group into a hierarchical structure by default. We however suggest that you do it manually, similar to the example shown below:



Organize the codes in categories and folders

As coding all speakers often result in dense coding, we recommend using this function **after** you have coded the focus group transcript for content.

34 @John: And I and I

35 @Beatrice: And I think [incomprehensible] if you had a child who you know they're going to XXX College or whatever

36 @Moderator: If they could choose . .

37 @Beatrice: If they had a choice, they could choose in 6 & 7.

38 @John: And in a way, like even in a way like in your own teaching it's not sort of I mean I know it's easy for me to say this because I haven't done it but to a certain extent I can't imagine it being overly difficult if your teaching what's your name in Japanese throw in the French, throw in the Chinese. I mean you know it's just two more words and kids are fairly adaptable. They're not as sort of rigid and narrow minded as adults.

39 @Beatrice: Did you see at the LOTE Centre they had that thing on, you know, the World Cup Soccer video they had it was in Spanish, French and English. I actually showed my class and they were fascinated by the by the Spanish

6:...

gender: male
languages: Japanese
speaker: John

6:8... 6:1...

gender: female
languages: French
speaker: Beatrice

6:152 @Bea

gender: female
languages: French
speaker: Beatrice

6:108 @John: And in a way, I...


## Multimedia Data (Audio & Video)

When we refer to multimedia data, we mean audio and video files. The difference in terms of displaying audio or video files is that there is no picture when working with audio files; the mouse clicks in handling audio files are the same. Therefore, below we describe all steps for both file formats together. For illustration purposes, most figures show video data.

### Adding Multimedia Documents to a Project

As multimedia files, especially video files can be quite sizable, it is recommended to link multimedia files to a project rather than to import them.


To link audio or video files to a project, in the Home tab click on the dropdown arrow of the Add Documents button and select Add Linked Video/Audio.



Linked documents remain at their original location and ATLAS.ti accesses them from there. Preferably, these files should not be moved to a different location. If the files need to be moved, you need to re-link the files to your project. ATLAS.ti will alert you, if there is an issue, and a file can no longer be accessed. You find a **Repair Link** option in the Document Manager under the **Tools** Tab.



## Display of Multimedia Documents



**Audio wave:** On the right-hand side the audio wave is displayed. You can make it smaller or wider by positioning your mouse on the left-hand side of the audio wave and dragging it either to the right-hand side or the left-hand side.

**Preview images:** For video files, preview images are displayed in the document preview and the margin area. When you add a new video to a project, you do not immediately see the preview images as they first need to be generated. Depending on the length of the video this may take a few seconds or up to a few minutes.

Preview images are generated from key frames. A key frame is defined as one of the frames in a video, which provides the best summary of the video content. The key frame rate is a variable that you can set in most encoding software when creating the video file. A fast key frame rate (with a lower number on the scale, as this refers to the interval between key frames) means that the video has more frames designated as key frames. A slower key frame rate means that fewer frames are designated as key frames.

If you've got a typical talking head video or something else with little motion, you can get away with a slow key frame rate. If you are shooting something with a lot of motion like a sporting event or a dance recital, a faster key frame rate is necessary. The standard rate is to include a key frame every 5 seconds.

**Playhead:** The playhead shows the current position in the video or audio file.

**Document preview:** Below the display area you see a preview of the entire document. You can use it to select the area that should be displayed in the margin area.

**Zoom:** In most cases, the space from top to bottom of your computer screen will be too small to meaningfully display your audio or video file, you can zoom the file. This is done in the full document preview section. For this you use the two orange lines that you see to the right and left of the full preview. See [Zooming the Timeline](#).

## Media Controls

If you move the cursor inside the audio or video pane, the media controls appear, and you can start, stop and pause the video, skip forward and backwards. You can also start and stop the multimedia file by pressing the space bar.



From left to right:

**Stop:** Stops the multimedia file and set the play head to the beginning.

**Skip to previous mark:** Moves backward to the last mark, which could be the end or beginning of a selection or a section, or the beginning of the file.


**Skip backward:** Seek backward in the multimedia file.

**Play / Pause**

**Skip to previous mark:** Moves forward to the next mark, which could be the end or beginning of a selection or a section, or the end of the file.


**Skip forward:** Seek forward in the multimedia file.

**Volume:** On or Off



Click the space bar to stop and start an audio or video file.

## Multimedia Toolbar




As soon as an audio or video file is loaded, the multimedia options will be displayed in the Document tab. If you hover over each button with the mouse, a screen tip is displayed explaining each option.

**Capture Snapshot:** If you want to analyze a particular frame in more detail, you can take a snapshot. If you click on the snapshot option, the frame will be added as a new image document to your project.

**Media Controls:** See above.

**Volume:** Set the volume on slider between 0% (mute) and 100%

**Playback Rate:** If you want the video to play faster or slower, you can select a playback rate between 0,15 times the original speed to 8 times the original speed. The current play back rate is shown in the blue status bar at the bottom of the screen.



**Mark Position:** Sets the start position for a quotation. See [Working with Multimedia Files](#).

**Create Quotation:** Sets the end position for a quotation and creates a quotation at the same time. See [Working with Multimedia Files](#).

You can also access the media controls with by right-clicking on the audio or video area.

# Handling Multimedia Data

## Zooming the Timeline

A quick way to zoom the timeline is by putting the mouse pointer onto the preview images on the right-hand side or the margin area. Hold down the Ctrl-key and scroll the mouse wheel.

You can also zoom the timeline using the two orange sliders to select just the section of the audio or video you want to see in the margin area:

When you move the mouse pointer over the full preview, two orange sliders appear. Move the right and left slider to the desired position.

## Media Controls

If you move the cursor inside the audio or video pane, the media controls appear, and you can start, stop and pause the video, skip forward and backwards. You can also start and stop the multimedia file by pressing the space bar.



From left to right:

**Stop:** Stops the multimedia file and set the play head to the beginning.

**Skip to previous mark:** Moves backward to the last mark, which could be the end or beginning of a selection or a section, or the beginning of the file.


**Skip backward:** Seek backward in the multimedia file.

**Play / Pause**

**Skip to previous mark:** Moves forward to the next mark, which could be the end or beginning of a selection or a section, or the end of the file.

**Skip forward:** Seek forward in the multimedia file.

**Volume:** On or Off



Click the space bar to stop and start an audio or video file.

## Multimedia View Options

If a multimedia document is loaded, you find a number of additional options on the **View tab** of the contextual document ribbon.

**Position of the timeline:** The timeline can be positioned at the bottom of the screen horizontally, or vertically next to the audio wave form.

**Audio waveform:** You can show or hide the audio waveform or the video previews in both the margin or the zoom line.

**Auto-scroll:** If 'auto-scroll margin' is activated the playhead remains in the middle of the screen and everything else moves (preview images, audio wave form, margin). If 'auto-scroll margin' is deactivated, the playhead moves from the top to the bottom of the screen. This is a lot smoother on your eye. But it means the playhead moves outside the visible area if you have zoomed the video. Which option is more useful depends on what you are currently doing.

## Use Arrow Keys to Navigate

Use the right and left arrow keys, to move the position of the playhead by 1/1000th increments of the length of the video that is currently displayed in the margin area.

Use the right and left arrow keys + Ctrl, to move the position of the playhead by 1/20th increments of the length of the video that is currently displayed in the margin area.

## Keyboard Shortcuts

Action	Keyboard Shortcut
Pause Play	Space
Pause Play	Media Play Pause
Pause Play	F4
Play	P
Play	Shift+P
Play	Play
Pause	Pause
Stop	S
Stop	Shift+
Stop	Media Stop
Skip Back	Browser Back
Skip Back	Media Previous Track
Skip Forward	Browser Forward
Forward Command	Media Next Track
Small Step Back	Left
Small Step Forward	Right
Medium Step Back	Ctrl+Left
Medium Step Forward	Ctrl+Right
Large Step Back	PageUp
Large Step Forward	PageDown
Playback Rate Normal	Multiply
PlaybackRate Up	Plus (+ key on main keyboard)
Playback Rate Up	Plus (+ key on numeric keyboard)
Playback Rate Down	Minus (- key on main keyboard)
Playback Rate Down	Minus (- key on numeric keyboard)
Mark Quotation Start	, or < (Depending on your keyboard)
Mark Quotation End + Create Quotation	. or > (Depending on your keyboard)

## Working with Multimedia Data

In this section, the following options are discussed:

- Creating multimedia quotations
- Creating multimedia quotations while listening to the audio file or viewing the video file
- Display of multimedia quotations
- Coding multimedia quotations
- Activating and playing multimedia quotations
- Adjusting the size of multimedia quotations
- Renaming a multimedia quotation
- Capturing video snapshots as image documents for further analysis

### Creating Multimedia Quotations


You can also immediately code multimedia files. However, as especially video files contain so much more information as compared to text, it is often easier to first go through and segment the audio or video file, i.e. creating quotations before coding.

To create an audio or video quotation, move your mouse pointer on top of the audio waveform and mark a section by clicking on the left mouse button where you want it to start. Then drag the cursor to the end position. The times of the end and start positions are shown, as well as the total length of the segment.

As soon as you let go of the mouse, a quotation is created, and you see the blue quotation boundary in the margin area

If you want to make a selection first and then create a quotation, you can change the default settings. See [Project Preferences](#). If you deactivate *Automatically create new quotation on selection*, to create a quotation you need to hover with the mouse over the selection and click **Create Quotation**.





## Creating Multimedia Quotations while Listening / Watching

You can also create an audio or video quotation while listening to or viewing a document. For this, you can use the buttons *Mark Position* and *Create Quotation* buttons in the toolbar; or the short-cut keys (see below).

### Using the Ribbon Buttons

inst

Play the video. If you find something interesting that you want to mark as a quotation, click *Mark Position*. This set the start position. To set the end point and create a quotation, click *Create Quotation*.

Continue listening / watching and setting quotations.

### Using Short

To mark the start position: use (<) or (,)

To create a quotation: use (>) or (.)

Which short-cut key to use depends on your keyboard. Use those keys where you do not have to use Shift.

Play the video. If you find something interesting you want to mark as a quotation, click on the (,) or the (<) key. This sets the start position.

To set the end position and create a quotation, click on the (.) or (>) key.

- A new quotation will be listed in the Quotation Manager, the Project Explorer or Quotation Browser. The quotation ID consists of the number of the document plus a consecutive count in chronological order by time when a quotation was created in the document. The quotation ID 15:5 for examples means that this is a quotation in document 15, and it was the 5th quotation that was created in the document.
- After the ID you see the quotation reference, which is the start position of the audio or video quotation. The name field is empty. You can for instance add a short title for each multimedia quotation, see below.
- Depending on the media type, the quotation icon changes.

Audio and video quotations can be easily recognized by their special icon.

## Coding Multimedia Quotations

Coding multimedia quotations is not different from coding text or image documents:

Right-click the quotation and select **Apply Codes**. For further information see: [Coding Data](#).

## Activating and Playing Multimedia Quotations

### In the Margin Area

To play the quotation, double-click on the quotation bar, or hover over the audio waveform with the mouse and click on the **play** icon.

You can move the play-head with the mouse to any position within an audio or video file.

## From other Places

- You can double-click on a multimedia quotation in the Project Explorer, the Quotations Browser or the Quotation Manager to play it in context.
- You can preview a multimedia quotation in the preview area of the Quotation Manager.
- You can preview a multimedia quotation if it is part of a hyperlink. See [Working with Hyperlinks](#).

## Adjusting the Size of Multimedia Quotations

To adjust or change the length of the quotation, drag the start or end position to the desired position.

## Renaming a Multimedia Quotation

When you create audio or video quotation, the name field is empty. You can enter a name for instance to add a short description of what the audio or video quotation is all about.

Right-click on the quotation in the margin area or in the Quotation Manager and select the **Rename** option. This allows you to create a meaningful text output of coded audio and video segments.

Use the comment area to add further information, e.g. describe the segment and offer a first interpretation

See also [Making Use of Quotation Name and Comment for Analytical Purposes](#).

See [Example Reports](#) for an instruction on how to create reports for named and commented multimedia quotations.

## Capturing Snapshots of Video Frames as Image Documents

If you want to analyze particular frames of your video in more detail, you can capture a snapshot.

Move the play head to the desired position in the video.

Click on the camera icon in ribbon, or right-click on the video and select the option **Capture Video Frame**.

The snapshot is automatically added as a new image document to your project. See [Creating Quotations in Images](#) for further information on how to work with image files.

# Multimedia Preferences

Under **File > Options**, you can set project specific preferences for multimedia files:

## Autopreview

The effect of **Autopreview** is that the audio or video quotation immediately starts to play when you activate or open a function.

- When selecting **autopreview for documents** the multimedia quotation immediately begins to play when selecting a multimedia document in the Document Manager.
- When selecting **autopreview for quotations** the multimedia quotation immediately begins to play when selecting a multimedia document in the Quotation Manager.
- When selecting **autopreview for hyperlinks** the multimedia quotation immediately begins to play when activating a hyperlink.

## Preferences for Creating Quotations

The default option is that a multimedia quotation is created as soon as you have made a selection on the audio wave form. If you prefer to make a selection first before creating a quotation with an additional mouse click, deactivate this option.

# The Margin Area

The margin area in ATLAS.ti is an important working space. It is not only used to display entities linked to your data like codes, memos, hyperlinks, groups or networks; it is also a space where you can interact with your data, write and review comments, link and un-link codes, move codes around, replace codes, traverse hyperlinks, and the like.

Depending on the current activity, you can set various display options.

## Margin Display Options

To set the display options, right-click on a white space in the margin area. You have the following options:

- to display codes (default)
- to display memos (default)
- to display hyperlinks (default)
- code groups
- memo groups
- networks. The network icon will be display if the quotation or code is part of the network.
- to show icons (default)
- to show username. This is a useful option when working with a team and different team members code the same document, e.g. for the purpose of inter-coder agreement analysis.

## Margin Drag & Drop

All objects populating the margin area support drag & drop. The effect of a drag & drop operation depends on the entities that are involved as drag sources (those that are dragged) and targets (those onto which entities are dropped).

A large variety of entities from the margin area can be dropped into the margin area.

Furthermore, entities can also be dragged from other entity managers and browsers. Entities can be dragged from the margin into other windows, browsers or even other applications like Word. In the latter case, the ATLAS.ti entity lose their ATLAS.ti specific "objectiveness" but at least they render into something useful, e.g., a formatted title and rich text comment.

## Linking

When a code or memo is dropped on a quotation bar, a new link is created between the entity and the quotation represented by the bar.

Dragging a quotation bar onto another quotation bar creates a new hyperlink between the two. See [Creating Hyperlinks](#).

When a margin entity is dropped onto another margin entity it is replaced.


Three operations are accomplished at the same time: the entity is removed from its original quotation, it is linked to the target quotation, and it replaces the entity it was dropped on (the latter is cut from its quotation).

## Copying


When you drag and drop a hyperlink, code or memo in the margin to another quotation holding down the CTRL-key, then the hyperlink, code or memo is copied.

## Print with Margin

If you want to print a document as you see it on your screen including the margin area, select the Print option in the Document Ribbon.



Then the following dialog opens:



**Printer:** Select if you want to send the output to a printer or whether you want to save it as PDF document.

**Orientation:** The default selection is 'Landscape', as this is likely the best option to see the document and all codes in the margin area.

**Margin space:** Under 'Margin space', you can adjust the width of the margin if you need more or less space.

**Pages:** You can print all pages, or a page range.

With the 'Previous' and 'Next Page' buttons you can preview all pages.

The print with margin option is available for text, PDF and image documents.



# Memos and Comments

Video Tutorial: [Using memos at project begin](#).

## Memos

*"Memos and diagrams are more than just repositories of thoughts. They are working and living documents. When an analyst sits down to write a memo or do a diagram, a certain degree of analysis occurs. The very act of writing memos and doing diagrams forces the analyst to think about the data. And it is in thinking that analysis occurs" (Corbin & Strauss: 118).*

*"Writing is thinking. It is natural to believe that you need to be clear in your mind what you are trying to express first before you can write it down. However, most of the time, the opposite is true. You may think you have a clear idea, but it is only when you write it down that you can be certain that you do (or sadly, sometimes, that you do not)" (Gibbs, 2005).*

As you see from the above quotes, memos is an important task in every phase of the qualitative analysis process. Much of the analysis 'happens' when you write down your findings, not by clicking buttons in the software.

The ideas captured in memos are often the pieces of a puzzle that are later put together in the phase of **report writing**.

**Theory-building**, often associated with building networks, also involves writing memos.

Memos in ATLAS.ti can be just a text on its own, or can be linked to other entities like quotations, codes, or other memos.

## Typical Usage of Memos

- Memos can contain a **project description**
- You can list all **research questions** in a memo.
- You can use memos to write a **research diary**.
- You can use one memo as **to do list**.
- Memos can be used as a **bulletin board** to exchange information between team members.
- You can store definitions, findings or theories from relevant **literature** in one or more memos.
- You can write up your **analysis** using memos. Those memos will be the building blocks for your research report.

Memos can also be assigned as documents, if you want to code them. See [Using Memos as Document](#).

## Differences between Memos and Comments

From a methodological point of view comments are also memos in the sense that comments are also places for thinking and writing.

In technical terms, in ATLAS.ti there is a distinction between comments and memos, as comments exclusively belong to one entity. For example, the document comment is part of the document; a code comment belongs to a particular code and is usually a definition for this code. A quotation comment contains notes or interpretations about the quotation it belongs to.

Comments are not displayed in browsers separately from the entity to which they are attached.

### Quotation comment

~ 1:16	¶ 18	You couldn't communicate with them because you couldn't speak t...	Participant 1 (nurse)	0	
1:19	¶ 20 – 21	I can remember the South Vietnamese interrogation team came int...	Participant 1 (nurse)	1	[enemy: depersonal
~ 1:20	¶ 21	Like I said, there were times when it would slip into my conscioune...	Participant 1 (nurse)	3	[dealing with (d): ig
~ 1:21	¶ 20	There was never a question about who would get care or who woul...	Participant 1 (nurse)	2	[enemy: depersonal
1:22	¶ 22	It amazes me how comfortable you can get in that situation. You g...	Participant 1 (nurse)	3	[dealing with (d): nc
1:23	¶ 22	I'm trying to think about my peers, to think back to see if we had any	Participant 1 (nurse)	2	[dealing with (d): cl

There was never a question about who would get care or who would get supplies as they were needed. Always, the Americans or the Australians came first. There was an Australian division next to ours, and they would wind up in our hospital. Ah ... they always got priority of care and supplies. Generally, there was enough to go around. So ah ... I recall one incident where I didn't make the choice but a choice was made to take a North Vietnamese off a ventilator and use it for an American soldier because it was the only one available. That is the only time I remember that kind of decision being made. Most of the time was more of a case of benign neglect of their needs, to see if they really did want or need something.

text of the quotation

**Comment:** Edited 13/12/2018 21:22 by Susanne

**Outgroup derogation**

Discrimination between ingroups and outgroups is a matter of favoritism towards an ingroup and the absence of equivalent favoritism towards an outgroup.[6] Outgroup derogation is the phenomenon in which an outgroup is perceived as being threatening to the members of an ingroup. [7] This phenomenon often accompanies ingroup favoritism, as it requires one to have an affinity towards their ingroup. Some research suggests that outgroup derogation occurs when an outgroup is perceived as blocking or hindering the goals of an ingroup. It has also been argued that outgroup derogation is a natural consequence of the categorization process.[8]


[http://en.wikipedia.org/wiki/Ingroups\\_and\\_outgroups#Outgroup\\_derogation](http://en.wikipedia.org/wiki/Ingroups_and_outgroups#Outgroup_derogation)

Brewers, Marilynn B. (1999). "The Psychology of Prejudice: Ingroup Love and Outgroup Hate?". *Journal of Social Issues* 55 (3): 429–444.

Hewstone, Miles; Rubin, Mark; Willis, Hazel (2002). "Intergroup Bias". In Richard J. Crisp. *Social Psychology* 3. New York, NY: Routledge. pp. 323–344.


Zhong, Chen-Bo; Phillips, Katherine W.; Leonardelli, Geoffrey J.; Galinsky, Adam D. (2008). "Negational categorization and intergroup behavior". *Personality and Social Psychology Bulletin* 34 (6): 793–806.

### Code comment




## Memos

ATLAS.ti memos in comparison can be freestanding.



- You can write a comment for a memo, for example: use this memo for section 2 in chapter 4 in my thesis.
- Memos have a type attribute. This means you can label them as methodological memo, as theoretical memo, organizational memo, and the like.
- Memos can be linked to quotations, codes and other memos (see Grounded and Density column in the Memo Manager).
- Memos can be grouped.



## Typical Usage of Comments

Below some ideas are listed for what you can use comments:

### Project comment

- project description

### Document comment

- Meta information about a document: source, where and how you found or generated it
- Interview protocols

Information about a respondent like gender, age, profession etc., are best handled by document groups. There is no need to write this type of information into the comment field.

### Quotation Comment

- interpretations that only concern a specific data segment
- ideas how a quotation might be related to another quotation
- summaries for what you hear or see in the multimedia quotation
- interpretations of image quotations
- notes on a geo position

### Code Comment

- first ideas what you mean by a code
- a code definition
- a coding rule, especially when working in a team
- an example of what kind of data can be coded with this code
- summary of coded segments

### Memo Comment

- note to yourself where you want to use the memo in a report
- comments from supervisors or team members
- links to or notes about relevant literature
- description of the network
- idea how you want to develop it further

### Link Comment

- Explaining why the two entities are linked in a specific way.

## Difference between Memos and Codes

Code names are (or should be) succinct, dense descriptors for concepts emerging during the stage of closely studying the data. They often reduce complex findings to crisp placeholders and/or theoretically relevant concepts.

Beginners often stuff lengthy treatises into a code name, blurring the distinction between codes, comments, and memos and thereby mistaking codes for their more appropriate siblings.

If you find yourself using more than a few words as a code label, consider making use of the quotation name or comment. See [Working with Quotations](#), or write more extensive thoughts about a code as code comment.

Like codes, memos have names. These names, or titles, are used for displaying memos in browsers, and help to find specific memos.

Just like code names, a memo's title should be short and concise. Don't confuse the name with its content! The purpose is to fill the memo with content, which is a longer text that goes beyond just describing the memo title. If all what you want to write in the memo fits into the title, use a quotation comment instead.

## References

Corbin, Juliet and Strauss, Anselm (2008). Basics of Qualitative Research: Techniques and Procedures for Developing Grounded Theory (3rd and 4th ed.). Thousand Oaks, CA: Sage.

Gibbs, Graham (2005). Writing as analysis. [Online QDA](#).

# Working with Comments and Memos

## Writing a Comment

You find a field for writing comments in every [Entity Manager](#).

To write a comment, select an item and type something in to the comment field. As soon as you select another item, the comment is automatically saved.

inst

Changes can also explicitly be saved by clicking on the **Save** icon in the top right of the text pane.

All items that have a comment display a yellow post-it within their icon.

If you want to add formatting,

click on the icon with the arrow in the top right-hand corner. This opens a text editor that offers a number of formatting options.

Alternatively, you can right-click on any entity and select the **Edit Comment** option from the context menu and write a comment for the selected entity.

## Creating Memos

Memos can be created from the *Home* tab, or in the *Memo Manager*.

To create a memo from the **Home** tab

Click the drop-down menu for **New Entities** and select **Free Memo**.

Enter a name for the new memo and click **Create**.


Depending on your last settings, the memo editor may open as floating or docked window. If you want to change between floated and docked windows, see [Interface Navigation](#),

To create a memo in the **Memo Manager**

Open the Memo Manager and select **Create Free Memo** in the ribbon.

Enter a name for the new memo and click **Create**.

Begin to write your memo. When you are done, click the **Save** button and close the window.



## Changing the Memo Type

Memos can be organized, sorted and filtered by the **type** attribute.

Several standard memo types are offered by ATLAS.ti: **commentary**, **memo** and **theory**. You can add new types or modify existing ones. The default type is *memo*.

To change the memo type or create a new one:

Select a memo in the Memo Manager and click on the **Set Type** button in the ribbon (or select it from the context menu).

Select one of the existing types, or add a new one.

Click the **Set Type**.

## Opening an Exis


You can access memos from everywhere: the Project Explorer, the Memo Manager, in the margin area if you linked a memo to a quotation, or from within a network.

If you want to review or continue to work on a memo, just double-click the memo.

## Link

Memos can be linked to quotations, codes and other memos. You can link memos per drag & drop basically anywhere in the program, or visually in networks. See [Linking Nodes](#). Below a few examples are given.

## Linking Memos to Quotations



The following options are available:

- Drag & Drop a memo from the Project Explorer or Memo Manager onto a highlighted quotation, or on a quotation in the margin area. You can also drag the quotation to the memo.
- Drag & Drop a memo from the Project Explorer or Memo Manager to a quotation in a **result list** (or vice versa) in the query tool, the Code Document Table, Code Co-occurrence Table, or results from a project search.
- Drag & Drop a memo from the Project Explorer or the Memo Manager to a quotation in the **Quotation Manager** (or vice versa).
- Link a memo to a quotation (or vice versa) in a **network**. See [Linking Nodes](#).

## Reviewing Quotations Linked to a Memo

To review all quotations linked to a memo, hold down the **Ctrl** key + **double-click**. This opens the Quotation Reader, and you can read all quotations that you have linked to the memo.

warn

Do not drop a memo onto a code in the margin area. This action will replace the code with the memo, which in most cases is not the wanted outcome.

## Linking Memos

The following options are available:

- Drag & Drop a memo from the **memo branch** in the Project Explorer or the Memo Manager to the **code branch** in the Project Explorer (or vice versa).
- Drag & Drop a memo from the **Memo Manager** to a code in the **Code Manager** (or vice versa).
- Link a memo to a code (or vice versa) in a **network**. See [Linking Nodes](#).



## Linking Memos to Memos

The following options are available:

- Drag & Drop a memo to another memo in the memo branch of the **Project Explorer**.
- Drag & Drop a memo to another memo in the **Memo Manager**.
- Link a memo to a memo in a **network**. See [Linking Nodes](#).

## Converting a Memo into a Document

As a lot of the analysis happens while you write memos, in some cases you may wish to convert a memo into a document as secondary data so that you can code it.

Select a memo in the Memo Manager and click on the **Convert to Document** button in the ribbon, or select it from the context menu. Alternatively, right-click on a memo in the Project Explorer and select the option **Convert to Document** from the context menu.

The memo is then added to your list of documents.

You can continue to use the memo as memo. The memo comment is not transferred. It is treated independently of the comment that you may want to write for the memo document.

# Hyperlinks

## Representing the Rhetoric of Data

A network based on text segments that are linked to each other is often referred to as a *hypertext*. The original sequential text is de-linearized, broken down into pieces that are then reconnected, making it possible to traverse from one piece of data to another piece of data regardless of their original positions.

As in ATLAS.ti, you cannot only work with text, this also applies to other data sources like images, audio, video or geo data.

Cross-references between text passages are very common also in conventional media like books - just think of religious and juridical texts, literature, journals etc. Footnotes and end notes are another common deviation from the pure linearity of sequential text. However, in conventional media, not much navigational support is provided for "traversing" between the pieces of data that reference each other.

This manual for example is a computer-related hypertext application that displays operational information in suitable small chunks (compared to lengthy printed information), but with a considerable amount of linkage to other pieces of information.

Another well-known hypermedia structure is the **World Wide Web** with its textual, graphical and other multimedia information distributed world-wide.

What are the advantages of direct connections between text segments, compared to the traditional procedures of qualitative text analysis?

## What Codes Can't Do

The *code & retrieve paradigm*, which is so prevalent for many systems supporting the qualitative researcher, is not adequate for certain types of analysis. In formal terms, attaching codes onto segments of data creates named sets of segments with almost no internal structure. This is not to say that partitioning lots of text segments into sets is not useful. On the contrary, classification leads to manageable amounts of segments that later can be retrieved with the help of the attached code words. But this may not be the only way you want to look at your data.

The concept of hypertext introduces explicit relations between passages. These links have to be built manually and result from an intellectual effort. The system cannot decide for you that segment x is in contradiction to segment y. After the work of establishing the links, you can make semantically richer retrievals like: "Show statements contrary to statement x." See [Manager for Links](#) and [Analytic Functions of Networks](#). A code offers fast access to a set of data segments that are similar, defined by a simple relation between them, namely **equivalence**.

Hypertext allows you to create different paths through the data you are analyzing. For example, you may create a timeline different from the strict sequence of the original text.

Hyperlinks can express more differentiated relationships between quotations, for example:

- statement A contradicts / supports / refers to statement B.
- Image quotation X in document 7 illustrates what has been said in quotation Y in document 12.

The data segment that you can relate to each other can be from the same or different documents.

## Mapping Hyperlinks in Networks

ATLAS.ti incorporates procedures for creating and browsing hypertext structures. It allows for two or more quotations being connected using *named* relations. See [About Relations](#).

Further, you can create graphical maps - using [Networks](#) - to make parts of your hyperspace accessible easily.

Hyperlinks may connect quotations (textual, graphical, multimedia) across documents (intertextual links) or may link segments within the same document (intra-textual links). The natural boundary for hyperlinks, like all structures in ATLAS.ti, is the project.

# Creating Hyperlinks

A hyperlink is a named link between two quotations. If, for instance, you notice that one statement in a report or interview is explaining a previous statement in a bit more detail, you can link the two using the relation "explains." Or you may find a contradictory or supporting statement. These are just a few of the default relations that come with the software. If they do not fit what you want to express, you can create user-defined relations in the Relation Manager. See [Creating New Relations](#).

ATLAS.ti offers a variety of options for creating and traversing hypertext links. Similar to the linking of codes, you may create hyperlinks in the network editor. See [Linking Nodes](#).

In addition, hypertext links can be created while you work with your documents. How this works is described below.

## Terminology

- The start of a hyperlink is called **source**
- The end of a hyperlink is called **target**.

When creating a hyperlink you first create the *link source*, next you select the *link target* and then you select the *relation* that defines how these two quotations are linked.

## Display of Hyperlinks

### In the Margin Area

In the margin area, hyperlink labels show the quotation icon, the name of the relation, the quotation ID and the first letters of the quotation name. The label is visualized as an arrow. Source links point to the right, target links to the left.

### In the Quotation Manager

All hyper-linked quotations can easily be recognized in the Quotation Manager. All source quotations are marked with an opening angle bracket <, all target quotations with a closing bracket >. If a quotation is both, source and target (as the case when creating chains), then both brackets are used as prefix <>.


Symbol	Explanation
<	Quotation is source of a hyperlink
>	Quotation is target of a hyperlink

Symbol	Explanation
<>	Quotation is both start and target, thus at least two other quotations are linked

## Creating Hyperlinks in a Document

Open a document.


Select a data segment as source for the hyperlink. It can be an existing quotation, or a highlighted section of your data. Right-click the highlighted document area and select the option **Create Link Source** from the context menu.



If you select a data segment as source that was not yet a quotation, ATLAS.ti automatically creates a quotation from it.

Select an existing quotation as target, or highlight a segment in your data, right-click and select the option **Create Link Target**.

The list of available relations opens up. Select a relation with a left-click. Now the hyperlink is created.



If you select a data segment as target that was not yet a quotation, ATLAS.ti automatically creates a quotation from it.

If none of the existing relations fit, create a new relation in the Relation Manager. See [Defining New Hyperlink Relations](#).

After creating a hyperlink, you see the following in the margin area: the hyperlink label show the quotation icon, the name of the relation, the quotation ID and the first letters of the quotation name. The label is visualized as an arrow. Source links point to the right, target links to the left.

If you double-click on a hyperlink, the hyperlinked quotation is shown. You have the option to directly jump to the linked quotation by clicking on the option **Go to Quotation**.

## Creating Hyperlinks in the Quotation Manager

This method can be applied to connect one or more existing quotations to one target quotation.

- Select one or more source quotations in the Quotation Manager (multiple selections can be done in the standard way).
- Hold down the left mouse button and drag the quotation(s) to a target quotation in the Quotation Manager.
- Release the left mouse button. The relation menu opens, and you can specify the relation to be used for the hyperlinks.

## Creating Hyperlinks in the Margin Area

Creating hyperlinks in the margin area is suitable for connecting two quotations that are close to each other:

- Select a quotation bar in the margin area.
- Hold down the left mouse button and drag the bar onto another quotation bar.
- Release the left mouse button. The relation menu opens. Select a relation.

## Creating Hyperlinks across Documents

This is a good method if you want to create hyperlinks between two documents.

- Load two documents side-by-side. This means you load two documents into different tab groups. See [Working With Tabs And Tab Groups](#) .
- Left-click a quotation bar in the margin area of one document and drag it to a quotation bar in the margin area of the other document. Release the left mouse button, and select a relation.

# Working with Hyperlinks

## Traversing Hyperlinks

Traversing hyperlinks means you view or jump to the linked quotations. To do so:

■ Double-click on a hyperlink.

A window pops showing you the content of the linked quotation.

■ To view the content of the linked quotation, select the option **Go to Quotation**.

Alternatively, you can also use 'Ctrl + double-click' to immediately jump to a linked quotation.

## Modifying Hyperlinks

You can modify existing hyperlinks, i.e. cutting a link, flipping (reversing) a link, or changing the relation at various places.

### In the Margin Area

In the margin area, you can unlink or change the direction of a hyperlink:

■ Right-click on a hyperlink in the margin area and select either the **Unlink**, or the **Reverse** option from the context menu.

### In the Hyperlin

In the Hyperlink Manager, you can unlink or change the direction of a hyperlink, or change the relation.



To open the Hyperlink Manager, go to the Home tab, and click on the Links button.

inst

By default the Link Manger shows the code-code links. To change to view the hyperlinks, click on the Hyperlinks button on the right-hand side of the ribbon.

inst

To modify a hyperlink, select it, right-click and chose one of the following options: Cut, Flip or Change Relation from the context menu.

See also [Links Manager](#).

## Modifying Hyperlinks in the Netwo

Open a network on a hyperlink, e.g. right-click and select Open Network from the context menu, or click on the Open Network button in the ribbon. See [Ad-hoc networks](#).

inst

In the network editor, right-click on a link label and select one of the following options: Flip Link, Cut Link or Change Relation from the context menu.

For more information see [Linking Nodes](#).

## Editing Hyperlink Comments

The links between quotations use fully qualified relations, like the links between codes. As a hyperlink is a "first-class" entity, you can write a dedicated comment for each hyperlink.

Such a comment could explain why quotation A has been linked to quotation B. Link comments can be accessed, displayed and edited from three locations: the margin area, the Hyperlink Manager and the Network Editor.

The margin area has the advantage that it is readily available during scrolling through the documents.

The network editor method offers a visual approach to accomplishing this goal.

### Editing a Hyperlink Comment in the Margin Area

Right-click a hyperlink in the margin and select the option: Edit Hyperlink Comment.

## Editing a Hyperlink Comment in the Hyperlin

Open the Hyperlink Manager.

inst

Select a hyperlink. Edit the comment in text pane below the link list.

Alternatively:

Right-click and select the **Edit Comment** option in the context menu, or click on the **Editor comment** button in the ribbon to open a text editor.

## Editing a Hyperlink Comment in

Open a network on a hyperlink, e.g. right-click and select **Open Network** from the context menu, or click on the **Open Network** button in the ribbon. See also [Ad-hoc networks](#).

inst

Move the mouse pointer to the link between two quotations, right-click and select **Edit Comment**.

## Creating New Relations for H

New relations can be defined in the Relation Manager. See [Creating New Relations](#). The procedure for defining or editing hyperlink relations is equivalent to defining or editing code-code relations.

## Further Data Analysis

ATLAS.ti offers several tools that support you in querying your data:

### Simple Boolean Retrieval.

See [Retrieving Coded Data](#).

# Analysing Code Distributions

Code distributions are displayed in the Document Manager and in the Code Manager in the form of bar charts. In the document manager you will see a bar for each code. The higher the bar, the more often the code was used. In the Code Manager each bar stands for a document. Within the bar you can see how the codes are distributed in the document.

After you've encoded the data, a look at the code distribution gives you a feel for the data. Which topics were mentioned more or less frequently, by whom, is there a difference between different groups of respondents? How are the topics distributed? For further information see [Analysing Code Distributions](#).

## Code-Document Table

The Code Document Table is a cross-tabulation of codes or code groups by documents or document groups. It shows how often a code (codes of a code group) has (have) been applied to a document or document group. See [Code Document Table](#).

## Co-occurrence Analysis

Use the Code Co-occurrence Explorer to explore coded data to get a quick overview where there might be interesting overlaps. If you are looking for specific co-occurrences and for accessing the quotations of co-occurring codes, the Code Co-occurrence Table is the better choice. See [Code Co-Occurrence Tools](#).

## The Query Tool

The Query Tool finds quotations based on a combination of codes using Boolean, Proximity or Semantic operators. Example: Show me all quotations where both Code A and Code B have been applied.

Such queries can also be combined with variables in form of documents or document groups. This means that you can restrict a query to parts of your data like: Show me all quotations where both Code A and Code B have been applied, but only for female respondents between the age of 21 and 30. See [The Query Tool](#).

## Smart Codes

Smart Codes are stored queries. They can be reused and always reflect the current state of coding, e.g. after more coding has been done or after coding has been modified. They can also be used as part of other query, thus, you can build complex queries step-by-step. See [Working With Smart Codes](#).

## Smart Groups

Like smart codes, smart groups are stored queries based on groups. The purpose is to create groups on an aggregate level. For instance, if you have groups for gender, age and location, you can create smart groups that reflect a combination of these like all females from age group 1 living in city X. See [Working With Smart Groups](#).

## Global Filters

Global filters allow you to restrict searches across the entire project. If you set a document group as global filter, the results in the Codes-Document or Code Co-occurrence Table will be calculated based on the data in the filter and not for the entire project. Global filters effect all tools, windows, and networks. See [Applying Global Filters For Data Analysis](#).


# Available Operators for Querying Data

Knowing about the available operators is important when using the Code Co-occurrence Tools, the Query Tool, when creating Smart Codes and Smart Groups. The following types of operators are available:

- **Boolean operators** allow combinations of keywords according to set operations. They are the most common operators used in information retrieval systems.
- **Proximity operators** are used to analyze the spatial relations (e.g., distance, within/enclosing, overlapping, co-occurrence) between coded data segments.

## Boolean Operators

[Video Tutorial: Explaining Boolean Operators](#)



OR, AND, ONE OF (exactly one of the following is true) and NOT

- OR, AND, and ONE OF (exactly one of the following is true) are **binary operators** which need exactly two operands as input.
- NOT needs only one operand.
- Codes, code groups, or smart codes can be used as operands in a query.

### AND: ALL of the following are true

The AND operator finds quotations that match ALL the conditions specified in the query. This means you have applied two or more codes to the same quotation.

**Example:** All quotations coded with both 'code A' AND 'code B' .

The AND operator is very selective and often produces an empty result set as it requires that the selected codes have all been applied to exactly the same data segment. It produces best results when combined with less restrictive operators or when the overall number of the available text segments is large.

## OR: ANY of the following are true

The OR operator does not really match the everyday usage of OR. Its meaning is At least one of..., including the case where ALL conditions match. The OR operator retrieves all quotations that are coded with any of the codes used in the expression.

**Example:** All quotations coded with 'code A' OR 'code B'. The result list will contain all quotations coded with 'code A' and all quotations coded with 'code B', or quotations coded with both codes.

## ONE OF: Exactly one of the following is true

The ONE OF operator asks that EXACTLY one of the conditions must meet. It translates into the everyday either-or.

**Example:** All quotations coded with EITHER 'code A' OR 'code B' (but not with both).

## NOT: None of the following are true


The NOT operator tests for the absence of a condition. Technically, it subtracts the findings of the non-negated term from all data segments available. Given 1000 quotations in the project and 20 quotations assigned to 'code A', the query NOT 'code A' retrieves 980 quotations - those which are *not* coded with 'code A'.

The operator can be used with an arbitrary expression as in the argument NOT ('code A' OR 'code B') which is the equivalent of neither 'code A' nor 'code B'.

See [Example 2 in the section Building Complex Queries](#).

## Proximity Operators

### Video Tutorial: Proximity Operators and Example Queries



Proximity describes the spatial relation< between quotations. Quotations can be embedded in one another, one may follow another, etc. The operators in this section exploit these relationships. They require two operands as their arguments.

Proximity operators differ from the other operators in one important aspect: Proximity operators are *non-commutative*. This property makes their usage a little more difficult to learn.

- **Quotations enclosing quotations:** A ENCLOSSES B retrieves all quotations coded with A that contain quotations coded with B.
- **Quotations being enclosed by quotations:** A being enclosed by B (WITHIN) retrieves all quotations coded with A that are contained within data segments coded with B.
- **Overlaps (quotation overlapping at start):** A OVERLAPS B retrieves all quotations coded with A that overlap quotations coded with B
- **Overlapped by (quotations overlapping at the end):** A OVERLAPPED BY B retrieves all quotations coded with A that are overlapped by quotations coded with B.
- **Co-Occurs:** Often when interested in the relation between two or more codes, you don't really care whether something overlaps or is overlapped by, or is within or encloses. If this is the case, you simply use the Co-occurs operator.

Co-occur is essentially a short-cut for a combination of the four proximity operators discussed above, plus the operator AND. AND is a Boolean operator, but also finds co-occurrence, namely all coded segments that overlap 100%.

The more general co-occurrence operator is quite useful when working with transcripts. In interviews, people often jump back and forth in time or between contexts, and therefore it often does not make much sense to use the very specific embedding or overlap operators. With other types of data they are however quite useful. Think of video data where it might be important whether action A was already going on before action B started or vice versa. Or if you have coded longer sections in your data like biographical time periods in a person's life and then did some more fine-grained coding within these time periods. Then the WITHIN operator comes in very handy. The same applies when working with pre-coded survey or focus group data. Using WITHIN, you can for instance find all data segments coded with 'topic x' WITHIN 'question 5'; or all data segments coded with 'code A' WITHIN 'speaker unit: Tom'.

## Non-commutativity of proximity operators

**Non-commutativity** requires a certain input sequence for the operands. While A OR B is equal to B OR A, this does not hold for any of the proximity operators: A FOLLOWS B is not equal to B FOLLOWS A. When building a query, always enter the expressions in the order in which they appear in their natural language manifestation.

Another important characteristic for these operators when using the query tool is the specification of the operand for which you want the quotations retrieved. A WITHIN B specifies the constraint, but you must also specify if you want the quotations for the As or the Bs. This is done implicitly by the sequence.



If you enter the query 'A Co-occur B', all quotations coded with A are retrieved.

If you enter the query 'B co-occur A', all quotations coded with B are retrieved.

For example, if you want to retrieve all segments coded with codes of the code group 'Positive effects of parenting' for all comments written by people with 1 child: 'No. of children: 1 child', the query yields 11 quotations:

The screenshot shows the ATLAS.ti interface. On the left, there are two panels: 'Search Code Groups' and 'Search Codes'. The 'Search Code Groups' panel lists several code groups, with 'Positive effects of parenting' selected. The 'Search Codes' panel lists several codes, with 'No. of children: 1 child' selected. On the right, the 'Scope' is set to 'Entire Project' and the 'Term' is 'Positive effects of parenting COOC No. of children: 1 child'. Below this, there is a diagram showing the relationship between the two codes. A red circle highlights the 'No. of children: 1 child' code in the 'Search Codes' panel, and a red arrow points from it to the search results. The search results show two quotations with the code 'positive effects: life is richer' and 'positive effects: fulfillment'.

**Search Code Groups**

- Codes for research question 2 (6)
- codes for research question 3 (17)
- Defining happiness (4)
- Negative effects of parenting (7)
- Perception parenthood (4)
- Positive effects of parenting (6)**
- Reason for and against having kids (14)
- Reasons contra (7)

**Search Codes**

- negative effects: on relationships {12-1}
- negative effects: on self {6-3}~
- No. of children {42-0}
- No. of children: 1 child {23-9}~**
- No. of children: 2 or more {19-7}~
- perception {62-0}
- perception: a worthwhile trade-off {12-3}~
- perception: ambivalence of {39-1}~

**Scope:** Entire Project

**Term:** Positive effects of parenting COOC No. of children: 1 child

**Search**

- 3:9 11 13 in 3\_Parenting blog: reader comments  
We've been outrageously lucky. Our daughter is 2 years old. She is a precious and bright child, has brought a lot of work and stress to my life, and has also made my life richer and filled with laughter  
1 Coding  
positive effects: life is richer
- 3:41 1 86 in 3\_Parenting blog: reader comments  
We are lucky in that we have a daughter who has been relatively easy, and yet even an easy baby is a lot of work. Everything is more difficult. Subway rides are a project, and I've spent more time cleaning poop clothes than I'd care to  
1 Coding  
positive effects: fulfillment

Term Quotations 11 Scope Quotations 0

As results, you will get all quotations coded with the codes of the code group 'Positive effects of parenting'.

If you enter the codes in a different order - the code 'No. of children: 1 child' first - then the query retrieves 10 quotations. This is not a mistake, because this time the result will be all quotations coded with the code 'No. of children: 1 child'.

**Query Tool**

**Scope Tool**

**Term**

**Code Groups**

- Codes for research question 2 (6)
- codes for research question 3 (17)
- Defining happiness (4)
- Negative effects of parenting (7)
- Perception parenthood (4)
- Positive effects of parenting (6)**
- Reason for and against having kids (14)
- Reasons contra (7)

**Search Codes**

- negative effects: on relationships {12-1}
- negative effects: on self {6-3}~
- No. of children {42-0}
- No. of children: 1 child {23-9}~**
- No. of children: 2 or more {19-7}~
- perception {62-0}
- perception: a worthwhile trade-off {12-3}~
- perception: ambivalence of {39-1}~

**Scope: Entire Project**

**Term: No. of children: 1 child COOC Positive effects of parenting**

**Diagram:**

```

graph TD
    A[No. of children: 1 child] --- AND[AND] --- B[Positive effects of parenting]
  
```

**Search Results:**

**3:59 ¶ 11 in 3\_Parenting blog: reader comments**

Just as children cannot bring happiness as Couvade points out, I'm not sure they can solely bring unhappiness as well. I'm an older, first time mother to a five month old in a stable relationship with no financial worries and feel that I can take the difficulties that arise from parenting in stride...

**4 Codings**

- \*blog comment
- Attitude: = level of happiness
- children: yes
- No. of children: 1 child**

**3:237 ¶ 12 – 13 in 3\_Parenting blog: reader comments**

I had a long, long list of reasons why I didn't want a child. The epiphany arrived when I finally realized that the main (perhaps only) reason why I didn't want to try was because I was scared. I was not deluded at all, I was very conscious of how easy it is for things to go wrong, during and after the...

**4 Codings**

- \*blog comment
- children: yes
- No. of children: 1 child**
- perception: ambivalence of

**Term Quotations 10 Scope Quotations 0**

In the Query Tool, you need to enter the code whose content you are most interested in on the right-hand side of the query.

# The Query Tool

The **Query Tool** is used for retrieving quotations using the codes they were associated with during the process of coding. The simplest retrieval of this kind - search for quotations with codes- is what you frequently do by double-clicking on a Code in the Code Manager or a code browser. See [Retrieving Coded Data](#). This may already be regarded as a query, although it is a simple one. The Query Tool is more complex in that it can be used to create and process queries that include a variety of combinations of codes.

A **query** is a search expression built from operands (codes and code groups) and operators ([Boolean, proximity or semantic operators](#)) that define the conditions that a quotation must meet to be retrieved, for example "All quotations coded with both codes A and B".

A query can be built incrementally which is instantaneously evaluated and displayed as a list of quotations. This incremental building of complex search queries gives you an exploratory approach toward even the most complex queries.

To open the Query Tool:

 Select the **Analyze** tab and click **Query Tool**.

The query tool ribbon contains all [available operators for querying data](#), plus a few options that help you build a query. At the left-hand side you see the list of folders, categories, subcodes and code groups that can be used as operands in a query. The main space is reserved for displaying the query and the results. At the top right-hand side you find a number of different output options to create a report of the query results.

Remember the results of a query in the query tool are always quotations.

# How to Build a Query Using Boolean Operators

Video Tutorial Creating a Boolean OR query in the Query Tool

The examples shown are based on the [Children & Happiness sample projects part 1](#). You can download and import it, if you want to follow along.


## Example 1

Open the Query Tool by selecting the **Analyze** tab and from there click **Query Tool**.


### Question

The aim is to find all statements where people wrote about the two positive effects of parenting: 'fulfillment' and 'life is richer'.




Next, select the operator **OR** from the ribbon. It will be added into the white field.



As OR needs two arguments, you see two nodes with a red dot that can be filled with codes or code groups. You recognize the active node by the blue frame. Double-click on a code or code group to fill it. You can also drag and drop a code or code group to the node, or click on the **Add** button in the ribbon. The results of this first part of the query will immediately be displayed in the result pane.




Click on the second node to activate it and enter a second code or code group. If you double-click a third code or code group, it will be added to the OR query. Another double-click will add a fourth node to the term, and so on.




## Inspecting the Results of a Query

If you click on an operator node, the quotations resulting from the query will be displayed in the bottom pane. If you click on any other node in the query, the respective results of the selected node will be shown.

The results of a query are shown in the [Quotation Reader](#). The full functionality of the quotation reader is also available [here](#).




If you want to read the results in a detached Quotation reader, click on the burger menu and select the option Open in new window:



The **status bar** at the bottom of the screen shows the total number of quotations this query results in.

If you click on any one of the node in a query, the respective results of this node will be shown:




## Options of the Result Pane

If you click on the **Eye** icon, you can change the view mode. Available options are:

- single line
- small preview
- large preview
- show quotation comments
- show margin

When you click on the **Burger** icon you can export the results of the query to Excel.




## Removing or Modifying a Query

To delete a query, click on the operator node and select **Delete** in the ribbon, or the Delete key on your keyboard.

If you only want to delete an argument (i.e. a code or code group) from the query, click on the respective node and then on the **Delete** button in the ribbon, or the Delete key on your keyboard.

If you want to change the operator, click on the **Change Operator** button in the ribbon. Changing operators is only available for Boolean queries.



## Example 2

In this example, we show how to build a query with two Boolean operators.

### Question



The aim is to find all statements coded with:

("children = level of happiness" OR "children > happiness")


that have also been coded with codes of the code group "sources of happiness".

Select the operator OR from the ribbon.

Add the two codes "children = level of happiness" and "children > happiness" into the two empty nodes as described above.

**Scope:** Entire Project


**Term:** children: = level of happiness | children: > happiness



Select the operator AND to extend the query. The result of the first query is now one of the two arguments needed. Activate the empty node by clicking on it and add the code group "sources of happiness".

**Scope:** Entire Project


**Term:** (children: = level of happiness | children: > happiness) &



Activate the empty node by clicking on it and add the code group "sources of happiness".

**Scope:** Entire Project

**Term:** (children: = level of happiness | children: > happiness) & Sources of happiness



Search


3:116 1 180 in 3\_Parenting blog: reader comments

I have two daughters and frequently marvel at my own contentment (smug person that I am). There's nothing like having one's very own clan, esp. when life can be so tough.

2 Codings

- children: > happin...
- source: relationshi...

You can read the query as follows: Find all statements where people wrote that children either make them more happy, or they experience equal level of happiness and where they also mentioned a source of happiness. This query yields one quotation as result.



You can rotate the layout of a query by clicking on the **Rotate Layout** button in the ribbon.

If you selected the wrong Boolean operator, you can exchange it by clicking on **Change Operator** in the ribbon. This saves you from rebuilding the query from scratch if you made a mistake.

# How to Build a Query using Proximity Operators

Video Tutorial: Proximity Operators and Example Queries

The examples shown are based on the *Children & Happiness sample projects part 1*. You can download and import it, if you want to follow along.

## Example 1


Open the Query Tool by selecting the Analyze tab and from there click Query Tool.

### Question

Is positive and negative perception of parenthood related to the attitude whether having children contribute to happiness?

These aspects are captured by the code groups: "positive effects of parenting" and "negative effects of parenting", and the codes "children > happiness" and "children < happiness"

Select the operator Co-occurs in the ribbon.



As all proximity operators need two arguments, you see two nodes with a red dot that can be filled with codes or code groups. You recognize the active node by the blue frame.

Select the code "children > happiness" to fill the node on the left-hand side. You can also drag and drop a code or code group to the node, or click on the Add button in the ribbon. The results of this first part of the query will immediately be displayed in the result pane.

Select the code group "Positive effects of parenting" to fill the node on the left-hand side. The result of this query are 8 quotations.

The screenshot shows the 'Query Tool' interface. On the left, there are two panels: 'Code Groups' and 'Codes'. The 'Code Groups' panel lists several groups, with 'Positive effects of parenting (7)' selected. The 'Codes' panel lists various codes, with 'children: > happiness {22-2}~' selected. In the center, a query is built using the 'Positive effects of parenting' code group and the 'children: > happiness' code. The result pane on the right displays 8 quotations from '3\_Parenting blog: reader comments'. The status bar at the bottom shows 'Term Quotations 8 Scope Quotations 0'.


The **status bar** at the bottom of the screen shows the total number of quotations this query results in.

You can read the query as follows:

Remember that the position of the code or code group in a query with proximity operators matters. The quotations displayed in the result pane are those quotations linked to the code (or argument) on the left-hand side of the query. Note that the *Co-occurs* icon shows a black and white field. The black field represents the quotations that are shown (see image).


If you got the arguments the wrong way around, you can swap them by clicking on the **Swap** button in the ribbon.

To see how the attitude "children > happiness" relate to "Negative effects of parenting", select the code group "Positive effects of parenting" and **Delete** it from the query.



Replace it with the see code group "Negative effects of parenting". The result will be 0 quotations.

Next, test whether there is a relation between the attitude "children < happiness" and a negative perception of parenting by replacing the code on the left-hand side:




## Example 2

In the following example, two proximity operators are used in one query.

**Question** Do respondents who mentioned positive effects of parenting also mention negative aspects?

As mentioned positive and negative effects do not necessary co-occur directly, the task is to find both aspects in the larger context of the entire comment written by each person. This larger context has been coded with the code "blog comment".


Select the operator Encloses in the ribbon. Enter the code "Blog comment" on the left-hand side, and the code group "Positive effects of parenting" on the right-hand side.



Next, select the operator Co-occurs from the ribbon. The first query now becomes one of the arguments for the second part of the query. Add the code group "Negative effects of parenting" to the empty node.

**Scope:** Entire Project

**Term:** ("blog comment" ENCLOSSES Positive effects of parenting) COOC Negative effects of parenting



The result shows 11 quotations (if you check the status bar on your screen). As the code "blog comments" has been entered on the left-hand side, each results reflects one comment. So we know that 11 respondents have been writing about both positive and negative effects of parenting.

You can rotate the layout of a query by clicking on the **Rotate layout** button in the ribbon.

## Inspecting the Results of a Query

If you click on an operator node, the quotations resulting from the query will be displayed in the result pane. If you click on any other node in the query, the respective results of the selected node will be shown.


The results of a query are shown in the **Quotation Reader**. The full functionality of the quotation reader is also available [here](#).

## Options of the Result Pane

If you click on the **Eye** icon, you can change the view mode. Available options are:

- single line
- small preview
- large preview
- show quotation comments
- show margin

When you click on the **Burger** icon you can export the results of the query to Excel.



## Removing a Query or an Argument

To delete a query, click on the operator node and select **Delete** in the ribbon, or the Delete key on your keyboard.

If you only want to delete an argument (i.e. a code or code group) from the query, click on the respective node and then on the **Delete** button in the ribbon, or the Delete key on your keyboard.





# How to Build a Query using a Mix of Operators

The examples shown are based on the *Children & Happiness sample projects part 1*. You can download and import it, if you want to follow along.

The instructions below are not as detailed, as it is assumed that you have read the examples for [Boolean Queries](#) and [Proximity Queries](#).

## Example 1

Question: Find all blog comments written by people who have one child AND who expressed the ambivalence of parenthood that contain a statement that having children made them happier.


The AND query needs to be embedded within the co-occurrence query:

Select the operator **AND** in the ribbon.

Add code or code groups to the empty nodes via double-click or drag and drop (here: "#fam: 1 child" and "parenthood: ambivalence").


Select the operator **Co-occurs** and enter a code/code group to the empty node (here: "children: > happiness"). Since the first AND query makes up the argument for the left-hand side of the query, the final query finds all quotations that are co-occurring with the quotations of the first argument.

Remember that the position of the code or code group in a query with proximity operators matters. The quotations displayed in the result pane are those quotations linked to the code (or argument) on the left-hand side of the query.



You can read the query as follows: Find all blog comments written by people who have one child AND who expressed the ambivalence of parenthood that contain a statement that having children made them happier.

To explore the data further, you can exchange the single nodes of the query, for example to see whether there are also comments that match the same criteria for people with two children; or to find comments where people with 1 / 2 or more children write that having children made them less happy.



If you got the arguments the wrong way around, you can swap them by clicking on the **Swap** button in the ribbon.

## Example 2

The aim is to find all blog comments written by people who have expressed that children make them happy, that are NOT coded with the code 'parenthood: ambivalence'

Here we have to define two conditions that both must apply:


- Blog comments that enclose statements that children mean > happiness.
- All quotations that have not been coded with 'parenthood: ambivalence' As both conditions must be true, we need to use the AND operator to combine them:

Select the operator **NOT** in the ribbon.

Add code or code groups to the empty node via double-click or drag and drop (here: "parenthood: ambivalence")


Select the operator **AND** and instead of adding a code or code group to the empty node, extend the query by selecting the operator **Encloses**.

Add a code/code group to the empty nodes (here: "blog:comment" and "children: > happiness"). Here it matters again which code/code group is entered on the right or left-hand side of this sub query.



You can read the query as follows: Find all blog comments written by people who have expressed that children make them happy, that are NOT coded with the code 'parenthood: ambivalence'

To explore the data further, you can exchange for instance the code 'children: > happiness' with 'children: < happiness'.



# Restrict a Query to Sub Groups in your Data

Video Tutorial: Query Tool with Scope

## Opening the Scope Tool

If you want to restrict a search to a particular document or document group, e.g. because you are interested in comparing male and female respondents, you need to open the scope tool.

Click on **Edit Scope** in the ribbon of the query tool.

After selecting the Edit Scope option, an additional region opens on the left-hand side. The ribbon also changes.

You can select a document or document group to restrict a search, or you can build a query using Boolean operators if you need a combination of documents or document groups, e.g. all female respondents who have children. Creating a query consisting of documents or document groups works in the same way as creating a code query. See [Example Boolean Query](#).

Select a single document/document group or build a Boolean query. The result pane in the Scope area shows all quotations of the documents you have set as scope. The filtered results are shown on the left-hand side below the code query.

## Changing the Scope

To change the scope, click on the **Delete** button in the scope tool.

## Closing the Scope Tool

To close the scope tool, click again on **Edit Scope** in the ribbon.

To see the results of a restricted search, always look at the list of quotations below the code query on the left-hand side of the Query Tool window.

## Storing the Results of a Query

You can store the results of a query as a smart code for further re-use. You can learn more about smart codes [here](#)

After you have created a query, click on the **Save Smart Code** button in the Query Tool tab.

inst

Enter a name for the smart code and click **Create**.

warn

A smart code always contains the quotations of the entire project. If you set a scope to restrict the query to certain document or document groups, this is not saved in the smart code!

You can now review all quotations of this query, e.g. in the Code or Quotation Manager, at any time. If you make some changes in your coding, the smart code will always give you the up-to-date results.

Smart codes can be recognized by the gray dot at the bottom left-hand side of the code icon. See [Working With Smart Codes](#) for further information.

If a query result delivers the quotations that are necessary to answer a research question, a smart code can be a convenient way to store this result. This can be reflected in the name of the smart code, e.g. *Research question 3: Positive & negative views on parenting*.

## Creating Document Groups from Results

When you add documents to a project, it is easy to create document groups based on sample characteristics like gender, age, profession, location, etc.

At times, you first need to code the data to find relevant information like years of working experience, special skills, attitudes about something, relationship to other people, etc. For this you need an option to create document groups based on query results.

Create a query. See for instance [Example Boolean Query](#). Make sure your mouse pointer selects the query and not a quotation in the result list. Click on the **New Document Group** button in the ribbon and enter a name for the new group.

ATLAS.ti creates a new group from all documents that yield quotation results based on the query.

The query might be as simple as just selected one code.

For instance, if you have coded for work experience:


- work experience: 0 - 5 years
- work experience: 6 - 10 years
- work experience: 10 - 15 years
- work experience: > 15 years

You would simply add the code 'work experience: 0 - 5 years' and click on the **Create Document Group** button to create a document group of all respondents who have a work experience of 0 - 5 years. Then you add the code 'work experience: 6 - 10 years' and create a document group, and so on.

# Query Tool Reports

## Excel Report

To export the list of quotations that result from a query to Excel, click on the 'burger menu' (next to the eye) on the top right-hand side of the quotation list.



## Text Report

To create a text report, click on the Report button in the ribbon. The drop-down menu offers the following options:

- **Report:** This is a report that you can customize. It is explained in more detail in the section [Creating Reports](#).
- **List:** This report only includes the quotation ID, name, reference and document name. This is a useful report option if you work with audio and video data that have no textual content. It is also useful if you worked intensively with the quotation level and added your own quotation names and comments. See [Quotation Level](#).
- **List With Comments:** Same as 'list' plus quotation comments.
- **Full Content:** Includes the full content of text and image quotations, plus the full quotation reference, any codes, memos and hyperlinks that apply.
- **Content plus Comments:** Same as 'full content' plus quotation comments.



## Code-Document Table

You can use the **Code-Document Table** for within and across documents or group comparisons by relating codes or code groups and documents or document groups to each other.

The table cells contain:

- **frequency count** of the number of codings. This can be different from the number of quotations, if a quotation is coded by multiple codes. Counted is each link between a code and a quotation.
- **word count** of the quotations coded by the selected code or code group.







## Running an Analysis in the Code-Document Table

In the Home ribbon, select the Analyze tab and from there the Code Document Table.

Select codes or code groups for the table rows. The selected codes / code groups are added to the table.

Select documents or document groups for the table columns. The selected documents / document groups are added to the table.

**How to make selections:** To select an item, you need to click the check-box in front of it. It is also possible to select multiple items via the standard selection techniques using the **Ctrl/ Cmd or Shift-key**. After highlighting multiple items, push the **space bar** to activate the checkboxes of all selected items, or right click and chose **Check Selected**.

		 parents who do not play  18  108	 parents who play  7  63	 players (other)  15  74	Totals
 benefit: building things	 18	9	4	3	16
 benefit: collaboration	 8	3	4		7
 benefit: creative	 17	7	7	2	16
 benefit: educational	 15	10	1	2	13
 benefit: skill development	 13	2	5	4	11
 downside: dangerous / distractive	 3	3			3
 downside: game can be boring	 2		1	1	2
 downside: griefers	 3	3			3
 downside: scam	 2	2			2
 downside: social & emotional danger	 8	7	1		8
<b>Totals</b>		46	23	12	81

## How to read the table

By default, the codes / code groups are displayed in the left column, and the documents / document groups in the top row.

### Left column

- Next to each code, the number indicates how often the code is applied in the entire project.
- Next to a code group, you see two numbers: The first one tells you how many codes are in the group, the second numbers gives you the number of codings. This is different from the number of quotations, as multiple codes from the same code group could be linked to the same quotation.

### Top row


- Below a document, you see the total number of quotations in each document.
- Below a document group, you see two numbers: the first one tells you how many documents are in the document group, and the second number gives you the number of quotations for all documents in the group.

The additional information you get for each selected row or column item allows you to better evaluate the numbers inside the table cells. If the value in the table cell is 10, but the code overall was applied 100 times, this leads to a different interpretation as if the code was only applied 12 times in the entire project.

### Table cells

- The results in the table cells show how often each selected code was (or the codes of a code group were) applied in each document or document group. Counted are the **number of codings**, unless you select to count words (see options).
- If you click on a cell in the table, the quotation content is shown in the [Quotation Reader](#) on the left-hand side.
- Below the table a Sankey Diagram is shown. You can see both at the same time, or view either the table or the Sankey Diagram. See below.

## Code-Document Table Ribbon



**Colors:** You can choose among three colors for the table cells (blue, red and green), a color map, and no coloring. If you select a color or the color map, the table cells are colored in different shades.

**Row Totals:** Display the row total table (default).

**Column Totals:** Display the column total in the table (default).

**Normalize:** If documents are of unequal length, or document groups of unequal size, the absolute frequencies might be misleading as a measure of comparison. Indicative are the total number of quotations in a document or document group (see first row).

If you normalize the data the number of codings are adjusted. As benchmark, the document / document group column or row with the highest total is used. For example, if you compare two documents, and the total number of codings for the first document is 100 and for the second document it is 50, then all codings of the second document are multiplied by  $100/50 = 2$ . See [Code Document Table: Normalizing Data](#).

**Binarize:** This option reduces all cell values to 0 and 1. It shows whether a code, or codes of a code group, occur or do not occur in a document, or a document group. If they occur a black dot is shown; if not, the cell is empty. This makes it easier to identify patterns in the data.

	📄 parents who do not play 📄 18 🗲 108	📄 parents who play 📄 7 🗲 63	📄 players (other) 📄 15 🗲 74	Totals
🟢📄 benefit: bu... 🗲 18	•	•	•	3
🟢📄 benefit: co... 🗲 7	•	•		2
🟢📄 Benefit: cr... 🗲 17	•	•	•	3
🟢📄 benefit: ed... 🗲 15	•	•	•	3
🟢📄 benefit: ski... 🗲 13	•	•	•	3
🔴📄 downside:... 🗲 3	•			1
🔴📄 downside:... 🗲 2		•	•	2
🔴📄 downside:... 🗲 3	•			1
🔴📄 downside:... 🗲 2	•			1
🔴📄 downside:... 🗲 8	•	•		2
<b>Totals</b>	<b>9</b>	<b>7</b>	<b>5</b>	<b>21</b>

When you export the table to Excel, the dots are turned into 1s and the empty cells into 0s. This allows, for example, a discriminant analysis to be carried out in a statistical program.

**Absolute Frequencies:** The table cells show the number of codings. This is the number of times a code is linked to a quotation. For single codes the number of codings is the same as the number of quotations, but for code groups it can differ if codes that are in the same code group have been applied to the same quotation.

#### Relative Frequencies:

- **Column Rel.-Frequencies:** The table cells show relative frequencies based on the column cells. The total of each column will add up to 100%.
- **Row Rel.-Frequencies:** The table cells show relative frequencies based on the row cells. The total of each row will add up to 100%.

- **Table Rel.-Frequencies:** Display relative frequencies based on all codes used in the table. The totals of all row and column codes will add up to 100%.

		📄 parents who do not play 18 108	📄 parents who play 7 63	📄 players (other) 15 74	Totals
🟢 benefit: building things 18		31.58%	28.07%	40.35%	100.00%
🟢 benefit: collaboration 7		27.27%	72.73%		100.00%
🟢 Benefit: creative 17		24.42%	48.84%	26.74%	100.00%
🟢 benefit: educational 15		50.85%	10.17%	38.98%	100.00%
🟢 benefit: skill development 13		7.32%	36.59%	56.10%	100.00%
🔴 downside: dangerous / distractive 3		100.00%			100.00%
🔴 downside: game can be boring 2			34.29%	65.71%	100.00%
🔴 downside: grievers 3		100.00%			100.00%
🔴 downside: scam 2		100.00%			100.00%
🔴 downside: social & emotional dan... 8		77.78%	22.22%		100.00%
<b>Totals</b>		33.33%	33.33%	33.33%	100.00%

**Count Codings:** Count the number of times a code has been applied to a quotation. Please note, the number of codings can be higher than the number of quotations if code groups are used as you can apply multiple codes to one quotation.

**Count Words:** Count the words of the quotations coded by the selected code, or the codes of the selected code group.

**Compress:** This is a quick way to remove all rows or columns that only show empty cells. This is the same as manually deactivating codes or documents that yield no results. Thus, you cannot "uncompress" a table.

**Codes as Rows:** Display all selected codes / code groups in the rows of the table.

**Codes as Columns:** Display all selected codes / code groups in the columns of the table.

**Details:** You can deactivate the quotation count that is shown after each code/code group, or below each document / document group.

**Export:** You can export the table to Excel.

**Sankey:** Visualize the table as Sankey Diagram. See more in the chapter on [Visualizing the Code-Document Table](#).

**Bar Chart:** Visualize the table as bar chart. See more in the chapter on [Visualizing the Code-Document Table](#).


**Show Lists:** If you only want to see the table and/or the graphs and not the selection lists, deactivate this option.

**Show Table:** If you only want to see the bar chart or the Sankey Diagram without the table, deactivate this option.

**Show Diagram:** If you only want to see the table, deactivate this option.

**Refresh:** If you make modifications to your codings while the table is open, you can click the *Refresh* option to update the results.

## View Tab



**Show Lists:** If you only want to see the table and not the selection lists, deactivate this option.

**Refresh:** If you make modifications to your codings while the table is open, you can click the *Refresh* option to update the results.

**Auto size Columns:** Adjust the size of the columns automatically so that the full label is shown.

**Freeze first Column:** Set if you do not want the auto size option to affect the first column.

**Set Column Size:** You can manually set the column size. 100 means that the column is as wide as the full label.

## Code-Document Table: Relative Frequencies

Relative frequencies are useful for comparing code distributions across or within documents or document groups, as percentages are easier to comprehend.

If documents are of unequal length, or if document groups have an unequal number of members, it is recommended to normalize the counts as absolute counts may distort the results. See [Data Normalization](#).

### Across Group Comparison: Row Relative Frequencies

		👤 parents who do not play 📄 18 🗨️ 108	👤 parents who play 📄 7 🗨️ 63	👤 players (other) 📄 15 🗨️ 74	Totals
🔹 benefit: building things	🗨️ 18	31,58%	28,07%	40,35%	100,00%
🔸 benefit: collaboration	🗨️ 8	27,27%	72,73%		100,00%
🔸 benefit: creative	🗨️ 17	24,42%	48,84%	26,74%	100,00%
🔸 benefit: educational	🗨️ 15	50,85%	10,17%	38,98%	100,00%
🔸 benefit: skill development	🗨️ 13	7,32%	36,59%	56,10%	100,00%
🔴 downside: dangerous / distractive	🗨️ 3	100,00%			100,00%
🔴 downside: game can be boring	🗨️ 2		34,29%	65,71%	100,00%
🔴 downside: griefers	🗨️ 3	100,00%			100,00%
🔴 downside: scam	🗨️ 2	100,00%			100,00%
🔴 downside: social & emotional danger	🗨️ 8	77,78%	22,22%		100,00%
<b>Totals</b>		33,33%	33,33%	33,33%	100,00%



*Code-Document Table showing an example of an across-group-comparison*

The table shows data from a survey with open-ended questions where people evaluate the computer game Minecraft. You can download the project [here](#).

You must read this table from left to right along the rows. It shows the distribution of the selected codes across the following three document groups:

- parents who do not play Minecraft themselves
- parents who play
- player, who are not also parents

A quick glance of the heat map indicates that people who play (parents or others) mention more benefits than parents who do not play. The latter group appears more concerned with the downsides of playing a computer game, especially with the social and emotional dangers. Players mention very few downsides.

Whether you need to select row or column relative frequencies depends on which way around the table is displayed. If documents/document groups are listed as rows and the codes as columns, you use row relative frequencies for a within group comparison.

## Within Group Comparisons: Column Relative Frequencies

The following example is from the sample project: [Children & Happiness](#). Compared are in what kind of relations the readers wrote about positive and negative experience of parenthood.

		3: 3_Parenting blog: reader comments 273	4: 4_NYTM: reader comments 99	Totals
◆ Negative effects of parenting	7 42	37,50%	57,14%	47,32%
◆ Positive effects of parenting	6 41	62,50%	42,86%	52,68%
<b>Totals</b>		100,00%	100,00%	100,00%



As can be seen from the table, the readers from the parenting block write relatively speaking more about positive aspects of parenting as compared to the readers of the NYTM article.

## Total Relative Frequencies

If you select total relative frequencies, the calculation is based on the total number of codings of all selected codes in the table. Below it is compared who has provided more or fewer reasons for having or not having children:

		3: 3_Parenting blog: reader comments 273	4: 4_NYTM: reader comments 99	Totals
◆ contra	36	9 9,57%	22,26 23,68%	31,26 33,26%
◆ pro	81	38 40,43%	24,74 26,32%	62,74 66,74%
<b>Totals</b>		47 50,00%	47 50,00%	94 100,00%

### Example application of total relative frequencies

Readers of the parenting blog have given  $38 / 94 = 40,43\%$  of the reasons for having children and  $9/94 = 9.57\%$  of the reasons for not having children

Readers of the NYTM article have contributed  $24,7/94=26,32\%$  of the reasons for having children and  $22,26/94=23,68\%$  of the reasons for not having children (the data have been normalized).

Thus, comparatively, the readers of the NYTM articles have given quite a few more reasons for not having children, which fits the results reported above that they also wrote more about negative effects of parenting.

You can display all values: absolute frequencies and all relative frequencies in one table by selecting all options. It depends on the purpose for which you want to use the table. For interpreting the data, it is probably easier if you look at each of the relative frequency counts separately. For a comprehensive report for an appendix, you may want to export the table with all options included.



## Code-Document Table: Normalization











If documents are of unequal length, or document groups of unequal size, the absolute frequencies might be misleading as a measure of comparison. If you conduct interviews, and some interviews are only half an hour long and others 2 hours, the chance someone talks about certain issues and how often during the interview is higher in the long interviews. Thus, if you were to compare absolute numbers, the results might just reflect the different durations of the interviews. The same applies if you analyse reports. If one report is 25 pages long and another 100 and the full reports are coded, absolute frequencies are not a valid measure for comparison. The total number of quotations in a document, or a group of documents (see first row) can help you to decide whether normalization of the data is appropriate.

If you normalize the data the number of codings are adjusted. As benchmark, the document / document group column or row with the highest total is used. The images below show an example.

### Normalize data by unequal group size or document length

			3: 3: Parenting blog: reader comments	4: 4: NYTM: reader comments...	Totals			
			273	99				
⚡ Negative effects of parenting	◇ 6	30	18	69.23%	8	30.77%	26	100.00%
⚡ Positive effects of parenting	◇ 6	36	30	83.33%	6	16.67%	36	100.00%
Totals			48	77.42%	14	22.58%	62	100.00%

### Table with normalization applied

			 3: 3_Parenting blog: reader comments  273	 4: 4_NYTM: reader comments...  99	Totals	
 Negative effects of parenting	 6	 30	1839.62%	27.4360.38%	45.43	100.00%
 Positive effects of parenting	 6	 36	3059.32%	20.5740.68%	50.57	100.00%
Totals			4850.00%	4850.00%	96	100.00%

The number of quotations in each document is very different, 273 vs. 99. In fact document 3 is also three times as long as document 4. Therefore, it is not surprising that it contains more quotations. Interpreting the numerical results based on absolute numbers would be misleading. When normalizing the data, the quotation count for the selected code for the document with the lower number of quotations is adjusted; here by the factor  $48/14 = 3,428$  (rounded at the third digit).

As you can see from the table with the normalized data, this changes the results and also the interpretation. As you don't have to rely on the numbers when working with ATLAS.ti, you can click on each cell and read the data behind it, before you then write up the results in a [memo](#).

As normalization often results in uneven numbers, it is useful to work with relative rather than absolute frequencies. See [Relative Frequencies](#).

## Binarize the Results of a Code-Document Table

At times, you might only be interested to see whether a code occurs in a document or not.

To activate this option, click **Binarize** in the ribbon of the Code Document Table.

The table will show black dots if a code or codes from a code group have been applied to a document or document group. If it has not been applied, the cell is empty.

The row and column **totals** count the number of yes / no occurrences. Such a table can for instance be used for discriminant analysis in a statistical program.

If you **export** the table to Excel, the Excel table shows 1s and 0s. This allows, for example, a discriminant analysis to be carried out in a statistical program.














	 parents who do not play 18 108	 parents who play 7 63	 players (other) 15 74	<b>Totals</b>
 benefit: bu... 18	•	•	•	3
 benefit: co... 7	•	•		2
 Benefit: cr... 17	•	•	•	3
 benefit: ed... 15	•	•	•	3
 benefit: ski... 13	•	•	•	3
 downside:... 3	•			1
 downside:... 2		•	•	2
 downside:... 3	•			1
 downside:... 2	•			1
 downside:... 8	•	•		2
<b>Totals</b>	<b>9</b>	<b>7</b>	<b>5</b>	<b>21</b>

Table exported to Excel:

	A	B	C	D	E
		Evaluation: negative Gr=16; GS=2	Evaluation: Positive Gr=110; GS=21	Evaluation: positive with limitations Gr=106; GS=15	Totals
1					
2	benefit: building things Gr=18	0	1	1	2
3	benefit: collaboration Gr=7	0	1	1	2
4	Benefit: creative Gr=17	0	1	1	2
5	benefit: educational Gr=15	0	1	1	2
6	benefit: skill development Gr=13	0	1	1	2
7	downside: dangerous / distractive Gr=3	1	0	0	1
8	downside: game can be boring Gr=2	0	1	0	1
9	downside: griefers Gr=3	1	0	1	2
10	downside: scam Gr=2	1	1	0	2
11	downside: emotional danger Gr=8	1	1	1	3
12	Totals	4	8	7	19

# Visualizing the Code-Document Table

## Sankey Diagram

Video tutorial: [Sankey Diagrams in ATLAS.ti Windows](#)

Data Visualization is a great way to simplify the complexity of understanding relationships among data. The Sankey Diagram is one such powerful technique to visualize the association of data elements. Originally, Sankey diagrams were named after Irish Captain Matthew Henry Phineas Riall Sankey, who used this type of diagram in 1898 in a classic figure showing the energy efficiency of a steam engine. Today, Sankey diagrams are used for presenting data flows and data connections across various disciplines.


- Sankey diagrams allow you to show complex processes visually, with a focus on a single aspect or resource that you want to highlight.
- They offer the added benefit of supporting multiple viewing levels. Viewers can get a high level view, see specific details, or generate interactive views.
- Sankey diagrams make dominant factors stand out, and they help you to see the relative magnitudes and/or areas with the largest contributions.

In ATLAS.ti, the Sankey diagram complements the Code Co-occurrence Table. As soon as you create a table, a Sankey diagram visualizing the data will be shown below the table.

### Further Reading

- [Using sankey diagrams to tell a story with data](#)
- [Visualizing customer journey with sankey diagram](#)
- [A sankey diagram says more than a 1000 pie charts](#)
- [What, Why and How of sankey diagrams](#)
- [Using colors effectively in sankey diagrams](#)

As soon as you create a table, a bar chart will be shown in the area below the table. To see a Sankey Diagram instead, click the **Sankey** button in the Diagram section of the ribbon.



If you need more space on your screen for the diagram, you can deactivate the lists and/or the table in the ribbon. The row and column entities of the table are represented in the Sankey model as **nodes** and **edges**, showing the strength of co-occurrence between the pairs of nodes. In the Code-Document Table, the connecting pairs can consist of:

- codes - documents
- codes - document groups
- code groups - documents
- code groups - document groups

**Edge:** For each table cell containing a value, an edge is displayed between the diagram nodes. The thickness of the edges resemble the cell values of the table. Cells with value 0 are not displayed in the Sankey view.

The key to reading and interpreting Sankey Diagrams is to remember that the width is proportional to the quantity represented.

## Layout

The Sankey diagram, similar to the network editor, applies a layout for its nodes and consequently to the edges connecting nodes to create an easy to comprehend visualization of the data. This basic layout places the selected entities (nodes in Sankey terminology) into vertical „layers“ with the row entities placed to the left and the column entities to the right. If nodes have incoming as well as outgoing links in the currently visible set of nodes, they will be placed in intermediate lanes or layers.

In many situations, the initial layout already meets the researchers requirements. However, there are some options to modify the initial layout.

Swapping columns and rows for the table will also affect the Sankey diagram and result in a 180° rotation.

## Interactivity


- To display the quotations that are responsible for the co-occurrence of two entities, click on the connecting edge. This has the same effect as clicking a table cell. You see the quotations displayed in the Quotation Reader to the right.
  - If you hover an edge with your mouse, the numbers that you also see in the table cells are shown. By default, these are the number of codings in the selected document or document group.
- 
- To support finding the correct link, moving the mouse highlights the hovered edges. After selecting an edge, the unselected edges are dimmed to further increase the visibility of the edge under consideration.
  - Selecting a node will highlight this node as well as all its incoming and outgoing edges. This makes it easy to spot areas of connectivity.
  - You can also use the nodes label for selection. This allows you to do a „single-handed“ multi-selection which otherwise would require pressing the Ctrl-key.

## Removing edges

To unscramble a potentially cluttered diagram, you can remove selected nodes or edges by pressing the **Delete** key on your keyboard. You can undo this via **Ctrl-Z**.

The same may be accomplished by modifying the selection lists, but this is a bit „heavier“, and it may not be clear which entities need to be deselected.

## Sankey Diagram Ribbon



**Fit to Window:** When the Sankey diagram is created (concurrently with the respective tools' table) it may display a bit too tiny in its reserved window pane. There are several options to fix this: Switch off the table view and the selection lists, maximize the project window or float the tool with the diagram. The Sankey diagram itself will not resize to the freed space automatically. Click **Fit-to Window** to fit the current diagram to the available window area.

**Refresh Layout:** This will also move nodes to their original places if moved in the meantime. The edges will also be recalculated for best entanglement. This option can also be activated by double-clicking the diagrams background.

**Auto Layout:** This option is activated by default. It will instantly recompute the diagram's layout if:

- Nodes are moved
- Nodes are removed
- Edges are removed

**Respect Node Placement:** You might not always be happy when the nodes you shifted to other locations are instantly moved back to their original locations. To prevent this, you either need to disable the Auto Layout or select *Respect Node Placement*.

Note, that the *Respect Node Placement* option will not let you place nodes to arbitrary positions but will find the nearest lane and relayout the diagram to make it nice looking again. **Shortcut:** Double-click the diagram background while pressing the left Shift key.

**Rotate Diagram:** Sometimes the horizontal left-to-right layout may not always give the most optimal visualization of your data (depending on available screen space, monitor size). Click this button to toggle between a vertical (top-down) and the original horizontal layout. **Shortcut:** Double-click the diagram background while pressing the left Ctrl-key.

**Display Icons:** This display the entities type icons preceding the labels. This makes most sense when the diagram contains multiple types of entities as in the Code Document Table. By default, this option is not activated.

**Link Color Mode:** The coloring of the links and edges between the nodes can be set to:

- Use the color of the source node, either the user provided color for codes, or the type dependent color of other entities.
- Use the color of the target node

- Use a color gradient starting with the source and ending with the target color. This is the default. It makes tracking the endpoint of an edge quite comfortable. Shortcut: Double-click the diagram background while pressing the left Alt key.
- None: Use a gray shade independent of any node coloring.

Short-cut: If you double-click on an edge while pressing the left Alt-key, you switch between the different color modes.

**Print Diagram:** Creates an output of the current diagram respecting both the selected background, and the visual selection state of both nodes and edges. The printout will not contain any quotations.

Printing can also create high quality PDFs if an appropriate printer driver is installed.

## Miscellaneous


The diagram is integrated into the table tools and responds to certain options:

- Compress, that is removing empty rows or columns, will remove corresponding elements in the diagram.
- Clustering may reduce the number of co-occurrences and thus affects the size of edges in the diagram.
- Swapping rows and columns reverts the original layout by 180°.

## Bar Chart

To visualize the table as bar chart, click on **Bar Chart** in the Diagram section of the ribbon.






If you hover over a bar, the code (code group) - document (document group) pair will be shown.

For the visualization as bar chart, it is often preferable to change the code colors. You may also want to switch around the rows and the columns. You find this option in the ribbon of the Code-Document Table.

.

The table below shows the same comparison as above, only this time each subcode was given a different color. The subcodes for benefits range from grey to blue; the subcodes for downside are red to orange.



There is currently no legend. The one you see in the images are copy & pasted screenshots. Also, the code colours have to be changed manually. For a more convenient work with the graphics there will be further options in future updates.

## Code Co-Occurrence Tools

The **co-occurrence tools** search for codes that have been applied either to the same quotation or to overlapping quotations. Using these tools you can find out which topics are mentioned together or close to each other.

The **co-occur** operator is a combination of the WITHIN, ENCLOSES, OVERLAPS, OVERLAPPED BY and the AND operator.

By default, the table searches for all co-occurrence, but you can also ask more specifically only for AND occurrences. An 'AND' occurrence means that two codes code exactly the same quotation.

See [available operators](#) for further information.

The results depend on how you have coded the data. If you want to examine the proximity of certain issues, then you have to code overlapping segments, or create one quotation and apply multiple codes.

If issues that you want to code occur very close to each other in the data, the recommendation is to create one quotation and apply two or more codes to it. If these issues are spread over a long paragraph or section, the recommendation is to create multiple overlapping quotations so that the precision of coding is higher.

Code Co-occurrences can be displayed in a tree view, see [Code Co-Occurrence Explorer](#), or as a data matrix, see [Code Co-Occurrence Table](#).

The Explorer in addition to code co-occurrences also displays documents and their codes.

# The Code Co-Occurrence Explorer

Use the Code Co-occurrence Explorer to explore coded data to get a quick overview where there *might* be interesting overlaps. If you are looking for specific co-occurrences and for accessing the quotations of co-occurring codes, the Code Co-occurrence Table is the better choice.

To open the tool, select the Analyze tab and click Co-Oc Explorer.

The Code Co-occurrence Explorer can also be loaded from the Home tab into the navigator on the left hand side by clicking on the drop-down arrow of the Navigator button.

## The Codes Branch

Open the branches by clicking on the arrow in front the root for Codes.

The screenshot shows the 'Code Co-Occurrence' window with a search bar and a filter set to 'Filter codes in group RQ 2'. The tree view displays 14 codes, organized into two main branches based on family size.

- Codes (14)**
  - #fam: 1 child {23-9} ~**
    - effects neg: less fun <o> #fam: 1 child
    - effects neg: loss of freedom <o> #fam: 1 child
    - effects neg: more worries/stress/responsibilities <o> #fam: 1 child
    - effects neg: on relationships <o> #fam: 1 child
    - effects pos: fulfillment <o> #fam: 1 child
    - effects pos: life is richer <o> #fam: 1 child
    - effects pos: personal growth <o> #fam: 1 child
    - effects pos: positive emotions <o> #fam: 1 child
  - #fam: 2 or more children {19-7} ~**
    - effects neg: less fun <o> #fam: 2 or more children
    - effects neg: on self <o> #fam: 2 or more children
    - effects pos: improved relationships <o> #fam: 2 or more children
    - effects pos: life is richer <o> #fam: 2 or more children
    - effects pos: personal growth <o> #fam: 2 or more children
    - effects pos: positive emotions <o> #fam: 2 or more children


## The Codes Branch

On the first level of the code branch all codes are listed. If you expand the tree further, you see all co-occurring codes. On the third level, you can access the quotations of the co-occurring codes.

If you double-click on a quotation, it is displayed in the context of the document.

## The Documents Branch

When you open the 'Documents' branch, you see the documents of your project on the first level. On the next level, you see the codes that have been applied to the document. On the third level, you see the quotations coded with those codes.



## The Code Co-Occurrence Table

The Co-occurrence Table in comparison to the Code Co-occurrence Explorer shows the frequencies of co-occurrence in form of a matrix similar to a correlation matrix that you may know from statistical software.

The aim is to relate codes to each other that have been applied either to the same quotations or to overlapping quotations. You can find out which topics are mentioned together or are in proximity to each other. Thus, the results depend on how you have coded the data.

The Co-occurrence Table shows the frequencies of co-occurrence in form of a matrix similar to a correlation matrix that you may know from statistical software.

To open the tool, select the **Analyze** tab and from there the **Co-Oc Table**.

Next you need to select the codes that you want to relate to each other:

Select one or multiple codes from the first list for table columns, and from the second list for the table rows. You can switch around the rows and codes after the table has been created.

To select an item, you need to click the check-box in front of it. It is also possible to select multiple items via the standard selection techniques using the Ctrl or Shift-key. After highlighting multiple items, push the **space bar** to activate the checkboxes of all selected items, or right click and chose **Check Selected** from the context menu.

The context menu in each of the selection list also allows you to uncheck all selected codes, to select all codes, to unselect all codes, to invert the selection, or to invert the checked codes.

Code Co-Occurrence Table

Sankey Diagram

Code Co-Occurrence Table

Search Column Codes

Search Row Codes

Calculated Cell "No. of children: 1 child" @ "negative effects: on relationships"

Below each table, you can select to see a Sankey Diagram or a Bar Chart that visualize the data in the table. See below for further information.


The table approach reduces the analysis to a pairwise comparison. If you need a higher order co-occurrence you can use the category codes instead of the subcodes.

If you want to compare code co-occurrences within subsets of your data, you can set a document group as global filter


## How to Read the Table

- **First column / first row:** The number below and behind each code shows how often the code is applied the entire project. This helps you to better evaluate the number of co-occurrences in the table cells.
- The number in the cell indicates the number of hits, how often the two code co-occur. This means that the number of co-occurring „events" and not the number of quotations are counted. If a single quotation is coded by two codes or if two overlapping quotations are coded by two codes, this counts in both cases as a single co-occurrence.
- If you click on a cell, the quotations of the corresponding row and column codes are displayed next to the table in the **Quotation Reader**. The quotation reader here always displays two lists of quotations: the quotations of the column code, and the quotations of the row code.

## Code Co-Occurrence Table Ribbon



**Colors:** You can choose among three colors for the table cells (blue, red and green), the ATLAS.ti color palette (default), and no coloring. If you select a color, or the ATLAS.ti color map, the table cells are colored in different shades.



**Show count:** Show the number of co-occurrences (=number of hits, see above: How to read the table).

**Show Coefficient:** The c-coefficient gives you an indication of the strength of the relationship between the pair of codes. See [C-Coefficient](#) for more detail.

**Cluster quotations:** Activate this option, if you want to count embedded quotations only once. If code 'A' codes a larger segment and within this segment, there are three quotations coded with a code 'B', the number of co-occurrences is 3. With clustering activated, the count is 1.

**Use AND operator:** If you activate this option, the table values are calculated based on an 'AND' occurrence and not the more general code 'co-occurrence' operator. See the section on [Proximity Operators](#) for further detail.

**Rows ⇒ Columns:** Select to switch row and column codes.

**Compress:** This is a quick way to remove all rows or columns that only show empty cells. This is the same as manually deactivating codes that yield no results. Thus, you cannot "uncompress" a table.

**Auto Size Columns:** Adjust the size of the columns automatically so that the full label is shown.

**Freeze first column:** Set if you do not want the auto size option to affect the first column.



**Set Column Size:** You can manually set the column size. '100' means that the column is as wide as the full label.

**Details:** If activated, you see the total number of times the code has been applied to a quotation. This helps you to better evaluate the numbers in each cell. The interpretation is likely different if the number of hits is 10 and if each of the codes have been applied 50 or only 15 times.

**Export:** You can export the table to Excel. + If **Show Count** is selected, only the number of co-occurrences are exported.

- If **Show Coefficient** is selected, only the c-coefficient and not the absolute number of hits are exported.
- If you have selected both, both are exported.

**Sankey:** Visualize the table as Sankey Diagram. See more in the chapter on [co-occurrence visualization](#).

**Bar Chart:** Visualize the table as bar chart. See more in the chapter on [co-occurrence visualization](#).

**Show Lists:** If you only want to see the table and/or the graphs and not the selection lists, deactivate this option.

**Show Table:** If you only want to see the bar chart or the Sankey Diagram without the table, deactivate this option.


**Show Diagram:** If you only want to see the table, deactivate this option.

**Refresh:** If you make modifications to your codings while the table is open, you can click the *Refresh* option to update the results.

## Code Co-occurrence Coefficient

The c-coefficient indicates the strength of the relation between two codes.

This option can be activated in the ribbon of the Code Co-occurrence Table.

	● ◆ children: yes 74	● ◆ No. of children: 1 child 23	● ◆ No. of children: 2 or more 19
● ◆ perception: a worthwhile trade-off 12	9 (0,12) 	3 (0,09)	2 (0,07)
● ◆ perception: ambivalence of 39	32 (0,40)	10 (0,19)	7 (0,14)
● ◆ perception: rewarding 16	10 (0,13)	4 (0,11)	2 (0,06)

The **range** of the c-coefficient is between 0 and 1:

- 0 mean codes do not co-occur
- 1 means these two codes co-occur wherever they are used

The **calculation** of the c-coefficient is based on approaches borrowed from quantitative content analysis. It is calculated as follows:

$$c = n_{12} / (n_1 + n_2 - n_{12})$$

$n_{12}$  = number of co-occurrences for code  $n_1$  and  $n_2$

The c-coefficient is useful when working with larger amounts of cases and structured data like open-ended questions from surveys. If you use the c-index, pay attention to the additional colored hints. As your database is qualitative, the c-coefficient is not the same as for instance a Pearson correlation coefficient and therefore also no p-values are provided.

## Distortion due to unequal frequencies

An inherent issue with the c-index and similar measures is that it is distorted by code frequencies that differ too much. In such cases the coefficient tends to be much smaller than the potential significance of the co-occurrence. For instance, if you had coded 100 quotations with code 'A' and 10 with code 'B', and you have 5 co-occurrences, then the c-coefficient is:

$$c = 5 / (100 + 10 - 5) = 5 / 105 = 0.048$$

A coefficient of only 0.048 may slip your eye easily, although code B appears in 50% of all its applications with code A.

If one of the codes of one pair has been applied more than 5 times than the other code, **a yellow dot appears** in the top right of the table cell. So whenever a cell shows the yellow marker, it should invite you to look into the co-occurrences of this cell despite a low coefficient.

When you hover with the mouse over a cell, a pop-up note displays the ratio of the two codes.

		perception: a worthwhile trade-off 12
children: yes	74	<b>9 (0,12)</b>
No. of children: 1 child	children: yes(74) @ perception: a worthwhile trade-off(12) Row/column quotation ratio exceeded.	
No. of children: 2 or more	19	<b>2 (0,07)</b>

## Out of Range

The c-index assumes separate non-overlapping text entities. Only then can we expect a correct range of values.

The coefficient can exceed the 0 - 1 range it is supposed to stay with, if there is [redundant coding](#). Let's take a look at the following example:

- A quotation 1 is coded with codes A and B
- an overlapping quotation 2 is coded with Code B.

Then quotation 1 counts for 1 co-occurrence event and the overlapping quotation 2 for another. This results in a value of twice the allowed maximum:

$$c = 2 / (1 + 2 - 2) = 2$$

All cells displaying an out-of-range number ( $> 1$ ) show a red dot in the top right corner.

In case the c-coefficient exceeds 1, you need to do some cleaning-up and eliminate the redundant codes. See [Finding Redundant Codings](#).

## Summary of Color Indicators

**Yellow dot:** Unequal quotation frequencies - the ration between the frequencies of the code and row code exceeds the threshold of 5.

**Red dot:** The C-index exceeds the 0 - 1 range.

**Orange dot:** The orange dot is simply a mixture of the red and yellow conditions.

# Visualizing the Code Co-Occurrence Table

## Sankey Diagram

Video Tutorial: [Sankey Diagrams in ATLAS.ti Windows](#)

Data Visualization is a great way to simplify the complexity of understanding relationships among data. The Sankey Diagram is one such powerful technique to visualize the association of data elements. Originally, Sankey diagrams were named after Irish Captain Matthew Henry Phineas Riall Sankey, who used this type of diagram in 1898 in a classic figure showing the energy efficiency of a steam engine. Today, Sankey diagrams are used for presenting data flows and data connections across various disciplines.


- Sankey diagrams allow you to show complex processes visually, with a focus on a single aspect or resource that you want to highlight.
- They offer the added benefit of supporting multiple viewing levels. Viewers can get a high level view, see specific details, or generate interactive views.
- Sankey diagrams make dominant factors stand out, and they help you to see the relative magnitudes and/or areas with the largest contributions.

In ATLAS.ti, the Sankey diagram complements the Code Co-occurrence Table. As soon as you create a table, a Sankey diagram visualizing the data will be shown below the table.

## Further Reading

- [Using sankey diagrams to tell a story with data](#)
- [Visualizing customer journey with sankey diagram](#)
- [A sankey diagram says more than a 1000 pie charts](#)
- [What, Why and How of sankey diagrams](#)
- [Using colors effectively in sankey diagrams](#)

As soon as you create a table, a bar chart will be shown in the area below the table. To see a Sankey Diagram instead, click the **Sankey** button in the Diagram section of the ribbon.



If you need more space on your screen for the diagram, you can also deactivate the lists and/or the table in the ribbon.

The row and column entities of the table are represented in the Sankey model as **nodes** and **edges**, showing the strength of co-occurrence between the pairs of nodes. In the Code Co-occurrence table, the connecting pairs are codes for both rows and columns.

**Edge:** For each table cell containing a value, an edge is displayed between the diagram nodes. The thickness of the edges resemble the cell values of the table. Cells with value 0 are not displayed in the Sankey view.

The key to reading and interpreting Sankey Diagrams is to remember that the width is proportional to the quantity represented.

## Layout

The Sankey diagram, similar to the network editor, applies a layout for its nodes and consequently to the edges connecting nodes to create an easy to comprehend visualization of the data. This basic layout places the selected entities (nodes in Sankey terminology) into vertical „layers“ with the row entities placed to the left and the column entities to the right. If nodes have incoming as well as outgoing links in the currently visible set of nodes, they will be placed in intermediate lanes or layers.

In many situations, the initial layout already meets the researchers requirements. However, there are some options to modify the initial layout.

Swapping columns and rows for the table will also affect the Sankey diagram and result in a 180° rotation.

## Interactivity


- To display the quotations that are responsible for the co-occurrence of two entities, click on the connecting edge. This has the same effect as clicking a table cell. You see the quotations displayed in the Quotation Reader to the right.
- If you hover over an edge, you see the number that is also displayed in the table cell, which are the number of times the pair of codes co-occur.
- To support finding the correct link, moving the mouse highlights the hovered edges. After selecting an edge, the unselected edges are dimmed to further increase the visibility of the edge under consideration.
- Selecting a node will highlight this node as well as all its incoming and outgoing edges. This makes it easy to spot areas of connectivity.
- You can also use the nodes label for selection. This allows you to do a „single-handed“ multi-selection which otherwise would require pressing the Ctrl-key.

## Removing edges

To unscramble a potentially cluttered diagram, you can remove selected nodes or edges by pressing the **Delete** key on your keyboard. You can undo this via Ctrl-Z.

The same may be accomplished by modifying the selection lists, but this is a bit „heavier“, and it may not be clear which entities need to be deselected.

## Sankey Diagram Ribbon



**Fit to Window:** When the Sankey diagram is created (concurrently with the respective tools' table) it may display a bit too tiny in its reserved window pane. There are several options to fix this: Switch off the table view and the selection lists, maximize the project window or float the tool with the diagram. The Sankey diagram itself will not resize to the freed space automatically. Click **Fit-to Window** to fit the current diagram to the available window area.

**Refresh Layout:** This will also move nodes to their original places if moved in the meantime. The edges will also be recalculated for best entanglement. This option can also be activated by double-clicking the diagrams background.

**Auto Layout:** This option is activated by default. It will instantly recompute the diagram's layout if:

- Nodes are moved
- Nodes are removed
- Edges are removed

**Respect Node Placement:** You might not always be happy when the nodes you shifted to other locations are instantly moved back to their original locations. To prevent this, you either need to disable the Auto Layout or select *Respect Node Placement*.

Note, that the *Respect Node Placement* option will not let you place nodes to arbitrary positions but will find the nearest lane and relayout the diagram to make it nice looking again. **Shortcut:** Double-click the diagram background while pressing the left Shift key.

**Rotate Diagram:** Sometimes the horizontal left-to-right layout may not always give the most optimal visualization of your data (depending on available screen space, monitor size). Click this button to toggle between a vertical (top-down) and the original horizontal layout. **Shortcut:** Double-click the diagram background while pressing the left Ctrl-key.

**Display Icons:** This display the entities type icons preceding the labels. This makes most sense when the diagram contains multiple types of entities as in the Code Document Table. By default, this option is not activated.

**Link Color Mode:** The coloring of the links and edges between the nodes can be set to:

- Use the color of the source node, either the user provided color for codes, or the type dependent color of the entities.
- Use the color of the target node

- Use a color gradient starting with the source and ending with the target color. This is the default. It makes tracking the endpoint of an edge quite comfortable. Shortcut: Double-click the diagram background while pressing the left Alt key.
- None: Use a gray shade independent of any node coloring.

Short-cut: If you double-click on an edge while pressing the left Alt-key, you switch between the different color modes.

**Print Diagram:** Creates an output of the current diagram respecting both the selected background, and the visual selection state of both nodes and edges. The printout will not contain any quotations.

Printing can also create high quality PDFs if an appropriate printer driver is installed.


## Miscellaneous

The diagram is integrated into the table tools and responds to certain options:

- Compress, that is removing empty rows or columns, will remove corresponding elements in the diagram.
- Clustering may reduce the number of co-occurrences and thus affects the size of edges in the diagram.
- Swapping rows and columns reverts the original layout by 180°.

## Bar Chart


To visualize the table as bar chart, click on **Bar Chart** in the Diagram section of the ribbon.




For the visualization as bar chart, it is often preferable to change the code colors. You may also want to switch around the rows and the columns. You find this option in the ribbon of the Code Co-occurrence Table.



To create the table below, the color of the two subcodes '1 child' and '2 or more' were changed to orange and blue. The result is of course the same - for people with two or more children the table shifts significantly to the right towards the codes coding the positive experiences. Or to put it the other way around, for those with one child, both positive and negative experiences are reported with somewhat more emphasis on the negative experiences.



If we change the rows and the columns, so that the number of children is on the x-axis, we get a more meaningful graph if we change the code colors for the subcodes of positive and negative effects. The negative effects have colors ranging from yellow to pink, the colors for positive effect range from green to blue.



There is currently no legend. The one you see in the images are copy & pasted screenshots. Also, the code colours have to be changed manually. For a more convenient work with the graphics there will be further options in future updates.

## Smart and Snapshot Entities

A **smart entity** in ATLAS.ti is always a query. You can create smart entities for codes and groups.

In the Code Manager you can create smart codes using the operator OR. This is useful if you need a combination of two or more codes for data analysis. In the Query Tool, a smart code can be used to store query results. Smart groups can be created in the Group Managers. They are especially useful for document groups when used as variables. They allow you to create combination of variables.

The reason for naming such codes and groups **smart** is because they change along with your project. If you change any of the codings of a code that is part of a smart code, this will be reflecting in the smart code when retrieving its quotations. If you add or remove documents that are members of the groups that make up a smart group, the smart group retrieves those documents that reflect the current state of your project.

Every time you click on a smart code or smart group, the underlying query is run, and you see the up-to-date results.

A **snapshot entity** turns a smart entity into a regular code or code group. You can think of it like a snapshot you take with a camera - it preserves the current moment. Thus, snapshot entities do no longer change automatically.

# What are Smart Codes?

**Smart Codes** are a convenient way to store queries. They are very similar in look and feel to normal codes, with one important difference: instead of hardwired connections to quotations smart codes store a query to compute their virtual references whenever needed.

- Smart codes automatically change their behavior during the analysis. If you have a smart code based on a query like: (Code A | Code B) COOCCUR Code C), and you add or delete quotations linked to either Code A, B or C, then the smart code will automatically be adjusted.
- As a smart code is a query, it *cannot* be used for coding. For the same reason, smart codes are *not* displayed in the margin area.
- Smart codes are displayed in the Code Manager. They can be recognized by a gray dot at the bottom left of the code icon.
- If you double-click on a smart code, you can retrieve all quotations that are the result of the underlying query.
- You can change the query that is underlying a smart code by editing the query.
- Smart codes can be used in code groups, networks, and, last but not least, as powerful operands in queries, allowing you to incrementally build complex queries.
- Smart codes can be transferred into a regular code by [creating a snapshot code](#).

## What you cannot do with Smart Codes

As smart codes are not directly associated with quotations, certain restrictions apply.

- **Coding:** You cannot link a smart code directly to a quotation. Therefore, smart codes are not shown in the list of codes when coding your data. Drag & drop operations from code lists to other lists are not possible.
- **Merging:** You cannot merge a smart code with other codes.
- You cannot include a code group in the query for the smart code and assign the smart code to this code group later. This would create a cyclical structure and is therefore not allowed.

# Working With Smart Codes

## Creating an ORed Smart Code in the Code Manager

If you only need a simple OR combination of two or more codes as smart code, the easiest way is to use the Code Manager.

Open the Code Manager, select two or more codes, right-click and select the Create Smart Code option from the context menu or the ribbon.

### tip

If you wonder why an OR combination is useful rather than just **merging** the codes, at times you want to keep the codes as regular codes in the code list. If you merge codes, only the merged codes remains. For example, if you **code the speakers in a focus group transcript**, you can create smart codes for all male and female speakers without losing the code for each individual speaker. If you add these attributes to each speaker unit, the margin becomes very cluttered. Smart codes are not displayed in the margin.

## Creating a Smart Code in the Quotation Manager

You can also create smart codes in the Quotation Manager. There you can combine codes using the Boolean operators AND and OR. See [Available Operators for Querying Data > Boolean Operators](#).

Use AND to:

- narrow your results
- tell the database that **ALL** search terms must apply. This means that the smart code only retrieves quotations that are linked to all codes in the query. In other words, the quotation is coded with multiple codes.

Use OR to:

- connect two or more similar concepts
- broaden your results, telling the database that **ANY** of the search terms apply. This means the smart code retrieves all quotations of all codes in the query. It is additive.

Open the Quotation Manager and select two or more codes in the side panel.

The default operator in the yellow filter bar above the quotation list is 'ANY' (shown in blue letters). If you want to change, click on it and select the 'ALL' operator. You need to click next to it, not directly on it.

inst

To save the results as smart code, click on the **Smart Code** button in the ribbon; or right-click on any of the selected codes in the side panel and select the option **Create Smart Code** from the context menu.

inst

Enter a name or use the default name and click **Create**.

## Creating a Smart Code in the Q

Open the Query Tool and [build a query](#).

To save the query, click the **Save Smart Code** button in the ribbon, enter a name and click **Create**.

## Editing a S

If you want to see the query that is underlying a smart code, or if you want to modify the query, you can edit the smart code.

Open the Code Manager, select the smart code and in the ribbon click on the button **Edit Smart Code**.

This opens the query tool where you can review and modify the smart code.

See [How to build a query](#).

You cannot delete a code, if it is part of a smart code query. If you want to remove a code that is part of a smart code query, you first must delete the smart code. If you do not want to lose the results stored by the smart code, you can turn it into a [snapshot code](#) before deleting it.

# What are Smart Groups

**Smart Groups** are very similar in look and feel to normal groups, with one important difference: instead of hardwired connections to their members, smart groups store a query to compute their virtual references whenever needed.

Although also an option for code, memo and network groups, the most common application for smart groups are **smart document groups**. They allow you to combine two or variables. For instance *gender* and *location*. This requires that you have document groups for the basis variables. Here for gender: male and female and for location: urban and rural. If you need the combination of gender and location more often, a good way to do this is to create smart groups:

- female respondents from urban areas
- female respondents from rural areas
- male respondents from urban areas
- male respondents from rural areas

For creating smart groups Boolean operators are used. See [Available Operators for Querying Data > Boolean Operators](#) for further information.

A reason for creating a smart group is to apply them as global filter. See [Applying Global Filters For Data Analysis](#). Another application is to add them to a network and display document group - code connections.

# Working With Smart Groups

A reason for creating a smart group is to apply them as global filter. See [Applying Global Filters For Data Analysis](#). Another application is to add them to a *network* and display document group - code connections.

## Creating a Smart Group

To create a new smart group, open a Manager and select two or more groups. Click on **New Smart Group** in the ribbon, or right-click select this option from the context menu.

inst

Accept the suggested name or enter a new one, and click **Create**.

tip

Smart entities can be recognized by the little gray circle at the bottom left of the icon.

## Editing a Smart Group

Smart groups can only be edited in their respective group managers.

Go to the Home ribbon, click on the drop-down of the appropriate entity and select [ ] Groups.

inst

Select the smart group you want to edit and click **Edit Smart Group** in the ribbon.

This opens the Smart Group Editor that looks similar to the [query tool](#).

The following operators are available:

**OR:** combines all selected groups and forms a larger group **AND:** creates a smart group consisting of the intersection of the selected groups like 'female respondents from urban areas'. **ONE OF (Exactly one of the following is true):** creates a smart group only containing members that are unique to each group and do not occur in any of the other selected groups. Example: In the sample project *Evaluation of a computer game*, respondents evaluate the game in different ways. If you want to find those respondents who either evaluate the game as being creative or educational (and not both), you can use the one of operator.

IMAGE



**NOT (None of the following are true):** creates a smart group excluding the members of the selected group. Example: The sample project *children and happiness* contains two [document groups that have been created based on the issues coded in the data](#). These are: documents that contain codings on positive and negative effects of parenting. There are some documents that only contain codings on positive effects, others that only contain codings on negative effects, and yet some that contain both. If you want to find only those documents that contain codings on positive effects, you can create the following smart document group:

NOT negative effects AND positive effects.

IMAGE

See [how to build a query](#) for further information on how to understand and modify the query of a smart group.

# What are Snapshot Codes and Groups?

## Snapshot Codes

A **snapshot code** transforms a smart code into a regular code. This code preserves the current state of a smart code at the moment of its creation, like taking a photograph that captures the moment, and creates direct links to all quotations.

- A snapshot code is displayed in the margin area.
- A snapshot code can be used for coding.

You can create a **snapshot code** from a [smart code](#). This can be useful for data analysis when you build queries.

Another application is to use this option for fixing code systems when code groups have been used as categories. This often leads to underdeveloped code systems, long list of codes and limited use of the further analysis tools. To fix this, you first need to [turn all code groups into smart codes using the query tool](#). Then you create snapshot codes from these smart codes, transforming the code groups into regular codes. In the next step, the members of the code groups can be turned into sub codes by adding prefixes and merged as appropriate. See [Building a Code System](#).

## Snapshot Groups

A **snapshot group** transforms a smart group into a regular group. This group preserves the current state of a smart group at the moment of its creation, like taking a photograph that captures the moment, and creates direct links to all members.

**Application:** It can for example be useful if you want to remove documents from a project that are part of a smart group. As long as they are part of the smart group, this is not possible. In order not to lose the combination of documents as defined by the smart group, you can turn it into a snapshot group, delete the smart group and then delete the document(s) that you no longer want from the project.

# Creating Snapshots

You can create snapshots from smart codes and smart groups.

## Creating a Snapshot Code

Open the Code Manager and select a smart code. Click on the button **Create Snapshot** in the ribbon.

The default name for the snapshot code is the name of the smart code plus the suffix [SN 1]; [SN 2] if you create second snapshot code of the same smart code and so on.

## Creating a Snapshot Group

Open the Group Manager either by selecting the option in the ribbon of the respective manager, or from the drop-down of the entity type button in the Home ribbon.

Select the smart group and then **Create Snapshot** from the ribbon.

## Working with Global Filters

Global filters are a powerful tool to analyze your data. As compared to local filters that you can invoke in each manager, global filters have an effect on the entire project.


Currently, all groups can be set as global filter.

### Creating a Global Filter

Creating a global filter means [creating a group](#).

### Code Groups as Global filter


- In the Project Explorer, and the Code Browser only the codes of the code group set as global filter are shown.



Name	Grounded	Density
C_CHILDREN & HAPPINESS	0	0
children: < happiness~	16	4
children: = level of happiness~	17	4
children: > happiness~	22	2
children: unrelated to personal happiness~	13	0

Code Browser


- When coding only the codes of the code group set as global filter are shown.



In the margin area only the codes of the code group set as global filter are shown.


- 

- In the code manager only the codes of the code group set as global filter are shown.



- In all selection lists of all analysis tools only the codes of the code group set as global filter are shown.
- Code groups as global filters are very useful in **networks** when you use the options: **Add Neighbors** and **Add Co-occurring Codes**. Then only the codes of the code group set as global filter are added.

In a **network**, all codes that are not in the code group set as global filter are faded out.



## Document Groups as Global Filter

Document groups as global filter affect the list of documents and quotations. Thus, the list of quotations shown in the quotation manager or as results of queries is reduced to those documents that are in the filter.

- When **retrieving quotations by double-clicking on a code** in the code manager, the quotation reader will only show quotations from the documents that are in the filter.
- In the **Code-Document Table**, it allows you to add a layer to the analysis. If for instance you compare the frequency of codes by respondents with different educational levels, you can set a document group as global filter to refine the analysis to only male respondents.

Code-Document Table

Filter quotations from documents in group **Evaluation: Positive**

		parents who do not play 18 108	parents who play 7 63	players (other) 15 74	Totals
benefit: building things	18	3	3	1	7
benefit: collaboration	7	2	2		4
Benefit: creative	17	3	2	1	6
benefit: educational	15	4	1	2	7
benefit: skill development	13	1	4	2	7
downside: dangerous / distractive	3				0
downside: game can be boring	2		1	1	2
downside: grievers	3				0
downside: scam	2	1			1
downside: social & emotional danger	8	1			1
<b>Totals</b>		15	13	7	35

- If you run a **Code Co-occurrence Analysis** it will apply to all data in your project. If you want to restrict the analysis, to only a particular group of respondents or type of data, you can set a document group as global filter.



- In a **network**, all documents that are not in the document group set as global filter are faded out.

## Memo Groups as Global Filter

- Memo groups as filters affect the list of memos you see in the **memo manager** and all **selection lists**.
- Only memos that are in the memo group set as global filter are shown in the **margin area**.
- In a **network**, all memos that are not in the memo group set as global filter are faded out.


## Network Groups as Global Filter

- Network groups as filters affect the list of networks you see in the **network manager** and all **selection lists**.
- In the **margin area**, only networks that are in the network group set as global filter are shown.
- In a **network**, all networks that are not in the network group set as global filter are faded out.

## Setting a Global Filter

Global filters can be set in the Project Explorer on the left and in each manager.

■ Right-click on a group and select the option **Set Global Filter**.




In the ribbon of the Managers, you can also set and remove global filters in the Search & Filter tab.

## Display Of Global Filters

If a global filter is set, all affected managers, browsers, lists and tools show a colored bar on top indicating which filter has been set.

- global document filters are blue.
- global quotations filters are orange.
- global code filters are green.
- global memo filters are magenta.
- global network filters are purple



## Activating / Deactivating Global Filters

While a global filter is active, you can temporarily deactivate it by clicking on the check-box in the global filter bar you see above each filtered list or table.

## Changing a Glob

To change a global filter, right-click on a different group of the same type and set it as global filter. This will automatically deactivate the currently active filter.

## Removing a Global Filter

To remove a global filter, click on the x on the right-hand side of the global filter bar. Another option is to right-click on the group you have filtered and select **Clear Global Filter** from the context menu.

## Creating a Global Filter

Creating a global filter means [creating a group](#).

- Document groups as global filter, filter documents and their quotations.
- Code groups as global filter, filter codes.
- Memo groups as global filter, filter memos.
- Network groups as global filter, filter networks.


## Analysing Code Distributions

Code distributions are displayed in the Document Manager and in the Code Manager in the form of bar charts. In the document manager you will see a bar for each code. The higher the bar, the more often the code was used. In the Code Manager each bar stands for a document. Within the bar you can see how the codes are distributed in the document.


After you've encoded the data, a look at the code distribution gives you a feel for the data. Which topics were mentioned more or less frequently, by whom, is there a difference between different groups of respondents? How are the topics distributed?

### Code Distribution across Documents


In the first image below, you see the distribution of three categories: benefits, downsides and features of the computer game Minecraft across all documents. In the second image, the data have been filtered a) by respondents who evaluated the game positively, and b) by respondents who evaluated the game negatively. You can see very quickly that there is a difference. Respondents who evaluated the game negatively did not mention any benefits (green bars).



Respondents who evaluate the game positively



Respondents who evaluate the game negatively




Comparison by  
respondent groups

Code Distribution by Documents

In the image below you see the distribution of the various high level topic within each document. We see for instance that case 23 and case 25 talk about a wider variety of topics than the other respondents. In order to generate this graphic, each category has a different color and all subcodes within a category are also colored with the same color.

## Code Distribution by Document (all documents)



In the image below, the focus is on two categories, benefits and downsides. In order to be able to differentiate between the various subcodes of a category, each subcode has a different color. If you analyse interview data for instance, this is a great way to go through your data, category for category and compare the respondents' answers. You see who talked about benefits or downsides, strategies or consequences and about which aspects of those major themes they talked about.

## Code Distribution by Document (for the two categories benefits and downsides)



With a click on a bar, you can retrieve the coded data per code for each respondent.

**Search Entities Table:**

Name	Grounded	Density	Groups
Benefit	69	0	[benefits]
Downside	53	0	[Downside]
Features	17	0	[features]
Guidance	23	0	[features]
mode	36	0	[Modes]
Recommended age	22	1	[online]
The Game is:	23	0	[age range]
	31	0	[Description of the game]
	66	0	

**Code Distribution by Document Chart:**

The chart shows the distribution of codes across documents. The 'The Game is: challenging' code is highlighted in red in the chart, corresponding to the red arrow from the 'Search Entities' table.



## Setting a Global Filter

Global filters can be set in the Project Explorer on the left, and in each Manager.

Right-click on a group in the Document Group section of the Project Explorer and select the option **Set Global Filter**.

In the ribbon of the Managers, you can also set and remove global filters in the Search & Filter tab.

### Display Of Globa

If a global filter is set, all affected managers, browsers, lists and tools show a colored bar on top indicating which filter has been set.

- global document filters are blue.
- global quotations filters are orange.
- global code filters are green.
- global memo filters are magenta.
- global network filters are purple

## Activating / Deactivating Global Filters

While a global filter is active, you can temporarily deactivate it by clicking on the check-box in the global filter bar that you see above each filtered list or table.

## Changing a Global Filter

To change a global filter, right-click on a different group of the same type and set it as global filter. This will automatically deactivate the currently active filter.

## Removing a Global Filter

To remove a global filter, click on the x on the right-hand side of the global filter bar. Another option is to right-click on the group you have filtered and select **Clear Global Filter** from the context menu.

# Removing / Changing / Activating / Deactivating a Global Filter

If you change a global filter, the currently active filter is automatically reset (see below).

## Removing a Global Filter

Click on the x on the right-hand side of the global filter bar.  
Another option is to right-click on the group you have filtered and select **Clear Global Filter** from the context menu.

## Changing a Glob

To change a global filter, right-click on a different group of the same type and set it as global filter. This will automatically deactivate the currently active filter.

## Activating or Deactivating Global Filters

While a global filter is active, you can temporarily deactivate it by clicking on the check-box in the global filter bar you see above each filtered list or table.

## Global Filters in the Code Co-occurrence Table

The images below show two code co-occurrence tables. The first one shows the relationship between the attitude towards having a child and reported effects of parenting for the entire data set. The second table shows the same codes, but only for one data source.

# Global Filters in the Code Document Table


The images below show two Code Document Tables. The first table shows various reasons for not having children across respondents with different educational levels. The second table adds a second variable (gender: male) and shows the results for all male respondents across different educational levels.

# ATLAS.ti Networks

## Video utorial: Visualizations in Building the Understanding

Visualization can be a key element in discovering connections between concepts, interpreting your findings, and effectively communicating your results. Networks in ATLAS.ti allow you to accomplish all three of these important objectives. These small segments of your larger web of analysis are modeled using the network editor, an intuitive work space we also like to think is easy on the eye.

The word **network** is a ubiquitous and powerful metaphor found in many fields of research and application. Flow charts in project planning, text graphs in hypertext systems, cognitive models of memory and knowledge representation (semantic networks) are all networks that serve to represent complex information by intuitively accessible graphic means. One of the most attractive properties of graphs is their intuitive graphical presentation, mostly in form of two-dimensional layouts of labeled **nodes** and **links**.



In contrast with linear, sequential representations (e.g., text), presentations of knowledge in networks resemble more closely the way human memory and thought is structured. Cognitive "load" in handling complex relationships is reduced with the aid of spatial representation techniques. ATLAS.ti uses networks to help represent and explore conceptual structures. Networks add a heuristic "right brain" approach to qualitative analysis.

The user can manipulate and display almost all entities of a project as nodes in a network: quotations, codes, code group, memos, memo groups, other networks, documents, document groups and all smart entities.

# Nodes And Links

The term **network** is formally defined within graph theory, a branch of discrete mathematics, as a set of nodes (or "vertices") and links. A node in a network may be linked to an arbitrary number of other nodes.

The number of links for any one node is called its degree; e.g., a node with a degree of zero is not linked at all. Another simple formal property of a network is its order: the number of its nodes. You may make practical use of the degree of nodes by using it as a sorting criterion in the codes list window. The column 'Density' in the Code Manager represents the degree of a code.

## Directed and Non-Directed Links

Links are usually drawn as lines between the connected nodes in graphical presentations of networks.

Furthermore, a link between two nodes may be directed or not. A directed connection is drawn with an arrow. With directed links, source and target nodes must be distinguished. The *source node* is where the link starts, and the *target node* is where it ends: the destination to which the arrow points.

Links are created either implicitly (e.g., when coding a quotation, the quotation is "linked" to a code), or explicitly by the user. See [Linking Nodes](#).

Strictly speaking, code-quotation associations ("codings") also form a network. However, you cannot name these links, the code is simply associated with a quotation through the act of coding. In a network you can visualize these links. In ATLAS.ti all unnamed links are referred to as second class links, all named links are referred to as first-class links.

## First-Class Links

First-class links are links based on relations. They are entities by themselves, with names, authors, comments, and other properties. They are available for:

- Links between two codes. These include:
  - links between two category codes
  - links between two subcodes (within or across categories)
  - links between a subcode and its own or other category codes
- Links between two quotations. The latter are called hyperlinks. See [Working With Hyperlinks](#).

## Second-Class Links

Second-class links are links that do not have individual properties; These are:

- links between quotations and codes
- all links to memos
- all links between a group and its members
- all hierarchical links:
  - links between categories and their subcodes
  - links between folders
  - links between folders and categories
  - links between folders and independent codes
  - links between folders and subcodes
  - links between folders

If you change hierarchical links in the network, this has an effect on the hierarchy of codes and folders in the entire your project!

## Why Groups Cannot be Linked

Groups cannot be linked as by definition, they are not mutually exclusive. You can add a document to as many document groups as you want. This also applies to code groups. A code can be a member of multiple code groups.

Groups are filters. Code groups are at times regarded by users as a higher order category, which they are not. See [Building a Code System](#) for further detail.

In order to compare and analyze documents by certain criteria like sociodemographic characteristics, you add them to document groups like gender::male / female, family status::single / married / separated / divorced, etc. This allows you also to combine certain criteria, e.g., to run an analysis for all female respondents that are married. See [Working with document groups](#) and [Working with Smart Groups](#).

Likewise, the purpose of code groups is to be used as filters. A useful filter could be all codes of a category, but also all codes that are relevant for a certain research questions, or all codes that could be classified as coding a strategy, or a consequence or a context across different categories.

So you might have a code group containing codes A, B, C and D, and another code group containing codes B, D, E and F. If you now were to relate these two code groups to each other, you end up with circular or illogical relations.

# Relations

ATLAS.ti allows you to establish *named links* to more clearly express the nature of the relationships between concepts. With named links, you may express a sentence like "a broken leg causes pain" by two nodes (the source node "broken leg" and the target node "pain") connected with a named link ("causes" or "is-cause-of").


The name of a link is displayed in the network editor as a label attached to the link midway between the two connected nodes.

Six pre-set relations are available in ATLAS.ti. These standard relations can be substituted, modified, or supplemented by user-defined relations.

## Link vs. Relation

It is important to understand the difference between a relation (or a link type), and the link itself: There is only one "is part of" relation, but potentially many links that can *use* it.

If you take a look at the Code-Code Link Manager below, you can easily see how it works:



Another way to think of links and relations is to view links as *instances* of relations. Links are informed about the characteristics of relations, which define their styles. If a characteristic of a relation is changed (e.g., line width, color, symbol), these changes are propagated to all links using it.



## ATLAS.ti Default Relations

The default relations that come with the software are listed in the table below. C1 and C2 are source and target nodes, respectively.

Relation Name	short name	symbolic name	width	color	property
is associated with	R	==	1	Black	Symmetric
is part of	G	[]	1	Black	Asymmetric
is cause of	N	$\Rightarrow$	1	Black	Asymmetric
contradicts	A	<>	1	Black	Symmetric
is a	Isa	0	2	Black	Asymmetric
noname			1	Black	Symmetric
is property of	P	*}	1	Black	

Some of these characteristics directly affect the display of links, while others affect processing (e.g., [search routines](#), [automatic layout](#)). A link between concepts is displayed in a network editor by a line with the relation's label. You can choose from three different labels (name, short and symbolic). The relation **property** affects the display a relation. All asymmetric relations are symbolized in the network editor with an arrow pointing toward the target code. Symmetric relations are displayed as a line with two arrows pointing to both ends of the link.

The following properties are user-definable: the labels, the width and color of the line linking two nodes, the property, and the preferred layout direction.

The **preferred layout direction** affects the layout of a network when opening an [ad hoc network](#).

## Formal Properties - Some Definitions

### Symmetric Relationship

A relation R is symmetric if it holds for all A and B that are related via R. A is related to B if, and only if, B is related to A.

Examples:

- A is married to B (in most legal systems)
- A is a fully biological sibling of B
- A is a homophone of B

QDA Examples:

- walking the talk is **associated with** role model
- having a clear vision is **related to** performance orientation
- communicating well is **associated with** empowerment

## Asymmetric Relations

A graph is asymmetric if:

- for every edge, there is not an edge in the other direction, then the relation is asymmetric
- loops are not allowed in an asymmetric digraph

If  $x$  has a relation  $R$  to  $y$ , but  $y$  does not have a relation  $R$  to  $x$ .

Examples:

- **Martin is a child of Marilyn:** If Martin is the child of Marilyn, then Marilyn cannot be the child of Martin.

QDA Examples:

If we use the same example as above, but instead define the relation **results in** being an asymmetric one, then you do not infer that nice weather is necessarily related to you being a happy person, or that you being a happy person has any effect on the weather. The later would be the case if you used a symmetric relation.

The relations in the following example are defined as asymmetric relations: Supportive environment **motivates** learning & development **results in** higher job satisfaction. This does not imply that a supportive environment results in higher job satisfaction.

# Relation Manager

The Relation Manager is used to review the properties of existing relations, to edit existing relations, or to create new relations. You can switch between relations for code-code links and relations for hyperlinks. As the column information and the ribbon options are the same for both, below you find only one description. For further information see [Working With Networks](#).

You can access the Relation Manager from within networks or via the drop-down option of the Links button in the Home ribbon.

The screenshot shows the 'Relation Manager' window with the 'Relations' tab selected. The ribbon includes options for 'Code-Code Relations' and 'Hyperlink Relations', 'New Relation' and 'Duplicate Relation(s)', 'Rename Relation' and 'Delete Relation(s)', 'Line Color', 'Line Width', 'Line Style', 'Layout Direction', 'Formal Property', 'Filter', and 'Excel Export Report'. Below the ribbon is a search bar and a table of relations.

Name	Usage	Style	Width	Layout	Short	Symbol	Formal Property	Created by	Modified by	Created	Modified
contradicts	0		1	↑	A	<>	Symmetric	ATLAS.ti	ATLAS.ti	01/01/1989 13:00	01/01/19
in contrast to	2		1	→			Symmetric	Susanne	Susanne	29/04/2020 09:23	29/04/20
is a	0		2	↑	O	isa	Asymmetric	ATLAS.ti	ATLAS.ti	01/01/1989 13:00	01/01/19
is a property of	0		1	↑	P	*)	Asymmetric	ATLAS.ti	ATLAS.ti	01/01/1989 13:00	01/01/19
is associated...	9		1	↑	R	==	Symmetric	ATLAS.ti	ATLAS.ti	01/01/1989 13:00	01/01/19
is cause of	0		1	↑	N	=>	Asymmetric	ATLAS.ti	ATLAS.ti	01/01/1989 13:00	01/01/19
is part of	1		1	↑	G	[]	Asymmetric	ATLAS.ti	ATLAS.ti	01/01/1989 13:00	01/01/19
noname	0		1	↑			Symmetric	ATLAS.ti	ATLAS.ti	01/01/1989 13:00	01/01/19
remedy	1		1	→			Asymmetric	Susanne	Susanne	29/04/2020 09:33	29/04/20
therefore read	1		1	→			Asymmetric	Susanne	Susanne	29/04/2020 09:21	29/04/20

Below the table, a preview shows the 'is a' relation with its layout direction (down-up) and formal property (Asymmetric). The symbolic name is 'isa'.

10 relations

**Usage:** Number of times it is used in the project.

**Style:** Preview of line: direction, color, width and property (directed, non-directed)


**Layout:** Automatic layout direction if you open a network on an entity.

**Short:** Short name as an alternative to the full name. You can either display full names, short names or the symbolic name for all relations in a network.

**Symbol:** Symbolic name as an alternative to the full name. You can either display full names, short names or the symbolic name for all relations in a network.

**Formal Property:** The formal property of a relation: symmetric or asymmetric. See [About Relations](#).

## Relation Manager Ribbon



From left to right:

**New Relation:** Select to create a new relation.

**Duplicate Relation(s):** Duplicate a relation, e.g., if you want to create a new relation based on an already existing relation with a few modifications.

**Rename Relation:** Select a relation and rename it.

**Delete Relation(s):** Select on or more relations that you want to delete.

**Line Color:** Select the line color.

**Line Width:** Select the line width.

**Line Style:** Select the line style(solid or dashed).

**Layout Direction:** Select the layout direction. If you open an ad-hoc network, the layout directions are used to position the nodes in the network.

**Formal Property:** Select the property for the relation. Options are: symmetric (non-directed) and asymmetric (directed). This is further explained in the section [About Relation](#)


**Filter:** You can filter relations based on the following options: created today, created this week, created by yourself, or all relations that have a comment. An additional option is to invert the filter.

**Excel Export:** You can export the information you see in the manager as Excel table.

## View Tab

As the View tab is the same in all manager, it has been described here [Entity Manager](#).

# The Network Editor



The network editor offers an intuitive and powerful method to create and manipulate network structures. It favors a direct manipulation technique: You can literally "grab" codes, quotations, memos, or other entities using your cursor and move them around the screen as well as draw and cut links between them.

Networks have certain important characteristics:

- Networks can be given names under which they are stored and accessed inside the project.
- Networks can be commented.
- Networks are displayed and edited in the network editor.
- Networks allow individual layouts of the nodes.
- As a node, a single entity can be a member of any number of networks.
- An entity, e.g. a specific code, can only appear once in any network.

Networks allow for a flexible but logically consistent display of links and relations, so there are a few constraints to keep in mind:

- If code A is linked to code B using the relation *is associated with*, then every network that contains code A and code B will necessarily include the relation *is associated with* between the two.
- Furthermore, as only one link can exist between any two nodes at any given time, no network will display any other relation between those two nodes.

If you want to link code A and code B in different ways in different networks, you need to work with "dummy" codes that modify a relation. For example:

A specific context X results in emotion A leading to behaviour B, then linking A to B directly would be false:

Emotion A ---- leading to ----> Behavior B

However, you can express it like this:

Emotion A ---- if ----> context X -----leading to ----> Behaviour B

'Context X' is a dummy code as it did not already exist in the code system. It needed to be added in order to express a relationship that emerges while you were working with and interpreting the data.

In order to visualize such relationships, you have the option to create new codes in the network editor. These will show up in your list of codes with 0 groundedness and a density of 1 or more, depending on their connectedness in the network.

## Node Types

The following object classes can be displayed and edited as nodes within the network editor.

### Codes as Nodes

Codes are probably the most prominent objects in ATLAS.ti networks. They provide the main ingredients for models and theories.

### Memos as Nodes

Memos in networks are often an important supplement to code networks.

Several theoretical memos can be imported into a network to map out their relationship. The visual layout provides comfortable territory for moving from memo to memo, in order to read and contemplate each individually and the relationship(s) between them.

### Documents as Nodes

Documents as nodes are useful for case comparisons paired with the option to [add code neighbors](#).

Documents as nodes make a nice graphical content table for graphical documents when selecting the preview.

The icons for document nodes vary by media type.

## Quotations As Nodes

Quotations and codes have one thing in common, which is different for the other entities. They can link to each other (quotations to quotations and code to codes) with fully qualified "first class" links. See [Nodes and Link](#).

The inclusion of quotations in a network supports the construction and inspection of hyperlink structures. The icons for quotation nodes vary by media type.

## Groups as Nodes


Displaying groups, and their members in networks are useful to present all members that are part of the group. The links between a group and its members are depicted by a dotted red line. The line property cannot be changed.

## Network as Nodes

Networks as nodes allow the inclusion of networks in other networks. They cannot be linked to anything, but via the context menu you can open the network in a separate network editor.

If you double-click on a network node, its comment is displayed and from there you can click to open it. This is for instance useful if you are running out of space on your screen. Instead of trying to represent everything in one network, you can create several networks that build on each other. Via a network node in a network, you can continue to tell the story you want to tell.

# Network View Options



The display characteristics of the nodes can be altered in a variety of ways.

To change the node or link style, select the **View** tab in a network editor.

**Overview:** If you select this option, a schematic overview of the network is shown.

**Fit to Window:** This option adjusts the network to fit the size of the currently opened network editor.

**Grid:** The grid helps you to position nodes.

**Snap:** Snapping allows an object to be easily positioned in alignment with grid lines, guidelines or another object, by causing it to automatically jump to an exact position when the user drags it to the proximity of the desired location.

**Link Label:** You can define three labels for each relation:

- (relation) name
- short name
- symbolic name

See [Creating & Modifying Relations](#). Depending on what you want to see in your network, you can switch the label that is shown. If you change to a different label, this applies to all relations in the network.

**Node Styles:** Nodes can be displayed in four different styles:

- simple
- flat (default)
- gradient
- shadow

Instead of describing the various looks, go ahead and try out each style and select the one that you like best or that is most suitable for the task at hand.

Some of these options you also find in the **Layout/Style** section in the main Network ribbon.



## Style

**Comments:** If activated the comments of all nodes that have comments are displayed.

**Code-Document Connections:** At times it is interesting to see which codes have been applied to a document, or a document group. When coding the data, you apply codes to quotations, which are part of documents, but you do not directly apply codes to a document. Therefore, there are no direct links between documents and codes. In order to see those connections, you need to activate this option.

Code-Document and Code-Document Group connections are shown as blue lines.

**Preview:** You can activate a preview for documents, quotations and memos. Audio and video documents or quotations can be played in the preview window. If you only want to see the preview of selected entities, right-click the entity and select the *Preview* option from the context menu.

In ATLAS.ti Windows, there is no preview for audio and video quotations in networks.

**Frequencies:** If activated it displays the groundedness and density of code and memo nodes in the network.

- *Groundedness:* It shows how many quotations are linked to a code or memo.
- *Density:*
  - Number of code - code connections.
  - Number of codes and memos a memo is connected to.
  - Number of codes a quotation is coded to.


**Show Node Icons:** The node type icon can be switched on and off for all nodes. The small image used as a node icon increases the distinctiveness of the nodes, especially when a mixture of node types exists in a network. Nonetheless, when space runs low, you may prefer to switch off the icons.

# Network Editor - Layout And Routing Options

You can select among twelve automatic layout options. The results of the automatic layout procedure are typically quite usable and provide a good starting point for subsequent manual refinement. They can be combined with four routing options that are responsible for an optimal placement of the links.

The Layout and routing options are available from the Network Editor via the main **Network Tab**, and the **View Tab**. By moving nodes to different positions, you can modify an initial layout created by the automatic layout procedure. For precision placement of nodes, use the **Grid** and **Snap** option under the **View Tab**.

## Layout Options



**Perpendicular Layout:** Orthogonal layouts allow the edges of the graph to run horizontally or vertically, parallel to the coordinate axes of the layout. It produces compact drawings with no overlaps, few crossings, and few bends.

**Orthogonal Tree Layout:** Same as the standard perpendicular layout, but larger subtrees are processed using a specialized tree layout algorithm, which is better suited for tree-like structures.

**Circular Layout:** The circular layout places the nodes on a circle, choosing carefully the ordering of the nodes around the circle to reduce crossings and place adjacent nodes close to each other. It emphasizes group and tree structures within a network. It creates node partitions by analyzing the connectivity structure of the network, and arranges the partitions as separate circles. The circles themselves are arranged in a radial tree layout fashion. This algorithm suits social network analysis quite well.

**Circular Single Cycle Layout:** This is similar to the circular layout, only subgroups are not created and all nodes are placed on a single circle. Useful for creating an overview and for shallow hierarchies.

**Organic Layout:** The organic layout style is based on the force-directed layout paradigm. When calculating a layout, the nodes are considered to be physical objects with mutually repulsive forces, like, e.g., protons or electrons. The connections between nodes also follow the physical analogy and are considered to be springs attached to the pair of nodes. These springs produce repulsive or attractive forces between their end points if they are too short or too long. The layout algorithm simulates these physical forces and rearranges the positions of the nodes in such a way that the sum of the forces emitted by the nodes, and the edges reaches a (local) minimum. Resulting layouts often expose the inherent symmetric and clustered structure of a graph, they show a well-balanced distribution of nodes and have few edge crossings.

**Radial Layout:** When applying the radial layout style, the nodes of a graph are arranged on concentric circles. The layout calculation starts by conceptually reducing the graph to a tree structure whose root node is taken as the center of all circles. Each child node in this tree structure is then placed on the next outer circle within the sector of the circle that was reserved by its parent node. All edges that were initially ignored are re-established, and the radii of the circles are calculated taking the sector sizes needed by each whole subtree into account. This layout style is well suited for the visualization of directed graphs and tree-like structures.


**Hierarchical Layout:** The hierarchical layout style aims to highlight the main direction or flow within a directed graph. The nodes of a graph are placed in hierarchically arranged layers such that the (majority of) edges of the graph show the same overall orientation, for example, top-to-bottom. Additionally, the ordering of the nodes within each layer is chosen in such a way that the number of edge crossings is small.

- **Hierarchical Layout (Top-Bottom):** Prefers to place nodes downwards from top to bottom along directed links.
- **Hierarchical Layout (Bottom-Top):** Prefers to place nodes upwards from bottom to top along directed links.
- **Hierarchical Layout (Left-Right):** Prefers to place nodes from left to right along directed links.
- **Hierarchical Layout (Right-Left):** Prefers to place nodes from right to left along directed links.

**Tree Layout:** The tree layout is designed to arrange directed and non-directed trees that have a unique root node. All children are placed below their parent in relation to the main layout direction. A child-parent relation in ATLAS.ti is defined via a transitive. Before applying the layout all nodes compromising a strict tree are removed and added after the tree layout by connecting them with curved edges. Tree layout algorithms are commonly used for visualizing relational data. The layout algorithm starts from the root and recursively assigns coordinates to all tree nodes. In this manner, leaf nodes will be placed first, while each parent node is placed centered above its children.

**Random Layout:** Randomly places the nodes every time this layout is invoked.

## Routing



The positions of the nodes in the network are not altered by rerouting the edges.

**Orthogonal Routing:** This is a versatile and powerful layout algorithm for routing a diagram's edges using vertical and horizontal line segments only. The positions of the diagram's nodes will remain fixed. Usually, the routed edges will not cut through any nodes or overlap any other edges.

**Poly Line Edge Routing:** Polyline edge routing calculates polyline edge paths for a diagram's edges. The positions of the nodes in the diagram are not altered by this algorithm. Edges can be routed orthogonally, i.e., each edge path consists of horizontal and vertical segments, or octilinear. Octilinear means that the slope of each segment of an edge path is a multiple of 45 degree.

**Organic Routing:** This algorithm routes edges organically to ensure that they do not overlap nodes and that they keep a specifiable minimal distance to the nodes. It is especially well suited for non-orthogonal, organic or cyclic layout styles.

**Straight Routing:** Draw the links between nodes as straight lines without any consideration of node and edge crossing.

The routing layout is not saved. If you close the network and open it again, the routing is lost, and you have to select a routing option again. If you are happy with the layout and want to keep the network as it, you need to [export](#) it.

# Basic Network Procedures

Two methods for creating networks are available. The first one creates an empty network, and you begin to add entities as sequential steps. The other method creates a network from a selected entity and its neighbors.

## Creating a New Network

In the Home tab open the drop-down menu for **New Entities** and select **New Networks**.


Enter a name for the network and click **Create**. Another option is to open the Network Manager with a click on the **Networks** button and select **New Network** in the ribbon of the Network Manager.

## Adding Nodes to a Network

You can add nodes via the option **Add Nodes** or via drag-and-drop.


### Adding Nodes Using the Selection List

Select the **Nodes** tab in the ribbon and from there the **Add Nodes** button.



## Adding Nodes Using the Selection List

Select the Nodes tab in the ribbon and from there the Add Nodes button.



This opens a selection list that is docked to the left-hand side of the network. At the bottom of the selection list you see the comments of an entity. Use the search fields to find entities faster.


Select the entity type and then the entities that you want to add to the network. Double-click to add the entity to a network; or drag-and-drop the selected entities to the network; or click on the **Add** button.

## Adding Nodes via Drag & Drop

You can add nodes by dragging entities into the network editor from entity managers, group managers, the margin, the project explorer, or any of the browsers.

Open a network and position it for example next to the Project Explorer.

Select the node(s) you want to import into the network and drag-and-drop them into the editor.




## Selecting Nodes

Selecting nodes is an important first step for all subsequent operations targeted at individual entities within a network.

### Selecting a Single Node

Move the mouse pointer over the node and left-click.

All previously selected nodes are deselected.



## Selecting Multiple Nodes

### Method 1

Hold down the Ctrl key on your keyboard, move the mouse pointer over the node and left click. Repeat this for every node you want to select.

### Method 2

This method is very efficient if the nodes you want to select fit into an imaginary rectangle.


Move the mouse pointer above and left to one of the nodes to be selected. Hold down the left mouse button and drag the mouse pointer down and right to cover all nodes to be selected with the selection marquee. Release the mouse button.



## Opening Ad-hoc Networks


An ad-hoc network is when you open a network on an entity. This will show the entity in a network with all the directly linked neighbors, except when you open a network for a document or multiple items. In the latter two cases, only the selected entities open in a network. More nodes can be added to such networks using different techniques. See [Adding Nodes To Network](#) and [Adding Neighbors](#).

Select an entity in the margin area, a manager, the project explorer or any browser, right-click and select **Show in Network**. Another option is to select the **Open Network** button in the ribbon after selecting one or more entities in a manager.



The nodes are initially placed using a default layout procedure, but can be rearranged manually or using any of the other layout procedures. See [Layout And Routing](#).

Below you see an ad-hoc network of a folder containing three categories and their subcodes (Hierarchical layout: left-to-right):




Each time a network is opened on a selected entity, a new network is created. There is no need to save it, as you can easily display it at any time by opening it again. If, however, you rearranged the nodes and want to preserve the new layout, or if you add or remove nodes, then you need to save it explicitly: To do so, select **Save** in the Network ribbon and enter a name for the network. Saved networks can be selected from the Project Explorer, the Network Manager, and the Networks Browser.

# Linking Nodes and Entities

There are several ways to link nodes:

## Linking via Drag & Drop




Select a node. A white dot appears in the top left corner of the node. Click on the white dot with the left mouse button and drag the mouse pointer to the node that you want to link.

Release the left mouse button on top of the node. If you link codes to codes or quotations to quotations, a list of relation opens. Select a relation.

The two nodes are now linked to each other. In case you linked two codes or two quotations to each other, the relation name is displayed above the line.

If none of the existing relations is suitable, select **New Relation Type** and create a new relation. The new relation will immediately be applied to the link.

## Linking Two Nodes Using the Ribbon Icon



Select a node in a network and click on the **Link** button in the ribbon.


A black line appears. Move the end on top of another node and left-click.

If you link codes to codes or quotations to quotations, a list of relation opens. Select a relation.

You need to use the method for linking if you want to link more than two nodes at a time.

When you link two codes to each other, the **Density** counts goes up. For instance, if six source codes are linked to one target code, the density for the target code is 6; If the source codes have no other links, then their density count is 1. The density count for memos counts the connection to other memos and codes. If a memo is linked to two codes and one other memo, its density is 3.

## Linking Three or More Nodes



Select all nodes that you want to link to one other node. See [Basis Network Procedures > Selecting Nodes](#) for further information on how to select multiple nodes.


In the ribbon, click on the **Link** button. A black line appears. Move the end on top of the node you want the other nodes to be linked with and left-click. If you link codes to codes or quotations to quotations, a list of relation opens. Select a relation. Only one relation for all links can be selected.

## Editing a Link

Move the mouse pointer to the line and left-click. The selected link label will be displayed boxed.


Right-click and open the context menu, or select the available options in the ribbon.

- **Open Network:** opens a new network for the two nodes linked by this link.
- **Edit Comment:** Use the comment field to explain why these two nodes are linked-
- **Flip Link:** Use this option if you want to change the direction of a [transitive or asymmetric link](#).
- **Cut Link:** removes the link between the two nodes
- **Change Relation:** Select a different relation from the list of available relations or create a new one and apply it.



For second class links that do not have a name, only the *cut link* option is available.

## Cutting Multiple Links



Select one or more nodes (= source) whose connections to another node (= target) you want to remove.

Click the Cut Links button in the ribbon and move the mouse pointer over the target node. If you do the target node is boxed, and the links to be cut are colored in orange. Click the left mouse button on the target node.

The links between nodes in a network are real connections between the entities. Therefore, creating and removing links should not be regarded as solely "cosmetic" operations. Links make permanent changes to the project.

## Linking Codes to Codes, Quotations to Quotations, Memos to Memos in Managers and Browsers

Quotations, codes and memos can also be linked to each other in the Manager, the Project Explorer, or the respective entity browsers.

Select one or more source items in the list pane of the Manager, in the respective sub-branches of the Project Explorer, or in the entity browsers and drag them to the target item in the same pane.

Select a relation from the list of relations in case you link two codes or two quotations, or select New Relation Type and [create a new relation](#).

## Linking Entities of Different Types

When you code your data reading through a document, listening to audio data, viewing an image or video file, you are linking codes to quotations. This can also be done via drag & drop from the Project Explorer or any of the entity browsers to the list of codes or quotations in a manager.

This also applies to linking memos to codes, or memos to quotations.




# Creating & Modifying Relations

User-defined relations are available for code-code and quotation-quotation links. All other links cannot be named.

New relations are created in the Relation Manager. You can define how a relation should look like in terms of color, width and line style. Further you can select the layout direction and the property. The property defines whether a relation is directed (transitive, asymmetric), or non-directed (symmetric). See [About Relations](#).

## Creating New Relations

Go to the Home tab, click on the drop-down arrow in the Links button and select Relations. Another option is to select the Relation Manager button in the ribbon of a network.



The screenshot shows the 'Relation Manager' window with the 'Relations' tab selected. The window displays a list of relations with columns: Name, Usage, Style, Width, Layout, Short, Symbol, Formal Property, Created by, and Modified by. The relation 'is associated with' is highlighted. Below the list, the properties for the selected relation are shown: Layout Direction (down-up), Formal Property (Symmetric), Name (is associated with), Symbolic Name (==), and Short Name (R). At the bottom, it indicates '7 relations'.

Name	Usage	Style	Width	Layout	Short	Symbol	Formal Property	Created by	Modified by
contradicts	0	←→	1	↑	A	<>	Symmetric	ATLAS.ti	ATLAS.ti
is a	0	→	2	↑	O	isa	Asymmetric	ATLAS.ti	ATLAS.ti
is a property of	0	→	1	↑	P	*}	Asymmetric	ATLAS.ti	ATLAS.ti
is associated with	0	←→	1	↑	R	==	Symmetric	ATLAS.ti	ATLAS.ti
is cause of	0	→	1	↑	N	=>	Asymmetric	ATLAS.ti	ATLAS.ti
is part of	0	→	1	↑	G	[]	Asymmetric	ATLAS.ti	ATLAS.ti
noname	0	←→	1	↑			Symmetric	ATLAS.ti	ATLAS.ti

Layout Direction: down-up  
 Formal Property: Symmetric  
 Name: is associated with  
 Symbolic Name: ==  
 Short Name: R

7 relations

There are two Relations Managers, one for code-code relations and one for hyperlinks (quotation-quotation relation):

On the left-hand side in the ribbon of the relation manager, select either *Code-Code Relations* or *Hyperlink Relations*.

Click on the button **New Relation**.

Enter a name for the relation, select a color and a property. Then click **Create**. If you need more information on relation properties, see [About Relations](#).

New relations are stored together with the project in which they are used. Thus, you can create a unique set of relations for each project.

## Editing Existing Relations

To modify an existing relation, open the Relation Manager for codes or quotations (see above).

On the left-hand side in the ribbon of the relation manager, select either *Code-Code Relations* or *Hyperlink Relations*.

Select the relation that you want to modify and change its properties like the line color, the line width, the line style, layout direction or property. You can also rename the relation. You find all options in the ribbon of the Relation Manager.

If the relation you are modifying is already in use by the currently loaded project, the changes will take immediate effect and are stored along with the project when saving it.

# Analytic Functions in Networks

The Network tool is an analytical tool in itself. You will learn a lot about your data by building conceptual networks. The two options that we would like to present here are:

- Add Neighbors
- Add Co-occurring Codes

These two options are the visual equivalent of the Code-Document Table and the Code Co-occurrence Table.

For both options it is often useful to set a global filter first as otherwise too many items are imported. This results in a very crowded network that might look nice but is of little analytical value. See [Applying Global Filters](#).

## Add Neighbors


The **add neighbors** option allows you to construct a connected network step-by-step. It imports all direct neighbors of the selected nodes into the network.

- When applying it to document nodes, it is the visual equivalent to the [Code Document Table](#). ATLAS.ti draws a blue lines between the codes, and the documents / document groups in which they occur.
- When applying it to [hyperlinks](#), it allows you to bring into a network all connected quotations.
- When applying it to codes, you can successively bring in connected codes to support data modelling and theory building.

### How to add neighbors

Select one or more nodes, right-click and select the option **Add Neighbors** from the context menu and then the type of entity that you want to import.

You also find the 'Add Neighbors' option in the **Nodes** ribbon of the network editor.



For documents when adding codes, make sure that **Show Code-Document Connections** is selected under the **View tab** in the ribbon.


Depending on the entity type, possible neighbors are:

- Documents
- Quotations
- Codes
- Memos
- Groups

The option **all common** imports all those that are applicable.

## Application: Comparing Cases

Adding code neighbors to a document node, or a document group node allows creating case-based network. You can ask questions like: Which of the codes have been applied in which document or document groups. ATLAS.ti draws a blue lines between the codes, and the documents / document groups in which they occur. Make sure that **Show Code-Document Connections** is selected in the **View options**.



When you have applied lots of codes to a document, it is useful to set a global filter when adding codes. Otherwise, your network will be too crowded, and it will be difficult to interpret it or to see any meaningful pattern. See [Applying global Filters](#).

## Add Co-occurring Codes

The **add co-occurring codes** option is the visual equivalent of the [Code Co-occurrence Tools](#). It allows you to explore code co-occurrence spatially, which is different from looking at numbers in a table, and different from exploring code co-occurrence in a Sankey diagram. The recommendation is to use these functions in combination to look at data from different perspectives in the sense of a triangulation.

Co-occurring codes are those that code the same or overlapping quotations. When importing co-occurring codes, ATLAS.ti checks all five possible ways that a code can co-occur:

- quotations coded with a code A **overlap** quotations coded with a code B
- quotations coded with a code A **are overlapped by** quotations coded with a code B
- quotations coded with a code A occur **within** quotations coded with a code B
- quotations coded with a code A **enclose** quotations coded with a code B
- quotations coded with a code A **code the same** quotations coded with a code B


See [Available Operators > Proximity Operators](#).

Select one or more codes in a network editor, right-click and select **Add Co-occurring Codes**. This option is also available from the **Nodes ribbon**.

**tip**

In order to achieve meaningful results, it is often useful to set a code group as global filter first. Think about which concepts you want to relate to each other and add those to a code group. See [Applying Global Filters](#).

Below you see a network with global filter setting. Only the full colored nodes pass the filter. It helps you to focus on what is relevant in your network:




If you have no idea which codes co-occur, using the [Code Co-occurrence Explorer](#) is a good starting point. If you have a more specific idea which codes do co-occur, the [Code Co-occurrence Table](#), and the "Add Co-occurring Codes" option in networks become more useful.

# Exporting Networks

Networks can be saved as graphic file, or exported as XPS or PDF file, or printed.

## Saving a Network as Graphic File



Open the network.

In the ribbon of the network, select the Export tab and then Export Bitmap.

When saving the file, you can choose among the following graphic file formats:

- \*.png
- \*.jpg
- \*.gif
- \*.tif
- \*.bmp

## Saving a Network in the Microsoft XPS format

The XPS format is Microsoft's alternative to PDF.

To save a network in the Microsoft XPS format, select the Export XPS option.


## Saving a Network in PDF format

If you want to create a PDF file, a PDF writer needs to be installed on your computer (e.g. Adobe).

To create a PDF file from your network, select the Print option and chose your PDF Writer as printer.


## Network Editor - Further Options

### Changing Code Color



Select a code node. In the main network ribbon, click on the dropdown arrow below the color palette and select a color.

### Merge Codes



Select all code nodes that should be merged into another code. If you select multiple code notes, hold down the Ctrl-key.

Select the Nodes tab and click on the **Merge** button. Move the mouse pointer to the node with which you want to merge the selected code(s). You will see a light green frame around this node. When you left-click on the node, all the other selected code nodes will be merged.



## Duplicate Codes

A duplicated code is an exact clone of the original code including color, comment, code-quotation links, code memo links and code-code links. Duplicating a code can be a useful option to clean up or modify a code system.

Select one or more codes in a network, select the **Nodes** tab and from there **Duplicate Code(s)** option. Duplicated codes have the same name plus a consecutive number, i.e. (2).


## Create Groups

You can also create groups in networks. As everywhere else in the software, a group consists of entities of the same type. Thus, you can create a document group based on document nodes, a code group based on code nodes, a memo group based on memo nodes, and a network group based on network nodes. It is not possible to create a group that contains different entity types.

Select one or more nodes of the same entity type and click the **New Group** option in the **Nodes** tab.

Enter a name for the group and click **Create**. The group will be added to the network, and the linkages to its members are displayed.

## Traversing Hyperlinks in Networks



To expand the hyperlinks you see in a network, or to see which other entities are linked to a hyperlinked quotation, you can import its neighbors:

Right-click on a hyperlink and select **Import Neighbors > Quotations**.


## Team Work

The kind of team work supported is asynchronous shared coding and analyzing. This means if you have a lot of data you can spread the coding work across different team members. Each team member codes parts of the data, and the work of all coders is put together via merging the various subprojects.

Each team member needs to work on his or her copy of the project. The location where the project data for each user is stored can be selected. However, this is always a personal, not a shared space. See [Working with ATLAS.ti Libraries](#).


When working on a team project, team members **must not edit** documents (unless everyone works in different documents). If team members edit the same documents, these cannot be merged; instead they are duplicated. If document editing is necessary, this needs to be done by the project administrator in the Master project!

## Workflow



1. The project administrator sets up a **Master project**. See [Creating a New Project](#).
2. The project administrator **adds documents** to the project and possibly a list of codes.
3. The project administrator saves the project and exports it. This means creating a **project bundle file**
4. All team members **import** the project bundle file and begin their work.

- To combine the work of all team members, each team member creates a [project bundle file](#)
5. and sends it to the project administrator.



6. The project administrator [merges](#) all subprojects, and creates a new Master file.
7. The project administrator exports the new Master file and distributes it to all team members. See [Transfer Projects](#).
8. The team members continue their work.

This cycle continues. If new documents need to be added to the project, this needs to be done by the project administrator. A good time for doing this is after merging and before creating the new Master file.

You find step-by-step instructions here:

- [for project administrators](#)
- [for team members](#)

## Important to Know

- If all team members should work on the same documents, it is essential that only the project administrator is setting up the project adding all documents. Otherwise, the documents are duplicated or multiplied during the process of merging. See [Adding Documents](#).
- Team members **must not edit** documents. If they do, the edited documents cannot be merged, and you end up with duplicates. If document editing is necessary, this needs to be done by the project administrator in the Master project!
- The location of where ATLAS.ti stores project related data can be determined by each user. See [Working with ATLAS.ti Libraries](#).
- Document libraries CANNOT be shared. Each person always works with her/his own copy of the data set within her/his own environment of ATLAS.ti.


Our support team will reject any repair requests that are caused by attempts to share libraries.

## User Accounts


ATLAS.ti automatically creates a user account based on the name that you use on your computer.

### To check who is currently logged in:

Select the Tool tab and select Manage Users.




The currently logged-in user is displayed in bold letters:



### Change the Current User

Select the Tool tab and select Manage Users.

Select the User you who should be indicted as creator /modifier in the project from this moment onward and click Set as Current User.



## Creating a new user account

A reason for creating a new user account is if two persons on a team have the same name, or if you want to use a different name than the automatically assigned name.

Select the Tools tab and select Manage Users.

Click on the button New User, enter a name and click Create.

After creating a new account, select the **Switch User** option from the ribbon to log in using the new name.

## Switching user accounts

Select the Tools tab and select Switch Users.

Select another user from the list.

When merging projects that come from different computers and that use the same username, the username will be duplicated, e.g., Tom and Tom (2). This means you can still


distinguish the two users. However, it may be a bit cumbersome to always remember who is who.

## Merging Users

Reasons for wanting to merge users:


- If you are using two computers, and you import a project from computer A into computer B, this results in the duplication of your own username. ATLAS.ti adds a (2) behind the duplicate username.
- You want to run an inter-coder agreement analysis and realize that there is something wrong with the usernames of the coders.

To merge two users drag the username that you want to get rid of onto the username that you want to keep.



# Setting Up a Team Project

When you work in a team with shared document and codes, you need to start with a MASTER project that contains all documents and codes that you want to share with your team. See [Work Flow](#). If all team members start independently, you end up with duplicate documents and codes after merging the projects.



The instructions are organized by the various tasks involved when working in a team. Below you find operating instructions for project administrator. For team member instructions, see [Tasks for Team Members](#).

## Tasks of the Project Administrator

### Creating and distributing the project

If you open ATLAS.ti, select the New Project button from the Welcome Screen.

Alternatively:

If a project is already open, select File > New > Create New Project.

Inst

Enter a project name and click Create.

Next, add everything that should be shared by the team:

- add documents. See [Adding documents to a project](#).

- create document groups. See [Working with groups](#).
- add codes and code groups. You can prepare a list of codes including code descriptions, code groups and colors in Excel and import the Excel file. See [Importing A List Of Codes](#).

If a common set of codes and code groups is to be used, they must be added to the project at this stage. If each team member were to add codes and code groups individually to each subproject, all codes and groups are multiplied during the merge.

To save a project, click on the **Save** icon in the Quick Access toolbar, or select **File > Save** (Short-cut: Ctrl+S).

Inst

To export the project for distribution to all team member, select **File > Export**. See also [Project Transfer](#).

Inst

Distribute the project bundle file to all team members: e.g., via email, a folder on a server that everyone can access, or also via a cloud link or cloud folder.

The project bundle file shows the ATLAS.ti icon, has the file extension **.atproj** and can be read by both ATLAS.ti Windows and Mac.

### **Project X\_coder 1 (SF 2020-10-22).atproj**

The default name of the bundle is the project name + author and date. Renaming the bundle does not change the name of the project contained within the bundle. Think of the project bundle file as a box that contains your ATLAS.ti project plus all documents that you want to analyze. Putting a different label on the outside of the box will not change the name of the project file, which is contained inside the box. Ask each team member to change the name of the project file when importing the project bundle, i.e. adding their name or initial to the project name, so that the projects of the various team members can easily be identified.

Project bundle files can be shared via a cloud services like Dropbox, OneDrive, GoogleDrive, etc. Another option is to upload the project bundle file to a server of your choice and send a link to all team members so that they can download the file.




## Team Project: Tasks for Team Members

As a team member you **must not** edit documents in a team project. If you do, the document cannot be merged later on, instead it will be duplicated. If text needs to be modified, this needs to be done in the Master Project by the project administrator.

ATLAS.ti automatically creates a user account based on your computer login when you start ATLAS.ti.

Check your username before you start working. Is this the name you want to use in the team project? If not, modify the name or create a new user account and log in with the new account. See [User Accounts](#).

As team member, you receive a project bundle from the project administrator.




Save the project bundle file on your computer, or personal space on a server.

Open ATLAS.ti and select the Import Project button. If another project is currently open, select File > New > Import Project.

inst

Rename the project by adding your name or initials to the project name. This is important for the project administrator later when he or she merges the projects of all team members. If you forget this step, see below how you can rename a project after having imported it.



If this is the second or third time around that you import the Master project, the project name with the added coder name/initials already exists. ATLAS.ti will recognize this and offers the following two choices:

- Keep current project as a snapshot.
- Overwrite existing project.

As you previously exported your project to send it to the project administrator, you already have a backup of your project. Therefore, it will be OK in most cases to overwrite the existing project.



Make the appropriate choice and click Import.

After you have done some work on the project, you need to send it back to the project administrator for merging. This is what you need to do:

Select File > Export > Project Bundle. See [Project Transfer](#).

The name of the exported bundle file will include your user name and the date, e.g. 'Project X\_Tom (TM 2020-04-30)'.

Continue the cycle of project exchange and merging between project administrator and team members as needed.

## Renaming Projects after Import

If you forgot to rename the project when importing it, you can change the name after it has been imported. You need to do this in the opening screen after starting ATLAS.ti or after closing all projects.

On the opening screen, right click on the project that you want to rename and select **Rename Project**.

If the project is already open, you need to close it to return to the opening screen.

# Merging Projects

The Master project is the project into which another project, called the Import project is merged. The Master project has to be loaded first before invoking the **Merge Project** option.

The default option is to unify all entities that are **identical**, and to add all other items that do not yet exist in the Master project.

You can only merge ATLAS.ti desktop and ATLAS.ti Web projects if the projects contain different documents and codes. When merging entities, they need to have the same ID and this is only given if you start with a common Master project. As it is currently not possible to import a Desktop project into the Web version, you cannot share a Master project with a person using the Web version. Thus, even if you add the same documents and codes to both Desktop and Web project, the IDs for all entities will be different. When you merge these projects, all entities will be duplicated because they have different IDs rather than merged. Codes can be manually merged by the user, but you cannot merge documents manually.

## Identical Entities Explained

When an entity is created in ATLAS.ti - regardless if it is a document, a code, a quotation, a memo, a network, a group, or a comment - this entity receives a unique ID, comparable to a fingerprint.


When merging projects, ATLAS.ti compares the IDs of the various entities. If they have the same ID, they are unified. If the ID is not the same, they are added. Thus, the name of an entity is not the decisive factor.

For example: If a user Tom has created a code with the name *sunshine*, and a user Anne also has created a code with the same *sunshine* in her project, these two codes are not identical as they have been created on different computers and in different project. Therefore, they will have a different ID.

If you merge Tom's and Anne's project, the merged project will contain two codes: *sunshine* and *sunshine (2)*. If the meaning of both codes is the same, and you want to keep one sunshine code only, you can [merge](#) the two codes manually. See also [Housekeeping](#) below.


## Groups are Additive

A Group B with documents {1, 2, 3} in the Master project merged with a Group B containing documents {3, 4} in the Import project will result in Group B= {1, 2, 3, 4} in the merged project.




## Entities with and without Comments

If there is a code C in the Master project that has no comment, and a code C in the Import project that has a comment, the merged procedure will add this comment to the merged project.



In the case of an unsolvable conflict - code C in the Master project has a comment, and code C in the Import project also has a comment - the user can define which of the two conflicting entities will win.




If the comment of the Master project should be kept, you need to select the option **Keep**. If the comment of the Import project should be kept, you need to select the option **Override**.

Currently you can only decide for all conflicts whether the Master project should "win", or the import project.

## Handling of Deleted Entities

It is not possible to "subtract" entities.

If one team member has deleted a code or some codings, and these entities still exist in another project, the merged project will contain those codes or codings again.



If you want to clean up a project, this is best done in a fresh Master-project after merging and before distributing the new Master-file to all team members.

## How to Merge

The Merge Tool reunites projects that were originally divided for analytical or economic reasons. It brings together the contributions of different members of a research team.

Before you merge, the recommendation is that you import all project bundle files first and take a look at the projects. If a conflict arises during the process of merging, you need to decide whether to keep the version in the Master or the Import project. If you do not know what is contained in import project, you cannot make an informed decision. Principally, it is possible to merge project bundle files without importing them prior to merging.

To begin the merge process:

Open the Master project.

Select **File > Merge**.


You have the option to select either a project, or a project bundle file.

If you have previously imported the bundle files of all team members, select **Merge Project**, otherwise **Merge Project Bundle**.

Select a project from the list offered by ATLAS.ti, or load a project bundle file.

If you have a long list of projects, just enter the first few letters of the project name into the Search field.






You have the option to create a snapshot of the current project before merging. There may be times, when you want or need to go back to an older version of your project. The default name for snapshot project is: *project name (Snapshot--date-time)*.

After selecting a project or project bundle, click on the **Merge** button.

ATLAS.ti checks the two projects for identical and different items. After this process is completed, you see a Pre-Merge Summary.


If there are no conflicts, you can proceed with merging the two projects by clicking **Merge**.



If there are conflicts between the Master project, and the project that you import, you can solve the conflict in two ways:

- **Keep:** the Master project 'wins', and the changes made in the Import project are ignored.
- **Override:** the version in the Master project will be overridden, and the changes made in the Import project 'win'. If all team members have been coding different documents, merge conflicts are unlikely to occur.

A conflict could arise, for instance, if someone changed the code colour, comment or code name. As project administrator, you will have to decide whether to accept these changes or not. In the example below the code color for a number of codes and two code labels are different in the Master and Import project. The project administrator has decided to keep the changes from the import project and selected **Override**. All entries in the column *Import* are shown in bold as this is what will be used in the merged project.



Project Merge

Merge Result

Merge ☐ Keep ☒ Override

## Pre-Merge Summary

Merge project "Project X\_coder 3" into master project "Project X\_coder 1"

### Merge Conflicts


#### Codes

Code	Conflict	Master	Import
ACTIVITIES	Color Definition	Light Green	Red
activities: clubbing / going for a drink	Color Definition	Light Green	Red
activities: going for a meal	Name	activities: going for a meal	activities: eating out
	Color Definition	Light Green	Red
activities: going for coffee	Color Definition	Light Green	Red
activities: leisure	Color Definition	Light Green	Red
activities: miscellaneous	Color Definition	Light Green	Red
activities: sports	Name	activities: sports	activities: fitness
	Color Definition	Light Green	Red
BENEFITS	Color Definition	Dark Blue	Light Green
benefits: caring for each other	Color Definition	Dark Blue	Light Green
benefits: helping each other	Color Definition	Dark Blue	Light Green
benefits: learning from each other	Color Definition	Dark Blue	Light Green
benefits: supporting each other	Color Definition	Dark Blue	Light Green

You currently *cannot* chose for each conflict how to solve it. All conflicts need to be solved by either selecting the strategy 'keep', or the strategy 'override'.

inst

After merging, check the final merge report, and the merged project for plausibility. If you are satisfied with the results, save the project. If not, you can always select Undo.



**Merge Report**

**Merged project "Project X\_coder 2" into master project "Project X\_coder 1"**

**Quantitative summary of entities added, merged or skipped**

Type	Master Project	Import Project	Added	Merged	Skipped	Result
Documents	2	2	2	0	0	4
Codes	69	72	3	0	69	72
Quotations	204	79	0	0	0	0
Document Groups	2	2	0	0	2	2
Code Groups	10	12	2	0	10	12
Relations	21	21	0	0	21	21
Links	249	96	0	0	0	249
Users	5	3	0	0	3	5
Colors	13	13	0	0	13	13
Projects	1	1	0	0	1	1

**Master Project:** No. of entities in master project before merging

**Import Project:** No. of entities imported into master project

**Added:** No. of entities added to master project

**Merged:** No. of entities in master project merged with matching entities in the import project

No. of identical entities in both master project and import project is entities

If applicable, continue with merging the next subproject or project bundle file.

A common mistake is that team members set up their own projects, adding documents and codes. This will result in duplicated documents and codes after merging. Issues around duplicated codes you can solve yourself by merging those codes (see below [Housekeeping](#)). You can however not merge duplicated documents. Please follow the recommended workflow described under [Team Work](#).

## Housekeeping

After merging all projects, the project administrator may need to perform some housekeeping work, such as:

- cleaning up the code list
- adding or modifying code groups
- adding a memo with information for the team
- adding new documents and document groups

### Merging Duplicate Codes

You need to do some housekeeping if you find duplicate codes in the merged project. This can happen, for instance, if team members independently have added codes that have the same name. As these codes have been created in different projects, they have different IDs, and therefore they are added, not merged. The naming convention for duplicate codes is as follows:

- code A
- code A (2)

Duplicate codes can be merged as follows:


Open the Code Manager. Highlight the codes that you want to merge, right click and select the **Merge Codes** option from the context menu, or click on the Merge Codes button in the ribbon.

### Merging Users

If you realize that usernames have been duplicated during the merge process, you can merge them as follows:

Select the Tools tab and from there **Manage Users**.

To merge two users drag the username that you want to get rid of onto the username that you want to keep.



# Inter-coder Agreement (ICA)

You can test inter-coder agreement in text, audio and video documents. Image documents are not supported. This also applies to image quotations in text PDF documents.

As you need to start from a common Master project when setting up a project for ICA analysis, you cannot check for inter-coder agreement if one of the coders is using the Web version. All coders need to use the desktop version (Mac or Windows). For a more detailed explanation, see [Merging Projects](#).

## Why It Matters

The purpose of collecting and analyzing data is that researchers find answers to the research questions that motivated the study in the first place. Thus, the data are the trusted ground for any reasoning and discussion of the results. Therefore, the researchers should be confident that their data has been generated taking precaution against distortions and biases, intentional or accidental, and that the mean the same thing to anyone who uses them. Reliability grounds this confidence empirically (Krippendorff, 2004).

Richards (2009) wrote: *"But being reliable (to use the adjective) beats being unreliable. If a category is used in different ways, you will be unable to rely on it to bring you all the relevant data. Hence, you may wish to ensure that you yourself are reliably interpreting a code the same way across time, or that you can rely on your colleagues to use it in the same way"* (p. 108).

There are two ways to rationalize reliability, one routed in measurement theory, which is less relevant for the type of data that ATLAS.ti users have. The second one is an interpretivist conception of reliability. When collecting any type of interview data or observations, the phenomena of interest usually disappears right after it has been recorded or observed. Therefore, the analyst's ability to examine the phenomena relies heavily on a consensual reading and use of the data that represent the phenomena of interest. Researchers need to presume that their data can be trusted to mean the same to all of their users.

This means *"that the reading of textual data as well as of the research results is replicable elsewhere, that researchers demonstrably agree on what they are talking about. Here, then, reliability is the degree in which members of a designated community agree on the readings, interpretations, responses to, or uses of given texts or data. [...] Researchers need to demonstrate the trustworthiness of their data by measuring their reliability"* (Krippendorff, 2004, p. 212).

Testing the reliability of the data is a first step. Only after establishing that the reliability is sufficiently high, it makes sense to proceed with the analysis of the data. If there is considerable doubt what the data mean, it will be difficult to justify the further analysis and the results of this analysis.

ATLAS.ti's inter-coder agreement tool lets you assess the agreement of how multiple coders code a given body of data. In developing the tool we worked closely together with [Prof. Klaus Krippendorff](#), one of the leading experts in this field, author of the book [Content Analysis: An Introduction of Its Methodology](#), and the originator of the [Krippendorff's alpha coefficient](#) for measuring inter-coder agreement.

The need for such a tool as an integrated element in ATLAS.ti has long been evident and has been frequently requested by users. By its nature, however, it could not and cannot be a magic "just click a button and hope for the best" solution kind of tool. If you randomly click on any of the choices that ATLAS.ti offers to calculate an inter-coder agreement coefficient, ATLAS.ti will calculate *something*. Whether the number you receive will be meaningful and useful depends on how you have set up your project and the coding.

This means if you want to test for inter-coder agreement, it requires at least a minimal willingness to delve into the basic theoretical foundations of what inter-coder agreement is, what it does and can do, and what it cannot do. In this manual, we provide some basics, but this cannot be a replacement for reading the literature and coming to understand the underlying assumptions and requirements for running an inter-coder agreement analysis.

Please keep in mind that the inter-coder agreement tool crosses the qualitative-quantitative divide. Establishing inter-coder agreement has its origin in quantitative content analysis (see for instance Krippendorff, 2018; Schreier, 2012). If you want to apply it and want to adhere to scientific standards, you must follow some rules that are much stricter than those for qualitative coding.

If you want to develop a code system as a team, yes, you can start coding independently and then see what you get. But this approach can only be an initial brainstorming at best. It cannot be used for testing inter-coder agreement.

A good time for checking inter-coder agreement is when the principal investigator has built a stable code system and all codes are defined. Then two or more additional coders that are independent of the person who developed the code system code a sub-set of the data. This means, this is somewhere in the middle of the coding process. Once a satisfactory ICA coefficient is achieved, the principal investigator has the assurance that his or her codes can be understood and applied by others and can continue to work with the code system.

## Literature

Guba, Egon G. and Lincoln, Yvonna S. (2005). Competing paradigms in qualitative research, in Denzin, N. and Lincoln, Y.S. (eds) *The Sage Handbook of Qualitative Research*, 191–225. London: Sage.

Harris, Judith, Pryor, Jeffry and Adams, Sharon (2006). [The Challenge of Intercoder Agreement in Qualitative Inquiry](#). Working paper.

Krippendorff, Klaus (2018). *Content Analysis: An Introduction to Its Methodology*. 4th edition. Thousand Oaks, CA: Sage.

MacPhail, Catherine, Khoza, Nomhle, Abler, Laurie and Ranganathan, Meghna (2015). Process guidelines for establishing Intercoder Reliability in qualitative studies. *Qualitative Research*, 16 (2), 198–212.

Rolfe, Gary (2006). [Validity, trustworthiness and rigour: quality and the idea of qualitative research](#). Methodological Issues in Nursing Research, 304-310.

Richards, Lyn (2009). Handling Qualitative Data: A Practical Guide, 2nd edn. London: Sage.

Schreier, Margrit (2012). Qualitative Content Analysis in Practice. London: Sage.



# ICA - Requirements For Coding

If you are not yet familiar with the coding process in ATLAS.ti, please see [Coding Data](#)

Sources for unreliable data are intra-coder inconsistencies and inter-coder disagreements.

To detect these, the coding process needs to be replicated. Replicability can be assured when **several independently working coders** (at least two) agree:

- on the use of the written coding instruction
- by highlighting the same textual segments to which the coding instructions apply
- by coding them using the same codes, or by identifying the same **semantic domains** that describe them and code them using the same codes for each semantic domain.

## Semantic Domains

A semantic domain is defined as a set of distinct concepts that share common meanings. You can also think about them as a category with sub codes.

Examples of semantic domains are:

### EMOTIONS

- emotions: joy
- emotions: excitement
- emotions: surprise
- emotions: sadness
- emotions: anger
- emotions: fear

### STRATEGIES

- strategies: realize they are natural
- strategies: have a Plan B
- strategies: adjust expectations
- strategies: laugh it off
- strategies: get help

### ACTOR

- actor: partner
- actor: mother
- actor: father
- actor: child
- actor: sibling
- actor: neighbour

- actor: colleague

Each semantic domain embraces **mutually exclusive concepts** indicated by a **code**. If you code a data segment with 'emotions: surprise', you cannot code it also 'emotions: fear'. If both are mentioned close to each other, you need to create two quotations and code them separately. You can however apply codes from different semantic domains to one quotation. See **multivalued coding** below.

- |  |  |
|--|--|
| ● ◇ BEST FRIENDS                           | ● ◇ END OF FRIENDSHIP                                    |
| ● ◇ best friends: best (wo)man at wedding~ | ● ◇ end of friendship: bad balance between give and take |
| ● ◇ best friends: can have arguments with~ | ● ◇ end of friendship: being bullied                     |
| ● ◇ best friends: don't let you down~      | ● ◇ end of friendship: being lied to                     |
| ● ◇ best friends: friendship will endure~  | ● ◇ end of friendship: different life paths              |
| ● ◇ best friends: having history together~ | ● ◇ end of friendship: lack of common interest           |
| ● ◇ best friends: like family~             | ● ◇ end of friendship: lack of time                      |
| ● ◇ CHARACTERISTIC~                        | ● ◇ end of friendship: no trust                          |
| ● ◇ characteristic: give and take~         | ● ◇ end of friendship: persons change                    |
| ● ◇ characteristic: good listener~         | ● ◇ CHANGES OVER TIME~                                   |
| ● ◇ characteristic: having commonalities~  | ● ◇ changes over time: friends and partner~              |
| ● ◇ characteristic: loyality~              | ● ◇ changes over time: if life goes on~                  |
| ● ◇ characteristic: mutual respect~        |  |
| ● ◇ characteristic: trust~                 |  |
| ● ◇ characteristic: understanding~         |  |

## Semantic domains are context dependent

At times, it might be obvious from the domain name what the context is. The sub code 'good listener' in the image above belongs to the context 'Characteristics (of friendship)', and it is not about conversations with work colleagues. If the context is still unclear and could be interpreted in different ways, you need to make it unambiguous in the code definition.

## Semantic domains need to be conceptually independent

Conceptual independence means:

- a sub code from one domain is only specific for this domain. It does not occur in any other domain.
- thus, each code only occurs once in the code system

This is also a rule that you should generally apply when building a code system. See [Developing a Code System](#).

Therefore, as semantic domains are logically or conceptually independent of each other, it is possible to apply codes from different semantic domains to the same or overlapping quotations. For instance, In a section of your data, you may find something on the benefits of friendship, and some emotional aspects that are mentioned. As these codes come from different semantic domains (BENEFITS and EMOTIONS), they can both be applied.

## Developing the Code System and Semantic Domains

Semantic domains can be developed deductively or inductively. In most studies applying a qualitative data analysis approach, development is likely to be inductive. This means, you develop the codes while you read the data step by step. For example, in an interview study about friendship, you may have coded some data segments 'caring for each other', 'supporting each other' and 'improve health and longevity'. Then you realize that these codes can be summarized on a higher level as 'BENEFITS OF FRIENDSHIP'. Thus, you set up a semantic domain BENEFITS with the sub codes:

- benefits: caring for each other
- benefits: supporting each other
- benefits: improve health and longevity

You continue coding and come across other segments that you code 'learning from each other'. As this also fits the domain BENEFITS, you add it to the domain by naming it:

- benefits: learning from each other

And so on. This way you can build semantic domains step by step inductively while developing the code system.

Once the code system is ready, and the code definitions are written in the code comment fields, you can prepare the project for inter-coder agreement testing. At this stage, you can no longer expand a semantic domain. See [Project Setup](#).


When developing a code system, the aim is to cover the variability in the data so that no aspect that is relevant for the research question is left-out. This is referred to as **exhaustiveness**. On the domain level this means that all main topics are covered. On the sub code level, this means that the codes of a semantic domain cover all aspects of the domain, and the data can be sorted in the available codes without forcing them. An easy way out is to include a catch-all 'miscellaneous' code for each domain into which coders can add all data that they think does not fit anywhere else. However, keep in mind that such catch-all codes will contribute little to answering the research questions.

## Rules for Applying Codes

- codes from one domain need to be applied in a mutually exclusive manner.
- codes from multiple semantic domains can be applied to the same or overlapping data segments.

**Mutual exclusiveness:** You can only apply one of the sub codes of a semantic domain to a quotation or to overlapping quotations. Using the same code colour for all codes of a semantic domain will help you to detect possible errors.

If you find that you have coded a quotation with two codes from the same semantic domain, you can fix it by splitting the quotation. This means, you change the length of the original quotation and create one new quotation, so you can apply the two codes to two distinct quotations.




If codes within a semantic domain are not applied in a mutually exclusive manner, the ICA coefficient is inflated - and in the current implementation of the tool cannot be calculated!

**Multi-Valued Coding:** This means that you can apply multiple codes of different semantic domains to the same quotation. For instance, a respondent talks about anger in dealing with her mother and mentions that she had to adjust expectations, this can be coded with codes from the three semantic domains EMOTIONS; ACTOR and STRATEGIES.

- ◇ CONSEQUENCE
- ◇ consequence: A
- ◇ consequence: B
- ◇ consequence: C
- ◇ consequence: D
- ◇ PEOPLE INVOLVED
- ◇ people involved: bystanders
- ◇ people involved: kids
- ◇ people involved: parents
- ◇ people involved: teachers
- ◇ RECENT EVENT
- ◇ recent event: opinion 1
- ◇ recent event: opinion 2
- ◇ recent event: opinion 3

s. The equivalent to the paper-pen method  
 orking on paper, the ATLAS.ti quote has a  
 ltimedia quotes, the name of the document.  
 rt summary description of the quote instead.  
 ATLAS.ti has no restrictions on the length of



Coding with codes from multiple semantic domains will allow you to see how the various semantic domains are related for other analyses than inter-coder agreement. For example, what kind of emotions are mentioned in relation to which actor and which strategies are used to deal with them. For this you can use the code co-occurrence tools. See [Code Co-Occurrence Tools](#).

## Instructions for Coders

An important requirement for inter-coder agreement analysis is the independence of the coders. Thus, the person who has developed the code system cannot be one of the coders whose coding

goes into the ICA analysis. In addition to the principal investigator who develops the code system, two or more persons are needed who apply the codes.

The coders will receive a project bundle file from the principal investigator (see [Project Setup](#)). It is recommended to provide the coders with the following instruction:


- When importing the project that you receive from the principal investigator, add your name or initials to the project name.
- After opening the project, [double-check your username](#).
- Apply all codes of a semantic domain in a mutual exclusive manner.
- If fitting you can apply codes from multiple semantic domains to the same or overlapping quotations.
- Do not make any changes to the codes - do not alter the code definition, do not change the code name, or the code color.
- If you do not understand a code definition, or find a code label not fitting, create a memo and name it 'Comments from coder name'. Write all of your comments, issues you find and ideas you have into this memo.
- Do not consult with other coders. This is important for your coding to remain unbiased. The data must be coded by all coders independently.
- Once you are done coding, create a project bundle file and send it back to the principal investigator.

## How Agreement and Disagreement is Measured

The coefficients that are available measure the extent of agreement or disagreement of different coders. Based on this measure one can infer reliability, but the coefficients do not measure reliability directly. Therefore: what is measured is inter-coder agreement and not inter-coder reliability.

Agreement is what we measure; reliability is what we infer from it.

Suppose two coders are given a text and code it following the provided instructions. After they are done, they give you the following record of their coding:



- There is agreement on the first pair of segments in terms of length and location (agreement: 10 units).
- On the second pair they agree in length but not in location. There is agreement on an intersection of the data (agreement: 2 units, disagreement: 12 units).
- In the third pair, coder 'A' finds a segment relevant, which is not recognized by coder 'B' (disagreement: 4 units).
- The largest disagreement is observed in the last pair of segments. Coder 'A' takes a narrower view than coder 'B' (agreement: 4 units, disagreement: 6 units).

In terms of your ATLAS.ti coding, you need to think of your document as a textual continuum. Each character of your text is a unit of analysis for ICA, starting at character 1 and ending for instance at character 17500. For audio and video documents, the unit of analysis is a second. Images can currently not be used in an ICA analysis.

The [quotation](#) itself does not go into the analysis, but the characters or seconds that have been coded. In other words, if each coder creates quotations, it is not a total disagreement if they have not highlighted the exact same segment. The part of the quotations that overlap go into the analysis as agreement; the other parts as disagreement.

Another option is to work with pre-defined quotations. So that coders only need to apply the codes. For more information see [Project Setup](#).

You can test inter-coder agreement in text, audio and video documents. Image documents are not supported. This also applies to image quotations in text PDF documents.

## Example Application

[Why are many business instilling a DevOps culture into their organization?](#) written by: Jessica Diaz, Daniel López-Fernández, Jorge Perez and Ángel González-Prieto.

## Methods For Testing ICA

“An inter-coder agreement coefficient measures the extent to which data can be trusted to represent the phenomena of analytical interest that one hopes to analyze in place of the raw phenomena” (Krippendorff, 2019).

ATLAS.ti currently offers three methods to test inter-coder agreement:

- Simple percent agreement
- Holsti Index
- Krippendorff's family of alpha coefficients.

All methods can be used for two or more coders. As the percent agreement measure, and the Holsti index do not take into account chance agreement, we recommend the Krippendorff alpha coefficients for scientific reporting.

### Percent Agreement

Percentage Agreement is the simplest measure of inter-coder agreement. It is calculated as the number of times a set of ratings are the same, divided by the total number of units of observation that are rated, multiplied by 100.

The benefits of percentage agreement are that it is simple to calculate, and it can be used with any type of measurement scale. Let's take a look at the following example: There are ten segments of text and two coders only needed to decide whether a code applies or does not apply:

#### Example Coding of Two Coders

Segments	1	2	3	4	5	6	7	8	9	10
Coder 1	1	1	0	0	0	0	0	0	0	0
Coder 2	0	1	1	0	0	1	0	1	0	0

1 = agreement, 0 = disagreement

This is how you calculate it:

$$\text{Percentage of agreement} = \frac{\text{Number of units of coding on which the coders agree}}{\text{Total number of units coded}} \times 100$$

$$\text{PA} = 6 / 10$$

$$\text{PA} = 0.6 = 60\%$$

Coder 1 and 2 agree 6 out of 10 times, so percent agreement is 60%.



One could argue that this is quite good. This calculation, however, does not account for chance agreement between ratings. If the two coders were not to read the data and would just randomly code the 10 segments, we would expect them to agree a certain percentage of the time by chance alone. The question is: How much higher is the 60% agreement over the agreement that would occur by chance?

The agreement that is expected by mere chance is  $56\% = (9.6 + 1.6)/20$ . If you are interested in the calculation, take a look at Krippendorff (2004, p. 224-226). The 60% agreement now does not look so impressive after all. Statistically speaking, the performance of the two coders is equivalent to having arbitrarily assigned 0s and 1s to 9 of the 10 segments, and only 1 of the 10 segments is reliably coded.

For calculating percent agreement you can add single codes in place of semantic domains.

## Holsti Index

The Holsti index (Holsti, 1969) is a variation of the percent agreement measure for situations where coders do not code precisely the same data segment. This is the case if coders set their own [quotations](#)/. Like Percent Agreement, also the Holsti index does not take into account chance agreement.

The formula for the Holsti Index is:

$$\text{Holsti Index} = \frac{2 \times \text{number of agreements}}{\text{number of units coded by coder 1} + \text{number of units coded by coder 2}}$$

(for 2 coders)

The results for Percentage agreement and the Holsti Index are the same when all coders code the same data segments.

## Cohen's Kappa

We acknowledge that Cohen's Kappa is a popular measure, but we opted for not implementing it because of the [limitations](#) identified in the literature.

*"It is quite puzzling why Cohen's kappa has been so popular in spite of so much controversy with it. Researchers started to raise issues with Cohen's kappa more than three decades ago (Kraemer, 1979; Brennan & Prediger, 1981; Maclure & Willett, 1987; Zwick, 1988; Feinstein & Cicchetti, 1990; Cicchetti & Feinstein, 1990; Byrt, Bishop & Carlin, 1993). In a series of two papers, Feinstein & Cicchetti (1990) and Cicchetti & Feinstein (1990) made the following two paradoxes with Cohen's kappa well-known: (1) A low kappa can occur at a high agreement; and (2) Unbalanced marginal distributions produce higher values of kappa than more balanced marginal distributions. While the two paradoxes are not mentioned in older textbooks (e.g. Agresti, 2002), they are fully introduced as the limitations of kappa in a*

*recent graduate textbook (Oleckno, 2008). On top of the two well-known paradoxes aforementioned, Zhao (2011) describes twelve additional paradoxes with kappa and suggests that Cohen's kappa is not a general measure for inter-rater reliability at all but a measure of reliability under special conditions that are rarely held. Krippendorff (2004) suggests that Cohen's Kappa is not qualified as a reliability measure in reliability analysis since its definition of chance agreement is derived from association measures because of its assumption of raters' independence. He argues that in reliability analysis raters should be interchangeable rather than independent and that the definition of chance agreement should be derived from estimated proportions as approximations of the true proportions in the population of reliability data. Krippendorff (2004) mathematically demonstrates that kappa's expected disagreement is not a function of estimated proportions from sample data but a function of two raters' individual preferences for the two categories." (Xie, 2013).*

In addition, Cohen's kappa can only be used for 2 coders, and it assumes an infinite sample size. See also the article in our research blog: [Why Cohen's Kappa is not a good choice](#).

# Krippendorff's Family of Alpha Coefficients

The family of alpha coefficients offers various measurement that allow you to carry out calculations at different levels. They can be used for more than two coders, are sensitive to different sample sizes and can be used with small samples as well.

## Alpha binary

At the most general level, you can measure whether different coders identify the same sections in the data to be relevant for the topics of interest represented by codes. All text units are taken into account for this analysis, coded as *well* as not coded data.

You can, but do not need to use semantic domains at this level. It is also possible to enter a single code per domain. You get a value for alpha binary for each code (or each semantic domain) in the analysis, and a global value for all codes (or all domains) in the analysis.

The global alpha binary value might be something you want to publish in a paper as an overall value for inter-coder agreement for your project.

The values for each code or semantic domain provide feedback which of the codes / domains are satisfactory in terms of inter-coder agreement, and which are understood in different ways by the different coders. These are codes / domains you need to improve and test gain, albeit with different coders.

If you work with pre-defined quotations, the binary coefficient will be 1 for a semantic domain if only codes of the same semantic domain have been applied, regardless which code within the domain has been applied.

The value for *global alpha binary* will always be 1 when working with pre-defined quotations as all coded segments are the same.

## cu-alpha

The cu-alpha/Cu-alpha coefficients can only be used on combination with semantic domains. They cannot be used to test agreement/disagreement for single codes!

Another option is to test whether different coders were able to distinguish between the codes of a semantic domain. For example, if you have a semantic domain called 'type of emotions' with the sub codes:

- emotions::contentment
- emotions::excitement
- emotions::embarrassment
- emotions::relief

The coefficient gives you an indication whether the coders were able to reliably distinguish between for instance 'contentment' and 'excitement', or between 'embarrassment' and 'relief'. The cu-alpha will give you a value for the overall performance of the semantic domain. It will however not tell you which of the sub codes might be problematic. You need to look at the quotations and check where the confusion is.

The cu-alpha coefficient can only be calculated if the codes of a semantic domain have been applied in a mutually exclusive manner. This means only one of the sub codes per domain is applied to a given quotation. See also [Requirements for Coding](#).

## Cu-alpha

Cu-alpha is the global coefficient for all cu-alphas. It takes into account that you can apply codes from multiple semantic domains to the same or overlapping quotations. See [multivalued coding](#). Thus, Cu-alpha is not just the average of all cu-alphas.

If codes of a semantic domain 'A' have been applied to data segments that are coded with codes of a semantic domain 'B', this does not affect the cu-alpha coefficient for either domain A or B, but it effects the overall Cu-alpha coefficient.

You can interpret the Cu-alpha coefficient as indicating the extent to which coders agree on the presence or absence of the semantic domains in the analysis. Formulated as a question: Could coders reliably identify that data segments belong to a specific semantic domain, or did the various coders apply codes from other semantic domains?

In the calculation for both the cu- and Cu-alpha coefficient, only coded data segments are included in the analysis.

## Calculation of Krippendorff's Alpha

For a full mathematical explanation on how the alpha coefficients are calculated see [ICA Appendix](#).

The basic formula for all Krippendorff alpha coefficients is as follows:

$\alpha = 1 - \text{observed disagreement (Do)} / \text{expected disagreement (De)}$

$$\alpha = 1 - \frac{D_o}{D_e}$$

observed disagreement  
expected disagreement

whereby 'De' is the expected disagreement by chance.

$\alpha = 1$  indicates perfect reliability.  $\alpha = 0$  indicates the absence of reliability. The units and the values assigned to them are statistically unrelated.  $\alpha < 0$  when disagreements are systematic and exceed what can be expected by chance.

When coders pay no attention to the text, which means they just apply the codes arbitrarily, their coding has no relationship to what the text is about, then the observed disagreement is 1. In other words, the observed disagreement (Do) equals the maximum expected disagreement (De), which is 1. If we enter this in the formula, we get:

$$\alpha = 1 - 1/1 = 0.000.$$

If on the other hand, agreement is perfect, which means observed disagreement (Do) = 0, then we get:

$$\alpha = 1 - 0 / \text{expected disagreement} = 1.000.$$

To better understand the relationship between actual, observed and expected agreement, let's take a look at the following contingency table:

$$\alpha = 1 - \frac{D_o}{D_e}$$

Codes:	Perfect agreement					Observed agreement					Expected agreement					etc.
	1	2	3	4	5	1	2	3	4	5	1	2	3	4	5	
1	0.20					0.16	0.02			0.02	0.04	0.08	0.02	0.04	0.02	
2		0.40				0.02	0.38				0.08	0.16	0.04	0.08	0.04	
3			0.10					0.08		0.02	0.02	0.04	0.01	0.02	0.01	
4				0.20					0.20		0.04	0.08	0.02	0.04	0.01	
5					0.10	0.02		0.02		0.06	0.02	0.04	0.01	0.02	0.01	
or																
											0.04	0.12		0.04		
											0.12	0.16		0.12		
												0.01		0.09		
											0.04	0.12		0.04		
												0.09		0.01		

$$\alpha = 1 - \frac{0}{0.76} = 1.000$$

$$\alpha = 1 - \frac{0.12}{0.76} = 0.842$$

$$\alpha = 1 - \frac{0.76}{0.76} = 0.000$$

In the example above, the tables represent a semantic domain with five codes. The matrices with perfect and expected agreement/disagreement serve as a benchmark what could have been if agreement either was perfect or if coders had applied the codes randomly. There are two matrices for expected agreement/disagreement indicating that statistically speaking there are many possibilities for a random attribution of the codes.

The black numbers show agreement, the red numbers disagreement.

In the contingency table for observed agreement, we can see that the coders agree in applying code 4. There are no red numbers, thus no disagreement.

There is some disagreement about the application of code 2. Agreement is 38% percent. In 2 % of the cases, code 1 was applied instead of code 2.

There is a bit more confusion regarding the application of code 5. The coders have also applied code 1 and code 3.

If this were a real life example, you would take a look at the code definitions for code 5 and code 2 and ask yourself why coders had difficulties to apply these codes in a reliable manner. The coefficient, however, is acceptable. See [Decision Rules](#). There is no need for re-testing.

## References

Banerjee, M., Capozzoli, M., McSweeney, L., Sinha, D. (1999). [Beyond kappa: A review of interrater agreement measures](#). The Canadian Journal of Statistics, Vol. 27 (1), 3-23.

Cohen, Jacob (1960). A coefficient of agreement for nominal scales. Educational and Psychological Measurement. 20 (1): 37-46. doi:10.1177/001316446002000104.

Holsti, O. R. (1969). Content analysis for the social sciences and humanities, Reading, MA: Addison-Wesley.

Krippendorff, Klaus (2004/2012/2018). Content Analysis: An Introduction to Its Methodology. 2ed / 3rd /4th edition. Thousand Oaks, CA: Sage.

Zwick, Rebecca (1988). Another look at interrater agreement. Psychological Bulletin, 103, 347-387.

Xie, Q. (2013). [Agree or disagree? A demonstration of an alternative statistic to Cohen's kappa for measuring the extent and reliability of agreement between observer](#). In Proceedings of the Federal Committee on Statistical Methodology Research Conference, The Council of Professional Associations on Federal Statistics, Washington, DC, USA, 2013.

# Sample Size and Decision Rules

A number of decisions have to be made when testing for inter-coder agreement. For instance, how much data material needs to be used, how many instances need to be coded with any given code for the calculation to be possible, and how to evaluate the obtained coefficient.

## Sample size

The data you use for the ICA analysis needs to be representative of the total amount of data you have collected, thus of those data whose reliability is in question. Furthermore, the number of codings per code needs to be sufficiently high. As a rule of thumb, the codings per code should at least yield five agreements by chance.

Krippendorff (2019) uses Bloch and Kraemer's formula 3.7 (1989:276) to obtain the required sample size. The table below lists the sample size you need when working with two coders:

Smallest acceptable $\alpha$	.667				.800				.900			
Significance level	.100	.050	.010	.005	.100	.050	.010	.005	.100	.050	.010	.005
<b>codes per semantic domain</b>												
10 codes or pc = .100	104*	172	344	421	178	293	587	719	361	595	1190	1459
9 codes or pc = .111	95	156	312	383	162	267	534	654	329	542	1083	1328
8 codes or pc = .125	85	141	281	345	146	241	481	590	297	489	980	1198
7 codes or pc = .143	76	125	251	307	130	214	429	526	265	436	872	1069
6 codes or pc = .167	67	110	220	270	114	189	377	462	233	384	768	941
5 codes or pc = .200	58	95	190	233	99	163	326	400	202	332	667	815
4 codes or pc = .250	49	81	161	198	84	139	277	340	172	283	566	694
3 codes or pc = .333	41	67	135	165	71	116	233	285	144	238	477	584
2 codes or pc = .500	36	60	119	146	62	103	206	252	128	211	422	518

\*number of codings for the semantic domain after merging

- the three smallest acceptable reliabilities  $\alpha$  min: 0.667 / 0.800 / 0.900
- for four levels of statistical significance: 0.100 / 0.050 / 0.010 / 0.005
- for semantic domains up to 10 codes (=probability pc):

**Example:** If you have a semantic domain with 4 codes and each of the codes are equally distributed ( $pc = 1/4 = 0,25$ ), and if the minimum alpha should be 0.800 at a 0.05 level of statistical significance, you need a minimum of 139 codings for this semantic domain. For a lower alpha of 0.667, you need a minimum of 81 codings at the same level of statistical significance.

$$N_c = 2 * Z_p^2 \left( \frac{(1 + \alpha_{min})(3 - \alpha_{min})}{4(1 - \alpha_{min})P_c(1 - P_c)} - \alpha_{min} \right)$$

It applies to 2 coders, and for semantic domains up to 10 sub-codes. If you have more than two

coders, more than 10 sub-codes in a domain, or an unequal distribution within a domain, you need to adjust the equation and calculate the needed sample size yourself.

- **More than two coders:** You need to and multiply Z square by the number of coders.
- **More than 10 sub-codes per domain:** You need to adjust the value for pc. The value for pc = 1/number of sub-codes.
- **Unequal distribution of codings within a domain:** By 4 codes in a semantic domain, the estimated proportion pc of all values c in the population is 0.250 (1/4); by 5 codes, it is 0,200 (1/5); by 6 codes 0,167 (1/6) and so on. If the distribution of your codes in a semantic domain is unequal, you need to make a new estimate for the sample size by using a pc in the formula that is correspondingly less than 1/4, 1/5, 1/6 and so on.

You can see the corresponding z value from a standard normal distribution table. For a p-value of 0,05,  $z = 1,65$ .

## Acceptable Level of Reliability

The last question to consider is when to accept or reject coded data based on the ICA coefficient. Krippendorff (2019) recommends:

- Strive to reach  $\alpha = 1,000$ , even if this is just an ideal.
- Do not accept data with reliability values below  $\alpha = 0.667$ .
- In most cases, you can consider a semantic domain to be reliable if  $\alpha \geq 0.800$ .
- Select at least 0.05 as the statistical level of significance to minimize the risk of a Type 1 error, which is to accept data as reliable if this is not the case.


Which cut-off point you choose always depends on the validity requirements that are placed on the research results. If the result of your analysis affects or even jeopardizes someone's life, you should use more stringent criteria. A cut-off point of  $\alpha = 0.800$  means that 80% of the data is coded to a degree better than chance. If you are satisfied with  $\alpha = 0.500$ , this means 50% of your data is coded to a degree better than chance. The sounds a bit like tossing a coin and playing heads or tails.



# Setting Up a Project for Inter-coder Agreement Analysis

You can test inter-coder agreement in text, audio and video documents. Image documents are not supported. This also applies to image quotations in text PDF documents.

When you want to run an inter-coder agreement analysis, you are working in a team. Therefore, you need to know how to set up a team project, distribute and collect team projects for merging. Please read the chapter on [Team Work](#) for further information. Here, you find the information that is specific to inter-coder agreement analysis only.



As you need to start from a common Master project, you cannot perform an ICA analysis if one of the coders is using the Web version. All coders need to use the desktop version (Mac or Windows). For further information see [Merging Projects](#).

## Instructions for the Principal Investigator (PI)

- The PI develops the code system adding clear definitions for each code. This means, the PI has likely coded the data as well. See also [Requirements for Coding](#). This is the **Master Project**.
- Based on the master project, the PI creates a subproject for the ICA analysis. This is easiest be done by [creating a project snapshot](#). Usually, the coders for the ICA analysis code 10-20% of the material. Another approach is the number of codings you need to achieve a certain level of significance. See [Sample Size and Decision Rules](#).
- The PI deletes all documents from the snapshot project that coders should not code. See [Document Management](#).

### Option A

Next, the PI can either remove all quotations, so that the snapshot project for the coders only contain the documents that need to be coded, and the codes with the definitions. The coders then

need to find and mark text segments they find relevant and apply one or more codes from the list. This option is best used for longer documents where you are interested in seeing whether other coders find the same passages relevant for a given topic. For example, you have a number of reports, and the aim is to identify all segments related to business strategies, labour laws and gender issues. If this is the question of interest, it is necessary that all coders set quotations themselves (Option A: Delete all Quotations).

The PI deletes all quotations: Open the Quotation Manager, select all quotations and click on the **Delete** button.

The PI saves the project, **creates a project bundle file** and sends it to the coders.

## Option B

Another option is to leave the quotations in the project, but to remove all codings. This means, the coders get a project that contains the documents to be coded, pre-defined quotations and a list of codes. This is useful if the aim is to see whether different coders understand the codes in the same way and apply them to the same data segments. This assures that the code system is replicable and that also others see the same or similar things in the data as the principal investigator (Option B: Remove all codings).

inst

The PI removes only the codings: Open the Document Manager, select all documents, click on the Tools tab and from there select Remove codings.

inst

The PI saves the project, **creates a project bundle file** and sends it to the coders.

## Instructions f

An important requirement for inter-coder agreement analysis is the independence of the coders. Thus, the person who has developed the code system cannot be one of the coders whose coding goes into the ICA analysis.

It is recommended to provide the coders with the following instructions.

- As coder, you receive a project bundle file from the principal investigator.

- When importing the project, add your name or initials to the project name.
- After opening the project, [double-check your username](#).
- Open the Code Manager and familiarize yourself with the code system. Read all code definitions.
- Depending on the aim of the analysis and how the project was set up, you either need to set your own quotations and apply the codes; or you need to apply codes to pre-defined quotations.
- When applying codes, never apply more than one code from a specific [semantic domain](#) to a single or overlapping quotations. This is referred to as **mutual exclusive coding**.
- If fitting you can apply codes from multiple semantic domains to the same or overlapping quotations (**multivalued coding**).
- Do not make any changes to the codes - do not alter the code definition, do not change the code name, or the code color.
- If you do not understand a code definition, or find a code label not fitting, create a memo and name it 'Comments from coder (your name)'. Write all of your comments, issues you find and ideas you have into this memo.
- Do not consult with other coders. This is important for your coding to remain unbiased. The data must be coded by all coders independently.
- Once you are done coding, create a project bundle file and send it back to the principal investigator.

## Continues Workflow

- Once the coders are done with they work, they prepare a project bundle file and send it back to the PI.
- The PI imports the project bundle files from each coder, checks the work of each coder and reads the memo they have written (if any).
- Next the projects need to be merged. See [Merging projects for ICA analysis](#).
- Then the PI can [run the ICA analysis](#).

# Merging Projects For ICA Analysis

The following instructions assume 2 independent coders. If you work with more coders, you have to repeat the merge process. You can only merge two projects at a time.

We recommend that you import the project bundle files of coder 1 and 2 before merging them for inspection. Did the coders do what they were supposed to do? Did they send you the correct project? Project bundle files can also be merged directly. However, if a merge conflict occurs you may not know why because you have not looked inside the projects you are merging.

Open the project of coder 1 and create a snapshot. Name the copy something like 'Project for ICA XY coder 1 and 2'. Merge the project of coder 2 into this version of the project.

Close the project of coder 1 and open the snapshot.

Before the project merge, set the project into inter-coder mode:

Select **Analyze / Enable Intercode Mode**.

Select **File / Merge** and select the project of coder 2 to be merged. This is the import project. Follow the instructions on the screen. There should be no merge conflicts. For more detail see [Project Merge](#).

When you set up the project correctly and all coders did what they were supposed to do, then there should be no merge conflict!

After merging in ICA mode, The codings of all coders will become visible.

Open one document and take a look at the margin area. If you see the same codes applied to the same quotations, this is good. It means the two coders agree.

Click on the **View** tab and instead of displaying the code icons, select **Show User**.

Now you see *coder icons*. Each coder is indicated by a different color. Hover over the coder icon to see the name of the coder.

The ability to see who has coded what in the margin area is useful for some purposes, e.g., if you want to discuss data segments where coders did not agree. However, there is no need to manually

check all codings in the margin. For this you can run the inter-coder agreement analysis. See [Running an Inter-coder Agreement Analysis](#).

A **coding** is the link between a code and a quotation. In ICA mode, you can see which coder has applied which code to a quotation.

## Running an ICA Analysis

A good time to have your coding checked by other coders is when you have built a stable code system and all codes are defined. This means, this is somewhere in the middle of the coding process. Once a satisfactory ICA coefficient is achieved, the principal investigator has the assurance that his or her codes can be understood and applied by others and can continue to work with the code system.

Click the **Analyze** tab and select the option **Inter-coder Agreement**.

inst

Click on the **Add Coder** button and select two or more coders.

inst

Click on the **Add Documents** button and select the documents that should be included in the analysis. Only those documents are listed that have been coded by all selected coders.

Click on the **Add Semantic Domain** button and add one or more codes to the domain. Alternatively, you can drag and drop codes from the Project Explorer or the code list into the semantic domain field.


inst

Repeat this process for each semantic domain.

If you are not sure, what a **semantic domain** is, you find more information [here](#).

Whether you add semantic domains or only a single code in place of a domain, this has an effect on the type of analysis you can run. If you only add one code per semantic domain, you cannot calculate Cu/cu-alpha coefficients. See [Methods for Testing ICA](#).

After you have added coders, documents and codes, your screen looks similar to what is shown in:



- The documents are represented by a line for each coder and code. If you have added multiple documents into the analysis, you see a black vertical line that marks the beginning of the next document.
- The quotations for the code are marked on the line in the same color as the coder icon.
- To the right of each coder line you see some descriptive statistics: The coder Sabine (blue) has applied the code "activities clubbing / going for a drink" 8 times. The number of characters that are coded with this code are 1057 out of a total of 172.407 characters in all three selected documents, which is 0,6%.The coder Susanne (blue) has applied the code "activities clubbing / going for a drink" 11 times. The number of characters that are coded with this code are 1331 out of a total of 172.407 characters in all three selected documents, which is 0,8%.
- If you click on one of the lines, only the quotations of the selected code and coder are shown in the [Quotation Reader](#) on the right-hand side.


- If you click on the line for the semantic domain, all quotations of the semantic domain are shown in the Quotation Reader.

You can remove coders, codes or documents from the analysis by clicking on the red x.

## Calculating an ICA Co


To calculate ICA, click on the button Agreement Measure in the ribbon and select one of the four methods.

See [Methods For Testing ICA](#) for more detail.



Selecting the Krippendorff's Cu /cu-alpha coefficient for the above example, yields the following results:





# Tools

The following tools are available:

- [The Redundant Codings Analyzer](#)
- [Project Search](#)

The **redundant codings' analyzer** finds overlapping quotations that have been coded with the same code. You may have coded a long segment, e.g. from paragraph 5 to 15 and then a shorter segment within this section from paragraph 7 to 8, not realizing you have attached the same code already to the surrounding segment. This leads to confusing or even false results if you are counting segments. The *redundant codings' analyzer* finds these segments, and you can correct it.

The **project search** tool allows you to search through all entities in your project. You can specify whether you want to search for a word or expression in all entities, or only in documents, only in codes, on in memos, only in the names, only in the comments, etc. Search terms can include regular expressions.

# Project Search

Use the **Project Search** tool to search for text and patterns in all elements of your project, not only in the documents that you added. The search can be restricted to certain fields, like name, author, date, comments, and content. Search terms can contain regular expressions (GREG). See [Regular Expressions \(GREG\)](#).

To open the tool select **Tools** and from there the **Project Search** option.

Select the entities you want to search in. You can also restrict the search to items created by a specific user.

Enter a search term. If you use regular expression, activate the *Use GREG* option. You can also select whether a search term should be *case-sensitive* or not.

To start the search, click **Enter** or the **search icon**.

The results of the search are listed in an interactive list, where you can click on a specific hit, and you will be able to see the term within its larger context.

All entities that do not include the search term are grayed out.

When you double-click on a result, it will be displayed in your project.

## Searching in Selected Entities

If you only want to search for instance in the comments of codes, click on **Show None** and then activate the entity type and elements you are interested in, e.g. code and comment.

## Refining a Search

If you want to refine an existing search, click on the **Search** tab in the **Text Search Result** window and enter a modified search and press *Enter* or the **Search icon**.

## Finding Redundant Codings

Redundant codings are overlapping or embedded quotations that are associated with the same code. Such codings can result from normal coding but may occur unnoticed during a merge procedure when working in teams. The Codings Analyzer finds all redundant codings and offers appropriate procedures to correct it. An example of a redundant coding is shown below.

To find all redundant codings, select **Find Redundant Codings** under the **Tools & Support** tab, or open the Code Manager and select the options from the **Tools** tab there.

The upper pane lists all codes for which redundant codings were found. The *Redundancy* column displays the number of pairs of redundant quotations found for the codes. If you select one of the codes, the redundant quotations are listed in pairs, in the middle pane. If you select a pair, you see a preview of the quotation in the bottom pane. Double-clicking on a listed quotation displays it in context.

You can correct the redundancy in the following ways:

**Unlink from Left Quotation** removes the selected code from the quotation shown on the left-hand side.

**Merge Quotations** melts the two quotations shown on the right- and left-hand side. All references to and from the merged quotation are "inherited" by the other. If the two quotations overlap, the resulting quotation includes all data from both quotations.


**Unlink from Right Quotation** removes the selected code from the quotation shown on the right-hand side.

If you hover over a quotation you see some information about the **Connectivity** of the quotation: number of connections to codes (=codings), number of connections to other quotations (=hyperlinks), and number of connections to memos (=memo links). The connectivity information provides an additional clue about the best action how to resolve the redundancy.


If you see a quotation listed more than once, it means that three or more quotations are involved in a redundant coding. You will notice that merging one pair of quotations may have the effect that other pairs are removed from the list as well, as the redundancy assertion does not hold any longer for the remaining pairs of quotations for this code.

## Creating Reports


ATLAS.ti offers user configurable reports in Word, PDF or Excel format. This means you can decide what should be displayed in the report. You find a report option in each browser at the top right-hand side in the ribbon.





















If there is no ribbon option, and you want to export quotations from a result of a query, look for the burger menu:



In addition, [predefined reports are available in the Query Tool](#) under the Report button. If you hover over an option with your mouse, the screen tip explains what each of the report contains.



Tables can be exported as Excel file. See [Code Document Table](#) and [Code Co-Occurrence Table](#).

Code–Document Table		View	Sankey Diagram		
ies	<input type="checkbox"/> Row-Rel. Frequencies	<input checked="" type="checkbox"/> Count Codings	 Compress	<input checked="" type="checkbox"/> Codes as Rows	 Excel Export
encies	<input type="checkbox"/> Table-Rel. Frequencies	WC Count Words		<input type="checkbox"/> Codes as Columns	Export
				<input checked="" type="checkbox"/> Details	
				Table	
		 3: 3_Parenting blog:...	 4: 4_NYTM:...	<b>Totals</b>	
		 273	 99		
  children: < happiness	 16	7	4	11	
  children: = level of happiness	 17	14		14	
  children: > happiness	 22	18	4	22	
  children: unrelated to person...	 13	8	5	13	
<b>Totals</b>		47	13	60	


# Create Word / PDF Reports

## Creating Report from the Code Manager

If you want a text report of quotations for selected codes, then creating a report from the Code Manager is the best option.

Open the Code Manager. Select one or multiple codes or set a code group as filter if you do not want to create a report for all codes.

Select a filter option: If you selected some codes or set a code group as filter, you can still change and export all codes.



### Code Report

Filter

☒ Selected items (5)

☐ Filtered items (0)

☐ All items (66)

Grouping

None

You can group the report by:

Grouping

None

None

Code Groups

Smartness

Documents

Document Groups

Creating User

Modifying User

By "smartness" means that quotations of smart codes are listed first in the report.

When you select a grouping option, further options are presented to you, e.g. whether you want to also export the comment of the code group or document.

If a selected code is in multiple code groups, then the quotations for this code will occur multiple times in the report.


Next select what should be included in report. When selecting Groups, Quotations, Memos or Codes, you can select further options. To do so, click on the small triangle before the item to open the branch. For Quotations for instance 'Content' is already pre-selected. You may further want to select to also include quotation comments, other linked codes or memos in the report.

#### Report Options

- ☐ Dates and Users
- ☒ Comments
- ▷ ☐ Groups
- ◀ ☒ Quotations
  - ☐ Type of Content
  - ☐ Dates and Users
  - ☒ Content
  - ☐ Comments
  - ▷ ☐ Codes
  - ▷ ☐ Memos
  - ▷ ☐ Hyperlinks
- ▷ ☐ Memos
- ▷ ☐ Codes

After you made your selections, click **Create Report** to open the report. It is a read-only report. You can save it as rtf file or copy and paste it into a Word document.





## Creating Reports from the Quotation Manager

Open the Quotation Manager. Select one or multiple quotations or set one or more codes as filter if you do not want to create a report for all quotations.


Select a filter option: If you selected a few quotations or set a code as filter, you can still change and export all quotations.

## Quotation Report

Filter

- ☐ Selected items (0)
- ☒ Filtered items (14)
- ☐ All items (429)

You can group the report by:




The 'Grouping' dropdown menu is open, showing a list of options. The 'None' option is selected and highlighted in blue. The other options listed are: Codes, Code Groups, Documents, Document Groups, Type, Creating User, and Modifying User.

When you select a grouping option, further options are presented to you, e.g. whether you want to also include the comment of the code group or document.

Note, if you group by documents or code groups, and a document or code is in multiple groups, then the quotation will occur twice or more times in the report. The same applies if a quotation is coded by multiple codes. If you group by codes, the quotation will be listed under each code that applies.

Next select what should be included in report:



The 'Report Options' dialog box is shown. It contains a list of checkboxes for selecting what to include in the report. The 'Content' checkbox is checked. The 'Codes' checkbox is also checked, and it is expanded to show sub-options: 'Dates and Users', 'Comments', 'Groups', 'Quotations', 'Memos', and 'Codes'. The 'Memos' and 'Hyperlinks' checkboxes are also visible at the bottom of the list.

When selecting Codes, Memos or Hyperlinks, you can select further options. To do so, click on the small triangle before the item to open the branch.

After you made your selections, click **Create Report** to open the report. It is a read-only report. You can save it as rtf or PDF file or copy and paste it into a Word document.



Below each quotation you see the codes that have been applied.

## Document Reports

You may for example print a report that lists all documents with their comments.

Open the Document Manager. Select one or multiple documents or set a document group as filter if you do not want to create a report for all documents.

Select a filter option: If you selected some documents or set a document group as filter, you can still change and export all documents.

## Document Report

### Filter

- ☐ Selected items (9)
- ☐ Filtered items (0)
- ☒ All items (50)

You can group the report by:

### Grouping

None

None

Codes

Code Groups

Document Groups

Type

Creating User

Modifying User

When you select a grouping option, further options are presented to you, e.g. whether you want to include the comment of the entity you group by.

If you group by document groups and a document is in multiple document groups, the document will occur multiple times in the report. If you group by codes, then the document will be listed under each code that applies, and so on.

Next select what should be included in report:

**Report Options**

☐ Type of Content
 ☐ Dates and Users
 ☒ Comments
 

☐ Groups
 ☐ Content

☐ Quotations
 ☐ Codes

When selecting Groups, Quotations or Codes, you can select further options. To do so, click on the small triangle before the item to open the branch.

After you made your selections, click **Create Report** to open the report. It is a read-only report. You can save it as rtf file or copy and paste it into a Word document.

Document Report

Report

Save

Output

## Project: Case: Systematic Literature Review

Report created by

**Document Report**

All (50) documents

---

**1 Abuya (2012) - A policy analysis of the implementation of a reproductive health vouchers program in Kenya**

Comment: by  
| *Web URLs: BMC Public Health*

---

**2 Agboola (2018) - Intersectionality and crime: Reflections from female ex-inmates in South Africa**

Comment: by  
| *No source of funding indicated, no theoretical framework, but uses an intersectional approach*

---

**3 Ahmed (2018) - An Intersectional Lens on the Food- Energy-Water Nexus ; on Rural Women ' s Livelihood Vulnerability Reflection from Ndwedwe-**

Comment: by  
| *No funding source, no theoretical framework*

## Memo Reports

A useful memo report could be a report of all memos with their comments, or a report of a memo with all linked quotations.

Open the Memo Manager. Select one or multiple memos or set a memo group as filter if you do not want to create a report for all memos.

Select a filter option: If you selected some memos or set a memo group as filter, you can still change and export all documents.

### Memo Report

Filter

- ☒ Selected items (1)  
☐ Filtered items (0)  
☐ All items (11)

You can group the report by:

Grouping

None

None

Memo Groups

Creating User

Modifying User

When you select a grouping option, further options are presented to you, e.g. whether you want to include the comment of the entity you group by.

If a selected memo is in multiple memo groups, then the memos will occur multiple times in the report.


Next select what should be included in report:

**Report Options**

- ☐ Dates and Users
- ☐ Comments
- ▷ ☐ Groups
- ☒ Content
- ▷ ☐ Memos
- ▷ ☐ Codes
- ▲ ☒ Quotations
  - ☐ Type of Content
  - ☐ Dates and Users
  - ☒ Content
  - ☐ Comments
  - ▷ ☐ Codes
  - ▷ ☐ Memos
  - ▷ ☐ Hyperlinks

When selecting Groups, Memos, Codes or Quotations, you can select further options. To do so, click on the small triangle before the item to open the branch.

After you made your selections, click **Create Report** to open the report. It is a read-only report. You can save it as rtf file or copy and paste it into a Word document.



The screenshot shows a software window titled "Memo Report". On the left, there is a sidebar with a "Report" tab and a "Save" button. The main content area displays the following text:

**Project: A9 Sample Project: Children & Happiness**

Report created by : (user name and date)

**Memo Report**

Selected memos (1)

---

**RQ2: positive and negative effects of parenting**

RQ2: Compare the comment written on the Parenting blog (D3: Reader comments) with the comments written as response to the New York Times Magazine article (D4: NYTM comments). More specifically let's compare their comments on positive and negative effects of parenting.

Coding the data, it became apparent that parents were pointing out the hard parts of being a parent as a possible explanation of the statistical findings, but notable this was almost immediately followed by a but..... This led to the development of the code category PARENTING and the BUT group. The aim of the following analysis is to explain what parenting means to the blog contributors, with both its positive and negative aspects.

**2 Quotations:**

**3:92 ¶ 168 in 3\_Parenting blog: reader comments**

I was less burdened before we had our child, but I don't know about happier.

**3:317 ¶ 8 in 3\_Parenting blog: reader comments**

there are more opportunities for conflict with my wife,

Creating reports from the other managers works in essentially the same way. Below only the options are shown that you can select in each manager. The basic idea is that you can flexibly create any type of report with anyCon type of content that you need.



## Quotation Manager Reports

### Content that can be included in Quotation Reports

- ☐ Type of content
- ☐ Creating & Modifying User
- ▼ ☐ In Document
  - ☐ Type of content
  - ☐ Creating & Modifying User
  - > ☐ Quotations
  - > ☐ Codes
  - > ☐ Groups
  - ☐ Content
  - ☐ Comments
- ▼ ☐ Codes
  - ☐ Creating & Modifying User
  - > ☐ Used In Documents
  - > ☐ Groups
  - > ☐ Linked Codes
- ▼ ☐ Quotations
  - ☐ Type of content
  - ☐ Creating & Modifying User
  - ☐ In Document
  - ☐ Codes
  - ☐ Hyperlinks
  - ☐ Linked Memos
  - ☐ Content
  - ☐ Comments
- > ☐ Linked Memos
  - ☐ Comments
- ▼ ☐ Hyperlinks
  - ☐ Type of content
  - ☐ Creating & Modifying User
  - > ☐ In Document
  - > ☐ Codes
  - > ☐ Hyperlinks
  - > ☐ Linked Memos
    - ☐ Content
    - ☐ Comments
- ▼ ☐ Linked Memos
  - ☐ Creating & Modifying User
  - > ☐ Groups
  - > ☐ Linked Codes
  - > ☐ Linked Quotations
  - > ☐ Linked Memos
    - ☐ Content
    - ☐ Comments
  - ☐ Content
  - ☐ Comments

Document Manager Reports

Content that can be included in Document Reports

- ☐ Type of content

☐ Creating & Modifying User

☒ Quotations

☐ Type of content

☐ Creating & Modifying User

> ☐ In Document

> ☐ Codes

> ☐ Hyperlinks

> ☐ Linked Memos

☐ Content

☐ Comments
- ☒ Codes

☐ Creating & Modifying User

> ☐ Used In Documents

> ☐ Groups

> ☐ Linked Codes

> ☐ Quotations

> ☐ Linked Memos

☐ Comments

☒ Groups

☐ Creating & Modifying User

> ☐ Members

☐ Comments

☐ Content

☐ Comments

## Memo Manager Reports

### Content that can be included in Memo Reports

- ☐ Creating & Modifying User
- ▼ ☐ Groups
  - ☐ Creating & Modifying User
  - > ☐ Members
  - ☐ Comments
- ▼ ☐ Linked Codes
  - ☐ Creating & Modifying User
  - > ☐ Used In Documents
  - > ☐ Groups
  - > ☐ Linked Codes
  - > ☐ Quotations
  - > ☐ Linked Memos
  - ☐ Comments
- ▼ ☐ Linked Quotations
  - ☐ Type of content
  - ☐ Creating & Modifying User
  - > ☐ In Document
  - > ☐ Codes
  - > ☐ Hyperlinks
  - > ☐ Linked Memos
  - ☐ Content
  - ☐ Comments
- ▼ ☐ Linked Memos
  - ☐ Creating & Modifying User
  - > ☐ Groups
  - > ☐ Linked Codes
  - > ☐ Linked Quotations
  - > ☐ Linked Memos
  - ☐ Content
  - ☐ Comments
- ☐ Content
- ☐ Comments

## Network Manager Reports

### Content that can be included in Network Reports

- ☐ Creating & Modifying User
  - ▼ ☐ Groups
    - ☐ Creating & Modifying User
    - ▼ ☐ Members
      - ☐ Creating & Modifying User
      - ☐ Groups
      - ☐ Comments
    - ☐ Comments
  - ☐ Comments
-

# Creating Excel Reports


In every manager you find a button to create an Excel report. A frequently used report for example is a **Quotation Report by Codes**. This is how you can generate such a report:

## Report: All Quotations for a Code

■ Open the Quotation Manager. Select a code in the filter area on the left.

■ Click on the Excel Export option and select the following options:

- ID
- Select Quotation Name only when you have renamed the quotation.
- Document
- Quotation Content
- Quotation Comment (optional)
- Select Codes if you want to see other codes that have been applied to a quotation
- Reference (start and end position of the quotation in the document)



## Export Quotations to Excel

Filter

☐ Selected Items (0)


☒ Filtered Items (17)

☐ All Items: (429)

Options

	Name
<input checked="" type="checkbox"/>	ID
<input type="checkbox"/>	Quotation Name
<input checked="" type="checkbox"/>	Document
<input type="checkbox"/>	Document Groups
<input checked="" type="checkbox"/>	Quotation Content
<input type="checkbox"/>	Comment
<input checked="" type="checkbox"/>	Codes
<input checked="" type="checkbox"/>	Reference
<input type="checkbox"/>	Density
<input type="checkbox"/>	Created by
<input type="checkbox"/>	Modified by
<input type="checkbox"/>	Created
<input type="checkbox"/>	Modified

☒ Group by Codes



Export

Specify the elements (all, selected or filtered) and element attributes to be exported to an Excel spreadsheet.

For further examples see [Report Examples](#)

## Info Sheet for Excel Reports

All Excel reports have an additional sheet that shows meta information like the type of the report, the project name, date of export and name of exporting user.

The info sheets for reports based on the Code Document- and the Code Co-occurrence Table, and Inter-coder Agreement Analysis contain further information.

- abbreviations that are use
- Code Document Table: Information about which relative frequency count is used
- Code Co-occurrence Table: whether the c-coefficient was selected
- ICA reports: coder names

### Info Sheet in Excel

	A	B
1	<b>Title:</b>	ATLAS.ti - Code Document Report
2	<b>Project:</b>	name of project
3	<b>User:</b>	name of user
4	<b>Date:</b>	daten and ntime
5		
6	<b>Values:</b>	Absolute and Column-relative frequencies
7	<b>Count:</b>	Quotations
8	<b>Normalize:</b>	Table values are normalized
9		
10	<b>Abbreviations</b>	
11	<b>Gr</b>	Groundedness of codes (number of quotations coded by a code) or documents (quotations created in a document)
12	<b>GS</b>	Number of documents in a document group or number of codes in a code group
13		
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		

CodeDocumentTable

Info



# Example Reports

## Report: All Quotations for Multiple Codes


Open the **Quotation Manager**. Select multiple codes by holding down the **Ctrl**-key in the filter area on the left.

Click on the **Excel Export** button and select whatever should be included in the table:

- **Select ID**
- **Select Quotation Name** only if you have renamed quotations.
- **Select Document** (optional: you may recognize the document by the quotation ID)
- **Select Quotation Content**
- **Select Comment** (in case you have been writing lots of quotation comments)
- **Select Codes** if you want to see other codes that have been applied to a quotation
- **Select Reference** = start and end position of the quotation in the document



×



Specify the elements (all, selected or filtered) and element attributes to be exported to an Excel spreadsheet.

## Export Quotations to Excel

Filter

☐ Selected Items (0)


☒ Filtered Items (17)

☐ All Items: (429)

Options

	Name
<input checked="" type="checkbox"/>	ID
<input type="checkbox"/>	Quotation Name
<input type="checkbox"/>	Document
<input type="checkbox"/>	Document Groups
<input checked="" type="checkbox"/>	Quotation Content
<input type="checkbox"/>	Comment
<input checked="" type="checkbox"/>	Codes
<input checked="" type="checkbox"/>	Reference
<input type="checkbox"/>	Density
<input type="checkbox"/>	Created by
<input type="checkbox"/>	Modified by
<input type="checkbox"/>	Created
<input type="checkbox"/>	Modified

☒ Group by Codes



Export


Activate the **Group by Codes** option so that ATLAS.ti creates different sheets for each code in the Excel table.

## Report: Code Book

Open the Code Manager and select all codes.

Click Excel Report in the ribbon and select the following options:

- Code
- Comment
- optional: Grounded (code frequency) / Density (number linkages to other codes)
- Code Group



## Export Codes to Excel

**Filter**

☐ Selected Items (0)

☐ Filtered Items (50)

☒ All Items: (50)

**Options**

	Name
<input checked="" type="checkbox"/>	Code
<input checked="" type="checkbox"/>	Comment
<input type="checkbox"/>	Grounded
<input type="checkbox"/>	Density
<input checked="" type="checkbox"/>	Code Groups
<input type="checkbox"/>	Created by
<input type="checkbox"/>	Modified by
<input type="checkbox"/>	Created
<input type="checkbox"/>	Modified



Export

Specify the elements (all, selected or filtered) and element attributes to be exported to an Excel spreadsheet.

## Code Book in Excel

	A	B	C	D
1		<b>Code</b>	<b>Comment</b>	<b>Code Groups</b>
2	●	"blog comment"	coding an entire blog entry - needed for specific queries	
3	●	#fam: 1 child	attribute code for blog data	Attribute codes RQ 2
4	●	#fam: 2 or more children	attribute code for blog data	Attribute codes RQ 2
5	●	#fam: don't have children	attribute code for blog data coded when it was obvious in the statement that the person did not want to have children, or did not have children yet	Attribute codes
6	●	#fam: have children	attribute code for blog data	Attribute codes
7	●	C_CHILDREN & HAPPINESS		Children & Happiness (attitude)
8	●	children: < happiness	statements that indicate that children lower levels of happiness	Children & Happiness (attitude)
9	●	children: = level of happiness	statements that express that there is no difference in well-being / happiness, if children enter into the equation	Children & Happiness (attitude)
10	●	children: > happiness	statements that express the opinion or belief that children add to happiness	Children & Happiness (attitude)
11	●	children: unrelated to personal happiness	statements that express that children and happiness are not related at all and that's why it does not make any sense to ask this question in the first place comment: maybe merge with "asking the wrong question"	Children & Happiness (attitude)
12	●	D_DEFINITION HAPPINESS	respondents ways of defining happiness for themselves	Defining happiness
13	●	def happiness: fulfillment	Leading a meaningful, fulfilled, purposeful life	Defining happiness
14	●	def happiness: is subjective	different things to different people a state of mind something you feel	Defining happiness
15	●	def happiness: long term view	being happy is short-term happiness is long term you need to view this from an "end of life perspective"	Defining happiness
16	●	EFFECTS NEG	statements that deal with negative effects parenting has on one personally or on one's life	Negative effects of parenting RQ 2
17	●	effects neg: less fun		Negative effects of parenting RQ 2

## Report: Documents and their Codes

Open the Document Manager and select all documents that you want to export with their codes.

Click Excel Report in the ribbon and select the following options:



Specify the elements (all, selected or filtered) and element attributes to be exported to an Excel spreadsheet.

# Export Documents to Excel

Filter

- ☒ Selected Items (13)
- ☐ Filtered Items (13)
- ☐ All Items: (24)

Options

	Name
<input checked="" type="checkbox"/>	ID
<input checked="" type="checkbox"/>	Document
<input type="checkbox"/>	Media Type
<input type="checkbox"/>	Comment
<input type="checkbox"/>	Location
<input type="checkbox"/>	Document Groups
<input checked="" type="checkbox"/>	Codes
<input type="checkbox"/>	Quotation Count
<input type="checkbox"/>	Created by
<input type="checkbox"/>	Modified by
<input type="checkbox"/>	Created
<input type="checkbox"/>	Modified



Export

## Excel Report: Documents and their Codes

A	B	C
ID	Document	Codes
2	Parenting blog by Lisa Belkin	reasons for hc: cultural embedded believes reasons for hc: biology children: = level of happiness parenthood: ambivalence of parenthood: rewarding children: < happiness effects neg: on relationships
5	Happiness Research: main findings	def happiness: fulfillment source: financial security source: personal responsibility source: attitude source: relationships source: activities and experiences

## Report: for Multimedia Data

If you have utilized the quotation level when working with multimedia data and have replaced the default quotation name with summaries of what can be seen or heard in the multimedia quotation, this is how you create a useful report:

Select multimedia quotations in the Quotation Manager.

inst

Select the Excel Report button in the ribbon and select the following options:

✕



## Export Quotations to Excel

Filter

☒ Selected Items (4)

☐ Filtered Items (7)

☐ All Items: (60)

Options

	Name
<input checked="" type="checkbox"/>	ID
<input checked="" type="checkbox"/>	Quotation Name
<input checked="" type="checkbox"/>	Document
<input type="checkbox"/>	Document Groups
<input type="checkbox"/>	Quotation Content
<input checked="" type="checkbox"/>	Comment
<input checked="" type="checkbox"/>	Codes
<input checked="" type="checkbox"/>	Reference
<input type="checkbox"/>	Density
<input type="checkbox"/>	Created by
<input type="checkbox"/>	Modified by
<input type="checkbox"/>	Created
<input type="checkbox"/>	Modified

☐ Group by Codes



Export

Specify the elements (all, selected or filtered) and element attributes to be exported to an Excel spreadsheet.

The report will show an overview of all the titles you have created for your image, audio or video segments and the comments you have written. Plus, it provides the exact position within the multimedia file.

	A	B	C	D	E	F
1	ID	Quotation Name	Document	Comment	Codes	Reference
	3:9	Geysir geothermal field	3_Iceland day 2: Golden Circle	Although very touristy, it was very impressive to see the geyser erupting. This happens about every 5 to 10 minutes. You never had to wait long. Sometimes it also erupted twice in a row with only 30 seconds between two eruptions. Just when I arrived, I was still about 100 meters away, it erupted and spouted quite high. There	emotions: peaceful places that impressed	0:00:50.329 - 0:01:17.285
2	3:10	Gulfoss	3_Iceland day 2: Golden Circle	This is a very impressive waterfall - although there are many other people who want to experience it as well (even in low season). Seeing the waterfall for yourself is a unique experience. I had seen videos before, but being there is different. As the guide below describes, experiencing the power of this waterfall is something special. <a href="https://www.extremeciceland.is/en/attractions/3299-">https://www.extremeciceland.is/en/attractions/3299-</a>	places that impressed	0:01:17.959 - 0:01:40.898
3	6:5	Gulfoss waterfall	6_Iceland (map of tour)	Location in Open Street Map	places that impressed	64.31352, -20.14323 - 64.31352, -20.14323
4	6:8	Campsite Skogafoss	6_Iceland (map of tour)	Location in Open Street Map	places that impressed	63.52887, -19.51241 - 63.52887, -19.51241
5						

# Exporting Documents

You can export all documents that you have added to an ATLAS.ti project.

- PDF and multimedia files (audio, video, images) are exported in their original format.
- Text documents are exported as Word (docx) files. The formatting of the exported document may differ from the original, as all text documents are converted to html when they are imported.

## To export documents:

Open the Document Manager and select all documents that you want to export.

Select the Tools tab in the Document ribbon, and from there the **Document Export** button.

## To Print a Text Document / Save it in P

Load the document and select the Print button in the ribbon. On the next window you can select whether you want to print the document or save it in PDF format.

# Data Export For Further Statistical Analysis

ATLAS.ti is intended primarily for supporting qualitative reasoning processes. On the other hand, especially with large amounts of data, it is sometimes useful to analyze the data using statistical approaches. ATLAS.ti can export your data in form of a *syntax* file for SPSS®, and a generic Excel format that can be imported into software like R, SAS, STATA as well as SPSS.

The basic components for statistics are cases and variables. The statistic export function in ATLAS.ti treats codes as variables and data segments (quotations) as **cases**.

The notion of a "case" here is rather fine-grained and differs from the common understanding of this term. Usually cases in qualitative research refer to persons, interviews, or documents. We chose to treat the smallest unit as a case for the statistical export, to ensure that no data is lost. Broader information, e.g., which document or document group a quotation belongs to, is coded into the various variables.

In contrast to the dichotomous treatment of codes within ATLAS.ti, you can use codes for further statistical analysis as ordinal or interval scaled variables by using a specific code-naming convention.

## Scaled vs. Dichotomous Codes

Within ATLAS.ti, a code is always *dichotomous*, because it either refers to a given quotation ("1"), or it does not ("0"). Each case (= quotation) can, in respect to the codes, be described as a vector of 0's and 1s. The concept of scaled codes/variables requires a special syntax.

If you for instance want to code for three different levels of evaluating something: very good, good, neither good nor bad, bad, very bad, A special naming convention (name%value) is necessary to let ATLAS.ti identify scaled codes from dichotomous codes. When coding the data, the code category needs to look as follows:

### EVALUATION

- evaluation%1 very bad
- evaluation%2 bad
- evaluation%3 neither good nor bad
- evaluation%4 good
- evaluation%5 very good

This notation allows the system to construct *one* variable from all codes with the same prefix. The variable name will be "evaluation", and the values for this variable are:

- 1 very bad
- 2 bad
- 3 neither good nor bad
- 4 good
- 5 very good



Instead of the % as separator, you can also choose a different separator. If so, you need to indicate this when preparing the [SPSS syntax file](#).

You can use string or numerical values; anything that follows the special symbol is interpreted as a value.

Keep in mind that ordinal codes only have meaning in the context of the statistic program you are using. Within ATLAS.ti, the differently valued codes are treated like every other code - as 0 or 1: has been applied, or has not been applied.


Do *not* assign more than one scaled variable value to the same quotation. Although ATLAS.ti permits an arbitrary number of codes to be attached to a quotation, this would not make much sense with mutually exclusive values of scaled variables. If you do so, the SPSS generator will simply ignore additional values after processing the first one it finds for a given quotation. Since it cannot be guaranteed which value will be detected first, this will most likely produce unpredictable results.

# SPSS Syntax Export

ATLAS.ti can export your coded data in form of an SPSS syntax file as plain ASCII text file. This allows you to modify the syntax before running it in SPSS.

When transforming your data into numbers, codes and code groups become **variables** and all quotations become **cases**. Additional variables like document numbers, document groups and document type indicating where a quotation belongs to and document groups allow you to aggregate your data in SPSS.

## Creating a Syntax File



### SPSS Job Generation

☐ Use separate data file

Check the above option to store data in a separate file in the same directory as the syntax file.

DATA LIST FILE = .dat

☐ Create a fresh data file during next run

Check this option if any data (quotations, codes, codings) has changed since the last SPSS export

☐ Include quotation author


Value separator:


The value separator is a (single) character used to separate the code name from its value part as interpreted by SPSS (e.g. Code%3).

☐ Create task section ("SELECT IF" and "DESCRIPTIVES")

☐ Create "SAVE OUTFILE" instruction. Use the SPSS job file name

Export target:

File:  

  
Create

From the Import & Export tab select **SPSS Job**.

The SPSS Job Generation Window opens. You have the following options:

- **Use separate file:** When checked, the data matrix is written to a separate file. This is mandatory if the size of the matrix exceeds a certain size. SPSS cannot handle large data sets within a syntax file. For regular size projects, leave this option unchecked.
- **Specify the name of the data set.** This name is used as the file name and as the FILE reference from the DATA LIST section. You only need to enter a name here if you generate separate data files.
- **Create a fresh data file during next run** can be unchecked if the data has not changed since it was last created. This may save some processing time.
- **Include quotation's author.** Check if you want to export an additional variable that indicates the author for each quotation. This is for example useful if you want to use SPSS to calculate inter-coder reliability.
- **The value separator** is % by default, but can be changed to something else. See [Naming Convention For Scaled Codes](#).
- **Create task section.** Enable this option if you want templates for procedures included at the end of the syntax file.
- **Create SAVE OUTFILE instruction.** Enable this option if you want SPSS to save the data as \*.sav file after running the syntax file.

Specify all desired properties and click **Create**.

You can now run the file in SPSS, or make some changes to the syntax file before you run it.

## The Syntax File Explained

The output of the SPSS generator is a complete SPSS syntax file containing variable definitions, optionally the data matrix and some default jobs statements:

VARIABLE LABELS are taken from code and code group names.

VALUE LABELS for variables created from codes are:

- **Yes (1)** - code is assigned
- **No (0)** - code is not assigned

Every **case (quotation)** is described by the codes that are attached it to, the document, the position in the document (start and end position), author, media type and date of creation.

## Start and End Positions

There are two variables for the start position (SY and SX) and two variables for the end position (EY and EX) for a quotation. Depending on the media type, they are used for different start and end coordinates.

Data Type	SY (start)	SX (start)	EY (end)	EX (end)
Text (rich text)	paragraph	Column character, quotation based	paragraph	Column character, quotation based
PDF	page	character count, page based	page	character count, page based
Audio	---	milliseconds	---	milliseconds
Video	---	milliseconds	---	milliseconds
Image	SX and SY indicate the position of the upper left hand corner of the image		EX and EY indicate the position of the lower right hand corner of the image	
Geo	---	---	---	---

## Creation Date

The date of creation is shown in the unix timestamp format. You can convert it into human-readable time by using a converter, for instance: <https://www.epochconverter.com/>

## Variable Labels

An example:

VARIABLE LABELS D 'Document'.

VARIABLE LABELS QU 'Q-Index'.

VARIABLE LABELS SY 'Start y-Pos'.

VARIABLE LABELS SX 'Start x-Pos'.

VARIABLE LABELS EY 'End y-Pos'.

VARIABLE LABELS EX 'End x-Pos'.

VARIABLE LABELS TI 'Creation Date'.

VARIABLE LABELS C1 'Audio'.

VARIABLE LABELS C2 'just a name'.

VARIABLE LABELS C3 'Evaluation'.

VARIABLE LABELS C4 'Buddha'.

VARIABLE LABELS C5 'Code name with more than 40 characters'.

VARIABLE LABELS C6 'Fish'.

VARIABLE LABELS C7 'Geo Code'.

VARIABLE LABELS C8 'Octopus'.

VALUE LABELS C1 to C2 1 'YES' 0 'NO'.

VALUE LABELS C3 0 'NO' 1 'bad' 2 'good' 3 'not so good'.

VALUE LABELS C4 to C8 1 'YES' 0 'NO'.

VARIABLE LEVEL C3 (ORDINAL).

### Document Type Declaration.

IF (D = 5) MediaType = 1.

IF (D = 4) MediaType = 2.

IF (D = 6) MediaType = 3.

IF (D = 1) MediaType = 4.

IF (D = 3) MediaType = 5.

IF (D = 2) MediaType = 6.

VALUE LABELS

- 1 'text'
- 2 'PDF'
- 3 'graphic'
- 4 'audio'
- 5 'video'
- 6 'geo'

### Treatment of Code Groups

Code groups in SPSS jobs count how many of the codes in the code group have been assigned to the quotation.

Code groups are named: CG1, CG2 and so on.

Calculation: COMPUTE CG1 = C10 + C11 + C12 + C13 + C14 + C15.

VARIABLE LABELS CG1 'name of code group'.

---

*Scaled codes are ignored in the computation of code groups variables. See [Export for further Statistical Analysis](#).*

## Treatment of Document Groups

For each case (= quotation) there is a document and document group variable. If the document a quotation is part of also belongs to a document group, the value for the document group is 1.

Calculation: COMPUTE DG1 = 0. IF (D = 5 or D = 4) DG1 = 1.

VARIABLE LABELS DG1 'DG\_Document group name'.

## Generic Export for further Statistical Analysis

If you are using statistical software like SAS, STATA or R; or do not want to run a syntax file in SPSS, you can create a generic export. The generic format needs to be imported using the Excel import option of the software you are using.

To prepare a generic export, select the Import & Export tab and from there Statistical Data.

The exported file contains the following data:

- CASENO: each quotation is a case
- D: document number
- Document name: name of the document
- Media type: type of document
- quote\_start: start position of a text quotation
- quote\_end: end position of a text quotation
- start\_time: start position of
- end\_time: end position of an audio- or video quotation
- SY / SX / EY / EX: coordinates of an image quotation
- DG\_name: quotation occurring in a document of the document group
- code: assigned / not assigned to the code
- CG\_name: assigned / not assigned to a code of the code group

To import the data for instance to RStudio, select *File/Import Data Set* in RStudio.

# QDPX - Universal Data & Project Exchange



The QDPX data format allows for full project exchange with other CAQDAS packages. This is a major step toward a new degree of freedom in research and opens new dimensions for all practitioners of qualitative data analysis.

*"We are very excited to see that - after fifteen years of ATLAS.ti being the only manufacturer to steadfastly champion universal data exchange - other software makers are now coming around to seeing the benefit of not holding users' data hostage any longer.*

*ATLAS.ti responded to the wishes of researchers early on by offering an open, application-independent export format for universal use. This long-standing commitment to academic openness and the free flow of ideas is now being recognized as an important value in itself. I am convinced that being able to move projects seamlessly between different applications will be of great benefit to the research community. We are extremely proud to have been pioneers of this movement, and we are looking forward to the many advancements it will bring!"* [Thomas Muhr, March 18, 2019.](#)

## What is QDPX

ATLAS.ti is a founding member of the [Rotterdam Exchange Format Initiative \(REFI\)](#), the consortium that designs and governs the interoperability standard QDPX. At the heart of the matter, QDPX is an XML-based structured data format that permits not only long-term product storage and product-independent archival of qualitative research projects, but also aims at the exchange of projects between different software products.

ATLAS.ti has long championed the idea of universal exchange of qualitative research data between different applications and was the first manufacturer to introduce a full XML project export in their software as early as 2004. The idea of a universal data export was always a very obvious feature for us, considering the immense value that is added to data that have been processed, analyzed, and structured in the qualitative analysis process.



In the past fifteen years, we have demonstrated through many exemplary applications the additional value the data has when used and re-purposed through direct transformation into visually oriented presentations formats like web pages, printable reports, or ebooks, or other data formats like .rtf, csv, or sql. Despite the wide spectrum of these sample applications, they barely scratch the surface of what further powerful uses will still be possible in the future.

The most immediate benefit of QDPX quite obviously lies in the fact that it enables users of various QDA software products to migrate their research projects between different packages. As more manufacturer join the initiative and implement the new standard, its usefulness to researchers will doubtlessly grow exponentially.


## Why is QDPX Great for You?

Find below some general arguments for QDPX and descriptions of some of its practical benefits:

- Because I don't like to be locked in a specific QDAS solution, particularly if there are problems with it; I don't want my data to be held hostage. Interoperability nudges me through the point of sale because I'm less worried that I'll be stuck in something I don't like.
- Now I can move to another software for reasons beyond my control (e.g., funding, new employer, new mandates).
- The data and coding may be the same, but I want to use different types of output/representation/visualisation that are available in one program but not another.
- I'm working on my dissertation, and I want to use software XY. My committee members, however, are more familiar with software Z. No problem. I'll just transfer my data over at a few key phases, so they can understand and comment on the database, or the output and reports. Moreover, I might be able to demonstrate why software XY was the better choice for my project.
- As a researcher who has become familiar with a particular CAQDAS package as a result of the product that is available to me through a site license at my institution, I need to be able to continue working with my research data in a different product if I move to an institution that has a different site license.
- Funding bodies increasingly look favorably on proposals that involve multiple research partners. This poses issues for users working in different institutions, who are familiar with or have access to different products. As a researcher I therefore need to be able to exchange my analysis between my product and those of my co-researchers. This will significantly facilitate collaborative research. For example, I want to collaborate with teams in three different countries; but they are all experts in a different program. In my grant proposal I want to be able to say that this is no problem and part of the reason I should be funded.
- Each QDAS package has its own particular strengths. Users often need to be able to undertake an analytic task which is not supported by their chosen product, or is enabled in a more appropriate way for their needs in another product. As a researcher being able to move to an alternative product in order to undertake a specific task would facilitate higher quality research.

Find further information on the standard, find more information [here](#).

## Exporting a Project in QDPX Format



Select File / Export and then the QDPX Project Bundle option.

# Appendix

The following information has been compiled for the appendix:

- [System Requirements](#)
- [Language Settings](#)
- [Service Packs & Patches - Live Update](#)
- [Preference Settings](#)
- [Get In Touch](#)
- [Useful Resources](#): Here you find links to the ATLAS.ti website, the Helpdesk, video tutorials, manuals in PDF format to download, the research blog and publications on the use of ATLAS.ti, including an article by Prof. Krippendorff about the implementation of inter-coder agreement in ATLAS.ti.

# Language Settings


ATLAS.ti recognized the language of your Operating System and will set the language accordingly. Currently, the following user interface languages are available:

- English
- German
- Spanish
- Portuguese
- Simplified Chinese

For all other OS languages that are not listed above, the default language is English.

## Changing the Display Language

To change the user interface language, select File > Options > Application Preferences > Display Language.



## System Requirements

The system requirements are:

- macOS 10.13 High Sierra or higher
- min. 8 GB RAM
- 10 GB space on the hard drive

# Options

## Application Preferences


You have the following options:

- [Changing the Display Language](#)
- Change the location where ATLAS.ti stores data. See [Switching Libraries](#).
- Manage Models for the embedded AI tools. See [Named Entity Recognition](#) and [Sentiment Analysis](#).

## Project Preferences

The following settings are available:

- You can specify which lists and managers should be automatically opened when starting the program
- For lists and the Project Explorer you can specify whether they should be opened docked, or floated, or whether ATLAS.ti should remember their last state.
- For Managers you specify whether they should be opened docked, or floated, or whether ATLAS.ti should remember their last state.
- For multimedia files you can specify whether the previews for documents, quotations or hyperlinks should automatically begin to play.
- When creating [multimedia quotations](#) a quotation is immediately created when selecting a data segment. If you prefer to create quotations manually, you can change the behaviour [here](#).




# Service Packs & Patches - Live Update

Program updates (patches and service packs) are regularly available to update your installation. The program downloads and installs these service packs automatically.

Provided you have administrative rights to your computer, ATLAS.ti checks for new service packs upon start up (this requires an Internet connection). If a new service pack is found, you will be informed and asked to install it.

To update ATLAS.ti manually, go to File > Options > ATLAS.ti > Check for Updates.



# Useful Resources

The [ATLAS.ti Welcome Screen](#) contains links to manuals, sample projects and video tutorials. The News sections informs you about current developments, updates that are released, interesting papers we have come across, use cases, and our newsletter.

## The ATLAS.ti Website

<https://atlasti.com/>

The ATLAS.ti website should be a regular place to visit. Here you will find important information such as video tutorials, additional documentation of various software features, workshop announcements, special service providers, and announcements of recent service packs and patches.

## Getting Support

<https://support.atlasti.com>

From within ATLAS.ti, select **Help > Online Resources / Contact Support**. Or access the Support Center directly via the above URL.

## ATLAS.ti 22 - What's New

[What's New in ATLAS.ti 22](#)

This document is intended specifically for users who already have experience using the previous version.

## Video Tutorials

If you like to learn via video tutorials, we offer a range of videos covering technical as well as methodological issues.

[ATLAS.ti 22 Video Tutorials](#)

## Sample Projects

You can download a number of different sample projects from our [website](#). Currently English and Spanish language projects are available. The projects feature different types of data sources:

- text
- PDF
- image
- video
- geo data

.... and different data types:

- interview transcripts
- reports
- online data
- evaluation data
- survey
- literature review

You can use them for yourself to get to know ATLAS.ti, or you can use them for teaching purposes. If available, also the raw data are provided.

## PDF Manuals

[ATLAS.ti 22 Full Manual and other documentations.](#)

## Research Blog

The [ATLAS.ti Research Blog](#) plays a very important role in the development and consolidation of the international community of users. Consultants, academics, and researchers publish short and practical articles highlighting functions and procedures with the software, and recommending strategies to successfully incorporate ATLAS.ti into a qualitative data analysis process. We invite you to submit short articles explaining interesting ways of making the best use of ATLAS.ti, as well as describing how you are using it in your own research. To do so, please [contact us](#).

## Inter-coder Agreement in ATLAS.ti by Prof. Krippendorff

We have been closely working with Prof. Krippendorff on the implementation to make the original Krippendorff alpha coefficient useful for qualitative data analysis. This for instance required an extension and modification of the underlying mathematical calculation to account for [multi-valued coding](#).. You can download [an article written by Prof. Krippendorff](#) about the implementation of the alpha family of coefficients in ATLAS.ti.



## Publications

- Frieze, Susanne (2019). Qualitative Data Analysis with ATLAS.ti. London: Sage. 3. edition.
- Frieze, Susanne (2019). Grounded Theory Analysis and CAQDAS: A happy pairing or remodelling GT to QDA? In: Antony Bryant and Kathy Charmaz (Eds.). The SAGE Handbook of Current Developments in Grounded Theory, 282-313. London: Sage.
- Frieze, Susanne (2018). Computergestütztes Kodieren am Beispiel narrativer Interviews. In: Pentzold, Christian; Bischof, Andreas & Heise, Nele (Hrsg.) Praxis Grounded Theory. Theoriegenerierendes empirisches Forschen in medienbezogenen Lebenswelten. Ein Lehr- und Arbeitsbuch, S. 277-309. Wiesbaden: Springer VS.
- Frieze, Susanne, Soratto, Jacks and Denise Pires (2018). [Carrying out a computer-aided thematic content analysis with ATLAS.ti. MMG Working Paper 18-0.](#)
- Frieze, Susanne (2016). Grounded Theory computergestützt und umgesetzt mit ATLAS.ti. In Claudia Equit & Christoph Hohage (Hrsg.), Handbuch Grounded Theory – Von der Methodologie zur Forschungspraxis (S.483-507). Weinheim: Beltz Juventa.
- Frieze, Susanne (2016). Qualitative data analysis software: The state of the art. Special Issue: Qualitative Research in the Digital Humanities, Bosch, Reinoud (Ed.), KWALON, 61, 21(1), 34-45.
- Frieze, Susanne (2016). [CAQDAS and Grounded Theory Analysis. Working Papers WP 16-07](#)
- McKether, Will L. and Frieze, Susanne (2016). [Qualitative Social Network Analysis with ATLAS.ti: Increasing power in a blackcommunity.](#)
- Frieze, Susanne & Ringmayr, Thomas, Hrsg (2016). ATLAS.ti User Conference proceedings: Qualitative Data Analysis and Beyond. Universitätsverlag TU Berlin. [https://depositonce.tu-berlin.de/bitstream/11303/5404/3/ATLAS.ti\\_proceedings\\_2015.pdf](https://depositonce.tu-berlin.de/bitstream/11303/5404/3/ATLAS.ti_proceedings_2015.pdf)
- Paulus, Trena M. and Lester, Jessica. N. (2021). Doing Qualitative Research in a Digital World. Thousand Oaks, CA: Sage.
- Paulus, Trena M., Lester, Jessica. N. and Dempster, Paul (2013). Digital Tools for Qualitative Research. Thousand Oaks, CA: Sage.
- Silver, Christina and Lewins, Ann (2014). Using Software in Qualitative Research. London: Sage.
- Konopásek, Zdeněk (2007). [Making thinking visible with ATLAS.ti: computer assisted qualitative analysis as textual practices 62 paragraphs. (<http://nbn-resolving.de/urn:nbn:de:0114-fqs0802124>)
- Woolf, Nicholas H. and Silver, Christina (2018). Qualitative Analysis Using ATLAS.ti: The Five Level QDA Method. New York: Routledge.

# Get In Touch

## Reporting A Problem

Select the **Help** tab and from there **Report Problem**.

The problem report goes straight to our technical team. Please use this option to report technical issues.

Be sure to include a *description of the problem* that allows our technicians to reproduce the issue, and do not forget to enter a **valid email address**.

## Sending Suggestions

We are interested in reading about your ideas and suggestions you may have. Please feel free to use this as a wish list. While we cannot grant all wishes, knowing about what you need will help us to continuously improve the program to fit your needs.

Select the **Help** tab and from there **Send Suggestions**.

Stay updated with the latest news on product updates, special offers, new training materials, or interesting articles and links we find. We are also happy to hear from users via these channels. Stop by and let us know about your projects and experience with ATLAS.ti!

- [Twitter](#)
- [Facebook](#)
- [LinkedIn](#)
- [Instagram](#)

The ATLAS.ti [YouTube channel](#) offers a variety of video materials:

- Overview of the software functionality
- Recorded webinars
- Video tutorials that help you to learn the software.

Videos are available in English and Spanish.