

@apollo/protobufjs	1.0.3	BSD-3-Clause	Protocol Buffers for JavaScript (& TypeScript).	Copyright (c) 2016, Daniel Wirtz All rights reserved.
@apollographql/apollo-tools	2000.4.4	MIT		Copyright (c) 2016 Meteor Development Group, Inc.
@apollographql/graphql-playground-html	1.6.24	MIT	GraphQL IDE for better development workflows (GraphQL Subscriptions, interactive docs & collaboration).	
@auth0/auth0-spa-js	1.13.0	MIT	Auth0 SDK for Single Page Applications using Authorization Code Grant Flow with PKCE	Copyright (c) 2018 Auth0, Inc. <support@auth0.com> ( <a href="http://auth0.com">http://auth0.com</a> )
@babel/cli	7.12.2001	MIT	Babel command line.	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/code-frame	7.0.0-beta.44	MIT	Generate errors that contain a code frame that point to source locations.	
@babel/code-frame	7.10.2004	MIT	Generate errors that contain a code frame that point to source locations.	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/compat-data	7.12.2001	MIT		Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/core	7.12.2003	MIT	Babel compiler core.	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/generator	7.0.0-beta.44	MIT	Turns an AST into code.	
@babel/generator	7.12.2001	MIT	Turns an AST into code.	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/generator	7.5.2000	MIT	Turns an AST into code.	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/helper-annotate-as-pure	7.10.2004	MIT	Helper function to annotate paths and nodes with #__PURE__ comment	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/helper-builder-binary-assignment-operator-visitor	7.10.2004	MIT	Helper function to build binary assignment operator visitors	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/helper-compilation-targets	7.12.2001	MIT	Engine compat data used in @babel/preset-env	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/helper-create-class-features-plugin	7.12.2001	MIT	Compile class public and private fields, private methods and decorators to ES6	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/helper-create-regexp-features-plugin	7.12.2001	MIT	Compile ESNext Regular Expressions to ES5	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/helper-define-map	7.10.2005	MIT	Helper function to define a map	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/helper-explode-assignable-expression	7.12.2001	MIT	Helper function to explode an assignable expression	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/helper-function-name	7.0.0-beta.44	MIT	Helper function to change the property 'name' of every function	

@babel/helper-function-name	7.10.2004	MIT	Helper function to change the property 'name' of every function	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/helper-get-function-arity	7.0.0-beta.44	MIT	Helper function to get function arity	
@babel/helper-get-function-arity	7.10.2004	MIT	Helper function to get function arity	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/helper-hoist-variables	7.10.2004	MIT	Helper function to hoist variables	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/helper-member-expression-to-functions	7.12.2001	MIT	Helper function to replace certain member expressions with function calls	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/helper-module-imports	7.12.2001	MIT	Babel helper functions for inserting module loads	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/helper-module-transforms	7.12.2001	MIT	Babel helper functions for implementing ES6 module transformations	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/helper-optimise-call-expression	7.10.2004	MIT	Helper function to optimise call expression	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/helper-plugin-utils	7.10.2004	MIT	General utilities for plugins to use	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/helper-regex	7.10.2005	MIT	Helper function to check for literal RegEx	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/helper-remap-async-to-generator	7.12.2001	MIT	Helper function to remap async functions to generators	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/helper-replace-supers	7.12.2001	MIT	Helper function to replace supers	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/helper-simple-access	7.12.2001	MIT	Babel helper for ensuring that access to a given value is performed through simple accesses	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/helper-skip-transparent-expression-wrappers	7.12.2001	MIT	Helper which skips types and parentheses	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/helper-split-export-declaration	7.0.0-beta.44	MIT	## API	
@babel/helper-split-export-declaration	7.11.2000	MIT	>	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/helper-validator-identifier	7.10.2004	MIT	Validate identifier/keywords name	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/helper-validator-option	7.12.2001	MIT	Validate plugin/preset options	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/helper-wrap-function	7.12.2003	MIT	Helper to wrap functions inside a function call.	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/helpers	7.12.2001	MIT	Collection of helper functions used by Babel transforms.	Copyright (c) 2014-present Sebastian McKenzie and other contributors

@babel/highlight	7.0.0-beta.44	MIT	Syntax highlight JavaScript strings for output in terminals.	
@babel/highlight	7.10.2004	MIT	Syntax highlight JavaScript strings for output in terminals.	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/parser	7.12.2003	MIT	A JavaScript parser	Copyright (C) 2012-2014 by various contributors (see AUTHORS)
@babel/parser	7.5.2000	MIT	A JavaScript parser	Copyright (C) 2012-2014 by various contributors (see AUTHORS)
@babel/plugin-proposal-async-generator-functions	7.12.2001	MIT	Turn async generator functions into ES2015 generators	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-proposal-class-properties	7.12.2001	MIT	This plugin transforms static class properties as well as properties declared with the property initializer syntax	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-proposal-dynamic-import	7.12.2001	MIT	Transform import() expressions	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-proposal-export-namespace-from	7.12.2001	MIT	Compile export namespace to ES2015	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-proposal-json-strings	7.12.2001	MIT	Escape U+2028 LINE SEPARATOR and U+2029 PARAGRAPH SEPARATOR in JS strings	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-proposal-logical-assignment-operators	7.12.2001	MIT	Transforms logical assignment operators into short-circuited assignments	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-proposal-nullish-coalescing-operator	7.12.2001	MIT	Remove nullish coalescing operator	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-proposal-numeric-separator	7.12.2001	MIT	Remove numeric separators from Decimal, Binary, Hex and Octal literals	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-proposal-object-rest-spread	7.12.2001	MIT	Compile object rest and spread to ES5	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-proposal-optional-catch-binding	7.12.2001	MIT	Compile optional catch bindings	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-proposal-optional-chaining	7.12.2001	MIT	Transform optional chaining operators into a series of nil checks	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-proposal-private-methods	7.12.2001	MIT	This plugin transforms private class methods	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-proposal-unicode-property-regex	7.12.2001	MIT	Compile Unicode property escapes in Unicode regular expressions to ES5.	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-syntax-async-generators	7.8.2004	MIT	Allow parsing of async generator functions	Copyright (c) 2014-present Sebastian McKenzie and other contributors

@babel/plugin-syntax-bigint	7.8.2003	MIT	Allow parsing of BigInt literals	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-syntax-class-properties	7.12.2001	MIT	Allow parsing of class properties	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-syntax-dynamic-import	7.8.2003	MIT	Allow parsing of import()	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-syntax-export-namespace-from	7.8.2003	MIT	Allow parsing of export namespace from	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-syntax-import-meta	7.10.2004	MIT	Allow parsing of import.meta	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-syntax-json-strings	7.8.2003	MIT	Allow parsing of the U+2028 LINE SEPARATOR and U+2029 PARAGRAPH SEPARATOR in JS strings	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-syntax-logical-assignment-operators	7.10.2004	MIT	Allow parsing of the logical assignment operators	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-syntax-nullish-coalescing-operator	7.8.2003	MIT	Allow parsing of the nullish-coalescing operator	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-syntax-numeric-separator	7.10.2004	MIT	Allow parsing of Decimal, Binary, Hex and Octal literals that contain a Numeric Literal Separator	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-syntax-object-rest-spread	7.2.2000	MIT	Allow parsing of object rest/spread	Copyright (c) 2014-2018 Sebastian McKenzie and other contributors
@babel/plugin-syntax-object-rest-spread	7.8.2003	MIT	Allow parsing of object rest/spread	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-syntax-optional-catch-binding	7.8.2003	MIT	Allow parsing of optional catch bindings	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-syntax-optional-chaining	7.8.2003	MIT	Allow parsing of optional properties	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-syntax-top-level-await	7.12.2001	MIT	Allow parsing of top-level await in modules	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-syntax-typescript	7.12.2001	MIT	Allow parsing of TypeScript syntax	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-transform-arrow-functions	7.12.2001	MIT	Compile ES2015 arrow functions to ES5	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-transform-async-to-generator	7.12.2001	MIT	Turn async functions into ES2015 generators	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-transform-block-scoped-functions	7.12.2001	MIT	Babel plugin to ensure function declarations at the block level are block scoped	Copyright (c) 2014-present Sebastian McKenzie and other contributors

@babel/plugin-transform-block-scoping	7.12.2001	MIT	Compile ES2015 block scoping (const and let) to ES5	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-transform-classes	7.12.2001	MIT	Compile ES2015 classes to ES5	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-transform-computed-properties	7.12.2001	MIT	Compile ES2015 computed properties to ES5	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-transform-destructuring	7.12.2001	MIT	Compile ES2015 destructuring to ES5	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-transform-dotall-regex	7.12.2001	MIT	Compile regular expressions using the `s` ('dotAll') flag to ES5.	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-transform-duplicate-keys	7.12.2001	MIT	Compile objects with duplicate keys to valid strict ES5	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-transform-exponentiation-operator	7.12.2001	MIT	Compile exponentiation operator to ES5	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-transform-for-of	7.12.2001	MIT	Compile ES2015 for...of to ES5	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-transform-function-name	7.12.2001	MIT	Apply ES2015 function.name semantics to all functions	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-transform-literals	7.12.2001	MIT	Compile ES2015 unicode string and number literals to ES5	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-transform-member-expression-literals	7.12.2001	MIT	Ensure that reserved words are quoted in property accesses	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-transform-modules-amd	7.12.2001	MIT	This plugin transforms ES2015 modules to AMD	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-transform-modules-commonjs	7.12.2001	MIT	This plugin transforms ES2015 modules to CommonJS	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-transform-modules-systemjs	7.12.2001	MIT	This plugin transforms ES2015 modules to SystemJS	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-transform-modules-umd	7.12.2001	MIT	This plugin transforms ES2015 modules to UMD	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-transform-named-capturing-groups-regex	7.12.2001	MIT	Compile regular expressions using named groups to ES5.	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-transform-new-target	7.12.2001	MIT	Transforms new.target meta property	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-transform-object-super	7.12.2001	MIT	Compile ES2015 object super to ES5	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-transform-parameters	7.12.2001	MIT	Compile ES2015 default and rest parameters to ES5	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-transform-property-literals	7.12.2001	MIT	Ensure that reserved keys are quoted in object property keys	Copyright (c) 2014-present Sebastian McKenzie and other contributors

@babel/plugin-transform-regenerator	7.12.2001	MIT	Explode async and generator functions into a state machine.	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-transform-reserved-words	7.12.2001	MIT	Ensure that no reserved words are used.	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-transform-shorthand-properties	7.12.2001	MIT	Compile ES2015 shorthand properties to ES5	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-transform-spread	7.12.2001	MIT	Compile ES2015 spread to ES5	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-transform-sticky-regex	7.12.2001	MIT	Compile ES2015 sticky regex to an ES5 RegExp constructor	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-transform-template-literals	7.12.2001	MIT	Compile ES2015 template literals to ES5	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-transform-typeof-symbol	7.12.2001	MIT	This transformer wraps all typeof expressions with a method that replicates native behaviour. (ie. returning "symbol" for symbols)	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-transform-typescript	7.12.2001	MIT	Transform TypeScript into ES.next	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-transform-unicode-escapes	7.12.2001	MIT	Compile ES2015 Unicode escapes to ES5	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/plugin-transform-unicode-regex	7.12.2001	MIT	Compile ES2015 Unicode regex to ES5	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/preset-env	7.12.2001	MIT	A Babel preset for each environment.	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/preset-modules	2000.1.4	MIT	A Babel preset that targets modern browsers by fixing engine bugs.	Copyright (c) 2020 Babel
@babel/preset-typescript	7.12.2001	MIT	Babel preset for TypeScript.	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/runtime-corejs3	7.10.2004	MIT	babel's modular runtime helpers with core-js@3 polyfilling	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/runtime	7.11.2002	MIT	babel's modular runtime helpers	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/runtime	7.12.2001	MIT	babel's modular runtime helpers	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/runtime	7.4.2004	MIT	babel's modular runtime helpers	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/runtime	7.8.2007	MIT	babel's modular runtime helpers	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/template	7.0.0-beta.44	MIT	Generate an AST from a string template.	

@babel/template	7.10.2004	MIT	Generate an AST from a string template.	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/template	7.4.2004	MIT	Generate an AST from a string template.	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/traverse	7.0.0-beta.44	MIT	The Babel Traverse module maintains the overall tree state, and is responsible for replacing, removing, and adding nodes	
@babel/traverse	7.12.2001	MIT	The Babel Traverse module maintains the overall tree state, and is responsible for replacing, removing, and adding nodes	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/traverse	7.5.2000	MIT	The Babel Traverse module maintains the overall tree state, and is responsible for replacing, removing, and adding nodes	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/types	7.0.0-beta.44	MIT	Babel Types is a Lodash-esque utility library for AST nodes	
@babel/types	7.12.2001	MIT	Babel Types is a Lodash-esque utility library for AST nodes	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@babel/types	7.5.2000	MIT	Babel Types is a Lodash-esque utility library for AST nodes	Copyright (c) 2014-present Sebastian McKenzie and other contributors
@bcoe/v8-coverage	2000.2.3	MIT	Helper functions for V8 coverage files.	Copyright © 2015-2017 Charles Samborski
@cnakazawa/watch	1.0.4	Apache-2.0	Utilities for watching file trees.	
@cypress/listr-verbose-renderer	2000.4.1	MIT	Listr verbose renderer	Copyright (c) Sam Verschueren <sam.verschueren@gmail.com> (github.com/SamVerschueren)
@cypress/request	2.88.5	Apache-2.0	Cypress's fork of a simplified HTTP request client.	
@cypress/webpack-preprocessor	4.1.2005	MIT	Cypress preprocessor for bundling JavaScript via webpack	Copyright (c) 2017 Cypress.io <a href="https://cypress.io">https://cypress.io</a>
@cypress/xvfb	1.2.2004	MIT	Easily start and stop an X Virtual Frame Buffer from your node apps.	
@eslint/eslintrc	2000.2.1	MIT	The legacy ESLintRC config file format for ESLint	Copyright (c) 2020 ESLint
@istanbuljs/load-nyc-config	1.1.2000	ISC	Utility function to load nyc configuration	Copyright (c) 2019, Contributors
@istanbuljs/schema	2000.1.2	MIT	Schemas describing various structures used by nyc and istanbuljs	Copyright (c) 2019 CFWare, LLC
@jest/console	24.7.2001	MIT		Copyright (c) 2014-present, Facebook, Inc.
@jest/console	25.5.2000	MIT		Copyright (c) Facebook, Inc. and its affiliates.
@jest/core	25.5.2004	MIT	Delightful JavaScript Testing.	Copyright (c) Facebook, Inc. and its affiliates.

@jest/environment	25.5.2000	MIT		Copyright (c) Facebook, Inc. and its affiliates.
@jest/fake-timers	24.8.2000	MIT		Copyright (c) 2014-present, Facebook, Inc.
@jest/fake-timers	25.5.2000	MIT		Copyright (c) Facebook, Inc. and its affiliates.
@jest/globals	25.5.2002	MIT		Copyright (c) Facebook, Inc. and its affiliates.
@jest/reporters	25.5.2001	MIT	Jest's reporters	Copyright (c) Facebook, Inc. and its affiliates.
@jest/source-map	24.3.2000	MIT		Copyright (c) 2014-present, Facebook, Inc.
@jest/source-map	25.5.2000	MIT		Copyright (c) Facebook, Inc. and its affiliates.
@jest/test-result	24.8.2000	MIT		Copyright (c) 2014-present, Facebook, Inc.
@jest/test-result	25.5.2000	MIT		Copyright (c) Facebook, Inc. and its affiliates.
@jest/test-sequencer	25.5.2004	MIT		Copyright (c) Facebook, Inc. and its affiliates.
@jest/transform	24.8.2000	MIT		Copyright (c) 2014-present, Facebook, Inc.
@jest/transform	25.5.2001	MIT		Copyright (c) Facebook, Inc. and its affiliates.
@jest/types	24.8.2000	MIT		Copyright (c) 2014-present, Facebook, Inc.
@jest/types	25.2.2003	MIT		Copyright (c) Facebook, Inc. and its affiliates.
@jest/types	25.5.2000	MIT		Copyright (c) Facebook, Inc. and its affiliates.
@juggle/resize-observer	2.4.2000	Apache-2.0	Polyfills the ResizeObserver API and supports box size options from the latest spec	
@linusborg/vue-simple-portal	2000.1.3	Apache*	A simple Portal implementation for Vue, to mount slot content to another element	Copyright 2019 Thorsten Lünborg
@nicolo-ribaudo/chokidar-2	2.1.2008	MIT	A wrapper around chokidar@2 to be able to specify both @2 and @3 as dependencies	
@nodelib/fs.scandir	2.1.2003	MIT	List files and directories inside the specified directory	Copyright (c) Denis Malinochkin
@nodelib/fs.stat	2.0.3	MIT	Get the status of a file with some features	Copyright (c) Denis Malinochkin
@nodelib/fs.walk	1.2.2004	MIT	A library for efficiently walking a directory recursively	Copyright (c) Denis Malinochkin
@protobufjs/aspromise	1.1.2002	BSD-3-Clause	Returns a promise from a node-style callback function.	Copyright (c) 2016, Daniel Wirtz All rights reserved.
@protobufjs/base64	1.1.2002	BSD-3-Clause	A minimal base64 implementation for number arrays.	Copyright (c) 2016, Daniel Wirtz All rights reserved.
@protobufjs/codegen	2.0.4	BSD-3-Clause	A minimalistic code generation utility.	Copyright (c) 2016, Daniel Wirtz All rights reserved.
@protobufjs/eventemitter	1.1.2000	BSD-3-Clause	A minimal event emitter.	Copyright (c) 2016, Daniel Wirtz All rights reserved.



@protobufjs/fetch	1.1.2000	BSD-3-Clause	Fetches the contents of a file across node and browsers.	Copyright (c) 2016, Daniel Wirtz All rights reserved.
@protobufjs/float	1.0.2	BSD-3-Clause	Reads / writes floats / doubles from / to buffers in both modern and ancient browsers.	Copyright (c) 2016, Daniel Wirtz All rights reserved.
@protobufjs/inquire	1.1.2000	BSD-3-Clause	Requires a module only if available and hides the require call from bundlers.	Copyright (c) 2016, Daniel Wirtz All rights reserved.
@protobufjs/path	1.1.2002	BSD-3-Clause	A minimal path module to resolve Unix, Windows and URL paths alike.	Copyright (c) 2016, Daniel Wirtz All rights reserved.
@protobufjs/pool	1.1.2000	BSD-3-Clause	A general purpose buffer pool.	Copyright (c) 2016, Daniel Wirtz All rights reserved.
@protobufjs/utf8	1.1.2000	BSD-3-Clause	A minimal UTF8 implementation for number arrays.	Copyright (c) 2016, Daniel Wirtz All rights reserved.
@samverschueren/stream-to-observable	0.3.0	MIT	Convert Node Streams into ECMAScript-Observables	Copyright (c) James Talmage <james@talmage.io> (github.com/jamestalmage), Sam Verschueren <sam.verschueren@gmail.com> (github.com/SamVerschueren)
@sheet/core	1.20201004.1	MIT*	SheetJS Spreadsheet data parser and writer	
@sinonjs/commons	1.8.2001	BSD-3-Clause	Simple functions shared among the sinon end user libraries	Copyright (c) 2018, Sinon.JS. All rights reserved.
@tootallnate/once	1.1.2002	MIT	Creates a Promise that waits for a single event	
@types/accepts	1.3.2005	MIT	TypeScript definitions for accepts	
@types/adm-zip	0.4.33	MIT	TypeScript definitions for adm-zip	
@types/apollo-upload-client	8.1.2003	MIT	TypeScript definitions for apollo-upload-client	
@types/archiver	3.0.0	MIT	TypeScript definitions for archiver	
@types/auth0	2.20.5	MIT	TypeScript definitions for auth0	
@types/babel__core	7.1.10	MIT	TypeScript definitions for @babel/core	
@types/babel__core	7.1.2002	MIT	TypeScript definitions for @babel/core	
@types/babel__generator	7.6.2002	MIT	TypeScript definitions for @babel/generator	
@types/babel__template	7.0.3	MIT	TypeScript definitions for @babel/template	
@types/babel__traverse	7.0.15	MIT	TypeScript definitions for @babel/traverse	
@types/blob-util	1.3.2003	MIT	TypeScript definitions for blob-util	
@types/bluebird	3.5.29	MIT	TypeScript definitions for bluebird	
@types/body-parser	1.17.0	MIT	TypeScript definitions for body-parser	

@types/body-parser	1.19.0	MIT	TypeScript definitions for body-parser
@types/bson	4.0.1	MIT	TypeScript definitions for bson
@types/chai-jquery	1.1.40	MIT	TypeScript definitions for chai-jquery
@types/chai	4.2.11	MIT	TypeScript definitions for chai
@types/chai	4.2.2007	MIT	TypeScript definitions for chai
@types/connect	3.4.32	MIT	TypeScript definitions for connect
@types/cookies	2000.7.4	MIT	TypeScript definitions for cookies
@types/cors	2.8.2004	MIT	TypeScript definitions for cors
@types/events	3.0.0	MIT	TypeScript definitions for events
@types/express-jwt	0.0.42	MIT	TypeScript definitions for express-jwt
@types/express-serve-static-core	4.16.2	MIT	TypeScript definitions for Express
@types/express-unless	2000.5.1	MIT	TypeScript definitions for express-unless
@types/express	4.16.1	MIT	TypeScript definitions for Express
@types/express	4.17.2	MIT	TypeScript definitions for Express
@types/extract-files	3.1.2000	MIT	TypeScript definitions for extract-files
@types/fs-capacitor	2.0.0	MIT	TypeScript definitions for fs-capacitor
@types/fs-extra	8.0.1	MIT	TypeScript definitions for fs-extra
@types/glob	7.1.2001	MIT	TypeScript definitions for Glob
@types/graceful-fs	4.1.2003	MIT	TypeScript definitions for graceful-fs
@types/graphql-upload	8.0.3	MIT	TypeScript definitions for graphql-upload
@types/http-assert	1.5.2001	MIT	TypeScript definitions for http-assert
@types/intercom-web	2.8.2007	MIT	TypeScript definitions for Intercom Web API
@types/istanbul-lib-coverage	2.0.3	MIT	TypeScript definitions for istanbul-lib-coverage
@types/istanbul-lib-report	3.0.0	MIT	TypeScript definitions for istanbul-lib-report
@types/istanbul-reports	1.1.2002	MIT	TypeScript definitions for istanbul-reports
@types/jest	25.1.2004	MIT	TypeScript definitions for Jest
@types/jquery	3.3.31	MIT	TypeScript definitions for jquery
@types/jquery	3.3.36	MIT	TypeScript definitions for jquery
@types/json-schema	7.0.4	MIT	TypeScript definitions for json-schema 4.0, 6.0 and

@types/json-schema	7.0.6	MIT	TypeScript definitions for json-schema 4.0, 6.0 and
@types/jsonwebtoken	8.3.2002	MIT	TypeScript definitions for jsonwebtoken
@types/keygrip	1.0.2	MIT	TypeScript definitions for keygrip
@types/koa-compose	3.2.2005	MIT	TypeScript definitions for koa-compose
@types/koa	2.11.2002	MIT	TypeScript definitions for Koa
@types/lodash-es	4.17.3	MIT	TypeScript definitions for lodash-es
@types/lodash	4.14.149	MIT	TypeScript definitions for Lo-Dash
@types/long	4.0.0	MIT	TypeScript definitions for long.js
@types/md5	2.1.33	MIT	TypeScript definitions for md5
@types/mime	2.0.1	MIT	TypeScript definitions for mime
@types/minimatch	3.0.3	MIT	TypeScript definitions for Minimatch
@types/mocha	5.2.2007	MIT	TypeScript definitions for mocha
@types/mongodb	3.3.16	MIT	TypeScript definitions for MongoDB
@types/mongoose	5.7.2001	MIT	TypeScript definitions for Mongoose
@types/natural	2.1.2000	MIT	TypeScript definitions for Natural
@types/node-fetch	2.5.2005	MIT	TypeScript definitions for node-fetch
@types/node	10.14.4	MIT	TypeScript definitions for Node.js
@types/node	13.9.2001	MIT	TypeScript definitions for Node.js
@types/node	14.11.11	MIT	TypeScript definitions for Node.js
@types/normalize-package-data	2.4.2000	MIT	TypeScript definitions for normalize-package-data
@types/orderedmap	1.0.0	MIT	TypeScript definitions for orderedmap
@types/p-any	1.1.2003	MIT	Stub TypeScript definitions entry for p-any, which provides its own types definitions
@types/prettier	1.19.1	MIT	TypeScript definitions for prettier
@types/prosemirror-collab	1.1.2000	MIT	TypeScript definitions for prosemirror-collab
@types/prosemirror-history	1.0.1	MIT	TypeScript definitions for prosemirror-history
@types/prosemirror-model	1.7.2001	MIT	TypeScript definitions for prosemirror-model
@types/prosemirror-state	1.2.2003	MIT	TypeScript definitions for prosemirror-state

@types/prosemirror-transform	1.1.2000	MIT	TypeScript definitions for prosemirror-transform	
@types/prosemirror-view	1.11.2001	MIT	TypeScript definitions for prosemirror-view	
@types/ramda	0.26.18	MIT	TypeScript definitions for ramda	
@types/range-parser	1.2.2003	MIT	TypeScript definitions for range-parser	
@types/redis	2.8.28	MIT	TypeScript definitions for redis	
@types/serve-static	1.13.2	MIT	TypeScript definitions for serve-static	
@types/sha1	1.1.2002	MIT	TypeScript definitions for sha1	
@types/sinon-chai	3.2.2003	MIT	TypeScript definitions for sinon-chai	
@types/sinon	7.5.2001	MIT	TypeScript definitions for Sinon	
@types/sinon	9.0.0	MIT	TypeScript definitions for Sinon	
@types/sinonjs__fake-timers	6.0.1	MIT	TypeScript definitions for @sinonjs/fake-timers	
@types/sizzle	2.3.2002	MIT	TypeScript definitions for sizzle	
@types/stack-utils	1.0.1	MIT	TypeScript definitions for stack-utils	
@types/uuid	3.4.2007	MIT	TypeScript definitions for uuid	
@types/vuelidate	2000.7.13	MIT	TypeScript definitions for vuelidate	
@types/ws	6.0.1	MIT	TypeScript definitions for ws	
@types/yargs-parser	15.0.0	MIT	TypeScript definitions for yargs-parser	
@types/yargs	12.0.12	MIT	TypeScript definitions for yargs	
@types/yargs	15.0.9	MIT	TypeScript definitions for yargs	
@types/zen-observable	2000.5.3	MIT	TypeScript definitions for zen-observable	
@types/zen-observable	0.8.0	MIT	TypeScript definitions for zen-observable	
@typescript-eslint/eslint-plugin	4.6.2000	MIT	TypeScript plugin for ESLint	Copyright (c) 2019 TypeScript ESLint and other contributors
@typescript-eslint/experimental-utils	4.6.2000	MIT	(Experimental) Utilities for working with TypeScript + ESLint together	Copyright (c) 2019 TypeScript ESLint and other contributors
@typescript-eslint/parser	4.6.2000	BSD-2-Clause	An ESLint custom parser which leverages TypeScript ESTree	
@typescript-eslint/scope-manager	4.6.2000	MIT	TypeScript scope analyser for ESLint	Copyright (c) 2019 TypeScript ESLint and other contributors
@typescript-eslint/types	4.6.2000	MIT	Types for the TypeScript-ESTree AST spec	Copyright (c) 2019 TypeScript ESLint and other contributors
@typescript-eslint/typescript-estree	4.6.2000	BSD-2-Clause	A parser that converts TypeScript source code into an ESTree compatible form	

@typescript-eslint/visitor-keys	4.6.2000	MIT	Visitor keys used to help traverse the TypeScript-ESTree AST	Copyright (c) 2019 TypeScript ESLint and other contributors
@vue/component-compiler-utils	3.0.2	MIT	Lower level utilities for compiling Vue single file components	
@vue/eslint-config-prettier	4.0.1	MIT	eslint-config-prettier for vue-cli	Copyright (c) 2017-present, Yuxi (Evan) You
@webassemblyjs/ast	1.8.2005	MIT	AST utils for webassemblyjs	Copyright (c) 2018 Sven Sauleau <sven@sauleau.com>
@webassemblyjs/floating-point-hex-parser	1.8.2005	MIT	A function to parse floating point hexadecimal strings as defined by the WebAssembly specification	Copyright (c) 2017 Mauro Bringolf
@webassemblyjs/helper-api-error	1.8.2005	MIT	Common API errors	Copyright (c) 2018 Sven Sauleau <sven@sauleau.com>
@webassemblyjs/helper-buffer	1.8.2005	MIT	Buffer manipulation utility	Copyright (c) 2018 Sven Sauleau <sven@sauleau.com>
@webassemblyjs/helper-code-frame	1.8.2005	MIT		Copyright (c) 2018 Sven Sauleau <sven@sauleau.com>
@webassemblyjs/helper-fsm	1.8.2005	ISC	FSM implementation	Copyright (c) 2018 Sven Sauleau <sven@sauleau.com>
@webassemblyjs/helper-module-context	1.8.2005	MIT		Copyright (c) 2018 Sven Sauleau <sven@sauleau.com>
@webassemblyjs/helper-wasm-bytecode	1.8.2005	MIT	WASM's Bytecode constants	Copyright (c) 2018 Sven Sauleau <sven@sauleau.com>
@webassemblyjs/helper-wasm-section	1.8.2005	MIT		Copyright (c) 2018 Sven Sauleau <sven@sauleau.com>
@webassemblyjs/ieee754	1.8.2005	MIT	IEEE754 decoder and encoder	Copyright (c) 2018 Sven Sauleau <sven@sauleau.com>
@webassemblyjs/leb128	1.8.2005	MIT	LEB128 decoder and encoder	Copyright 2012 The Obvious Corporation.. <a href="http://obvious.com/">http://obvious.com/</a>
@webassemblyjs/utf8	1.8.2005	MIT	UTF8 encoder/decoder for WASM	Copyright (c) 2018 Sven Sauleau <sven@sauleau.com>
@webassemblyjs/wasm-edit	1.8.2005	MIT	> Rewrite a WASM binary	Copyright (c) 2018 Sven Sauleau <sven@sauleau.com>
@webassemblyjs/wasm-gen	1.8.2005	MIT	WebAssembly binary format printer	Copyright (c) 2018 Sven Sauleau <sven@sauleau.com>
@webassemblyjs/wasm-opt	1.8.2005	MIT		Copyright (c) 2018 Sven Sauleau <sven@sauleau.com>
@webassemblyjs/wasm-parser	1.8.2005	MIT	WebAssembly binary format parser	Copyright (c) 2018 Sven Sauleau <sven@sauleau.com>
@webassemblyjs/wast-parser	1.8.2005	MIT	WebAssembly text format parser	Copyright (c) 2018 Sven Sauleau <sven@sauleau.com>
@webassemblyjs/wast-printer	1.8.2005	MIT	WebAssembly text format printer	Copyright (c) 2018 Sven Sauleau <sven@sauleau.com>
@wry/context	2000.4.4	MIT	Manage contextual information needed by (a)synchronous tasks without explicitly passing objects around	Copyright (c) 2019 Ben Newman
@wry/equality	2000.1.9	MIT	Structural equality checking for JavaScript values	Copyright (c) 2019 Ben Newman
@xtuc/ieee754	1.2.2000	BSD-3-Clause	Read/write IEEE754 floating point numbers from/to a Buffer or array-like object	Copyright (c) 2008, Fair Oaks Labs, Inc.. All rights reserved.
@xtuc/long	4.2.2002	Apache-2.0	A Long class for representing a 64-bit two's-complement integer value.	

abab	2.0.0	BSD*	WHATWG spec-compliant implementations of window.atob and window.btoa.	
abbrev	1.1.2001	ISC	Like ruby's abbrev module, but in js	Copyright (c) Isaac Z. Schlueter and Contributors*
abortcontroller-polyfill	1.5.2000	MIT	Polyfill/ponyfill for the AbortController DOM API + optional patching of fetch (stub that calls catch, doesn't actually abort request).	Copyright (c) 2017 molsson
accepts	1.3.2004	MIT	Higher-level content negotiation	Copyright (c) 2014 Jonathan Ong <me@jongleberry.com>. Copyright (c) 2015 Douglas Christopher Wilson <doug@somethingdoug.com>
accepts	1.3.2005	MIT	Higher-level content negotiation	Copyright (c) 2014 Jonathan Ong <me@jongleberry.com>. Copyright (c) 2015 Douglas Christopher Wilson <doug@somethingdoug.com>
accepts	1.3.2007	MIT	Higher-level content negotiation	Copyright (c) 2014 Jonathan Ong <me@jongleberry.com>. Copyright (c) 2015 Douglas Christopher Wilson <doug@somethingdoug.com>
acorn-globals	4.3.2004	MIT	Detect global variables in JavaScript using acorn	Copyright (c) 2014 Forbes Lindesay
acorn-jsx	5.3.2001	MIT	Modern, fast React.js JSX parser	Copyright (C) 2012-2017 by Ingvar Stepanyan
acorn-walk	6.1.2001	MIT	ECMAScript (ESTree) AST walker	Copyright (C) 2012-2018 by various contributors (see AUTHORS)
acorn	5.5.2003	MIT	ECMAScript parser	Copyright (C) 2012-2018 by various contributors (see AUTHORS)
acorn	6.1.2001	MIT	ECMAScript parser	Copyright (C) 2012-2018 by various contributors (see AUTHORS)
acorn	6.2.2000	MIT	ECMAScript parser	Copyright (C) 2012-2018 by various contributors (see AUTHORS)
acorn	7.1.2000	MIT	ECMAScript parser	Copyright (C) 2012-2018 by various contributors (see AUTHORS)
acorn	7.4.2001	MIT	ECMAScript parser	Copyright (C) 2012-2018 by various contributors (see AUTHORS)
add	2.0.6	MIT	A cross-browser, numerically stable algorithm to add floats accurately	Copyright (c) 2014 Ben Ng
adm-zip	2000.4.16	MIT	Javascript implementation of zip for nodejs with support for electron original-fs. Allows user to create or extract zip files both in memory or to/from disk	Copyright (c) 2012 Another-D-Mention Software and other contributors, . <a href="http://www.another-d-mention.ro/">http://www.another-d-mention.ro/</a>
afinn-165	1.0.2	MIT	AFINN 165 (list of English words rated for valence) in JSON	Copyright (c) 2016 Titus Wormer <tituswormer@gmail.com>

agent-base	2.1.2001	MIT	Turn a function into an `http.Agent` instance	Copyright (c) 2013 Nathan Rajlich <nathan@tootallnate.net>
agent-base	4.2.2000	MIT	Turn a function into an `http.Agent` instance	Copyright (c) 2013 Nathan Rajlich <nathan@tootallnate.net>
agent-base	4.2.2001	MIT	Turn a function into an `http.Agent` instance	Copyright (c) 2013 Nathan Rajlich <nathan@tootallnate.net>
agent-base	4.3.2000	MIT	Turn a function into an `http.Agent` instance	Copyright (c) 2013 Nathan Rajlich <nathan@tootallnate.net>
agent-base	5.1.2001	MIT	Turn a function into an `http.Agent` instance	Copyright (c) 2013 Nathan Rajlich <nathan@tootallnate.net>
agent-base	6.0.1	MIT	Turn a function into an `http.Agent` instance	Copyright (c) 2013 Nathan Rajlich <nathan@tootallnate.net>
aggregate-error	3.0.1	MIT	Create an error from multiple errors	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
ajv-errors	1.0.0	MIT	Custom error messages in JSON-Schema for Ajv validator	Copyright (c) 2017 Evgeny Poberezkin
ajv-keywords	3.4.2001	MIT	Custom JSON-Schema keywords for Ajv validator	Copyright (c) 2016 Evgeny Poberezkin
ajv-keywords	3.5.2002	MIT	Custom JSON-Schema keywords for Ajv validator	Copyright (c) 2016 Evgeny Poberezkin
ajv	6.10.2002	MIT	Another JSON Schema Validator	Copyright (c) 2015-2017 Evgeny Poberezkin
ajv	6.12.2000	MIT	Another JSON Schema Validator	Copyright (c) 2015-2017 Evgeny Poberezkin
ajv	6.12.2006	MIT	Another JSON Schema Validator	Copyright (c) 2015-2017 Evgeny Poberezkin
align-text	2000.1.4	MIT	Align the text in a string.	Copyright (c) 2015, Jon Schlinkert.
alphanum-sort	1.0.2	MIT	Alphanumeric sorting algorithm	Copyright (c) Bogdan Chadkin <trysound@yandex.ru>
amdefine	1.0.1	BSD-3-Clause OR MIT	Provide AMD's define() API for declaring modules in the AMD format	Copyright (c) 2011-2016, The Dojo Foundation. All rights reserved.*
ansi-align	2.0.0	ISC	align-text with ANSI support for CLIs	Copyright (c) 2016, Contributors
ansi-colors	3.2.2004	MIT	Easily add ANSI colors to your text and symbols in the terminal. A faster drop-in replacement for chalk, kleur and turbocolor (without the dependencies and rendering bugs).	Copyright (c) 2015-present, Brian Woodward.
ansi-colors	4.1.2001	MIT	Easily add ANSI colors to your text and symbols in the terminal. A faster drop-in replacement for chalk, kleur and turbocolor (without the dependencies and rendering bugs).	Copyright (c) 2015-present, Brian Woodward.
ansi-escapes	3.0.0	MIT	ANSI escape codes for manipulating the terminal	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

ansi-escapes	4.3.2001	MIT	ANSI escape codes for manipulating the terminal	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> ( <a href="https://sindresorhus.com">https://sindresorhus.com</a> )
ansi-html	0.0.7	Apache-2.0	An elegant lib that converts the chalked (ANSI) text to HTML.	
ansi-regex	2.1.2001	MIT	Regular expression for matching ANSI escape codes	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
ansi-regex	3.0.0	MIT	Regular expression for matching ANSI escape codes	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
ansi-regex	4.0.0	MIT	Regular expression for matching ANSI escape codes	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
ansi-regex	4.1.2000	MIT	Regular expression for matching ANSI escape codes	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
ansi-regex	5.0.0	MIT	Regular expression for matching ANSI escape codes	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
ansi-styles	2.2.2001	MIT	ANSI escape codes for styling strings in the terminal	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
ansi-styles	3.2.2001	MIT	ANSI escape codes for styling strings in the terminal	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
ansi-styles	4.3.2000	MIT	ANSI escape codes for styling strings in the terminal	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
any-observable	0.3.0	MIT	Support any Observable library and polyfill	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
anymatch	2.0.0	ISC	Matches strings against configurable strings, globs, regular expressions, and/or functions	Copyright (c) 2014 Elan Shanker
anymatch	3.0.3	ISC	Matches strings against configurable strings, globs, regular expressions, and/or functions	Copyright (c) 2014 Elan Shanker
anymatch	3.1.2001	ISC	Matches strings against configurable strings, globs, regular expressions, and/or functions	Copyright (c) 2019 Elan Shanker, Paul Miller ( <a href="https://paulmillr.com">https://paulmillr.com</a> )
apollo-cache-control	0.9.0	MIT	A GraphQL extension for cache control	Copyright (c) 2016-2020 Meteor Development Group, Inc.
apollo-cache-inmemory	1.6.2005	MIT	Core abstract of Caching layer for Apollo Client	Copyright (c) 2018 Meteor Development Group, Inc.
apollo-cache	1.3.2004	MIT	Core abstract of Caching layer for Apollo Client	Copyright (c) 2018 Meteor Development Group, Inc.
apollo-client	2.6.2008	MIT	A simple yet functional GraphQL client.	Copyright (c) 2018 Meteor Development Group, Inc.
apollo-datasource	0.7.0	MIT		Copyright (c) 2016-2020 Meteor Development Group, Inc.
apollo-engine-reporting-protobuf	2000.4.4	MIT	Protobuf format for Apollo Engine	Copyright (c) 2016 Meteor Development Group, Inc.



apollo-engine-reporting	1.7.2000	MIT	Send reports about your GraphQL services to Apollo Graph Manager (previously known as Apollo Engine)	Copyright (c) 2016-2020 Meteor Development Group, Inc.
apollo-env	2000.6.2	MIT		Copyright (c) 2016 Meteor Development Group, Inc.
apollo-fetch	0.7.0	MIT	Lightweight implementation of fetch for GraphQL requests	
apollo-graphql	2000.4.1	MIT	Apollo GraphQL utility library	Copyright (c) 2016 Meteor Development Group, Inc.
apollo-link-batch-http	1.0.4	MIT	Batch HTTP transport layer for GraphQL	
apollo-link-batch	1.0.4	MIT	Apollo Link that performs batching and operation on batched Operations	
apollo-link-context	1.0.19	MIT	An easy way to set and cache context changes for Apollo Link	Copyright (c) 2016 - 2017 Meteor Development Group, Inc.
apollo-link-error	1.1.13	MIT	Error Apollo Link for GraphQL Network Stack	Copyright (c) 2016 - 2017 Meteor Development Group, Inc.
apollo-link-http-common	2000.2.15	MIT	Http utilities for Apollo Link shared across all links using http	Copyright (c) 2016 - 2017 Meteor Development Group, Inc.
apollo-link-http-common	2000.2.16	MIT	Http utilities for Apollo Link shared across all links using http	Copyright (c) 2016 - 2017 Meteor Development Group, Inc.
apollo-link-ws	1.0.20	MIT	WebSocket transport layer for GraphQL	Copyright (c) 2016 - 2017 Meteor Development Group, Inc.
apollo-link	1.0.7	MIT	Flexible, lightweight transport layer for GraphQL	
apollo-link	1.2.11	MIT	Flexible, lightweight transport layer for GraphQL	Copyright (c) 2016 - 2017 Meteor Development Group, Inc.
apollo-link	1.2.13	MIT	Flexible, lightweight transport layer for GraphQL	Copyright (c) 2016 - 2017 Meteor Development Group, Inc.
apollo-link	1.2.14	MIT	Flexible, lightweight transport layer for GraphQL	Copyright (c) 2016 - 2017 Meteor Development Group, Inc.
apollo-server-caching	2000.5.1	MIT	[![npm version](https://badge.fury.io/js/apollo-server-caching.svg)](https://badge.fury.io/js/apollo-server-caching) [![Build Status](https://circleci.com/gh/apollographql/apollo-server.svg?style=svg)](https://circleci.com/gh/apollographql/apollo-server)	Copyright (c) 2016-2020 Meteor Development Group, Inc.
apollo-server-core	2.11.2000	MIT	Core engine for Apollo GraphQL server	Copyright (c) 2016-2020 Meteor Development Group, Inc.
apollo-server-env	2.4.2003	MIT	This package is used internally by Apollo Server and not meant to be consumed directly.	Copyright (c) 2016 Meteor Development Group, Inc.

apollo-server-errors	2.4.2000	MIT		Copyright (c) 2016-2020 Meteor Development Group, Inc.
apollo-server-express	2.11.2000	MIT	Production-ready Node.js GraphQL server for Express and Connect	Copyright (c) 2016-2020 Meteor Development Group, Inc.
apollo-server-plugin-base	0.7.0	MIT	Apollo Server plugin base classes	Copyright (c) 2016-2020 Meteor Development Group, Inc.
apollo-server-types	0.3.0	MIT	Apollo Server shared types	Copyright (c) 2016-2020 Meteor Development Group, Inc.
apollo-server	2.11.2000	MIT	Production ready GraphQL Server	Copyright (c) 2016-2020 Meteor Development Group, Inc.
apollo-tracing	0.9.0	MIT	Collect and expose trace data for GraphQL requests	Copyright (c) 2016-2020 Meteor Development Group, Inc.
apollo-upload-client	12.1.2000	MIT	A terminating Apollo Link for Apollo Client that allows FileList, File, Blob or ReactNativeFile instances within query or mutation variables and sends GraphQL multipart requests.	
apollo-utilities	1.0.3	MIT	Utilities for working with GraphQL ASTs	
apollo-utilities	1.2.2001	MIT	Utilities for working with GraphQL ASTs	Copyright (c) 2018 Meteor Development Group, Inc.
apollo-utilities	1.3.2003	MIT	Utilities for working with GraphQL ASTs	Copyright (c) 2018 Meteor Development Group, Inc.
apparatus	0.0.10	MIT	various machine learning routines for node	Copyright (c) 2011, Chris Umbel
aproba	1.2.2000	ISC	A ridiculously light-weight argument validator (now browser friendly)	Copyright (c) 2015, Rebecca Turner <me@re-becca.org>
arch	2.1.2001	MIT	Better `os.arch()` for node and the browser -- detect OS architecture	Copyright (c) Feross Aboukhadijeh
archiver-utils	1.3.2000	MIT	utility functions for archiver	Copyright (c) 2015 Chris Talkington.
archiver	2.1.2001	MIT	a streaming interface for archive generation	Copyright (c) 2012-2014 Chris Talkington, contributors.
are-we-there-yet	1.1.2005	ISC	Keep track of the overall completion of many disparate processes	Copyright (c) 2015, Rebecca Turner
arg	4.1.2003	MIT	Another simple argument parser	Copyright (c) 2017-2019 Zeit, Inc.
argparse	1.0.10	MIT	Very powerful CLI arguments parser. Native port of argparse - python's options parsing library	Copyright (C) 2012 by Vitaly Puzrin
arr-diff	4.0.0	MIT	Returns an array with only the unique values from the first array, by excluding all values from additional arrays using strict equality for comparisons.	Copyright (c) 2014-2017, Jon Schlinkert
arr-flatten	1.1.2000	MIT	Recursively flatten an array or arrays.	Copyright (c) 2014-2017, Jon Schlinkert.

arr-union	3.1.2000	MIT	Combines a list of arrays, returning a single array with unique values, using strict equality for comparisons.	Copyright (c) 2014-2016, Jon Schlinkert.
array-equal	1.0.0	MIT	check if two arrays are equal	Copyright (c) 2014 Jonathan Ong me@jongleberry.com
array-filter	0.0.1	MIT	Array#filter for older browsers.	Copyright (c) 2013 Julian Gruber &lt;julian@juliangruber.com&gt;
array-flatten	1.1.2001	MIT	Flatten an array of nested arrays into a single flat array	Copyright (c) 2014 Blake Embrey (hello@blakeembrey.com)
array-flatten	2.1.2002	MIT	Flatten nested arrays	Copyright (c) 2014 Blake Embrey (hello@blakeembrey.com)
array-map	0.0.0	MIT	`[].map(f)` for older browsers	
array-reduce	0.0.0	MIT	`[].reduce()` for old browsers	
array-union	1.0.2	MIT	Create an array of unique values, in order, from the input arrays	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
array-union	2.1.2000	MIT	Create an array of unique values, in order, from the input arrays	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
array-uniq	1.0.3	MIT	Create an array without duplicates	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
array-unique	2000.3.2	MIT	Remove duplicate values from an array. Fastest ES5 implementation.	Copyright (c) 2014-2016, Jon Schlinkert
arrify	1.0.1	MIT	Convert a value to an array	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
asn1.js	4.10.2001	MIT	ASN.1 encoder and decoder	Copyright Fedor Indutny, 2013.
asn1	2000.2.4	MIT	Contains parsers and serializers for ASN.1 (currently BER only)	Copyright (c) 2011 Mark Cavage, All rights reserved.
assert-plus	1.0.0	MIT	Extra assertions on top of node's assert module	
assert	1.5.2000	MIT	The node.js assert module, re-packaged for web browsers.	Copyright Joyent, Inc. and other Node contributors. All rights reserved.. Permission is hereby granted, free of charge, to any person obtaining a copy. of this software and associated documentation files (the "Software"), to. deal in the Software without restriction, including without limitation the. rights to use, copy, modify, merge, publish, distribute, sublicense, and/or. sell copies of the Software, and to permit persons to whom the Software is. furnished to do so, subject to the following conditions:

assign-symbols	1.0.0	MIT	Assign the enumerable es6 Symbol properties from an object (or objects) to the first object passed on the arguments. Can be used as a supplement to other extend, assign or merge methods as a polyfill for the Symbols part of the es6 Object.assign method.	Copyright (c) 2015, Jon Schlinkert.
ast-types	2000.11.3	MIT	Esprima-compatible implementation of the Mozilla JS Parser API	Copyright (c) 2013 Ben Newman <bn@cs.stanford.edu>
ast-types	0.13.2	MIT	Esprima-compatible implementation of the Mozilla JS Parser API	Copyright (c) 2013 Ben Newman <bn@cs.stanford.edu>
astral-regex	1.0.0	MIT	Regular expression for matching astral symbols	Copyright (c) Kevin Mårtensson <kevinmartensson@gmail.com> (github.com/kevva)
async-each	1.0.3	MIT	No-bullshit, ultra-simple, 35-lines-of-code async parallel forEach / map function for JavaScript.	Copyright (c) 2016 Paul Miller [(paulmillr.com)](http://paulmillr.com)
async-limiter	1.0.0	MIT	asynchronous function queue with adjustable concurrency	
async-retry	1.2.2003	MIT	Retrying made simple, easy and async	Copyright (c) 2017 ZEIT, Inc.
async	1.5.2002	MIT	Higher-order functions and common patterns for asynchronous code	Copyright (c) 2010-2014 Caolan McMahon
async	2.6.2001	MIT	Higher-order functions and common patterns for asynchronous code	Copyright (c) 2010-2018 Caolan McMahon
async	3.2.2000	MIT	Higher-order functions and common patterns for asynchronous code	Copyright (c) 2010-2018 Caolan McMahon
asynckit	0.4.0	MIT	Minimal async jobs utility library, with streams support	Copyright (c) 2016 Alex Indigo
atlasti	1.0.10	MIT	### First Time Setup	
atob	2.1.2002	(MIT OR Apache-2.0)	atob for Node.JS and Linux / Mac / Windows CLI (it's a one-liner)	Copyright (c) 2015 AJ O'Neal
attr-accessor	2000.2.2	MIT	Convenience factories for creating getter/setters	
auth0	2.25.1	MIT	SDK for Auth0 API v2	
autoprefixer	8.5.2000	MIT	Parse CSS and add vendor prefixes to CSS rules using values from the Can I Use website	Copyright 2013 Andrey Sitnik <andrey@sitnik.ru>
aws-sdk	2.549.0	Apache-2.0	AWS SDK for JavaScript	

aws-sign2	0.7.0	Apache-2.0	AWS signing. Originally pulled from LearnBoost/knox, maintained as vendor in request, now a standalone module.	
aws4	1.8.2000	MIT	Signs and prepares requests using AWS Signature Version 4	Copyright 2013 Michael Hart (michael.hart.au@gmail.com)
axios	0.17.1	MIT	Promise based HTTP client for the browser and node.js	Copyright (c) 2014 Matt Zabriskie
axios	0.19.2	MIT	Promise based HTTP client for the browser and node.js	Copyright (c) 2014-present Matt Zabriskie
babel-code-frame	6.26.0	MIT	Generate errors that contain a code frame that point to source locations.	
babel-eslint	8.2.2006	MIT	Custom parser for ESLint	Copyright (c) 2014-2016 Sebastian McKenzie <sebmck@gmail.com>
babel-jest	24.8.2000	MIT	Jest plugin to use babel for transformation.	Copyright (c) 2014-present, Facebook, Inc.
babel-jest	25.5.2001	MIT	Jest plugin to use babel for transformation.	Copyright (c) Facebook, Inc. and its affiliates.
babel-loader	8.0.6	MIT	babel module loader for webpack	Copyright (c) 2014-2019 Luís Couto <hello@luiscouto.pt>
babel-loader	8.1.2000	MIT	babel module loader for webpack	Copyright (c) 2014-2019 Luís Couto <hello@luiscouto.pt>
babel-plugin-dynamic-import-node	2.3.2003	MIT	Babel plugin to transpile import() to a deferred require(), for node	Copyright (c) 2016 Airbnb
babel-plugin-istanbul	5.1.2004	BSD-3-Clause	A babel plugin that adds istanbul instrumentation to ES6 code	Copyright (c) 2016, Istanbul Code Coverage. All rights reserved.
babel-plugin-istanbul	6.0.0	BSD-3-Clause	A babel plugin that adds istanbul instrumentation to ES6 code	Copyright (c) 2016, Istanbul Code Coverage. All rights reserved.
babel-plugin-jest-hoist	24.6.2000	MIT	Babel plugin to hoist `jest.disableAutomock`, `jest.enableAutomock`, `jest.unmock`, `jest.mock`, calls above `import` statements. This plugin is automatically included when using [babel-jest](https://github.com/facebook/jest/tree/master/packages/babel-jest).	Copyright (c) 2014-present, Facebook, Inc.
babel-plugin-jest-hoist	25.5.2000	MIT	Babel plugin to hoist `jest.disableAutomock`, `jest.enableAutomock`, `jest.unmock`, `jest.mock`, calls above `import` statements. This plugin is automatically included when using [babel-jest](https://github.com/facebook/jest/tree/master/packages/babel-jest).	Copyright (c) Facebook, Inc. and its affiliates.

babel-preset-current-node-syntax	2000.1.4	MIT	A Babel preset that enables parsing of proposals supported by the current Node.js version.	Copyright (c) 2020 Nicolò Ribaudò and other contributors
babel-preset-jest	24.6.2000	MIT	> Babel preset for all Jest plugins. This preset is automatically included when using [babel-jest](https://github.com/facebook/jest/tree/master/packages/babel-jest).	Copyright (c) 2014-present, Facebook, Inc.
babel-preset-jest	25.5.2000	MIT	> Babel preset for all Jest plugins. This preset is automatically included when using [babel-jest](https://github.com/facebook/jest/tree/master/packages/babel-jest).	Copyright (c) Facebook, Inc. and its affiliates.
babel-preset-typescript-vue	1.1.2001	MIT	TypeScript preset for Babel 7.x supporting Vue.js components written in TS	Copyright (c) 2019-2020 Paweł Gabryelewicz and contributors
babylon	7.0.0-beta.44	MIT	A JavaScript parser	Copyright (C) 2012-2014 by various contributors (see AUTHORS)
backo2	1.0.2	MIT	simple backoff based on segmentio/backo	
balanced-match	1.0.0	MIT	Match balanced character pairs, like "{" and "}"	Copyright (c) 2013 Julian Gruber <julian@juliangruber.com>
base64-js	1.3.2000	MIT	Base64 encoding/decoding in pure JS	Copyright (c) 2014
base64url	2.0.0	MIT	For encoding to/from base64urls	
base	2000.11.2	MIT	base is the foundation for creating modular, unit testable and highly pluggable node.js applications, starting with a handful of common methods, like `set`, `get`, `del` and `use`.	Copyright (c) 2015-2017, Jon Schlinkert.
batch	2000.6.1	MIT	Simple async batch with concurrency control and progress reporting.	Copyright (c) 2013 TJ Holowaychuk <tj@vision-media.ca>
bcrypt-pbkdf	1.0.2	BSD-3-Clause	Port of the OpenBSD bcrypt_pbkdf function to pure JS	Copyright (c) 2013 Ted Unangst <tedu@openbsd.org>*
bezier-easing	2.1.2000	MIT	BezierEasing provides Cubic Bezier Curve easing which generalizes easing functions exactly like in CSS Transitions.	Copyright (c) 2014 Gaëtan Renaudeau
bfj-node4	5.3.2001	MIT	Big-friendly JSON. Asynchronous streaming functions for large JSON data sets.	Copyright © 2015, 2016 Phil Booth
big-integer	1.6.48	Unlicense	An arbitrary length integer library for Javascript	

big.js	3.2.2000	MIT	A small, fast, easy-to-use library for arbitrary-precision decimal arithmetic	Copyright (c) 2012 Michael Mclaughlin
big.js	5.2.2002	MIT	A small, fast, easy-to-use library for arbitrary-precision decimal arithmetic	Copyright (c) 2018 Michael Mclaughlin
bignumber.js	4.1.2000	MIT	A library for arbitrary-precision decimal and non-decimal arithmetic	Copyright (c) 2017 Michael Mclaughlin
binary-extensions	1.13.1	MIT	List of binary file extensions	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
binary-extensions	2.0.0	MIT	List of binary file extensions	Copyright (c) 2019 Sindre Sorhus <sindresorhus@gmail.com> (https://sindresorhus.com), Paul Miller (https://paulmillr.com)
bindings	1.5.2000	MIT	Helper module for loading your native module's .node file	Copyright (c) 2012 Nathan Rajlich & nathan@tootallnate.net&gt;
bl	1.2.2001	MIT	Buffer List: collect buffers and access with a standard readable Buffer interface, streamable too!	Copyright (c) 2013-2016 bl contributors. -----
bluebird	3.4.2007	MIT	Full featured Promises/A+ implementation with exceptionally good performance	Copyright (c) 2013-2015 Petka Antonov
bluebird	3.5.2001	MIT	Full featured Promises/A+ implementation with exceptionally good performance	Copyright (c) 2013-2017 Petka Antonov
bluebird	3.7.2001	MIT	Full featured Promises/A+ implementation with exceptionally good performance	Copyright (c) 2013-2018 Petka Antonov
bluebird	3.7.2002	MIT	Full featured Promises/A+ implementation with exceptionally good performance	Copyright (c) 2013-2018 Petka Antonov
blueimp-load-image	2.21.0	MIT	JavaScript Load Image is a library to load images provided as File or Blob objects or via URL. It returns an optionally scaled and/or cropped HTML img or canvas element. It also provides methods to parse image meta data to extract IPTC and Exif tags as well as embedded thumbnail images and to restore the complete image header after resizing.	Copyright © 2011 Sebastian Tschan, https://blueimp.net
bn.js	4.11.2008	MIT	Big number implementation in pure javascript	Copyright Fedor Indutny, 2015.
body-parser	1.18.2	MIT	Node.js body parsing middleware	Copyright (c) 2014 Jonathan Ong <me@jongleberry.com>. Copyright (c) 2014-2015 Douglas Christopher Wilson <doug@somethingdoug.com>

body-parser	1.18.3	MIT	Node.js body parsing middleware	Copyright (c) 2014 Jonathan Ong <me@jongleberry.com>. Copyright (c) 2014-2015 Douglas Christopher Wilson <doug@somethingdoug.com>
body-parser	1.19.0	MIT	Node.js body parsing middleware	Copyright (c) 2014 Jonathan Ong <me@jongleberry.com>. Copyright (c) 2014-2015 Douglas Christopher Wilson <doug@somethingdoug.com>
bonjour	3.5.2000	MIT	A Bonjour/Zeroconf implementation in pure JavaScript	Copyright (c) 2015-2016 Thomas Watson Steen
boolbase	1.0.0	ISC	two functions: One that returns true, one that returns false	
bowser	1.9.2003	MIT	Lightweight browser detector	Copyright 2015, Dustin Diaz (the "Original Author"). All rights reserved.
boxen	1.3.2000	MIT	Create boxes in the terminal	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
brace-expansion	1.1.11	MIT	Brace expansion as known from sh/bash	Copyright (c) 2013 Julian Gruber <julian@juliangruber.com>
braces	2.3.2002	MIT	Bash-like brace expansion, implemented in JavaScript. Safer than other brace expansion libs, with complete support for the Bash 4.3 braces specification, without sacrificing speed.	Copyright (c) 2014-2018, Jon Schlinkert.
braces	3.0.2	MIT	Bash-like brace expansion, implemented in JavaScript. Safer than other brace expansion libs, with complete support for the Bash 4.3 braces specification, without sacrificing speed.	Copyright (c) 2014-2018, Jon Schlinkert.
broadcast-channel	3.2.2000	MIT	A BroadcastChannel that works in New Browsers, Old Browsers, WebWorkers and NodeJs	Copyright (c) 2018 Daniel Meyer
brorand	1.1.2000	MIT	Random number generator for browsers and node.js	Copyright Fedor Indutny, 2014.
browser-process-hrtime	2000.1.2	BSD-2-Clause	Shim for process.hrtime in the browser	
browser-resolve	1.11.2003	MIT	resolve which handles browser field support in package.json	Copyright (c) 2013-2015 Roman Shtylman <shtylman@gmail.com>
browser-tabs-lock	1.2.2009	MIT	provides locking mechanism to sync across browser tabs	Copyright (c) 2019 SuperTokens, VRAI Labs Pvt. Ltd, India
browserify-aes	1.2.2000	MIT	aes, for browserify	Copyright (c) 2014-2017 browserify-aes contributors
browserify-cipher	1.0.1	MIT	ciphers for the browser	Copyright (c) 2014-2017 Calvin Metcalf & contributors



browserify-des	1.0.2	MIT	browserify-des ===	Copyright (c) 2014-2017 Calvin Metcalf, Fedor Indutny & contributors
browserify-rsa	4.0.1	MIT	RSA for browserify	Copyright (c) 2014-2015 Calvin Metcalf & contributors
browserify-sign	4.0.4	ISC	adds node crypto signing for browsers	Copyright (c) 2014-2015 Calvin Metcalf and browserify-sign contributors
browserify-zlib	0.2.0	MIT	Full zlib module for the browser	Copyright (c) 2014-2015 Devon Govett <devongovett@gmail.com>
browserslist	3.2.2008	MIT	Share target browsers between different front-end tools, like Autoprefixer, Stylelint and babel-env-preset	Copyright 2014 Andrey Sitnik <andrey@sitnik.ru>
browserslist	4.14.5	MIT	Share target browsers between different front-end tools, like Autoprefixer, Stylelint and babel-env-preset	Copyright 2014 Andrey Sitnik <andrey@sitnik.ru> and other contributors
browserslist	4.3.2002	MIT	Share target browsers between different front-end tools, like Autoprefixer, Stylelint and babel-env-preset	Copyright 2014 Andrey Sitnik <andrey@sitnik.ru>
bser	2.1.2001	Apache-2.0	JavaScript implementation of the BSER Binary Serialization	
bson	1.1.2003	Apache-2.0	A bson parser for node.js and the browser	
buffer-alloc-unsafe	1.1.2000	MIT	A [ponyfill](https://ponyfill.com) for `Buffer.allocUnsafe`.	
buffer-alloc	1.2.2000	MIT	A [ponyfill](https://ponyfill.com) for `Buffer.alloc`.	
buffer-crc32	2000.2.13	MIT	A pure javascript CRC32 algorithm that plays nice with binary data	Copyright (c) 2013 Brian J. Brennan
buffer-equal-constant-time	1.0.1	BSD-3-Clause	Constant-time comparison of Buffers	Copyright (c) 2013, Golnstant Inc., a salesforce.com company. All rights reserved.
buffer-fill	1.0.0	MIT	A [ponyfill](https://ponyfill.com) for `Buffer.fill`.	
buffer-from	1.1.2001	MIT	A [ponyfill](https://ponyfill.com) for `Buffer.from`, uses native implementation if available.	Copyright (c) 2016, 2018 Linus Unneback
buffer-indexof	1.1.2001	MIT	find the index of a buffer in a buffer	Copyright (c) 2013 Ryan Day
buffer-xor	1.0.3	MIT	A simple module for bitwise-xor on buffers	Copyright (c) 2015 Daniel Cousens
buffer	4.9.2001	MIT	Node.js Buffer API, for the browser	Copyright (c) Feross Aboukhadijeh, and other contributors.

builtin-modules	1.1.2001	MIT	List of the Node.js builtin modules	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
builtin-status-codes	3.0.0	MIT	The map of HTTP status codes from the builtin http module	Copyright (c) Ben Drucker <bvdrucker@gmail.com> (bendrucker.me)
busboy	2000.3.1	MIT	A streaming parser for HTML form data for node.js	Copyright Brian White. All rights reserved.
byte-buffer	1.0.3	MIT	Wrapper for JavaScript's ArrayBuffer/DataView	
bytes	3.0.0	MIT	Utility to parse a string bytes to bytes and vice-versa	Copyright (c) 2012-2014 TJ Holowaychuk <tj@vision-media.ca>. Copyright (c) 2015 Jed Watson <jed.watson@me.com>
bytes	3.1.2000	MIT	Utility to parse a string bytes to bytes and vice-versa	Copyright (c) 2012-2014 TJ Holowaychuk <tj@vision-media.ca>. Copyright (c) 2015 Jed Watson <jed.watson@me.com>
cacache	11.3.2003	ISC	Fast, fault-tolerant, cross-platform, disk-based, data-agnostic, content-addressable cache.	Copyright (c) npm, Inc.
cache-base	1.0.1	MIT	Basic object cache with `get`, `set`, `del`, and `has` methods for node.js/javascript projects.	Copyright (c) 2014-2017, Jon Schlinkert.
cachedir	2.3.2000	MIT	Provides a directory where the OS wants you to store cached files.	Copyright (c) 2013-2014, 2016, 2018 Linus Unneback
caller-callsite	2.0.0	MIT	Get the callsite of the caller function	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
caller-path	2.0.0	MIT	Get the path of the caller function	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
callsites	2.0.0	MIT	Get callsites from the V8 stack trace API	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
callsites	3.1.2000	MIT	Get callsites from the V8 stack trace API	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
camel-case	1.2.2002	MIT	Camel case a string	Copyright (c) 2014 Blake Embrey (hello@blakeembrey.com)
camel-case	3.0.0	MIT	Camel case a string	Copyright (c) 2014 Blake Embrey (hello@blakeembrey.com)
camelcase	1.2.2001	MIT	Convert a dash/dot/underscore/space separated string to camelCase: foo-bar → fooBar	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
camelcase	4.1.2000	MIT	Convert a dash/dot/underscore/space separated string to camelCase: foo-bar → fooBar	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
camelcase	5.3.2001	MIT	Convert a dash/dot/underscore/space separated string to camelCase or PascalCase: `foo-bar` → `fooBar`	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

caniuse-api	3.0.0	MIT	request the caniuse data to check browsers compatibilities	Copyright (c) 2014 Sébastien Balayn
caniuse-lite	1.0.30000844	CC-BY-4.0	A smaller version of caniuse-db, with only the essentials!	
caniuse-lite	1.0.30000898	CC-BY-4.0	A smaller version of caniuse-db, with only the essentials!	
caniuse-lite	1.0.30001148	CC-BY-4.0	A smaller version of caniuse-db, with only the essentials!	
canvas	2.6.2001	MIT	Canvas graphics API backed by Cairo	Copyright (c) 2010 LearnBoost, and contributors & dev@learnboost.com&gt;*
capture-exit	2.0.0	ISC	safely cleanup in signal handlers	
capture-stack-trace	1.0.0	MIT	Error.captureStackTrace ponyfill	
caseless	0.12.0	Apache-2.0	Caseless object set/get/has, very useful when working with HTTP headers.	
center-align	2000.1.3	MIT	Center-align the text in a string.	Copyright (c) 2015, Jon Schlinkert.
chalk	1.1.2003	MIT	Terminal string styling done right. Much color.	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
chalk	2.4.2002	MIT	Terminal string styling done right	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
chalk	3.0.0	MIT	Terminal string styling done right	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
chalk	4.1.2000	MIT	Terminal string styling done right	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
change-case	2.3.2001	MIT	Convert a string between camelCase, PascalCase, Title Case, snake_case and more.	Copyright (c) 2014 Blake Embrey (hello@blakeembrey.com)
charenc	0.0.2	BSD-3-Clause	character encoding utilities	Copyright © 2011, Paul Vorbach. All rights reserved.. Copyright © 2009, Jeff Mott. All rights reserved.
check-more-types	2.24.0	MIT	Large collection of predicates.	Copyright (c) 2014 Kensho
check-types	7.3.2000	MIT	A little library for asserting types and values.	Copyright © 2012, 2013, 2014, 2015, 2016, 2017 Phil Booth
chokidar	2.1.2005	MIT	A neat wrapper around node.js fs. watch / fs.watchFile / fsevents.	Copyright (c) 2012-2019 Paul Miller (https://paulmillr.com) & Elan Shanker
chokidar	2.1.2006	MIT	A neat wrapper around node.js fs. watch / fs.watchFile / fsevents.	Copyright (c) 2012-2019 Paul Miller (https://paulmillr.com) & Elan Shanker
chokidar	2.1.2008	MIT	A neat wrapper around node.js fs. watch / fs.watchFile / fsevents.	Copyright (c) 2012-2019 Paul Miller (https://paulmillr.com) & Elan Shanker
chokidar	3.0.2	MIT	A neat wrapper around node.js fs. watch / fs.watchFile / fsevents.	Copyright (c) 2012-2019 Paul Miller (https://paulmillr.com), Elan Shanker

chokidar	3.4.2003	MIT	A neat wrapper around node.js fs.watch / fs.watchFile / fsevents.	Copyright (c) 2012-2019 Paul Miller ( <a href="https://paulmillr.com">https://paulmillr.com</a> ), Elan Shanker
chownr	1.1.2002	ISC	like `chown -R`	Copyright (c) Isaac Z. Schlueter and Contributors
chownr	1.1.2004	ISC	like `chown -R`	Copyright (c) Isaac Z. Schlueter and Contributors
chrome-trace-event	1.0.2	MIT	A library to create a trace of your node app per Google's Trace Event format.	Copyright (c) 2015 Joyent Inc. All rights reserved.
ci-info	1.6.2000	MIT	Get details about the current Continuous Integration environment	Copyright (c) 2016-2018 Thomas Watson Steen
ci-info	2.0.0	MIT	Get details about the current Continuous Integration environment	Copyright (c) 2016-2018 Thomas Watson Steen
cipher-base	1.0.4	MIT	abstract base class for crypto-streams	Copyright (c) 2017 crypto-browserify contributors
class-utils	2000.3.6	MIT	Utils for working with JavaScript classes and prototype methods.	Copyright (c) 2015, 2017-2018, Jon Schlinkert.
clean-css	4.1.2009	MIT	A well-tested CSS minifier	Copyright (C) 2017 JakubPawlowicz.com
clean-stack	2.2.2000	MIT	Clean up error stack traces	Copyright (c) Sindre Sorhus < <a href="mailto:sindresorhus@gmail.com">sindresorhus@gmail.com</a> > ( <a href="http://sindresorhus.com">sindresorhus.com</a> )
cli-boxes	1.0.0	MIT	Boxes for use in the terminal	Copyright (c) Sindre Sorhus < <a href="mailto:sindresorhus@gmail.com">sindresorhus@gmail.com</a> > ( <a href="http://sindresorhus.com">sindresorhus.com</a> )
cli-color	2000.1.7	Custom: <a href="https://github.com/medikoo/cli-color">https://github.com/medikoo/cli-color</a>	Colors, formatting and other tools for the console	
cli-cursor	1.0.2	MIT	Toggle the CLI cursor	Copyright (c) Sindre Sorhus < <a href="mailto:sindresorhus@gmail.com">sindresorhus@gmail.com</a> > ( <a href="http://sindresorhus.com">sindresorhus.com</a> )
cli-cursor	2.1.2000	MIT	Toggle the CLI cursor	Copyright (c) Sindre Sorhus < <a href="mailto:sindresorhus@gmail.com">sindresorhus@gmail.com</a> > ( <a href="http://sindresorhus.com">sindresorhus.com</a> )
cli-table2	0.2.0	MIT	Pretty unicode tables for the command line. Based on the original cli-table.	Copyright (c) 2014 James Talmage &lt; <a href="mailto:james.talmage@rtechnical.com">james.talmage@rtechnical.com</a> >
cli-table3	2000.5.1	MIT	Pretty unicode tables for the command line. Based on the original cli-table.	Copyright (c) 2014 James Talmage < <a href="mailto:james.talmage@rtechnical.com">james.talmage@rtechnical.com</a> >
cli-truncate	2000.2.1	MIT	Truncate a string to a specific width in the terminal	Copyright (c) Sindre Sorhus < <a href="mailto:sindresorhus@gmail.com">sindresorhus@gmail.com</a> > ( <a href="http://sindresorhus.com">sindresorhus.com</a> )
clipboard	2.0.1	MIT	Modern copy to clipboard. No Flash. Just 2kb	
cliui	2.1.2000	ISC	easily create complex multi-column command-line-interfaces	Copyright (c) 2015, Contributors
cliui	4.0.0	ISC	easily create complex multi-column command-line-interfaces	Copyright (c) 2015, Contributors
cliui	5.0.0	ISC	easily create complex multi-column command-line-interfaces	Copyright (c) 2015, Contributors

cliui	6.0.0	ISC	easily create complex multi-column command-line-interfaces	Copyright (c) 2015, Contributors
clone-deep	2.0.2	MIT	Recursively (deep) clone JavaScript native types, like Object, Array, RegExp, Date as well as primitives.	Copyright (c) 2014-2017, Jon Schlinkert.
cluster-key-slot	1.1.2000	Apache*	Generates CRC hashes for strings - for use by node redis clients to determine key slots.	Copyright (c) 2018 Mike Diarmid (Salakar) <mike.diarmid@gmail.com>
co	4.6.2000	MIT	generator async control flow goodness	Copyright (c) 2014 TJ Holowaychuk &t;tj@vision-media.ca&t;
coa	2.0.1	MIT	Command-Option-Argument: Yet another parser for command line options.	Copyright (c) 2015-present Sergey Berezhnoy <veged@ya.ru>
code-point-at	1.1.2000	MIT	ES2015 `String#codePointAt()` ponyfill	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
codepage	1.13.1	Apache-2.0	pure-JS library to handle codepages	Copyright (C) 2013-present SheetJS
collect-v8-coverage	1.0.1	MIT	Use this module to start and stop the V8 inspector manually and collect precise coverage.	Copyright (c) 2019 Simen Bekkhus
collection-visit	1.0.0	MIT	Visit a method over the items in an object, or map visit over the objects in an array.	Copyright (c) 2015, 2017, Jon Schlinkert
color-convert	1.9.2003	MIT	Plain color conversion functions	Copyright (c) 2011-2016 Heather Arthur <fayearthur@gmail.com>
color-convert	2.0.1	MIT	Plain color conversion functions	Copyright (c) 2011-2016 Heather Arthur <fayearthur@gmail.com>
color-name	1.1.2003	MIT	A list of color names and its values	
color-name	1.1.2004	MIT	A list of color names and its values	
color-string	1.5.2003	MIT	Parser and generator for CSS color strings	Copyright (c) 2011 Heather Arthur <fayearthur@gmail.com>
color	3.1.2000	MIT	Color conversion and manipulation with CSS string support	Copyright (c) 2012 Heather Arthur
colors	1.1.2002	MIT	get colors in your node.js console	
colors	1.2.2001	MIT	get colors in your node.js console	
combined-stream	1.0.6	MIT	A stream that emits multiple other streams one after another.	Copyright (c) 2011 Debuggable Limited <felix@debuggable.com>
combined-stream	1.0.8	MIT	A stream that emits multiple other streams one after another.	Copyright (c) 2011 Debuggable Limited <felix@debuggable.com>
commander	2.12.2002	MIT	the complete solution for node.js command-line programs	Copyright (c) 2011 TJ Holowaychuk <tj@vision-media.ca>

commander	2.14.1	MIT	the complete solution for node.js command-line programs	Copyright (c) 2011 TJ Holowaychuk <tj@vision-media.ca>
commander	2.15.1	MIT	the complete solution for node.js command-line programs	Copyright (c) 2011 TJ Holowaychuk <tj@vision-media.ca>
commander	2.19.0	MIT	the complete solution for node.js command-line programs	Copyright (c) 2011 TJ Holowaychuk <tj@vision-media.ca>
commander	2.20.0	MIT	the complete solution for node.js command-line programs	Copyright (c) 2011 TJ Holowaychuk <tj@vision-media.ca>
commander	2.20.3	MIT	the complete solution for node.js command-line programs	Copyright (c) 2011 TJ Holowaychuk <tj@vision-media.ca>
commander	4.1.2000	MIT	the complete solution for node.js command-line programs	Copyright (c) 2011 TJ Holowaychuk <tj@vision-media.ca>
commander	4.1.2001	MIT	the complete solution for node.js command-line programs	Copyright (c) 2011 TJ Holowaychuk <tj@vision-media.ca>
commander	5.1.2000	MIT	the complete solution for node.js command-line programs	Copyright (c) 2011 TJ Holowaychuk <tj@vision-media.ca>
common-tags	1.8.2000	MIT	a few common utility template tags for ES2015	Copyright © Declan de Wet
comondir	1.0.1	MIT	compute the closest common parent for file paths	Copyright (c) 2013 James Halliday (mail@substack.net)
component-emitter	1.2.2001	MIT	Event emitter	Copyright (c) 2014 Component contributors <dev@component.io>
component-emitter	1.3.2000	MIT	Event emitter	Copyright (c) 2014 Component contributors <dev@component.io>
compress-commons	1.2.2002	MIT	a library that defines a common interface for working with archive formats within node	Copyright (c) 2014 Chris Talkington, contributors.
compressible	2.0.17	MIT	Compressible Content-Type / mime checking	Copyright (c) 2013 Jonathan Ong <me@jongleberry.com>. Copyright (c) 2014 Jeremiah Senkpiel <fishrock123@rocketmail.com>. Copyright (c) 2015 Douglas Christopher Wilson <doug@somethingdoug.com>
compression	1.7.2004	MIT	Node.js compression middleware	Copyright (c) 2014 Jonathan Ong <me@jongleberry.com>. Copyright (c) 2014-2015 Douglas Christopher Wilson <doug@somethingdoug.com>
compute-scroll-into-view	1.0.11	MIT	The engine that powers scroll-into-view-if-needed	Copyright (c) 2018 Cody Olsen
concat-map	0.0.1	MIT	concatenative mapdashery	
concat-stream	1.6.2002	MIT	writable stream that concatenates strings or binary data and calls a callback with the result	Copyright (c) 2013 Max Ogden

concat-stream	2.0.0	MIT	writable stream that concatenates strings or binary data and calls a callback with the result	Copyright (c) 2013 Max Ogden
configstore	3.1.2001	BSD-2-Clause	Easily load and save config without having to think about where and how	
connect-history-api-fallback	1.6.2000	MIT	Provides a fallback for non-existing directories so that the HTML 5 history API can be used.	Copyright (c) 2012 Ben Ripkens <a href="http://bripkens.de">http://bripkens.de</a>
console-browserify	1.1.2000	MIT	Emulate console for all the browsers	Copyright (c) 2012 Raynos.
console-control-strings	1.1.2000	ISC	A library of cross-platform tested terminal/console command strings for doing things like color and cursor positioning. This is a subset of both ansi and vt100. All control codes included work on both Windows & Unix-like OSes, except where noted.	Copyright (c) 2014, Rebecca Turner < <a href="mailto:me@re-becca.org">me@re-becca.org</a> >
consolidate	0.15.1	MIT	Template engine consolidation library	Copyright (c) 2011-2016 TJ Holowaychuk & <a href="mailto:tj@vision-media.ca">tj@vision-media.ca</a> ;
constant-case	1.1.2002	MIT	Constant case a string	Copyright (c) 2014 Blake Embrey ( <a href="mailto:hello@blakeembrey.com">hello@blakeembrey.com</a> )
constants-browserify	1.0.0	MIT	node's constants module for the browser	Copyright (c) 2013 Julian Gruber & <a href="mailto:julian@juliangruber.com">julian@juliangruber.com</a> ;
content-disposition	2000.5.2	MIT	Create and parse Content-Disposition header	Copyright (c) 2014 Douglas Christopher Wilson
content-disposition	2000.5.3	MIT	Create and parse Content-Disposition header	Copyright (c) 2014-2017 Douglas Christopher Wilson
content-type	1.0.4	MIT	Create and parse HTTP Content-Type header	Copyright (c) 2015 Douglas Christopher Wilson
convert-source-map	1.7.2000	MIT	Converts a source-map from/to different formats and allows adding/changing properties.	Copyright 2013 Thorsten Lorenz. . All rights reserved.
cookie-signature	1.0.6	MIT	Sign and unsign cookies	Copyright (c) 2012 LearnBoost & <a href="mailto:tj@learnboost.com">tj@learnboost.com</a> ;
cookie	2000.3.1	MIT	HTTP server cookie parsing and serialization	Copyright (c) 2012-2014 Roman Shtylman < <a href="mailto:shtylman@gmail.com">shtylman@gmail.com</a> >. Copyright (c) 2015 Douglas Christopher Wilson < <a href="mailto:doug@somethingdoug.com">doug@somethingdoug.com</a> >
cookie	0.4.0	MIT	HTTP server cookie parsing and serialization	Copyright (c) 2012-2014 Roman Shtylman < <a href="mailto:shtylman@gmail.com">shtylman@gmail.com</a> >. Copyright (c) 2015 Douglas Christopher Wilson < <a href="mailto:doug@somethingdoug.com">doug@somethingdoug.com</a> >
cookiejar	2.1.2001	MIT	simple persistent cookiejar system	
copy-concurrently	1.0.5	ISC	Promises of copies of files, directories and symlinks, with concurrency controls and win32 junction fallback.	Copyright (c) 2017, Rebecca Turner < <a href="mailto:me@re-becca.org">me@re-becca.org</a> >

copy-descriptor	2000.1.1	MIT	Copy a descriptor from object A to object B	Copyright (c) 2015-2016, Jon Schlinkert
core-js-compat	3.6.2005	MIT	core-js compat	Copyright (c) 2014-2020 Denis Pushkarev
core-js-pure	3.6.2005	MIT	Standard library	Copyright (c) 2014-2020 Denis Pushkarev
core-js	3.2.2001	MIT	Standard library	Copyright (c) 2014-2019 Denis Pushkarev
core-js	3.6.2004	MIT	Standard library	Copyright (c) 2014-2020 Denis Pushkarev
core-js	3.6.2005	MIT	Standard library	Copyright (c) 2014-2020 Denis Pushkarev
core-util-is	1.0.2	MIT	The `util.is*` functions introduced in Node v0.12.	Copyright Node.js contributors. All rights reserved.
cors	2.8.2004	MIT	Node.js CORS middleware	Copyright (c) 2013 Troy Goode <troygoode@gmail.com>
cosmiconfig	2.2.2002	MIT	Find and load configuration from a package.json property, rc file, or CommonJS module	Copyright (c) 2015 David Clark
cosmiconfig	5.0.6	MIT	Find and load configuration from a package.json property, rc file, or CommonJS module	Copyright (c) 2015 David Clark
cosmiconfig	5.2.2000	MIT	Find and load configuration from a package.json property, rc file, or CommonJS module	Copyright (c) 2015 David Clark
crc32-stream	2.0.0	MIT	a streaming CRC32 checksumer	Copyright (c) 2014 Chris Talkington, contributors.
crc	3.5.2000	MIT	Module for calculating Cyclic Redundancy Check (CRC) for Node.js and the Browser.	Copyright 2014 Alex Gorbachev
create-ecdh	4.0.3	MIT	createECDH but browserifiable	Copyright (c) 2014-2017 createECDH contributors
create-error-class	3.0.2	MIT	Create Error classes	Copyright (c) Vsevolod Strukchinsky <floatdrop@gmail.com> (github.com/floatdrop)
create-hash	1.2.2000	MIT	create hashes for browserify	Copyright (c) 2017 crypto-browserify contributors
create-hmac	1.1.2007	MIT	node style hmacs in the browser	Copyright (c) 2017 crypto-browserify contributors
crel	3.1.2000	MIT	A small, simple, and fast DOM creation utility	Copyright (c) 2014 Kory Nunn
cropperjs	1.5.2001	MIT	JavaScript image cropper.	Copyright 2015-present Chen Fengyuan
cross-env	5.1.2003	MIT	Run scripts that set and use environment variables across platforms	
cross-fetch	1.1.2001	MIT	Universal WHATWG Fetch API for Node, Browsers and React Native	Copyright (c) 2017 Leonardo Quixadá
cross-spawn	5.1.2000	MIT	Cross platform child_process#spawn and child_process#spawnSync	Copyright (c) 2014 IndigoUnited
cross-spawn	6.0.5	MIT	Cross platform child_process#spawn and child_process#spawnSync	Copyright (c) 2018 Made With MOXY Lda <hello@moxy.studio>



cross-spawn	7.0.3	MIT	Cross platform child_process#spawn and child_process#spawnSync	Copyright (c) 2018 Made With MOXY Lda <hello@moxy.studio>
crypt	0.0.2	BSD-3-Clause	utilities for encryption and hashing	Copyright © 2011, Paul Vorbach. All rights reserved.. Copyright © 2009, Jeff Mott. All rights reserved.
crypto-browserify	3.12.2000	MIT	implementation of crypto for the browser	Copyright (c) 2013 Dominic Tarr
crypto-random-string	1.0.0	MIT	Generate a cryptographically strong random string	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
css-color-names	0.0.4	MIT	A JSON Object of css color names mapped to their hex value	
css-declaration-sorter	4.0.1	MIT	Sorts CSS declarations fast and automatically in a certain order.	Copyright 2016 Selwyn <talk@selwyn.cc>
css-loader	1.0.0	MIT	css loader module for webpack	Copyright JS Foundation and other contributors
css-select-base-adapter	0.1.0	MIT	Provides some base functions needed by a css-select adapter so that you don't have to implement the whole thing.	
css-select	1.2.2000	BSD*	a CSS selector compiler/engine	Copyright (c) Felix Böhm. All rights reserved.
css-select	2.0.2	BSD-2-Clause	a CSS selector compiler/engine	Copyright (c) Felix Böhm. All rights reserved.
css-selector-tokenizer	0.7.0	MIT	Parses and stringifies CSS selectors	
css-tree	1.0.0-alpha.28	MIT	CSSTree is a tool set to work with CSS, including fast detailed parser (string->AST), walker (AST traversal), generator (AST->string) and lexer (validation and matching) based on knowledge of spec and browser implementations	Copyright (C) 2016 by Roman Dvornov
css-tree	1.0.0-alpha.29	MIT	CSSTree is a tool set to work with CSS, including fast detailed parser (string->AST), walker (AST traversal), generator (AST->string) and lexer (validation and matching) based on knowledge of spec and browser implementations	Copyright (C) 2016 by Roman Dvornov
css-unit-converter	1.1.2001	MIT	Converts CSS values from one unit to another	Copyright 2015 Andy Jansson <andyjansson@users.noreply.github.com>
css-url-regex	1.1.2000	MIT	Regular expression for matching CSS urls.	Copyright (c) John Otander <johnotander@gmail.com> (johnotander.com)
css-what	2.1.2000	BSD*	a CSS selector parser	Copyright (c) Felix Böhm. All rights reserved.
css-what	2.1.2002	BSD-2-Clause	a CSS selector parser	Copyright (c) Felix Böhm. All rights reserved.

cssesc	0.1.0	MIT	A JavaScript library for escaping CSS strings and identifiers while generating the shortest possible ASCII-only output.	Copyright Mathias Bynens < <a href="http://mathiasbynens.be/">http://mathiasbynens.be/</a> >
cssesc	1.0.1	MIT	A JavaScript library for escaping CSS strings and identifiers while generating the shortest possible ASCII-only output.	Copyright Mathias Bynens < <a href="https://mathiasbynens.be/">https://mathiasbynens.be/</a> >
cssesc	2.0.0	MIT	A JavaScript library for escaping CSS strings and identifiers while generating the shortest possible ASCII-only output.	Copyright Mathias Bynens < <a href="https://mathiasbynens.be/">https://mathiasbynens.be/</a> >
cssnano-preset-default	4.0.5	MIT	Safe defaults for cssnano which require minimal configuration.	Copyright (c) Ben Briggs < <a href="mailto:beneb.info@gmail.com">beneb.info@gmail.com</a> > ( <a href="http://beneb.info">http://beneb.info</a> )
cssnano-util-get-arguments	4.0.0	MIT	Get a list of arguments, separated by a comma.	Copyright (c) Ben Briggs < <a href="mailto:beneb.info@gmail.com">beneb.info@gmail.com</a> > ( <a href="http://beneb.info">http://beneb.info</a> )
cssnano-util-get-match	4.0.0	MIT	Convert a list of keywords into a single keyword match.	Copyright (c) Ben Briggs < <a href="mailto:beneb.info@gmail.com">beneb.info@gmail.com</a> > ( <a href="http://beneb.info">http://beneb.info</a> )
cssnano-util-raw-cache	4.0.1	MIT	Manages the raw value formatting for generated AST nodes.	Copyright (c) Ben Briggs < <a href="mailto:beneb.info@gmail.com">beneb.info@gmail.com</a> > ( <a href="http://beneb.info">http://beneb.info</a> )
cssnano-util-same-parent	4.0.1	MIT	Check that two PostCSS nodes share the same parent.	Copyright (c) Ben Briggs < <a href="mailto:beneb.info@gmail.com">beneb.info@gmail.com</a> > ( <a href="http://beneb.info">http://beneb.info</a> )
cssnano	4.1.2007	MIT	A modular minifier, built on top of the PostCSS ecosystem.	Copyright (c) Ben Briggs < <a href="mailto:beneb.info@gmail.com">beneb.info@gmail.com</a> > ( <a href="http://beneb.info">http://beneb.info</a> )
csso	3.5.2001	MIT	CSS minifier with structural optimisations	Copyright (C) 2011-2017 by Sergey Kryzhanovsky
cssom	2000.3.8	MIT	CSS Object Model implementation and CSS parser	Copyright (c) Nikita Vasilyev
cssom	2000.4.4	MIT	CSS Object Model implementation and CSS parser	Copyright (c) Nikita Vasilyev
cssstyle	2.0.0	MIT	CSSStyleDeclaration Object Model implementation	Copyright (c) Chad Walker
cyclist	2000.2.2	MIT*	Cyclist is an efficient cyclic list implementation.	
cypress-plugin-retries	1.5.2002	MIT	Cypress plugin allowing tests to retry a configurable amount of times	Copyright (c) 2019 Ben Kucera
cypress	4.5.2000	MIT	Cypress.io end to end testing tool	
dashdash	1.14.1	MIT	A light, featureful and explicit option parsing library.	Copyright (c) 2013 Trent Mick. All rights reserved.. Copyright (c) 2013 Joyent Inc. All rights reserved.
data-uri-to-buffer	1.2.2000	MIT	Generate a Buffer instance from a Data URI string	Copyright (c) 2014 Nathan Rajlich &lt;nathan@tootallnate.net&gt;

data-urls	1.1.2000	MIT	Parses data: URLs	Copyright © 2017–2018 Domenic Denicola <d@domenic.me>
dataloader	1.3.2000	BSD-3-Clause	A data loading utility to reduce requests to a backend via batching and caching.	Copyright (c) 2015, Facebook, Inc. All rights reserved.
date-fns	1.30.1	MIT	Modern JavaScript date utility library	
date-now	2000.1.4	MIT	A requirable version of Date.now()	Copyright (c) 2012 Colingo.
de-indent	1.0.2	MIT	remove extra indent from a block of code	
debug	2.6.2009	MIT	small debugging utility	Copyright (c) 2014 TJ Holowaychuk <tj@vision-media.ca>
debug	3.1.2000	MIT	small debugging utility	Copyright (c) 2014 TJ Holowaychuk <tj@vision-media.ca>
debug	3.2.2006	MIT	small debugging utility	Copyright (c) 2014 TJ Holowaychuk <tj@vision-media.ca>
debug	4.1.2001	MIT	small debugging utility	Copyright (c) 2014 TJ Holowaychuk <tj@vision-media.ca>
debug	4.2.2000	MIT	small debugging utility	Copyright (c) 2014 TJ Holowaychuk <tj@vision-media.ca>
decamelize	1.2.2000	MIT	Convert a camelized string into a lowercased one with a custom separator: unicornRainbow → unicorn_rainbow	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
decode-uri-component	0.2.0	MIT	A better decodeURIComponent	Copyright (c) Sam Verschueren <sam.verschueren@gmail.com> (github.com/SamVerschueren)
decompress-response	4.2.2001	MIT	Decompress a HTTP response if needed	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
dedent	0.7.0	MIT	An ES6 string tag that strips indentation from multi-line strings	Copyright (c) 2015 Desmond Brand (dmnd@desmondbrand.com)
deep-equal	1.0.1	MIT	node's assert.deepEqual algorithm	
deep-extend	2000.4.2	MIT	Recursive object extending	Copyright (c) 2013-2015, Viacheslav Lotsmanov
deep-extend	0.6.0	MIT	Recursive object extending	Copyright (c) 2013-2018, Viacheslav Lotsmanov
deep-is	2000.1.3	MIT	node's assert.deepEqual algorithm except for NaN being equal to NaN	Copyright (c) 2012, 2013 Thorsten Lorenz <thlorenz@gmx.de>. Copyright (c) 2012 James Halliday <mail@substack.net>. Copyright (c) 2009 Thomas Robinson <280north.com>
deepmerge	3.3.2000	MIT	A library for deep (recursive) merging of Javascript objects	Copyright (c) 2012 James Halliday, Josh Duff, and other contributors
deepmerge	4.2.2002	MIT	A library for deep (recursive) merging of Javascript objects	Copyright (c) 2012 James Halliday, Josh Duff, and other contributors
default-gateway	4.2.2000	BSD-2-Clause	Get the default network gateway, cross-platform.	Copyright (c) silverwind. All rights reserved.

define-properties	1.1.2003	MIT	Define multiple non-enumerable properties at once. Uses `Object.defineProperty` when available; falls back to standard assignment in older engines.	Copyright (C) 2015 Jordan Harband
define-property	2000.2.5	MIT	Define a non-enumerable property on an object.	Copyright (c) 2015, Jon Schlinkert.
define-property	1.0.0	MIT	Define a non-enumerable property on an object.	Copyright (c) 2015, 2017, Jon Schlinkert
define-property	2.0.2	MIT	Define a non-enumerable property on an object. Uses Reflect.defineProperty when available, otherwise Object.defineProperty.	Copyright (c) 2015-2018, Jon Schlinkert.
degenerator	1.0.4	MIT	Turns sync functions into async generator functions	Copyright (c) 2013 Nathan Rajlich & nathan@tootallnate.net&gt;
del	3.0.0	MIT	Delete files and folders	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
del	4.1.2001	MIT	Delete files and folders	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
delayed-stream	1.0.0	MIT	Buffers events from a stream until you are ready to handle them.	Copyright (c) 2011 Debuggable Limited <felix@debuggable.com>
delegate	3.2.2000	MIT	Lightweight event delegation	
delegates	1.0.0	MIT	delegate methods and accessors to another property	Copyright (c) 2015 TJ Holowaychuk <tj@vision-media.ca>
denque	1.4.2001	Apache-2.0	The fastest javascript implementation of a double-ended queue. Maintains compatability with deque.	Copyright (c) 2018 Mike Diarmid (Salakar) <mike.diarmid@gmail.com>
depd	1.1.2001	MIT	Deprecate all the things	Copyright (c) 2014-2017 Douglas Christopher Wilson
depd	1.1.2002	MIT	Deprecate all the things	Copyright (c) 2014-2017 Douglas Christopher Wilson
deprecated-decorator	2000.1.6	MIT	A simple decorator for deprecated methods and properties.	
des.js	1.0.0	MIT	DES implementation	Copyright Fedor Indutny, 2015.
destroy	1.0.4	MIT	destroy a stream if possible	Copyright (c) 2014 Jonathan Ong me@jongleberry.com
detect-file	1.0.0	MIT	Detects if a file exists and returns the resolved filepath.	Copyright (c) 2016-2017, Brian Woodward.
detect-libc	1.0.3	Apache-2.0	Node.js module to detect the C standard library (libc) implementation family and version	
detect-newline	3.1.2000	MIT	Detect the dominant newline character of a string	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

detect-node	2.0.4	ISC	Detect Node.JS (as opposite to browser environment) (reliable)	Copyright (c) 2017 Ilya Kantor
dicer	0.3.0	MIT	A very fast streaming multipart parser for node.js	Copyright Brian White. All rights reserved.
diff-sequences	25.2.2001	MIT	Compare items in two sequences to find a longest common subsequence	Copyright (c) Facebook, Inc. and its affiliates.
diff-sequences	25.2.2006	MIT	Compare items in two sequences to find a longest common subsequence	Copyright (c) Facebook, Inc. and its affiliates.
diff	4.0.2	BSD-3-Clause	A javascript text diff implementation.	Copyright (c) 2009-2015, Kevin Decker <kpdecker@gmail.com>
diffie-hellman	5.0.3	MIT	pure js diffie-hellman	Copyright (c) 2017 Calvin Metcalf
difflib	2000.2.4	PSF	text diff library ported from Python's difflib module	
dir-glob	3.0.1	MIT	Convert directories to glob compatible strings	Copyright (c) Kevin Mårtensson <kevinmartensson@gmail.com> (github.com/kevva)
dns-equal	1.0.0	MIT	Compare DNS record strings for equality	Copyright (c) 2016 Thomas Watson Steen
dns-packet	1.3.2001	MIT	An abstract-encoding compliant module for encoding / decoding DNS packets	Copyright (c) 2016 Mathias Buus
dns-txt	2.0.2	MIT	Encode/decode DNS-SD TXT record RDATA fields	Copyright (c) 2015 Thomas Watson Steen
doctrine	3.0.0	Apache-2.0	JSDoc parser	
dom-converter	2000.1.4	MIT	converts bare objects to DOM objects or xml representations	Copyright (c) 2013 Aria Minaei
dom-serializer	0.1.0	MIT	render dom nodes to string	Copyright (c) 2014 The cheeriojs contributors
domain-browser	1.2.2000	MIT	Node's domain module for the web browser. This is merely an evented try...catch with the same API as node, nothing more.	
domelementtype	1.1.2003	BSD*	all the types of nodes in htmlparser2's dom	Copyright (c) Felix Böhm. All rights reserved.
domelementtype	1.3.2000	BSD*	all the types of nodes in htmlparser2's dom	Copyright (c) Felix Böhm. All rights reserved.
domexception	1.0.1	MIT	An implementation of the DOMException class from browsers	Copyright © 2017 Domenic Denicola
domhandler	2.1.2000	BSD*	handler for htmlparser2 that turns pages into a dom	Copyright (c) Felix Böhm. All rights reserved.
domutils	1.1.2006	BSD*	utilities for working with htmlparser2's dom	Copyright (c) Felix Böhm. All rights reserved.

domutils	1.5.2001	BSD*	utilities for working with htmlparser2's dom	Copyright (c) Felix Böhm. All rights reserved.
domutils	1.7.2000	BSD-2-Clause	utilities for working with htmlparser2's dom	Copyright (c) Felix Böhm. All rights reserved.
dot-case	1.1.2002	MIT	Dot case a string	Copyright (c) 2014 Blake Embrey (hello@blakeembrey.com)
dot-prop	4.2.2000	MIT	Get, set, or delete a property from a nested object using a dot path	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
dotenv	8.0.0	BSD-2-Clause	Loads environment variables from .env file	Copyright (c) 2015, Scott Motte. All rights reserved.
dreamopt	0.6.0	UNKNOWN	Command-line parser with readable syntax from your sweetest dreams	
duck	2000.1.11	BSD*	Rich matchers inspired by Hamcrest. Useful for generating helpful assertion failure messages in tests.	Copyright (c) 2013, Michael Williamson. All rights reserved.
				Copyright (c) 2013, Deoxxa Development. ===== . All rights reserved.. ----- . Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: . 1. Redistributions of source code must retain the above copyright. notice, this list of conditions and the following disclaimer. . 2. Redistributions in binary form must reproduce the above copyright. notice, this list of conditions and the following disclaimer in the. documentation and/or other materials provided with the distribution. . 3. Neither the name of Deoxxa Development nor the names of its contributors. may be used to endorse or promote products derived from this software. without specific prior written permission. . . THIS SOFTWARE IS PROVIDED BY DEOXXA DEVELOPMENT "AS IS" AND ANY. EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED. WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE. DISCLAIMED. IN NO EVENT SHALL DEOXXA DEVELOPMENT BE LIABLE FOR ANY. DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES. (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;. LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND. ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT. (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS. SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE..
duplexer3	2000.1.4	BSD-3-Clause	Like duplexer but using streams3	

duplexer	2000.1.1	MIT	Creates a duplex stream	Copyright (c) 2012 Raynos.
duplexify	3.7.2001	MIT	Turn a writable and readable stream into a streams2 duplex stream with support for async initialization and streams1/streams2 input	Copyright (c) 2014 Mathias Buus
ecc-jsbn	2000.1.2	MIT	ECC JS code based on JSBN	Copyright (c) 2014 Jeremie Miller
ecdsa-sig-formatter	1.0.11	Apache-2.0	Translate ECDSA signatures between ASN.1/DER and JOSE-style concatenation	
ecdsa-sig-formatter	1.0.9	Apache-2.0	Translate ECDSA signatures between ASN.1/DER and JOSE-style concatenation	
ee-first	1.1.2001	MIT	return the first event in a set of ee/event pairs	Copyright (c) 2014 Jonathan Ong me@jongleberry.com
ejs	2.6.2001	Apache-2.0	Embedded JavaScript templates	
electron-to-chromium	1.3.48	ISC	Provides a list of electron-to-chromium version mappings	
electron-to-chromium	1.3.0582	ISC	Provides a list of electron-to-chromium version mappings	Copyright 2018 Kilian Valkhof
electron-to-chromium	1.3.81	ISC	Provides a list of electron-to-chromium version mappings	Copyright 2018 Kilian Valkhof
elegant-spinner	1.0.1	MIT	Elegant spinner for interactive CLI apps	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
elliptic	6.5.2000	MIT	EC cryptography	Copyright Fedor Indutny, 2014.
emoji-regex	7.0.3	MIT	A regular expression to match all Emoji-only symbols as per the Unicode Standard.	Copyright Mathias Bynens <https://mathiasbynens.be/>
emoji-regex	8.0.0	MIT	A regular expression to match all Emoji-only symbols as per the Unicode Standard.	Copyright Mathias Bynens <https://mathiasbynens.be/>
emojis-list	2.1.2000	MIT	Complete list of standard emojis.	Copyright © 2015 Kiko Beats
emojis-list	3.0.0	MIT	Complete list of standard emojis.	Copyright © 2015 Kiko Beats
encodeurl	1.0.1	MIT	Encode a URL to a percent-encoded form, excluding already-encoded sequences	Copyright (c) 2016 Douglas Christopher Wilson
encodeurl	1.0.2	MIT	Encode a URL to a percent-encoded form, excluding already-encoded sequences	Copyright (c) 2016 Douglas Christopher Wilson

encoding	2000.1.12	MIT	Convert encodings, uses iconv by default and fallbacks to iconv-lite if needed	Copyright (c) 2012-2014 Andris Reinman
end-of-stream	1.4.2000	MIT	Call a callback when a readable/writable/duplex stream has completed or failed.	Copyright (c) 2014 Mathias Buus
end-of-stream	1.4.2004	MIT	Call a callback when a readable/writable/duplex stream has completed or failed.	Copyright (c) 2014 Mathias Buus
enhanced-resolve	4.1.2000	MIT	Offers a async require.resolve function. It's highly configurable.	Copyright JS Foundation and other contributors
enquirer	2.3.2006	MIT	Stylish, intuitive and user-friendly prompt system. Fast and lightweight enough for small projects, powerful and extensible enough for the most advanced use cases.	Copyright (c) 2016-present, Jon Schlinkert.
entities	1.1.2001	BSD*	Encode & decode XML/HTML entities with ease	Copyright (c) Felix Böhm. All rights reserved.
envfile	6.4.2000	MIT	Parse and stringify the environment configuration files and format, also known as .env files and dotenv files	
errno	2000.1.7	MIT	libuv errno details exposed	
error-ex	1.3.2001	MIT	Easy error subclassing and stack customization	Copyright (c) 2015 JD Ballard
error-ex	1.3.2002	MIT	Easy error subclassing and stack customization	Copyright (c) 2015 JD Ballard
es-abstract	1.13.0	MIT	ECMAScript spec abstract operations.	Copyright (C) 2015 Jordan Harband
es-abstract	1.17.7	MIT	ECMAScript spec abstract operations.	Copyright (C) 2015 Jordan Harband
es-abstract	1.18.0-next.1	MIT	ECMAScript spec abstract operations.	Copyright (C) 2015 Jordan Harband
es-cookie	1.3.2002	MIT	A JavaScript module for handling cookies	Copyright 2017 Theodore Brown
es-to-primitive	1.2.2000	MIT	ECMAScript "ToPrimitive" algorithm. Provides ES5 and ES2015 versions.	Copyright (c) 2015 Jordan Harband
es-to-primitive	1.2.2001	MIT	ECMAScript "ToPrimitive" algorithm. Provides ES5 and ES2015 versions.	Copyright (c) 2015 Jordan Harband
es5-ext	2000.8.2	MIT*	ECMAScript5 extensions	Copyright (C) 2011 Mariusz Nowak (www.medikoo.com)
es6-promise	4.2.2004	MIT	A lightweight library that provides tools for organizing asynchronous code	Copyright (c) 2014 Yehuda Katz, Tom Dale, Stefan Penner and contributors
es6-promisify	5.0.0	MIT	Converts callback-based functions to ES6 Promises	



escalade	3.1.2001	MIT	A tiny (183B to 210B) and fast utility to ascend parent directories	Copyright (c) Luke Edwards <luke.edwards05@gmail.com> (lukeed.com)
escape-html	1.0.3	MIT	Escape string for use in HTML	Copyright (c) 2012-2013 TJ Holowaychuk. Copyright (c) 2015 Andreas Lubbe. Copyright (c) 2015 Tiancheng "Timothy" Gu
escape-string-regexp	1.0.5	MIT	Escape RegExp special characters	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
escodegen	1.12.2000	BSD-2-Clause	ECMAScript code generator	
escodegen	1.9.2001	BSD-2-Clause	ECMAScript code generator	
eslint-config-prettier	3.6.2000	MIT	Turns off all rules that are unnecessary or might conflict with Prettier.	Copyright (c) 2017, 2018, 2019 Simon Lydell and contributors
eslint-plugin-cypress	2.11.2002	MIT	An ESLint plugin for projects using Cypress	Copyright (c) 2019 Cypress.io
eslint-plugin-es	3.0.1	MIT	ESLint plugin about ECMAScript syntactic features.	Copyright (c) 2018 Toru Nagashima
eslint-plugin-jest	24.1.2000	MIT	Eslint rules for Jest	Copyright (c) 2018 Jonathan Kim
eslint-plugin-no-only-tests	2.4.2000	MIT	ESLint rule for .only blocks in mocha tests	Copyright (c) 2016 Levi Buzolic
eslint-plugin-node	11.1.2000	MIT	Additional ESLint's rules for Node.js	Copyright (c) 2015 Toru Nagashima
eslint-plugin-prettier	3.0.1	MIT	Runs prettier as an eslint rule	Copyright © 2017 Andres Suarez and Teddy Katz
eslint-plugin-vue	7.1.2000	MIT	Official ESLint plugin for Vue.js	Copyright (c) 2017 Toru Nagashima
eslint-scope	3.7.2001	BSD-2-Clause	ECMAScript scope analyzer for ESLint	
eslint-scope	4.0.0	BSD-2-Clause	ECMAScript scope analyzer for ESLint	Copyright JS Foundation and other contributors, <a href="https://js.foundation">https://js.foundation</a> . Copyright (C) 2012-2013 Yusuke Suzuki (twitter: @Constellation) and other contributors.
eslint-scope	5.0.0	BSD-2-Clause	ECMAScript scope analyzer for ESLint	Copyright JS Foundation and other contributors, <a href="https://js.foundation">https://js.foundation</a> . Copyright (C) 2012-2013 Yusuke Suzuki (twitter: @Constellation) and other contributors.
eslint-scope	5.1.2001	BSD-2-Clause	ECMAScript scope analyzer for ESLint	Copyright JS Foundation and other contributors, <a href="https://js.foundation">https://js.foundation</a> . Copyright (C) 2012-2013 Yusuke Suzuki (twitter: @Constellation) and other contributors.
eslint-utils	2.0.0	MIT	Utilities for ESLint plugins.	Copyright (c) 2018 Toru Nagashima
eslint-utils	2.1.2000	MIT	Utilities for ESLint plugins.	Copyright (c) 2018 Toru Nagashima
eslint-visitor-keys	1.0.0	Apache-2.0	Constants and utilities about visitor keys to traverse AST.	
eslint-visitor-keys	1.1.2000	Apache-2.0	Constants and utilities about visitor keys to traverse AST.	
eslint-visitor-keys	1.3.2000	Apache-2.0	Constants and utilities about visitor keys to traverse AST.	

eslint-visitor-keys	2.0.0	Apache-2.0	Constants and utilities about visitor keys to traverse AST.	
eslint	7.12.2001	MIT	An AST-based pattern checker for JavaScript.	Copyright JS Foundation and other contributors, <a href="https://js.foundation">https://js.foundation</a>
esm	3.2.22	MIT	Tomorrow's ECMAScript modules today!	Copyright esm contributors
espre	6.2.2001	BSD-2-Clause	An Esprima-compatible JavaScript parser built on Acorn	
espre	7.3.2000	BSD-2-Clause	An Esprima-compatible JavaScript parser built on Acorn	Copyright (c) Open JS Foundation. All rights reserved.
esprima	3.1.2003	BSD-2-Clause	ECMAScript parsing infrastructure for multipurpose analysis	Copyright JS Foundation and other contributors, <a href="https://js.foundation/">https://js.foundation/</a>
esprima	4.0.1	BSD-2-Clause	ECMAScript parsing infrastructure for multipurpose analysis	Copyright JS Foundation and other contributors, <a href="https://js.foundation/">https://js.foundation/</a>
esquery	1.0.1	BSD-3-Clause	A query library for ECMAScript AST using a CSS selector like query language.	Copyright (c) 2013, Joel Feenstra. All rights reserved.
esquery	1.3.2001	BSD-3-Clause	A query library for ECMAScript AST using a CSS selector like query language.	Copyright (c) 2013, Joel Feenstra. All rights reserved.
esrecurse	4.2.2001	BSD-2-Clause	ECMAScript AST recursive visitor	Copyright (C) 2014 [Yusuke Suzuki]( <a href="https://github.com/Constellation">https://github.com/Constellation</a> ). (twitter: [ <a href="https://twitter.com/Constellation">@Constellation</a> ]( <a href="https://twitter.com/Constellation">https://twitter.com/Constellation</a> )) and other contributors.
esrecurse	4.3.2000	BSD-2-Clause	ECMAScript AST recursive visitor	Copyright (C) 2014 [Yusuke Suzuki]( <a href="https://github.com/Constellation">https://github.com/Constellation</a> ). (twitter: [ <a href="https://twitter.com/Constellation">@Constellation</a> ]( <a href="https://twitter.com/Constellation">https://twitter.com/Constellation</a> )) and other contributors.
estruverse	4.2.2000	BSD-2-Clause	ECMAScript JS AST traversal functions	
estruverse	5.2.2000	BSD-2-Clause	ECMAScript JS AST traversal functions	
esutils	2.0.3	BSD-2-Clause	utility box for ECMAScript language tools	
etag	1.8.2001	MIT	Create simple HTTP ETags	Copyright (c) 2014-2016 Douglas Christopher Wilson
eventemitter2	4.1.2002	MIT	A Node.js event emitter implementation with namespaces, wildcards, TTL and browser support.	Copyright (c) 2016 Paolo Fragomeni < <a href="http://www.github.com/0x00a">http://www.github.com/0x00a</a> > and Contributors
eventemitter3	3.1.2000	MIT	EventEmitter3 focuses on performance while maintaining a Node.js AND browser compatible interface.	Copyright (c) 2014 Arnout Kazemier

eventemitter3	3.1.2002	MIT	EventEmitter3 focuses on performance while maintaining a Node.js AND browser compatible interface.	Copyright (c) 2014 Arnout Kazemier
eventemitter3	4.0.4	MIT	EventEmitter3 focuses on performance while maintaining a Node.js AND browser compatible interface.	Copyright (c) 2014 Arnout Kazemier
events	1.1.2001	MIT	Node's event emitter for all engines.	Copyright Joyent, Inc. and other Node contributors.
events	3.0.0	MIT	Node's event emitter for all engines.	Copyright Joyent, Inc. and other Node contributors.
eventsourcing	1.0.7	MIT	W3C compliant EventSource client for Node.js and browser (polyfill)	Copyright (c) EventSource GitHub organisation
evp_bytestokey	1.0.3	MIT	The insecure key derivation algorithm from OpenSSL	Copyright (c) 2017 crypto-browserify contributors
exec-sh	2000.3.4	MIT	Execute shell command forwarding all stdio.	Copyright (c) 2014 Aleksandr Tsertkov <tsertkov@gmail.com>
execa	0.7.0	MIT	A better `child_process`	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
execa	1.0.0	MIT	A better `child_process`	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
execa	3.4.2000	MIT	Process execution for humans	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
executable	4.1.2001	MIT	Check if a file is executable	Copyright (c) Kevin Mårtensson <kevinmartensson@gmail.com>
exit-hook	1.1.2001	MIT	Run some code when the process exits	
exit-on-epipe	1.0.1	Apache-2.0	Cleanly exit process on EPIPE	Copyright (C) 2015-present SheetJS
exit	2000.1.2	MIT	A replacement for process.exit that ensures stdio are fully drained before exiting.	Copyright (c) 2013 "Cowboy" Ben Alman
expand-brackets	2.1.2004	MIT	Expand POSIX bracket expressions (character classes) in glob patterns.	Copyright (c) 2015-2016, Jon Schlinkert
expand-tilde	2.0.2	MIT	Bash-like tilde expansion for node.js. Expands a leading tilde in a file path to the user home directory, or `~+` to the cwd.	Copyright (c) 2015-2016, Jon Schlinkert.
expect	25.5.2000	MIT	This package exports the `expect` function used in [Jest](https://jestjs.io/). You can find its documentation [on Jest's website](https://jestjs.io/docs/en/expect.html).	Copyright (c) Facebook, Inc. and its affiliates.
express-jwt	5.3.2000	MIT	JWT authentication middleware.	Copyright (c) 2015 Auth0, Inc. <support@auth0.com> (http://auth0.com)

express-unless	2000.3.1	MIT	Conditionally add a middleware to express with some common patterns.	Copyright (c) 2014 José F. Romaniello
express	4.16.2	MIT	Fast, unopinionated, minimalist web framework	Copyright (c) 2009-2014 TJ Holowaychuk <tj@vision-media.ca>. Copyright (c) 2013-2014 Roman Shtylman <shtylman+expressjs@gmail.com>. Copyright (c) 2014-2015 Douglas Christopher Wilson <doug@somethingdoug.com>
express	4.16.4	MIT	Fast, unopinionated, minimalist web framework	Copyright (c) 2009-2014 TJ Holowaychuk <tj@vision-media.ca>. Copyright (c) 2013-2014 Roman Shtylman <shtylman+expressjs@gmail.com>. Copyright (c) 2014-2015 Douglas Christopher Wilson <doug@somethingdoug.com>
express	4.17.1	MIT	Fast, unopinionated, minimalist web framework	Copyright (c) 2009-2014 TJ Holowaychuk <tj@vision-media.ca>. Copyright (c) 2013-2014 Roman Shtylman <shtylman+expressjs@gmail.com>. Copyright (c) 2014-2015 Douglas Christopher Wilson <doug@somethingdoug.com>
extend-shallow	2.0.1	MIT	Extend an object with the properties of additional objects. node.js/javascript util.	Copyright (c) 2014-2015, Jon Schlinkert.
extend-shallow	3.0.2	MIT	Extend an object with the properties of additional objects. node.js/javascript util.	Copyright (c) 2014-2015, 2017, Jon Schlinkert.
extend	3.0.1	MIT	Port of jQuery.extend for node.js and the browser	Copyright (c) 2014 Stefan Thomas
extend	3.0.2	MIT	Port of jQuery.extend for node.js and the browser	Copyright (c) 2014 Stefan Thomas
extglob	2.0.4	MIT	Extended glob support for JavaScript. Adds (almost) the expressive power of regular expressions to glob patterns.	Copyright (c) 2015-2017, Jon Schlinkert.
extract-files	5.0.1	MIT	Clones a value, recursively extracting File, Blob and ReactNativeFile instances with their object paths, replacing them with null. FileList instances are treated as File instance arrays.	
extract-zip	1.7.2000	BSD-2-Clause	unzip a zip file into a directory using 100% javascript	Copyright (c) 2014 Max Ogden and other contributors. All rights reserved.
extsprintf	1.3.2000	MIT	extended POSIX-style sprintf	Copyright (c) 2012, Joyent, Inc. All rights reserved.
extsprintf	1.4.2000	MIT	extended POSIX-style sprintf	Copyright (c) 2012, Joyent, Inc. All rights reserved.
faker-cli	1.4.2001	MIT	cli wrapper for fakerjs	
faker	4.1.2000	MIT	Generate massive amounts of fake contextual data	
fast-deep-equal	2.0.1	MIT	Fast deep equal	Copyright (c) 2017 Evgeny Poberezkin

fast-deep-equal	3.1.2001	MIT	Fast deep equal	Copyright (c) 2017 Evgeny Poberezkin
fast-diff	1.2.2000	Apache-2.0	Fast Javascript text diff	
fast-glob	3.1.2001	MIT	It's a very fast and efficient glob library for Node.js	Copyright (c) Denis Malinochkin
fast-json-stable-stringify	2.1.2000	MIT	deterministic `JSON.stringify()` - a faster version of substack's json-stable-strigify without jsonify	Copyright (c) 2017 Evgeny Poberezkin. Copyright (c) 2013 James Halliday
fast-levenshtein	2.0.6	MIT	Efficient implementation of Levenshtein algorithm with locale-specific collator support.	Copyright (c) 2013 [Ramesh Nair](http://www.hiddentao.com/)
fast-text-encoding	1.0.3	Apache-2.0	Fast polyfill for TextEncoder and TextDecoder, only supports utf-8	
fastparse	1.1.2001	MIT	A very simple and stupid parser, based on a statemachine and regular expressions.	
fastq	1.6.2000	ISC	Fast, in memory work queue	Copyright (c) 2015, Matteo Collina <matteo.collina@gmail.com>
faye-websocket	0.10.0	MIT	Standards-compliant WebSocket server and client	Copyright (c) 2010-2015 James Coglan
faye-websocket	2000.11.3	Apache-2.0	Standards-compliant WebSocket server and client	Copyright 2010-2019 James Coglan
fb-watchman	2.0.1	Apache-2.0	Bindings for the Watchman file watching service	
fd-slicer	1.1.2000	MIT	safely create multiple ReadStream or WriteStream objects from the same file descriptor	Copyright (c) 2014 Andrew Kelley
figgy-pudding	3.5.2001	ISC	Delicious, festive, cascading config/opts definitions	Copyright (c) npm, Inc.
figures	1.7.2000	MIT	Unicode symbols with Windows CMD fallbacks	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
figures	2.0.0	MIT	Unicode symbols with Windows CMD fallbacks	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
file-entry-cache	5.0.1	MIT	Super simple cache for file metadata, useful for process that work o a given series of files and that only need to repeat the job on the changed ones since the previous run of the process	Copyright (c) 2015 Roy Riojas
file-loader	2.0.0	MIT	A file loader module for webpack	Copyright JS Foundation and other contributors
file-uri-to-path	1.0.0	MIT	Convert a file: URI to a file path	Copyright (c) 2014 Nathan Rajlich <nathan@tootallnate.net>

filesize	3.6.2001	BSD-3-Clause	JavaScript library to generate a human readable String describing the file size	Copyright (c) 2018, Jason Mulligan. All rights reserved.
fill-range	4.0.0	MIT	Fill in a range of numbers or letters, optionally passing an increment or `step` to use, or create a regex-compatible range with `options`. toRegex`	Copyright (c) 2014-2017, Jon Schlinkert
fill-range	7.0.1	MIT	Fill in a range of numbers or letters, optionally passing an increment or `step` to use, or create a regex-compatible range with `options`. toRegex`	Copyright (c) 2014-present, Jon Schlinkert.
finalhandler	1.1.2000	MIT	Node.js final http responder	Copyright (c) 2014-2017 Douglas Christopher Wilson <doug@somethingdoug.com>
finalhandler	1.1.2001	MIT	Node.js final http responder	Copyright (c) 2014-2017 Douglas Christopher Wilson <doug@somethingdoug.com>
finalhandler	1.1.2002	MIT	Node.js final http responder	Copyright (c) 2014-2017 Douglas Christopher Wilson <doug@somethingdoug.com>
find-cache-dir	2.1.2000	MIT	Finds the common standard cache directory	Copyright (c) James Talmage <james@talmage.io> (github.com/jamestalmage)
find-parent-dir	0.3.0	MIT	Finds the first parent directory that contains a given file or directory.	Copyright 2013 Thorsten Lorenz. . All rights reserved.
find-up	3.0.0	MIT	Find a file or directory by walking up parent directories	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
find-up	4.1.2000	MIT	Find a file or directory by walking up parent directories	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
findup-sync	3.0.0	MIT	Find the first file matching a given pattern in the current directory or the nearest ancestor directory.	Copyright (c) 2013-2018 Ben Alman <cowboy@rj3.net>, Blaine Bublitz <blaine.bublitz@gmail.com>, and Eric Schoffstall <yo@contra.io>
flat-cache	2.0.1	MIT	A stupidly simple key/value storage using files to persist some data	Copyright (c) 2015 Roy Riojas
flat	4.1.2000	BSD-3-Clause	Take a nested Javascript object and flatten it, or unflatten an object with delimited keys	Copyright (c) 2014, Hugh Kennedy. All rights reserved.
flatted	2.0.0	ISC	A super light and fast circular JSON parser.	Copyright (c) 2018, Andrea Giammarchi, @WebReflection
flush-write-stream	1.1.2001	MIT	A write stream constructor that supports a flush function that is called before finish is emitted	Copyright (c) 2015 Mathias Buus
fn-name	2.0.1	MIT	Get the name of a named function	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

follow-redirects	1.13.0	MIT	HTTP and HTTPS modules that follow redirects.	Copyright 2014–present Olivier Lalonde <olalonde@gmail.com>, James Talmage <james@talmage.io>, Ruben Verborgh
follow-redirects	1.5.10	MIT	HTTP and HTTPS modules that follow redirects.	Copyright 2014–present Olivier Lalonde <olalonde@gmail.com>, James Talmage <james@talmage.io>, Ruben Verborgh
follow-redirects	1.7.2000	MIT	HTTP and HTTPS modules that follow redirects.	Copyright 2014–present Olivier Lalonde <olalonde@gmail.com>, James Talmage <james@talmage.io>, Ruben Verborgh
for-in	2000.1.8	MIT	Iterate over the own and inherited enumerable properties of an object, and return an object with properties that evaluate to true from the callback. Exit early by returning `false`. JavaScript/Node.js	Copyright (c) 2014-2017, Jon Schlinkert
for-in	1.0.2	MIT	Iterate over the own and inherited enumerable properties of an object, and return an object with properties that evaluate to true from the callback. Exit early by returning `false`. JavaScript/Node.js	Copyright (c) 2014-2017, Jon Schlinkert
for-own	1.0.0	MIT	Iterate over the own enumerable properties of an object, and return an object with properties that evaluate to true from the callback. Exit early by returning `false`. JavaScript/Node.js.	Copyright (c) 2014-2015, 2017, Jon Schlinkert
forever-agent	2000.6.1	Apache-2.0	HTTP Agent that keeps socket connections alive between keep-alive requests. Formerly part of mikeal/request, now a standalone module.	
form-data	2.3.2002	MIT	A library to create readable "multipart/form-data" streams. Can be used to submit forms and file uploads to other web applications.	Copyright (c) 2012 Felix Geisendörfer (felix@debuggable.com) and contributors
form-data	2.3.2003	MIT	A library to create readable "multipart/form-data" streams. Can be used to submit forms and file uploads to other web applications.	Copyright (c) 2012 Felix Geisendörfer (felix@debuggable.com) and contributors
form-data	3.0.0	MIT	A library to create readable "multipart/form-data" streams. Can be used to submit forms and file uploads to other web applications.	Copyright (c) 2012 Felix Geisendörfer (felix@debuggable.com) and contributors
formidable	1.2.2001	MIT	A node.js module for parsing form data, especially file uploads.	Copyright (C) 2011 Felix Geisendörfer

formidable	1.2.2002	MIT	A node.js module for parsing form data, especially file uploads.	Copyright (c) 2011-present Felix Geisendörfer, and contributors.
forwarded	2000.1.2	MIT	Parse HTTP X-Forwarded-For header	Copyright (c) 2014-2017 Douglas Christopher Wilson
fragment-cache	2000.2.1	MIT	A cache for managing namespaced sub-caches	Copyright (c) 2016-2017, Jon Schlinkert
fresh	2000.5.2	MIT	HTTP response freshness testing	Copyright (c) 2012 TJ Holowaychuk <tj@vision-media.ca>. Copyright (c) 2016-2017 Douglas Christopher Wilson <doug@somethingdoug.com>
from2	2.3.2000	MIT	Convenience wrapper for ReadableStream, with an API lifted from "from" and "through2"	Copyright (c) 2014 Hugh Kennedy
fs-capacitor	2.0.1	MIT	Filesystem-buffered, passthrough stream that buffers indefinitely rather than propagate backpressure from downstream consumers.	
fs-constants	1.0.0	MIT	Require constants across node and the browser	Copyright (c) 2018 Mathias Buus
fs-extra	5.0.0	MIT	fs-extra contains methods that aren't included in the vanilla Node.js fs package. Such as mkdir -p, cp -r, and rm -rf.	Copyright (c) 2011-2017 JP Richardson
fs-extra	8.1.2000	MIT	fs-extra contains methods that aren't included in the vanilla Node.js fs package. Such as mkdir -p, cp -r, and rm -rf.	Copyright (c) 2011-2017 JP Richardson
fs-minipass	1.2.2007	ISC	fs read and write streams based on minipass	Copyright (c) Isaac Z. Schlueter and Contributors
fs-readdir-recursive	1.1.2000	MIT	Recursively read a directory	Copyright (c) 2014 Jonathan Ong me@jongleberry.com
fs-write-stream-atomic	1.0.10	ISC	Like `fs.createWriteStream(...)`, but atomic.	Copyright (c) Isaac Z. Schlueter and Contributors
fs.realpath	1.0.0	ISC	Use node's fs.realpath, but fall back to the JS implementation if the native one fails	Copyright (c) Isaac Z. Schlueter and Contributors
fsevents	1.2.13	MIT	Native Access to Mac OS-X FSEvents	Copyright (C) 2010-2014 Philipp Dunkel
fsevents	2.0.7	MIT	Native Access to Mac OS-X FSEvents	Copyright (C) 2010-2019 by Philipp Dunkel, Ben Noordhuis, Elan Shankar
fsevents	2.1.2003	MIT	Native Access to MacOS FSEvents	Copyright (C) 2010-2020 by Philipp Dunkel, Ben Noordhuis, Elan Shankar, Paul Miller
ftp	2000.3.10	MIT	An FTP client module for node.js	Copyright Brian White. All rights reserved.
function-bind	1.1.2001	MIT	Implementation of Function.prototype.bind	Copyright (c) 2013 Raynos.



functional-red-black-tree	1.0.1	MIT	A fully persistent balanced binary search tree	Copyright (c) 2013 Mikola Lysenko
fuse.js	3.2.2000	Apache*	Lightweight fuzzy-search	
g-status	2.0.2	MIT	Get the change between index (or staging-area) and working directory of a `git` repository	Copyright (c) Lufty Wiranda <lufty.wiranda@gmail.com>
gauge	2.7.2004	ISC	A terminal based horizontal gauge	Copyright (c) 2014, Rebecca Turner <me@re-becca.org>
gensync	1.0.0-beta.1	MIT	Allows users to use generators in order to write common functions that can be both sync or async.	Copyright 2018 Logan Smyth <loganfsmyth@gmail.com>
get-caller-file	1.0.3	ISC	[[Build Status]](https://travis-ci.org/stefanpenner/get-caller-file.svg?branch=master))(https://travis-ci.org/stefanpenner/get-caller-file) [[Build status]](https://ci.appveyor.com/api/projects/status/ol2q94g1932cy14a/branch/master?svg=true))(https://ci.appveyor.com/project/embercli/get-caller-file/branch/master)	
get-caller-file	2.0.5	ISC	[[Build Status]](https://travis-ci.org/stefanpenner/get-caller-file.svg?branch=master))(https://travis-ci.org/stefanpenner/get-caller-file) [[Build status]](https://ci.appveyor.com/api/projects/status/ol2q94g1932cy14a/branch/master?svg=true))(https://ci.appveyor.com/project/embercli/get-caller-file/branch/master)	
get-own-enumerable-property-symbols	3.0.0	ISC	Returns an array of all enumerable symbol properties found directly upon a given object	
get-package-type	0.1.0	MIT	Determine the `package.json#type` which applies to a location	Copyright (c) 2020 CFWare, LLC
get-stdin	6.0.0	MIT	Get stdin as a string or buffer	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
get-stream	3.0.0	MIT	Get a stream as a string, buffer, or array	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
get-stream	4.1.2000	MIT	Get a stream as a string, buffer, or array	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
get-stream	5.2.2000	MIT	Get a stream as a string, buffer, or array	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (https://sindresorhus.com)

get-uri	2.0.1	MIT	Returns a `stream.Readable` from a URI string	Copyright (c) 2014 Nathan Rajlich & nathan@tootallnate.net&gt;
get-value	2.0.6	MIT	Use property paths (`a.b.c`) to get a nested value from an object.	Copyright (c) 2014-2016, Jon Schlinkert.
getos	3.1.2004	MIT	Get the OS/Distribution name of the environment you are working on	Copyright (c) 2016 William Blankenship
getpass	2000.1.7	MIT	getpass for node.js	Copyright Joyent, Inc. All rights reserved.. Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:
glob-parent	3.1.2000	ISC	Strips glob magic from a string to provide the parent directory path	Copyright (c) 2015 Elan Shanker
glob-parent	5.0.0	ISC	Extract the non-magic parent path from a glob string.	Copyright (c) 2015, 2019 Elan Shanker
glob-parent	5.1.2000	ISC	Extract the non-magic parent path from a glob string.	Copyright (c) 2015, 2019 Elan Shanker
glob-parent	5.1.2001	ISC	Extract the non-magic parent path from a glob string.	Copyright (c) 2015, 2019 Elan Shanker
glob	7.1.2002	ISC	a little globber	Copyright (c) Isaac Z. Schlueter and Contributors
glob	7.1.2006	ISC	a little globber	Copyright (c) Isaac Z. Schlueter and Contributors
global-dirs	2000.1.1	MIT	Get the directory of globally installed packages and binaries	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
global-modules	1.0.0	MIT	The directory used by npm for globally installed npm modules.	Copyright (c) 2015-2017, Jon Schlinkert.
global-modules	2.0.0	MIT	The directory used by npm for globally installed npm modules.	Copyright (c) 2015-present, Jon Schlinkert.
global-prefix	1.0.2	MIT	Get the npm global path prefix.	Copyright (c) 2015-2017, Jon Schlinkert.
global-prefix	3.0.0	MIT	Get the npm global path prefix.	Copyright (c) 2015-present, Jon Schlinkert.
globals	11.12.2000	MIT	Global identifiers from different JavaScript environments	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
globals	12.4.2000	MIT	Global identifiers from different JavaScript environments	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (https://sindresorhus.com)
globby	11.0.1	MIT	User-friendly glob matching	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
globby	6.1.2000	MIT	Extends `glob` with support for multiple patterns and exposes a Promise API	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

good-listener	1.2.2002	MIT	A more versatile way of adding & removing event listeners	
got	6.7.2001	MIT	Simplified HTTP requests	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
graceful-fs	4.2.2003	ISC	A drop-in replacement for fs, making various improvements.	Copyright (c) Isaac Z. Schlueter, Ben Noordhuis, and Contributors
graceful-fs	4.2.2004	ISC	A drop-in replacement for fs, making various improvements.	Copyright (c) Isaac Z. Schlueter, Ben Noordhuis, and Contributors
graphql-extensions	0.11.0	MIT	Add extensions to GraphQL servers	Copyright (c) 2016-2020 Meteor Development Group, Inc.
graphql-iso-date	3.6.2001	MIT	A set of RFC 3339 compliant date/time GraphQL scalar types.	Copyright (c) 2017 Dirk-Jan Rutten
graphql-redis-subscriptions	2.3.2001	MIT	A graphql-subscriptions PubSub Engine using redis	Copyright (c) 2016 David Yahalomi
graphql-subscriptions	1.1.2000	MIT	GraphQL subscriptions for node.js	Copyright (c) 2015 - 2016 Meteor Development Group, Inc.
graphql-tag	2.10.2003	MIT	A JavaScript template literal tag that parses GraphQL queries	Copyright (c) 2020 Meteor Development Group, Inc.
graphql-tag	2.9.2002	MIT	A JavaScript template literal tag that parses GraphQL queries	Copyright (c) 2015 - 2016 Meteor Development Group, Inc.
graphql-tools	4.0.4	MIT	Useful tools to create and manipulate GraphQL schemas.	Copyright (c) 2015 - 2017 Meteor Development Group, Inc.
graphql-tools	4.0.7	MIT	Useful tools to create and manipulate GraphQL schemas.	Copyright (c) 2015 - 2017 Meteor Development Group, Inc.
graphql-upload	8.0.5	MIT	Middleware and an Upload scalar to add support for GraphQL multipart requests (file uploads via queries and mutations) to various Node.js GraphQL servers.	
graphql	2000.12.3	MIT	A Query Language and Runtime which can target any service.	Copyright (c) 2015-present, Facebook, Inc.
graphql	14.6.2000	MIT	A Query Language and Runtime which can target any service.	Copyright (c) 2019 GraphQL Contributors
growly	1.3.2000	MIT	Simple zero-dependency Growl notifications using Gntp.	Copyright (C) 2014 Ibrahim Al-Rajhi <abrahamalrajhi@gmail.com>
gzip-size	4.1.2000	MIT	Get the gzipped size of a string or buffer	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
handle-thing	2.0.0	MIT	Wrap Streams2 instance into a HandleWrap	Copyright Fedor Indutny, 2015.
handlebars	4.0.11	MIT	Handlebars provides the power necessary to let you build semantic templates effectively with no frustration	Copyright (C) 2011-2017 by Yehuda Katz

handy-scroll	1.0.4	MIT	Handy dependency-free floating scrollbar widget	Copyright (c) 2018
har-schema	2.0.0	ISC	JSON Schema for HTTP Archive (HAR)	Copyright (c) 2015, Ahmad Nassri <ahmad@ahmadnassri.com>
har-validator	5.1.2003	MIT	Extremely fast HTTP Archive (HAR) validator using JSON Schema	Copyright (c) 2018 Ahmad Nassri <ahmad@ahmadnassri.com>
has-ansi	2.0.0	MIT	Check if a string has ANSI escape codes	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
has-flag	2.0.0	MIT	Check if argv has a specific flag	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
has-flag	3.0.0	MIT	Check if argv has a specific flag	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
has-flag	4.0.0	MIT	Check if argv has a specific flag	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
has-symbols	1.0.1	MIT	Determine if the JS environment has Symbol support. Supports spec, or shams.	Copyright (c) 2016 Jordan Harband
has-unicode	2.0.1	ISC	Try to guess if your terminal supports unicode	Copyright (c) 2014, Rebecca Turner <me@re-becca.org>
has-value	2000.3.1	MIT	Returns true if a value exists, false if empty. Works with deeply nested values using object paths.	Copyright (c) 2014-2016, Jon Schlinkert.
has-value	1.0.0	MIT	Returns true if a value exists, false if empty. Works with deeply nested values using object paths.	Copyright (c) 2014-2017, Jon Schlinkert
has-values	2000.1.4	MIT	Returns true if any values exist, false if empty. Works for booleans, functions, numbers, strings, nulls, objects and arrays.	Copyright (c) 2014-2016, Jon Schlinkert.
has-values	1.0.0	MIT	Returns true if any values exist, false if empty. Works for booleans, functions, numbers, strings, nulls, objects and arrays.	Copyright (c) 2014-2017, Jon Schlinkert
has	1.0.3	MIT	Object.prototype.hasOwnProperty.call shortcut	Copyright (c) 2013 Thiago de Arruda
hash-base	3.0.4	MIT	abstract base class for hash-streams	Copyright (c) 2016 Kirill Fomichev
hash-sum	1.0.2	MIT	Blazing fast unique hash generator	Copyright © 2014 Nicolas Bevacqua
hash.js	1.1.2007	MIT	Various hash functions that could be run by both browser and node	Copyright Fedor Indutny, 2014.

he	1.1.2001	MIT	A robust HTML entities encoder/decoder with full Unicode support.	Copyright Mathias Bynens < <a href="https://mathiasbynens.be/">https://mathiasbynens.be/</a> >
he	1.2.2000	MIT	A robust HTML entities encoder/decoder with full Unicode support.	Copyright Mathias Bynens < <a href="https://mathiasbynens.be/">https://mathiasbynens.be/</a> >
heap	2000.2.6	PSF	binary heap (priority queue) algorithms (ported from Python's heapq module)	
hex-color-regex	1.1.2000	MIT	The best regular expression (regex) for matching hex color values from string.	Copyright (c) 2015 [Charlike Make Reagent]( <a href="http://j.mp/1stW47C">http://j.mp/1stW47C</a> )
hmac-drbg	1.0.1	MIT	Deterministic random bit generator (hmac)	Copyright Fedor Indutny, 2017.
hoek	2.16.3	BSD-3-Clause	General purpose node utilities	Copyright (c) 2011-2014, Walmart and other contributors.. Copyright (c) 2011, Yahoo Inc.. All rights reserved.
homedir-polyfill	1.0.3	MIT	Node.js os.homedir polyfill for older versions of node.js.	Copyright (c) 2016 Brian Woodward
hosted-git-info	2.8.2008	ISC	Provides metadata and conversions from repository urls for Github, Bitbucket and Gitlab	Copyright (c) 2015, Rebecca Turner
hpack.js	2.1.2006	MIT	HPACK implementation	Copyright Fedor Indutny, 2015.
hsl-regex	1.0.0	MIT	Regex for matching HSL colors.	Copyright (c) 2015 John Otander
hsla-regex	1.0.0	MIT	Regex for matching HSLA colors.	Copyright (c) 2015 John Otander
html-comment-regex	1.1.2002	MIT	Regular expression for matching HTML comments	Copyright 2018 Steve Mao
html-encoding-sniffer	1.0.2	MIT	Sniff the encoding from a HTML byte stream	Copyright © 2016 Domenic Denicola < <a href="mailto:d@domenic.me">d@domenic.me</a> >
html-entities	1.2.2001	MIT	Faster HTML entities encode/decode library.	Copyright (c) 2013 Dulin Marat
html-escaper	2.0.2	MIT	fast and safe way to escape and unescape &<>" chars	Copyright (C) 2017-present by Andrea Giammarchi - @WebReflection
html-minifier	3.5.2008	MIT	Highly configurable, well-tested, JavaScript-based HTML minifier.	Copyright (c) 2010-2016 Juriy "kangax" Zaytsev
html-webpack-plugin	3.2.2000	MIT	Simplifies creation of HTML files to serve your webpack bundles	Copyright JS Foundation and other contributors

				Copyright 2010, 2011, Chris Winberry <chris@winberry.net>. All rights reserved.. Permission is hereby granted, free of charge, to any person obtaining a copy. of this software and associated documentation files (the "Software"), to. deal in the Software without restriction, including without limitation the. rights to use, copy, modify, merge, publish, distribute, sublicense, and/or. sell copies of the Software, and to permit persons to whom the Software is. furnished to do so, subject to the following conditions:. . The above copyright notice and this permission notice shall be included in. all copies or substantial portions of the Software.. . THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR. IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,. FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE. AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER. LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING. FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS. IN THE SOFTWARE.
htmlparser2	3.3.2000	MIT	Fast & forgiving HTML/XML/RSS parser	
http-deceiver	1.2.2007	MIT	Deceive HTTP parser	Copyright Fedor Indutny, 2015.
http-errors	1.6.2002	MIT	Create HTTP error objects	Copyright (c) 2014 Jonathan Ong me@jongleberry.com. Copyright (c) 2016 Douglas Christopher Wilson doug@somethingdoug.com
http-errors	1.6.2003	MIT	Create HTTP error objects	Copyright (c) 2014 Jonathan Ong me@jongleberry.com. Copyright (c) 2016 Douglas Christopher Wilson doug@somethingdoug.com
http-errors	1.7.2002	MIT	Create HTTP error objects	Copyright (c) 2014 Jonathan Ong me@jongleberry.com. Copyright (c) 2016 Douglas Christopher Wilson doug@somethingdoug.com
http-errors	1.7.2003	MIT	Create HTTP error objects	Copyright (c) 2014 Jonathan Ong me@jongleberry.com. Copyright (c) 2016 Douglas Christopher Wilson doug@somethingdoug.com
http-parser-js	2000.4.10	MIT	A pure JS HTTP parser for node.	Copyright (c) 2015 Tim Caswell ( <a href="https://github.com/creationix">https://github.com/creationix</a> ) and other. contributors. All rights reserved.
http-proxy-agent	2.1.2000	MIT	An HTTP(s) proxy `http.Agent` implementation for HTTP	Copyright (c) 2013 Nathan Rajlich & nathan@tootallnate.net&gt;
http-proxy-agent	3.0.0	MIT	An HTTP(s) proxy `http.Agent` implementation for HTTP	Copyright (c) 2013 Nathan Rajlich & nathan@tootallnate.net&gt;
http-proxy-agent	4.0.1	MIT	An HTTP(s) proxy `http.Agent` implementation for HTTP	Copyright (c) 2013 Nathan Rajlich & nathan@tootallnate.net&gt;

http-proxy-middleware	0.19.1	MIT	The one-liner node.js proxy middleware for connect, express and browser-sync	Copyright (c) 2015 Steven Chim
http-proxy	1.17.0	MIT	HTTP proxying for the masses	
http-signature	1.2.2000	MIT	Reference implementation of Joyent's HTTP Signature scheme.	Copyright Joyent, Inc. All rights reserved.. Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the. rights to use, copy, modify, merge, publish, distribute, sublicense, and/or. sell copies of the Software, and to permit persons to whom the Software is. furnished to do so, subject to the following conditions:
https-browserify	1.0.0	MIT	https module compatability for browserify	Copyright (c) James Halliday
https-proxy-agent	3.0.1	MIT	An HTTP(s) proxy `http.Agent` implementation for HTTPS	Copyright (c) 2013 Nathan Rajlich &lt;nathan@tootallnate.net&gt;
https-proxy-agent	5.0.0	MIT	An HTTP(s) proxy `http.Agent` implementation for HTTPS	Copyright (c) 2013 Nathan Rajlich &lt;nathan@tootallnate.net&gt;
human-signals	1.1.2001	Apache-2.0	Human-friendly process signals	
husky	0.14.3	MIT	Prevents bad commit or push (git hooks, pre-commit/precommit, pre-push/prepush, post-merge/postmerge and all that stuff...)	Copyright (c) 2014
iconv-lite	2000.4.19	MIT	Convert character encodings in pure javascript.	Copyright (c) 2011 Alexander Shtuchkin
iconv-lite	2000.4.23	MIT	Convert character encodings in pure javascript.	Copyright (c) 2011 Alexander Shtuchkin
iconv-lite	2000.4.24	MIT	Convert character encodings in pure javascript.	Copyright (c) 2011 Alexander Shtuchkin
icss-replace-symbols	1.1.2000	ISC	Replacing symbols during the linking phase of ICSS	
icss-utils	2.1.2000	ISC	ICSS utils for postcss ast	
ieee754	1.1.13	BSD-3-Clause	Read/write IEEE754 floating point numbers from/to a Buffer or array-like object	Copyright 2008 Fair Oaks Labs, Inc.
iferr	2000.1.5	MIT	Higher-order functions for easier error handling	Copyright (c) 2014 Nadav Ivgi
ignore-by-default	1.0.1	ISC	A list of directories you should ignore by default	
ignore-walk	3.0.3	ISC	Nested/recursive `.gitignore` / `npmignore` parsing and filtering.	Copyright (c) Isaac Z. Schlueter and Contributors

ignore	4.0.6	MIT	Ignore is a manager and filter for .gitignore rules.	Copyright (c) 2013 Kael Zhang <i@kael.me>, contributors. <a href="http://kael.me/">http://kael.me/</a>
ignore	5.1.2008	MIT	Ignore is a manager and filter for .gitignore rules, the one used by eslint, gitbook and many others.	Copyright (c) 2013 Kael Zhang <i@kael.me>, contributors. <a href="http://kael.me/">http://kael.me/</a>
import-fresh	2.0.0	MIT	Import a module while bypassing the cache	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
import-fresh	3.0.0	MIT	Import a module while bypassing the cache	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
import-fresh	3.2.2001	MIT	Import a module while bypassing the cache	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
import-lazy	2.1.2000	MIT	Import modules lazily	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
import-local	2.0.0	MIT	Let a globally installed package use a locally installed version of itself if available	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
import-local	3.0.2	MIT	Let a globally installed package use a locally installed version of itself if available	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
imurmurhash	2000.1.4	MIT	An incremental implementation of MurmurHash3	
indent-string	3.2.2000	MIT	Indent each line in a string	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
indent-string	4.0.0	MIT	Indent each line in a string	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
indexes-of	1.0.1	MIT	line String/Array#indexOf but return all the indexes in an array	Copyright (c) 2013 Dominic Tarr
inflight	1.0.6	ISC	Add callbacks to requests in flight to avoid async duplication	Copyright (c) Isaac Z. Schlueter
inherits	2.0.1	ISC	Browser-friendly inheritance fully compatible with standard node.js inherits()	Copyright (c) Isaac Z. Schlueter
inherits	2.0.3	ISC	Browser-friendly inheritance fully compatible with standard node.js inherits()	Copyright (c) Isaac Z. Schlueter
inherits	2.0.4	ISC	Browser-friendly inheritance fully compatible with standard node.js inherits()	Copyright (c) Isaac Z. Schlueter
ini	1.3.2005	ISC	An ini encoder/decoder for node	Copyright (c) Isaac Z. Schlueter and Contributors
internal-ip	4.3.2000	MIT	Get your internal IP address	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)



interpret	1.2.2000	MIT	A dictionary of file extensions and associated module loaders.	Copyright (c) 2014-2018 Tyler Kellen <tyler@sleekcode.net>, Blaine Bublitz <blaine.bublitz@gmail.com>, and Eric Schoffstall <yo@contra.io>
invariant	2.2.2004	MIT	invariant	Copyright (c) 2013-present, Facebook, Inc.
invert-kv	2.0.0	MIT	Invert the key/value of an object. Example: `{foo: 'bar'}` → `{bar: 'foo'}`	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
ioredis	4.17.3	MIT	A robust, performance-focused and full-featured Redis client for Node.js.	Copyright (c) 2015-2019 Zihua Li
ip-regex	2.1.2000	MIT	Regular expression for matching IP addresses (IPv4 & IPv6)	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
ip	1.1.2005	MIT	[] (https://www.npmjs.com/package/ip)	Copyright Fedor Indutny, 2012.
ipaddr.js	1.5.2002	MIT	A library for manipulating IPv4 and IPv6 addresses in JavaScript.	Copyright (C) 2011-2017 whitequark <whitequark@whitequark.org>
ipaddr.js	1.8.2000	MIT	A library for manipulating IPv4 and IPv6 addresses in JavaScript.	
ipaddr.js	1.9.2000	MIT	A library for manipulating IPv4 and IPv6 addresses in JavaScript.	Copyright (C) 2011-2017 whitequark <whitequark@whitequark.org>
ipaddr.js	1.9.2001	MIT	A library for manipulating IPv4 and IPv6 addresses in JavaScript.	Copyright (C) 2011-2017 whitequark <whitequark@whitequark.org>
is-absolute-url	2.1.2000	MIT	Check if an URL is absolute	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
is-accessor-descriptor	2000.1.6	MIT	Returns true if a value has the characteristics of a valid JavaScript accessor descriptor.	Copyright (c) 2015, Jon Schlinkert.
is-accessor-descriptor	1.0.0	MIT	Returns true if a value has the characteristics of a valid JavaScript accessor descriptor.	Copyright (c) 2015-2017, Jon Schlinkert.
is-arrayish	2000.2.1	MIT	Determines if an object can be used as an array	Copyright (c) 2015 JD Ballard
is-arrayish	2000.3.2	MIT	Determines if an object can be used as an array	Copyright (c) 2015 JD Ballard
is-binary-path	1.0.1	MIT	Check if a filepath is a binary file	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
is-binary-path	2.1.2000	MIT	Check if a file path is a binary file	Copyright (c) 2019 Sindre Sorhus <sindresorhus@gmail.com> (https://sindresorhus.com), Paul Miller (https://paulmillr.com)
is-buffer	1.1.2006	MIT	Determine if an object is a Buffer	Copyright (c) Feross Aboukhadijeh
is-buffer	2.0.3	MIT	Determine if an object is a Buffer	Copyright (c) Feross Aboukhadijeh
is-builtin-module	1.0.0	MIT	Check if a string matches the name of a Node.js builtin module	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

is-callable	1.2.2002	MIT	Is this JS value callable? Works with Functions and GeneratorFunctions, despite ES6 @@toStringTag.	Copyright (c) 2015 Jordan Harband
is-ci	1.1.2000	MIT	Detect if your code is running on a CI server	Copyright (c) 2016-2018 Thomas Watson Steen
is-ci	2.0.0	MIT	Detect if the current environment is a CI server	Copyright (c) 2016-2018 Thomas Watson Steen
is-color-stop	1.1.2000	MIT	Check if a string is CSS color stop	Copyright (c) 2017 pigcan
is-core-module	2.0.0	MIT	Is this specifier a node.js core module?	Copyright (c) 2014 Dave Justice
is-data-descriptor	2000.1.4	MIT	Returns true if a value has the characteristics of a valid JavaScript data descriptor.	Copyright (c) 2015, Jon Schlinkert.
is-data-descriptor	1.0.0	MIT	Returns true if a value has the characteristics of a valid JavaScript data descriptor.	Copyright (c) 2015-2017, Jon Schlinkert.
is-date-object	1.0.2	MIT	Is this value a JS Date object? This module works cross-realm/iframe, and despite ES6 @@toStringTag.	Copyright (c) 2015 Jordan Harband
is-descriptor	2000.1.6	MIT	Returns true if a value has the characteristics of a valid JavaScript descriptor. Works for data descriptors and accessor descriptors.	Copyright (c) 2015-2017, Jon Schlinkert.
is-descriptor	1.0.2	MIT	Returns true if a value has the characteristics of a valid JavaScript descriptor. Works for data descriptors and accessor descriptors.	Copyright (c) 2015-2017, Jon Schlinkert.
is-directory	2000.3.1	MIT	Returns true if a filepath exists on the file system and it's directory.	Copyright (c) 2014-2016, Jon Schlinkert.
is-docker	2.1.2001	MIT	Check if the process is running inside a Docker container	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (https://sindresorhus.com)
is-extendable	2000.1.1	MIT	Returns true if a value is any of the object types: array, regexp, plain object, function or date. This is useful for determining if a value can be extended, e.g. "can the value have keys?"	Copyright (c) 2015, Jon Schlinkert.
is-extendable	1.0.1	MIT	Returns true if a value is a plain object, array or function.	Copyright (c) 2015-2017, Jon Schlinkert.
is-extglob	2.1.2001	MIT	Returns true if a string has an extglob.	Copyright (c) 2014-2016, Jon Schlinkert
is-fullwidth-code-point	1.0.0	MIT	Check if the character represented by a given Unicode code point is fullwidth	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

is-fullwidth-code-point	2.0.0	MIT	Check if the character represented by a given Unicode code point is fullwidth	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
is-fullwidth-code-point	3.0.0	MIT	Check if the character represented by a given Unicode code point is fullwidth	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
is-generator-fn	2.1.2000	MIT	Check if something is a generator function	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
is-glob	3.1.2000	MIT	Returns `true` if the given string looks like a glob pattern or an extglob pattern. This makes it easy to create code that only uses external modules like node-glob when necessary, resulting in much faster code execution and initialization time, and a better user experience.	Copyright (c) 2014-2016, Jon Schlinkert.
is-glob	4.0.1	MIT	Returns `true` if the given string looks like a glob pattern or an extglob pattern. This makes it easy to create code that only uses external modules like node-glob when necessary, resulting in much faster code execution and initialization time, and a better user experience.	Copyright (c) 2014-2017, Jon Schlinkert.
is-installed-globally	0.1.0	MIT	Check if your package was installed globally	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
is-lower-case	1.1.2003	MIT	Check if a string is lower cased	Copyright (c) 2014 Blake Embrey (hello@blakeembrey.com)
is-negative-zero	2.0.0	MIT	Is this value negative zero? === will lie to you	Copyright (c) 2014 Jordan Harband
is-npm	1.0.0	MIT	Check if your code is running as an npm script	
is-number	3.0.0	MIT	Returns true if the value is a number. comprehensive tests.	Copyright (c) 2014-2016, Jon Schlinkert
is-number	7.0.0	MIT	Returns true if a number or string value is a finite number. Useful for regex matches, parsing, user input, etc.	Copyright (c) 2014-present, Jon Schlinkert.
is-obj	1.0.1	MIT	Check if a value is an object	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
is-observable	1.1.2000	MIT	Check if a value is an Observable	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
is-path-cwd	1.0.0	MIT	Check if a path is CWD	
is-path-cwd	2.2.2000	MIT	Check if a path is the current working directory	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

is-path-in-cwd	1.0.1	MIT	Check if a path is in the current working directory	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
is-path-in-cwd	2.1.2000	MIT	Check if a path is in the current working directory	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
is-path-inside	1.0.1	MIT	Check if a path is inside another path	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
is-path-inside	2.1.2000	MIT	Check if a path is inside another path	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
is-plain-object	2.0.4	MIT	Returns true if an object was created by the `Object` constructor.	Copyright (c) 2014-2017, Jon Schlinkert.
is-promise	2.1.2000	MIT	Test whether an object looks like a promises-a+ promise	Copyright (c) 2014 Forbes Lindesay
is-redirect	1.0.0	MIT	Check if a number is a redirect HTTP status code	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
is-regex	1.0.4	MIT	Is this value a JS regex? Works cross-realm/iframe, and despite ES6 @@toStringTag	Copyright (c) 2014 Jordan Harband
is-regex	1.1.2001	MIT	Is this value a JS regex? Works cross-realm/iframe, and despite ES6 @@toStringTag	Copyright (c) 2014 Jordan Harband
is-regexp	1.0.0	MIT	Check whether a variable is a regular expression	
is-resolvable	1.1.2000	ISC	Check if a module ID is resolvable with require()	
is-retry-allowed	1.1.2000	MIT	My prime module	Copyright (c) Vsevolod Strukchinsky <floatdrop@gmail.com> (github.com/floatdrop)
is-stream	1.1.2000	MIT	Check if something is a Node.js stream	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
is-stream	2.0.0	MIT	Check if something is a Node.js stream	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
is-svg	3.0.0	MIT	Check if a string or buffer is SVG	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
is-symbol	1.0.3	MIT	Determine if a value is an ES6 Symbol or not.	Copyright (c) 2015 Jordan Harband
is-typedarray	1.0.0	MIT	Detect whether or not an object is a Typed Array	
is-upper-case	1.1.2002	MIT	Check if a string is upper cased	Copyright (c) 2014 Blake Embrey (hello@blakeembrey.com)
is-windows	1.0.1	MIT	Returns true if the platform is windows.	Copyright (c) 2015-2017, Jon Schlinkert

is-windows	1.0.2	MIT	Returns true if the platform is windows. UMD module, works with node.js, commonjs, browser, AMD, electron, etc.	Copyright (c) 2015-2018, Jon Schlinkert.
is-wsl	1.1.2000	MIT	Check if the process is running inside Windows Subsystem for Linux (Bash on Windows)	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
is-wsl	2.2.2000	MIT	Check if the process is running inside Windows Subsystem for Linux (Bash on Windows)	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
isarray	0.0.1	MIT	Array#isArray for older browsers	Copyright (c) 2013 Julian Gruber &lt;julian@juliangruber.com&gt;
isarray	1.0.0	MIT	Array#isArray for older browsers	Copyright (c) 2013 Julian Gruber &lt;julian@juliangruber.com&gt;
isemail	1.2.2000	BSD-2-Clause	validate an email address according to RFCs 5321, 5322, and others	Copyright © 2008-2011, Dominic Sayers. Copyright © 2013-2014, GlobeSherpa. Copyright © 2014-2015, Eli Skeggs
isexe	2.0.0	ISC	Minimal module to check if a file is executable.	Copyright (c) Isaac Z. Schlueter and Contributors
isobject	2.1.2000	MIT	Returns true if the value is an object and not an array or null.	Copyright (c) 2014-2016, Jon Schlinkert.
isobject	3.0.1	MIT	Returns true if the value is an object and not an array or null.	Copyright (c) 2014-2017, Jon Schlinkert.
isstream	2000.1.2	MIT	Determine if an object is a Stream	Copyright (c) 2015 Rod Vagg. -----
istanbul-lib-coverage	2.0.5	BSD-3-Clause	Data library for istanbul coverage objects	Copyright 2012-2015 Yahoo! Inc.. All rights reserved.
istanbul-lib-coverage	3.0.0	BSD-3-Clause	Data library for istanbul coverage objects	Copyright 2012-2015 Yahoo! Inc.. All rights reserved.
istanbul-lib-instrument	3.3.2000	BSD-3-Clause	Core istanbul API for JS code coverage	Copyright 2012-2015 Yahoo! Inc.. All rights reserved.
istanbul-lib-instrument	4.0.3	BSD-3-Clause	Core istanbul API for JS code coverage	Copyright 2012-2015 Yahoo! Inc.. All rights reserved.
istanbul-lib-report	3.0.0	BSD-3-Clause	Base reporting library for istanbul	Copyright 2012-2015 Yahoo! Inc.. All rights reserved.
istanbul-lib-source-maps	4.0.0	BSD-3-Clause	Source maps support for istanbul	Copyright 2015 Yahoo! Inc.. All rights reserved.
istanbul-reports	3.0.2	BSD-3-Clause	istanbul reports	Copyright 2012-2015 Yahoo! Inc.. All rights reserved.
iterall	1.1.2003	MIT	Minimal zero-dependency utilities for using JavaScript Iterables in all environments.	Copyright (c) 2016 Lee Byron
iterall	1.2.2002	MIT	Minimal zero-dependency utilities for using JavaScript Iterables in all environments.	Copyright (c) 2016 Lee Byron

iterall	1.3.2000	MIT	Minimal zero-dependency utilities for using JavaScript Iterables in all environments.	Copyright (c) 2016 Lee Byron
jest-changed-files	25.5.2000	MIT	A module used internally by Jest to check which files have changed since you last committed in git or hg.	Copyright (c) Facebook, Inc. and its affiliates.
jest-cli	25.5.2004	MIT	Delightful JavaScript Testing.	Copyright (c) Facebook, Inc. and its affiliates.
jest-config	25.5.2004	MIT		Copyright (c) Facebook, Inc. and its affiliates.
jest-diff	25.2.2003	MIT	Display differences clearly so people can review changes confidently.	Copyright (c) Facebook, Inc. and its affiliates.
jest-diff	25.5.2000	MIT	Display differences clearly so people can review changes confidently.	Copyright (c) Facebook, Inc. and its affiliates.
jest-docblock	25.3.2000	MIT	`jest-docblock` is a package that can extract and parse a specially-formatted comment called a "docblock" at the top of a file.	Copyright (c) Facebook, Inc. and its affiliates.
jest-each	25.5.2000	MIT	Parameterised tests for Jest	Copyright (c) Facebook, Inc. and its affiliates.
jest-environment-jsdom	25.5.2000	MIT		Copyright (c) Facebook, Inc. and its affiliates.
jest-environment-node	25.5.2000	MIT		Copyright (c) Facebook, Inc. and its affiliates.
jest-get-type	25.2.2001	MIT	A utility function to get the type of a value	Copyright (c) Facebook, Inc. and its affiliates.
jest-get-type	25.2.2006	MIT	A utility function to get the type of a value	Copyright (c) Facebook, Inc. and its affiliates.
jest-haste-map	24.8.2001	MIT		
jest-haste-map	25.5.2001	MIT		Copyright (c) Facebook, Inc. and its affiliates.
jest-jasmine2	25.5.2004	MIT		Copyright (c) Facebook, Inc. and its affiliates.
jest-leak-detector	25.5.2000	MIT	Module for verifying whether an object has been garbage collected or not.	Copyright (c) Facebook, Inc. and its affiliates.
jest-matcher-utils	25.5.2000	MIT	A set of utility functions for expect and related packages	Copyright (c) Facebook, Inc. and its affiliates.
jest-message-util	24.8.2000	MIT		Copyright (c) 2014-present, Facebook, Inc.
jest-message-util	25.5.2000	MIT		Copyright (c) Facebook, Inc. and its affiliates.
jest-mock	24.8.2000	MIT	## API	Copyright (c) 2014-present, Facebook, Inc.
jest-mock	25.5.2000	MIT	## API	Copyright (c) Facebook, Inc. and its affiliates.
jest-pnp-resolver	1.2.2002	MIT	plug'n'play resolver for Webpack	
jest-regex-util	24.3.2000	MIT		Copyright (c) 2014-present, Facebook, Inc.
jest-regex-util	25.2.2006	MIT		Copyright (c) Facebook, Inc. and its affiliates.
jest-resolve-dependencies	25.5.2004	MIT		Copyright (c) Facebook, Inc. and its affiliates.

jest-resolve	25.5.2001	MIT		Copyright (c) Facebook, Inc. and its affiliates.
jest-runner	25.5.2004	MIT		Copyright (c) Facebook, Inc. and its affiliates.
jest-runtime	25.5.2004	MIT		Copyright (c) Facebook, Inc. and its affiliates.
jest-serializer	24.4.2000	MIT	Module for serializing and deserializing object into memory and disk. By default, the `v8` implementations are used, but if not present, it defaults to `JSON` implementation. Both serializers have the advantage of being able to serialize `Map`, `Set`, `undefined`, `NaN`, etc, although the JSON one does it through a replacer/reviver.	Copyright (c) 2014-present, Facebook, Inc.
jest-serializer	25.5.2000	MIT	Module for serializing and deserializing object into memory and disk. By default, the `v8` implementations are used, but if not present, it defaults to `JSON` implementation. Both serializers have the advantage of being able to serialize `Map`, `Set`, `undefined`, `NaN`, etc, although the JSON one does it through a replacer/reviver.	Copyright (c) Facebook, Inc. and its affiliates.
jest-snapshot	25.5.2001	MIT		Copyright (c) Facebook, Inc. and its affiliates.
jest-util	24.8.2000	MIT		Copyright (c) 2014-present, Facebook, Inc.
jest-util	25.5.2000	MIT		Copyright (c) Facebook, Inc. and its affiliates.
jest-validate	25.5.2000	MIT	Generic configuration validation tool that helps you with warnings, errors and deprecation messages as well as showing users examples of correct configuration.	Copyright (c) Facebook, Inc. and its affiliates.
jest-watcher	25.5.2000	MIT	Delightful JavaScript Testing.	Copyright (c) Facebook, Inc. and its affiliates.
jest-worker	24.6.2000	MIT	Module for executing heavy tasks under forked processes in parallel, by providing a `Promise` based interface, minimum overhead, and bound workers.	Copyright (c) 2014-present, Facebook, Inc.
jest-worker	25.5.2000	MIT	Module for executing heavy tasks under forked processes in parallel, by providing a `Promise` based interface, minimum overhead, and bound workers.	Copyright (c) Facebook, Inc. and its affiliates.

jest	25.5.2004	MIT	Delightful JavaScript Testing.	Copyright (c) Facebook, Inc. and its affiliates.
jmespath	0.15.0	Apache 2.0	JMESPath implementation in javascript	Copyright 2014 James Saryerwinnie
joi	6.10.2001	BSD-3-Clause	Object schema validation	Copyright (c) 2012-2014, Walmart and other contributors.. All rights reserved.
js-sha3	0.8.0	MIT	A simple SHA-3 / Keccak / Shake hash function for JavaScript supports UTF-8 encoding.	Copyright 2015-2018 Chen, Yi-Cyuan
js-tokens	3.0.2	MIT	A regex that tokenizes JavaScript.	Copyright (c) 2014, 2015, 2016, 2017 Simon Lydell
js-tokens	4.0.0	MIT	A regex that tokenizes JavaScript.	Copyright (c) 2014, 2015, 2016, 2017, 2018 Simon Lydell
js-yaml	3.10.2000	MIT	YAML 1.2 parser and serializer	Copyright (C) 2011-2015 by Vitaly Puzrin
js-yaml	3.12.2000	MIT	YAML 1.2 parser and serializer	Copyright (C) 2011-2015 by Vitaly Puzrin
js-yaml	3.13.1	MIT	YAML 1.2 parser and serializer	Copyright (C) 2011-2015 by Vitaly Puzrin
js-yaml	3.14.0	MIT	YAML 1.2 parser and serializer	Copyright (C) 2011-2015 by Vitaly Puzrin
jsbn	2000.1.1	MIT	The jsbn library is a fast, portable implementation of large-number math in pure JavaScript, enabling public-key crypto and other applications on desktop and mobile browsers.	
jsdom	15.2.2001	MIT	A JavaScript implementation of many web standards	Copyright (c) 2010 Elijah Insua
jsesc	0.5.0	MIT	A JavaScript library for escaping JavaScript strings while generating the shortest possible valid output.	Copyright Mathias Bynens < <a href="http://mathiasbynens.be/">http://mathiasbynens.be/</a> >
jsesc	2.5.2002	MIT	Given some data, jsesc returns the shortest possible stringified & ASCII-safe representation of that data.	Copyright Mathias Bynens < <a href="https://mathiasbynens.be/">https://mathiasbynens.be/</a> >
json-bigint	2000.2.3	MIT	JSON.parse with bigints support	Copyright (c) 2013 Andrey Sidorov
json-diff	2000.5.4	MIT*	JSON diff	Copyright (c) 2015 Andrey Tarantsov
json-parse-better-errors	1.0.2	MIT	JSON.parse with context information on error	Copyright 2017 Kat Marchán
json-parse-even-better-errors	2.3.2001	MIT	JSON.parse with context information on error	Copyright 2017 Kat Marchán. Copyright npm, Inc.
json-schema-traverse	2000.4.1	MIT	Traverse JSON Schema passing each schema object to callback	Copyright (c) 2017 Evgeny Poberezkin
json-schema	2000.2.3	["AFLv2.1", "BSD"]	JSON Schema validation and specifications	



json-stable-stringify-without-jsonify	1.0.1	MIT	deterministic JSON.stringify() with custom sorting to get deterministic hashes from stringified results, with no public domain dependencies	
json-stable-stringify	1.0.1	MIT	deterministic JSON.stringify() with custom sorting to get deterministic hashes from stringified results	
json-stringify-safe	5.0.1	ISC	Like JSON.stringify, but doesn't blow up on circular refs.	Copyright (c) Isaac Z. Schlueter and Contributors
json2csv	4.1.2002	MIT	Convert JSON to CSV	Copyright (C) 2012 [Mirco Zeiss](mailto: mirco.zeiss@gmail.com)
json3	3.3.2003	MIT	A JSON polyfill for older JavaScript platforms.	Copyright (c) 2012-2015 Kit Cambridge.. <a href="http://kitcambridge.be/">http://kitcambridge.be/</a> *
json5	2000.5.1	MIT	JSON for the ES5 era.	Copyright (c) 2012-2016 Aseem Kishore, and [others]( <a href="https://github.com/aseemk/json5/contributors">https://github.com/aseemk/json5/contributors</a> ).
json5	1.0.1	MIT	JSON for humans.	Copyright (c) 2012-2018 Aseem Kishore, and [others].
json5	2.1.2003	MIT	JSON for humans.	Copyright (c) 2012-2018 Aseem Kishore, and [others].
jsonfile	4.0.0	MIT	Easily read/write JSON files.	Copyright (c) 2012-2015, JP Richardson <jprichardson@gmail.com>
jsonify	0.0.0	Public Domain	JSON without touching any globals	
jsonparse	1.3.2001	MIT	This is a pure-js JSON streaming parser for node.js	Copyright (c) 2012 Tim Caswell
jsonwebtoken	7.4.2003	MIT	JSON Web Token implementation (symmetric and asymmetric)	
jsonwebtoken	8.1.2000	MIT	JSON Web Token implementation (symmetric and asymmetric)	
jsonwebtoken	8.5.2001	MIT	JSON Web Token implementation (symmetric and asymmetric)	
jsprim	1.4.2001	MIT	utilities for primitive JavaScript types	Copyright (c) 2012, Joyent, Inc. All rights reserved.
jszip	2.5.2000	MIT*	Create, read and edit .zip files with Javascript <a href="http://stuartk.com/jszip">http://stuartk.com/jszip</a>	Copyright (c) 2009-2014 Stuart Knightley, David Duponchel, Franz Buchinger, António Afonso
jwa	1.1.2005	MIT	JWA implementation (supports all JWS algorithms)	Copyright (c) 2013 Brian J. Brennan
jwa	1.4.2001	MIT	JWA implementation (supports all JWS algorithms)	Copyright (c) 2013 Brian J. Brennan
jwtks-rsa	1.10.2001	MIT	Library to retrieve RSA public keys from a JWKS endpoint	Copyright (c) 2016 Sandrino Di Mattia
jwtks-rsa	1.8.2000	MIT	Library to retrieve RSA public keys from a JWKS endpoint	Copyright (c) 2016 Sandrino Di Mattia

jws	3.1.2004	MIT	Implementation of JSON Web Signatures	Copyright (c) 2013 Brian J. Brennan
jws	3.2.2002	MIT	Implementation of JSON Web Signatures	Copyright (c) 2013 Brian J. Brennan
kareem	2.3.2001	Apache-2.0	Next-generation take on pre/post function hooks	
killable	1.0.1	ISC	Keeps track of a server's open sockets so they can be destroyed at a moment's notice.	Copyright 2014 Marten de Vries
kind-of	3.2.2002	MIT	Get the native type of a value.	Copyright (c) 2014-2017, Jon Schlinkert
kind-of	4.0.0	MIT	Get the native type of a value.	Copyright (c) 2014-2017, Jon Schlinkert
kind-of	5.1.2000	MIT	Get the native type of a value.	Copyright (c) 2014-2017, Jon Schlinkert.
kind-of	6.0.3	MIT	Get the native type of a value.	Copyright (c) 2014-2017, Jon Schlinkert.
kleur	3.0.3	MIT	The fastest Node.js library for formatting terminal text with ANSI colors~!	Copyright (c) Luke Edwards <luke.edwards05@gmail.com> (lukeed.com)
last-call-webpack-plugin	3.0.0	MIT	A Webpack plugin that allows to transform \ modify assets just before Webpack emits them.	Copyright (c) 2016 Nuno Rodrigues
latest-version	3.1.2000	MIT	Get the latest version of an npm package	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
lazy-ass	1.6.2000	MIT	Lazy assertions without performance penalty	Copyright (c) 2014 Gleb Bahmutov
lazy-cache	1.0.4	MIT	Cache requires to be lazy-loaded when needed.	Copyright (c) 2015-2016, Jon Schlinkert.
lazystream	1.0.0	MIT	Open Node Streams on demand.	Copyright (c) 2013 J. Pommerening, contributors.
lcid	2.0.0	MIT	Mapping between standard locale identifiers and Windows locale identifiers (LCID)	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
leven	3.1.2000	MIT	Measure the difference between two strings using the fastest JS implementation of the Levenshtein distance algorithm	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
levn	0.3.0	MIT	Light ECMAScript (JavaScript) Value Notation - human written, concise, typed, flexible	Copyright (c) George Zahariev
levn	2000.4.1	MIT	Light ECMAScript (JavaScript) Value Notation - human written, concise, typed, flexible	Copyright (c) George Zahariev

limiter	1.1.2005	MIT	A generic rate limiter for node.js. Useful for API clients, web crawling, or other tasks that need to be throttled	Copyright (C) 2011 by John Hurliman
lines-and-columns	1.1.2006	MIT	Maps lines and columns to character offsets and back.	Copyright (c) 2015 Brian Donovan
lint-staged	8.1.2006	MIT	Lint files staged by git	Copyright (c) 2016 Andrey Okonetchnikov
listr-silent-renderer	1.1.2001	MIT	Supress Listr rendering output	Copyright (c) Sam Verschueren <sam.verschueren@gmail.com> (github.com/SamVerschueren)
listr-update-renderer	0.5.0	MIT	Listr update renderer	Copyright (c) Sam Verschueren <sam.verschueren@gmail.com> (github.com/SamVerschueren)
listr-verbose-renderer	0.5.0	MIT	Listr verbose renderer	Copyright (c) Sam Verschueren <sam.verschueren@gmail.com> (github.com/SamVerschueren)
listr	0.14.3	MIT	Terminal task list	Copyright (c) Sam Verschueren <sam.verschueren@gmail.com> (github.com/SamVerschueren)
load-json-file	4.0.0	MIT	Read and parse a JSON file	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
loader-runner	2.4.2000	MIT	Runs (webpack) loaders	Copyright (c) Tobias Koppers @sokra
loader-utils	2000.2.17	MIT	utils for webpack loaders	Copyright (c) 2012 - 2015 Tobias Koppers
loader-utils	1.2.2003	MIT	utils for webpack loaders	Copyright JS Foundation and other contributors
loader-utils	1.4.2000	MIT	utils for webpack loaders	Copyright JS Foundation and other contributors
locate-path	3.0.0	MIT	Get the first path that exists on disk of multiple paths	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
locate-path	5.0.0	MIT	Get the first path that exists on disk of multiple paths	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
lodash-es	4.17.15	MIT	Lodash exported as ES modules.	Copyright OpenJS Foundation and other contributors <https://openjsf.org/>
lodash.camelcase	4.3.2000	MIT	The lodash method `_.camelCase` exported as a module.	Copyright jQuery Foundation and other contributors <https://jquery.org/>
lodash.clonedeep	4.5.2000	MIT	The lodash method `_.cloneDeep` exported as a module.	Copyright jQuery Foundation and other contributors <https://jquery.org/>
lodash.defaults	4.2.2000	MIT	The lodash method `_.defaults` exported as a module.	Copyright jQuery Foundation and other contributors <https://jquery.org/>
lodash.flatten	4.4.2000	MIT	The lodash method `_.flatten` exported as a module.	Copyright jQuery Foundation and other contributors <https://jquery.org/>
lodash.get	4.4.2002	MIT	The lodash method `_.get` exported as a module.	Copyright jQuery Foundation and other contributors <https://jquery.org/>
lodash.includes	4.3.2000	MIT	The lodash method `_.includes` exported as a module.	Copyright jQuery Foundation and other contributors <https://jquery.org/>

lodash.isboolean	3.0.3	MIT	The lodash method `_.isBoolean` exported as a module.	Copyright 2012-2016 The Dojo Foundation < <a href="http://dojofoundation.org/">http://dojofoundation.org/</a> >. Based on Underscore.js, copyright 2009-2016 Jeremy Ashkenas, DocumentCloud and Investigative Reporters & Editors < <a href="http://underscorejs.org/">http://underscorejs.org/</a> >
lodash.isinteger	4.0.4	MIT	The lodash method `_.isInteger` exported as a module.	Copyright jQuery Foundation and other contributors < <a href="https://jquery.org/">https://jquery.org/</a> >
lodash.isnumber	3.0.3	MIT	The lodash method `_.isNumber` exported as a module.	Copyright 2012-2016 The Dojo Foundation < <a href="http://dojofoundation.org/">http://dojofoundation.org/</a> >. Based on Underscore.js, copyright 2009-2016 Jeremy Ashkenas, DocumentCloud and Investigative Reporters & Editors < <a href="http://underscorejs.org/">http://underscorejs.org/</a> >
lodash.isplainobject	4.0.6	MIT	The lodash method `_.isPlainObject` exported as a module.	Copyright jQuery Foundation and other contributors < <a href="https://jquery.org/">https://jquery.org/</a> >
lodash.isstring	4.0.1	MIT	The lodash method `_.isString` exported as a module.	Copyright 2012-2016 The Dojo Foundation < <a href="http://dojofoundation.org/">http://dojofoundation.org/</a> >. Based on Underscore.js, copyright 2009-2016 Jeremy Ashkenas, DocumentCloud and Investigative Reporters & Editors < <a href="http://underscorejs.org/">http://underscorejs.org/</a> >
lodash.memoize	4.1.2002	MIT	The lodash method `_.memoize` exported as a module.	Copyright jQuery Foundation and other contributors < <a href="https://jquery.org/">https://jquery.org/</a> >
lodash.once	4.1.2001	MIT	The lodash method `_.once` exported as a module.	Copyright jQuery Foundation and other contributors < <a href="https://jquery.org/">https://jquery.org/</a> >
lodash.set	4.3.2002	MIT	The lodash method `_.set` exported as a module.	Copyright jQuery Foundation and other contributors < <a href="https://jquery.org/">https://jquery.org/</a> >
lodash.sortby	4.7.2000	MIT	The lodash method `_.sortBy` exported as a module.	Copyright jQuery Foundation and other contributors < <a href="https://jquery.org/">https://jquery.org/</a> >
lodash.tail	4.1.2001	MIT	The lodash method `_.tail` exported as a module.	Copyright jQuery Foundation and other contributors < <a href="https://jquery.org/">https://jquery.org/</a> >
lodash.uniq	4.5.2000	MIT	The lodash method `_.uniq` exported as a module.	Copyright jQuery Foundation and other contributors < <a href="https://jquery.org/">https://jquery.org/</a> >
lodash	3.10.2001	MIT	The modern build of lodash modular utilities.	Copyright 2012-2015 The Dojo Foundation < <a href="http://dojofoundation.org/">http://dojofoundation.org/</a> >. Based on Underscore.js, copyright 2009-2015 Jeremy Ashkenas, DocumentCloud and Investigative Reporters & Editors < <a href="http://underscorejs.org/">http://underscorejs.org/</a> >
lodash	4.17.10	MIT	Lodash modular utilities.	Copyright JS Foundation and other contributors < <a href="https://js.foundation/">https://js.foundation/</a> >
lodash	4.17.11	MIT	Lodash modular utilities.	Copyright JS Foundation and other contributors < <a href="https://js.foundation/">https://js.foundation/</a> >
lodash	4.17.15	MIT	Lodash modular utilities.	Copyright OpenJS Foundation and other contributors < <a href="https://openjsf.org/">https://openjsf.org/</a> >
lodash	4.17.20	MIT	Lodash modular utilities.	Copyright OpenJS Foundation and other contributors < <a href="https://openjsf.org/">https://openjsf.org/</a> >

lodash	4.17.4	MIT	Lodash modular utilities.	Copyright JS Foundation and other contributors < <a href="https://js.foundation/">https://js.foundation/</a> >
log-symbols	1.0.2	MIT	Colored symbols for various log levels. Example: <code>□ success</code>	Copyright (c) Sindre Sorhus < <a href="mailto:sindresorhus@gmail.com">sindresorhus@gmail.com</a> > ( <a href="http://sindresorhus.com">sindresorhus.com</a> )
log-symbols	2.2.2000	MIT	Colored symbols for various log levels. Example: <code>□ Success</code>	Copyright (c) Sindre Sorhus < <a href="mailto:sindresorhus@gmail.com">sindresorhus@gmail.com</a> > ( <a href="http://sindresorhus.com">sindresorhus.com</a> )
log-symbols	3.0.0	MIT	Colored symbols for various log levels. Example: <code>` □ Success`</code>	Copyright (c) Sindre Sorhus < <a href="mailto:sindresorhus@gmail.com">sindresorhus@gmail.com</a> > ( <a href="http://sindresorhus.com">sindresorhus.com</a> )
log-update	2.3.2000	MIT	Log by overwriting the previous output in the terminal. Useful for rendering progress bars, animations, etc.	Copyright (c) Sindre Sorhus < <a href="mailto:sindresorhus@gmail.com">sindresorhus@gmail.com</a> > ( <a href="http://sindresorhus.com">sindresorhus.com</a> )
loglevel	1.6.2003	MIT	Minimal lightweight logging for JavaScript, adding reliable log level methods to any available console.log methods	Copyright (c) 2013 Tim Perry
lolex	5.1.2002	BSD-3-Clause	Fake JavaScript timers	Copyright (c) 2010-2014, Christian Johansen, <a href="mailto:christian@cjhansen.no">christian@cjhansen.no</a> . All rights reserved.
long	4.0.0	Apache-2.0	A Long class for representing a 64-bit two's-complement integer value.	
longest	1.0.1	MIT	Get the longest item in an array.	Copyright (c) 2014-2015, Jon Schlinkert.
loose-envify	1.4.2000	MIT	Fast (and loose) selective `process.env` replacer using js-tokens instead of an AST	Copyright (c) 2015 Andres Suarez < <a href="mailto:zertosh@gmail.com">zertosh@gmail.com</a> >
lop	0.4.0	BSD*	Create parsers using parser combinators with helpful error messages	Copyright (c) 2013, Michael Williamson. All rights reserved.
lower-case-first	1.0.2	MIT	Lower case the first character of a string	Copyright (c) 2014 Blake Embrey ( <a href="mailto:hello@blakeembrey.com">hello@blakeembrey.com</a> )
lower-case	1.1.2004	MIT	Lowercase a string	Copyright (c) 2014 Blake Embrey ( <a href="mailto:hello@blakeembrey.com">hello@blakeembrey.com</a> )
lowercase-keys	1.0.0	MIT	Lowercase the keys of an object	
lru-cache	2.7.2003	ISC	A cache object that deletes the least-recently-used items.	Copyright (c) Isaac Z. Schlueter and Contributors
lru-cache	4.0.2	ISC	A cache object that deletes the least-recently-used items.	Copyright (c) Isaac Z. Schlueter and Contributors
lru-cache	4.1.2001	ISC	A cache object that deletes the least-recently-used items.	Copyright (c) Isaac Z. Schlueter and Contributors
lru-cache	4.1.2005	ISC	A cache object that deletes the least-recently-used items.	Copyright (c) Isaac Z. Schlueter and Contributors
lru-cache	5.1.2001	ISC	A cache object that deletes the least-recently-used items.	Copyright (c) Isaac Z. Schlueter and Contributors

lru-memoizer	2.1.2002	MIT*	Memoize functions results using an lru-cache.	Copyright (c) 2016 JOSE FERNANDO ROMANIELLO <jfromaniello@gmail.com> ( <a href="http://joseoncode.com">http://joseoncode.com</a> )
luxon	2000.2.11	MIT	Immutable date wrapper	Copyright 2017 JS Foundation and other contributors
make-dir	1.1.2000	MIT	Make a directory and its parents if needed - Think `mkdir -p`	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
make-dir	2.1.2000	MIT	Make a directory and its parents if needed - Think `mkdir -p`	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
make-dir	3.1.2000	MIT	Make a directory and its parents if needed - Think `mkdir -p`	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
make-error	1.3.2006	ISC	Make your own error types!	Copyright 2014 Julien Fontanet
makeerror	1.0.11	BSD-3-Clause	A library to make errors.	Copyright (c) 2014, Naitik Shah. All rights reserved.
mamacro	0.0.3	MIT		
mammoth	1.4.2009	BSD-2-Clause	Convert Word documents from docx to simple HTML and Markdown	Copyright (c) 2013, Michael Williamson. All rights reserved.
map-age-cleaner	2000.1.2	MIT	Automatically cleanup expired items in a Map	Copyright (c) Sam Verschueren <sam.verschueren@gmail.com> ( <a href="https://github.com/SamVerschueren">github.com/SamVerschueren</a> )
map-cache	2000.2.2	MIT	Basic cache object for storing key-value pairs.	Copyright (c) 2015-2016, Jon Schlinkert.
map-visit	1.0.0	MIT	Map `visit` over an array of objects.	Copyright (c) 2015-2017, Jon Schlinkert
matcher	1.1.2001	MIT	Simple wildcard matching	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
material-design-icons-svg	2.0.0	ISC	Material design icons svgs from materialdesignicons.com	
md5.js	1.3.2005	MIT	node style md5 on pure JavaScript	Copyright (c) 2016 Kirill Fomichev
mdn-data	1.1.2004	MPL-2.0	Open Web data by the Mozilla Developer Network	
media-typer	0.3.0	MIT	Simple RFC 6838 media type parser and formatter	Copyright (c) 2014 Douglas Christopher Wilson
mem	4.0.0	MIT	Memoize functions - An optimization used to speed up consecutive function calls by caching the result of calls with identical input	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
memory-fs	2000.4.1	MIT	A simple in-memory filesystem. Holds data in a javascript object.	Copyright (c) 2012-2014 Tobias Koppers
memory-pager	1.5.2000	MIT	Access memory using small fixed sized buffers	Copyright (c) 2017 Mathias Buus
memorystream	2000.3.1	MIT	This is lightweight memory stream module for node.js.	Copyright (C) 2011 Dmitry Nizovtsev

merge-descriptors	1.0.1	MIT	Merge objects using descriptors	Copyright (c) 2013 Jonathan Ong <me@jongleberry.com>. Copyright (c) 2015 Douglas Christopher Wilson <doug@somethingdoug.com>
merge-source-map	1.1.2000	MIT	Merge old source map and new source map in multi-transform flow	Copyright (c) keik <k4t0.kei@gmail.com>
merge-stream	1.0.1	MIT	Create a stream that emits events from multiple other streams	Copyright (c) Stephen Sugden <me@stephensugden.com> (stephensugden.com)
merge-stream	2.0.0	MIT	Create a stream that emits events from multiple other streams	Copyright (c) Stephen Sugden <me@stephensugden.com> (stephensugden.com)
merge2	1.3.2000	MIT	Merge multiple streams into one stream in sequence or parallel.	Copyright (c) 2014-2019 Teambition
methods	1.1.2002	MIT	HTTP methods that node supports	Copyright (c) 2013-2014 TJ Holowaychuk <tj@vision-media.ca>. Copyright (c) 2015-2016 Douglas Christopher Wilson <doug@somethingdoug.com>
micromatch	3.1.10	MIT	Glob matching for javascript/node.js. A drop-in replacement and faster alternative to minimatch and multimatch.	Copyright (c) 2014-2018, Jon Schlinkert.
micromatch	4.0.2	MIT	Glob matching for javascript/node.js. A replacement and faster alternative to minimatch and multimatch.	Copyright (c) 2014-present, Jon Schlinkert.
microseconds	0.2.0	MIT	microsecond parser	
miller-rabin	4.0.1	MIT	Miller Rabin algorithm for primality test	Copyright Fedor Indutny, 2014.
mime-db	1.30.0	MIT	Media Type Database	Copyright (c) 2014 Jonathan Ong me@jongleberry.com
mime-db	1.37.0	MIT	Media Type Database	Copyright (c) 2014 Jonathan Ong me@jongleberry.com
mime-db	1.40.0	MIT	Media Type Database	Copyright (c) 2014 Jonathan Ong me@jongleberry.com
mime-types	2.1.17	MIT	The ultimate javascript content-type utility.	Copyright (c) 2014 Jonathan Ong <me@jongleberry.com>. Copyright (c) 2015 Douglas Christopher Wilson <doug@somethingdoug.com>
mime-types	2.1.21	MIT	The ultimate javascript content-type utility.	Copyright (c) 2014 Jonathan Ong <me@jongleberry.com>. Copyright (c) 2015 Douglas Christopher Wilson <doug@somethingdoug.com>
mime-types	2.1.24	MIT	The ultimate javascript content-type utility.	Copyright (c) 2014 Jonathan Ong <me@jongleberry.com>. Copyright (c) 2015 Douglas Christopher Wilson <doug@somethingdoug.com>
mime	1.4.2001	MIT	A comprehensive library for mime-type mapping	Copyright (c) 2010 Benjamin Thomas, Robert Kieffer
mime	1.6.2000	MIT	A comprehensive library for mime-type mapping	Copyright (c) 2010 Benjamin Thomas, Robert Kieffer

mime	2.4.2004	MIT	A comprehensive library for mime-type mapping	Copyright (c) 2010 Benjamin Thomas, Robert Kieffer
mimic-fn	1.1.2000	MIT	Make a function mimic another one	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
mimic-fn	2.1.2000	MIT	Make a function mimic another one	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
mimic-response	2.0.0	MIT	Mimic a Node.js HTTP response stream	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
mini-css-extract-plugin	2000.4.4	MIT	extracts CSS into separate files	Copyright JS Foundation and other contributors
minimalistic-assert	1.0.1	ISC	minimalistic-assert ===	Copyright 2015 Calvin Metcalf
minimalistic-crypto-utils	1.0.1	MIT	Minimalistic tools for JS crypto modules	Copyright Fedor Indutny, 2017.
minimatch	3.0.4	ISC	a glob matcher in javascript	Copyright (c) Isaac Z. Schlueter and Contributors
minimist	0.0.10	MIT	parse argument options	
minimist	0.0.8	MIT	parse argument options	
minimist	1.2.2005	MIT	parse argument options	
minipass	2.2.2001	ISC	minimal implementation of a PassThrough stream	
minipass	2.9.2000	ISC	minimal implementation of a PassThrough stream	Copyright (c) npm, Inc. and Contributors
minizlib	1.1.2000	MIT	A small fast zlib stream built on [minipass](http://npm.im/minipass) and Node.js's zlib binding.	
minizlib	1.3.2003	MIT	A small fast zlib stream built on [minipass](http://npm.im/minipass) and Node.js's zlib binding.	
mississippi	3.0.0	BSD-2-Clause	a collection of useful streams	
mixin-deep	1.3.2002	MIT	Deeply mix the properties of objects into the first object. Like merge-deep, but doesn't clone.	Copyright (c) 2014-2015, 2017, Jon Schlinkert.
mixin-object	2.0.1	MIT	Mixin the own and inherited properties of other objects onto the first object. Pass an empty object as the first arg to shallow clone.	Copyright (c) 2014-2015, Jon Schlinkert.
mkdirp	2000.5.1	MIT	Recursively mkdir, like `mkdir -p`	Copyright 2010 James Halliday (mail@substack.net)
mkdirp	2000.5.5	MIT	Recursively mkdir, like `mkdir -p`	Copyright 2010 James Halliday (mail@substack.net)
module-alias	2.2.2002	MIT	Create aliases of directories and register custom module paths	Copyright (c) 2018, Nick Gavrilov



moment	2.20.1	MIT	Parse, validate, manipulate, and display dates	Copyright (c) JS Foundation and other contributors
moment	2.24.0	MIT	Parse, validate, manipulate, and display dates	Copyright (c) JS Foundation and other contributors
mongoose	3.4.2001	Apache-2.0	The official MongoDB driver for Node.js	
mongoose-legacy-pluralize	1.0.2	Apache-2.0	Legacy pluralization logic for mongoose	
mongoose	5.8.10	MIT	Mongoose MongoDB ODM	Copyright (c) 2010 LearnBoost <dev@learnboost.com>
mousetrap	1.6.2001	Apache-2.0	Simple library for handling keyboard shortcuts	
move-concurrently	1.0.1	ISC	Promises of moves of files or directories with rename, falling back to recursive rename/copy on EXDEV errors, with configurable concurrency and win32 junction support.	Copyright (c) 2017, Rebecca Turner <me@re-becca.org>
mpath	0.6.0	MIT	{G,S}et object values using MongoDB-like path notation	Copyright (c) 2012 [Aaron Heckmann](aaron.heckmann+github@gmail.com)
mquery	3.2.2002	MIT	Expressive query building for MongoDB	Copyright (c) 2012 [Aaron Heckmann](aaron.heckmann+github@gmail.com)
ms	2.0.0	MIT	Tiny milisecond conversion utility	Copyright (c) 2016 Zeit, Inc.
ms	2.1.2001	MIT	Tiny millisecond conversion utility	Copyright (c) 2016 Zeit, Inc.
ms	2.1.2002	MIT	Tiny millisecond conversion utility	Copyright (c) 2016 Zeit, Inc.
multicast-dns-service-types	1.1.2000	MIT	Parse and stringify mdns service types	Copyright (c) 2015 Mathias Buus
multicast-dns	6.2.2003	MIT	Low level multicast-dns implementation in pure javascript	Copyright (c) 2015 Mathias Buus
nan	2.14.0	MIT	Native Abstractions for Node.js: C++ header for Node 0.8 -> 11 compatibility	Copyright (c) 2018 NAN contributors. -----
nan	2.14.2	MIT	Native Abstractions for Node.js: C++ header for Node 0.8 -> 14 compatibility	Copyright (c) 2018 NAN contributors. -----
nano-time	1.0.0	ISC	Current Time in Nanoseconds	
nanoid	2.0.3	MIT	A tiny (141 bytes), secure URL-friendly unique string ID generator	Copyright 2017 Andrey Sitnik <andrey@sitnik.ru>
nanomatch	1.2.13	MIT	Fast, minimal glob matcher for node.js. Similar to micromatch, minimatch and multimatch, but complete Bash 4.3 wildcard support only (no support for exglobs, posix brackets or braces)	Copyright (c) 2016-2018, Jon Schlinkert.
natural-compare	1.4.2000	MIT	Compare strings containing a mix of letters and numbers in the way a human being would in sort order.	Copyright (c) 2012-2015 Lauri Rooden &lt;lauri@rooden.ee&gt; . [The MIT License](http://lauri.rooden.ee/mit-license.txt)

natural	2000.6.1	MIT	General natural language (tokenizing, stemming (English, Russian, Spanish), part-of-speech tagging, sentiment analysis, classification, inflection, phonetics, tfidf, WordNet, jaro-winkler, Levenshtein distance, Dice's Coefficient) facilities for node.	Copyright (c) 2011, 2012 Chris Umbel, Rob Ellis, Russell Mull
ncname	1.0.0	MIT	Regular expression for matching XML NCName	
needle	2.5.2002	MIT	The leanest and most handsome HTTP client in the Nodelands.	Copyright (c) Fork, Ltd.
negotiator	2000.6.1	MIT	HTTP content negotiation	Copyright (c) 2012-2014 Federico Romero. Copyright (c) 2012-2014 Isaac Z. Schlueter. Copyright (c) 2014-2015 Douglas Christopher Wilson
negotiator	2000.6.2	MIT	HTTP content negotiation	Copyright (c) 2012-2014 Federico Romero. Copyright (c) 2012-2014 Isaac Z. Schlueter. Copyright (c) 2014-2015 Douglas Christopher Wilson
neo-async	2.6.2000	MIT	Neo-Async is thought to be used as a drop-in replacement for Async, it almost fully covers its functionality and runs faster	Copyright (c) 2014-2018 Suguru Motegi. Based on Async.js, Copyright Caolan McMahon
netmask	1.0.6	MIT	Parse and lookup IP network blocks	Copyright (c) 2011 Olivier Poitrey <rs@dailymotion.com>
nice-try	1.0.5	MIT	Tries to execute a function and discards any error that occurs	Copyright (c) 2018 Tobias Reich
no-case	2.3.2002	MIT	Remove case from a string	Copyright (c) 2014 Blake Embrey (hello@blakeembrey.com)
node-fetch	1.7.2003	MIT	A light-weight module that brings window.fetch to node.js and io.js	Copyright (c) 2016 David Frank
node-fetch	2.3.2000	MIT	A light-weight module that brings window.fetch to node.js	Copyright (c) 2016 David Frank
node-fetch	2.6.2000	MIT	A light-weight module that brings window.fetch to node.js	Copyright (c) 2016 David Frank
node-forge	2000.7.5	(BSD-3-Clause OR GPL-2.0)	JavaScript implementations of network transports, cryptography, ciphers, PKI, message digests, and various utilities.	
node-int64	0.4.0	MIT	Support for representing 64-bit integers in JavaScript	Copyright (c) 2014 Robert Kieffer
node-libs-browser	2.2.2001	MIT	The node core libs for in browser usage.	Copyright (c) 2012 Tobias Koppers
node-mailjet	3.2.2001	MIT	Mailjet NodeJS API client	Copyright (c) 2015 Mailjet
node-modules-regexp	1.0.0	MIT	A regular expression for file paths that contain a `node_modules` folder.	Copyright (c) James Talmage <james@talmage.io> (github.com/jamestalmage)

node-notifier	6.0.0	MIT	A Node.js module for sending notifications on native Mac, Windows (post and pre 8) and Linux (or Growl as fallback)	Copyright (c) 2017 Mikael Brevik
node-pre-gyp	0.11.0	BSD-3-Clause	Node.js native addon binary install tool	Copyright (c), Mapbox
node-releases	1.0.0-alpha.14	CC-BY-4.0	Node.js releases data	Copyright (c) 2017 Sergey Rubanov ( <a href="https://github.com/chicoxyzyy">https://github.com/chicoxyzyy</a> )
node-releases	1.1.64	MIT	Node.js releases data	Copyright (c) 2017 Sergey Rubanov ( <a href="https://github.com/chicoxyzyy">https://github.com/chicoxyzyy</a> )
node-worker-threads-pool	1.3.2003	MIT	Simple worker threads pool using Node's worker_threads module. Compatible with ES6+ Promise, Async/Await.	Copyright (c) 2018 SUCHMOKUO
nodemon	1.19.0	MIT	Simple monitor script for use during development of a node.js app.	
nopt	1.0.10	MIT	Option parsing for Node, supporting types, shorthands, etc. Used by npm.	Copyright 2009, 2010, 2011 Isaac Z. Schlueter.. All rights reserved.
nopt	4.0.3	ISC	Option parsing for Node, supporting types, shorthands, etc. Used by npm.	Copyright (c) Isaac Z. Schlueter and Contributors
normalize-package-data	2.4.2000	BSD-2-Clause	Normalizes data that can be found in package.json files.	Copyright (c) Meryn Stol ("Author"). All rights reserved.
normalize-package-data	2.5.2000	BSD-2-Clause	Normalizes data that can be found in package.json files.	Copyright (c) Meryn Stol ("Author"). All rights reserved.
normalize-path	1.0.0	MIT	Normalize file path slashes to be unix-like forward slashes. Also condenses repeat slashes to a single slash and removes and trailing slashes.	
normalize-path	2.1.2001	MIT	Normalize file path slashes to be unix-like forward slashes. Also condenses repeat slashes to a single slash and removes and trailing slashes unless disabled.	Copyright (c) 2014-2017, Jon Schlinkert
normalize-path	3.0.0	MIT	Normalize slashes in a file path to be posix/unix-like forward slashes. Also condenses repeat slashes to a single slash and removes and trailing slashes, unless disabled.	Copyright (c) 2014-2018, Jon Schlinkert.
normalize-range	2000.1.2	MIT	Utility for normalizing a numeric range, with a wrapping function useful for polar coordinates	Copyright (c) James Talmage <james@talmage.io> ( <a href="https://github.com/jamestalmage">github.com/jamestalmage</a> )

normalize-scss	7.0.0	(MIT OR GPL-2.0)	This is the Sass version of Normalize.css, a collection of HTML element and attribute rulesets to normalize styles across all browsers. This port aims to use a light dusting of Sass to make Normalize even easier to integrate with your website.	Copyright © Nicolas Gallagher and Jonathan Neal and John Albin Wilkins
normalize-url	3.3.2000	MIT	Normalize a URL	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
npm-bundled	1.1.2001	ISC	list things in node_modules that are bundledDependencies, or transitive dependencies thereof	Copyright (c) npm, Inc. and Contributors
npm-normalize-package-bin	1.0.1	ISC	Turn any flavor of allowable package.json bin into a normalized object	Copyright (c) npm, Inc.
npm-packlist	1.4.2008	ISC	Get a list of the files to add from a folder into an npm package	Copyright (c) Isaac Z. Schlueter and Contributors
npm-path	2.0.4	MIT	Get a PATH with all executables available to npm scripts.	Copyright (c) 2014 Tim Oxley
npm-run-all	4.1.2005	MIT	A CLI tool to run multiple npm-scripts in parallel or sequential.	Copyright (c) 2015 Toru Nagashima
npm-run-path	2.0.2	MIT	Get your PATH prepended with locally installed binaries	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
npm-run-path	4.0.1	MIT	Get your PATH prepended with locally installed binaries	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
npm-which	3.0.1	MIT	Locate a program or locally installed node module's executable	Copyright (c) 2014 Tim Oxley
npmlog	4.1.2002	ISC	logger for npm	Copyright (c) Isaac Z. Schlueter and Contributors
nth-check	1.0.1	BSD*	performant nth-check parser & compiler	
nth-check	1.0.2	BSD-2-Clause	performant nth-check parser & compiler	Copyright (c) Felix Böhm. All rights reserved.
num2fraction	1.2.2002	MIT	Convert number to fraction	Copyright (c) 2014 PostCSS
number-is-nan	1.0.1	MIT	ES2015 Number.isNaN() ponyfill	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
nwsapi	2.2.2000	MIT	Fast CSS Selectors API Engine	Copyright (c) 2007-2019 Diego Perini ( <a href="http://www.iport.it/">http://www.iport.it/</a> )
oauth-sign	0.9.0	Apache-2.0	OAuth 1 signing. Formerly a vendor lib in mikeal/request, now a standalone module.	
object-assign	4.1.2001	MIT	ES2015 `Object.assign()` ponyfill	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

object-copy	0.1.0	MIT	Copy static properties, prototype properties, and descriptors from one object to another.	Copyright (c) 2016, Jon Schlinkert.
object-hash	1.3.2001	MIT	Generate hashes from javascript objects in node and the browser.	Copyright (c) 2014 object-hash contributors
object-inspect	1.8.2000	MIT	string representations of objects in node and the browser	Copyright (c) 2013 James Halliday
object-keys	1.1.2001	MIT	An Object.keys replacement, in case Object.keys is not available. From <a href="https://github.com/es-shims/es5-shim">https://github.com/es-shims/es5-shim</a>	Copyright (C) 2013 Jordan Harband
object-path	2000.11.5	MIT	Access deep object properties using a path	Copyright (c) 2015 Mario Casciaro
object-visit	1.0.1	MIT	Call a specified method on each value in the given object.	Copyright (c) 2015, 2017, Jon Schlinkert
object.assign	4.1.2001	MIT	ES6 spec-compliant Object.assign shim. From <a href="https://github.com/es-shims/es6-shim">https://github.com/es-shims/es6-shim</a>	Copyright (c) 2014 Jordan Harband
object.getownpropertydescriptors	2.0.3	MIT	ES2017 spec-compliant shim for `Object.getOwnPropertyDescriptors` that works in ES5.	Copyright (c) 2015 Jordan Harband
object.pick	1.3.2000	MIT	Returns a filtered copy of an object with only the specified keys, similar to `_.pick` from lodash / underscore.	Copyright (c) 2014-2016, Jon Schlinkert.
object.values	1.0.4	MIT	ES2017 spec-compliant Object.values shim.	Copyright (c) 2015 Jordan Harband
obuf	1.1.2002	MIT	Byte buffer specialized for data in chunks with special cases for dropping bytes in the front, merging bytes in to various integer types and abandoning buffer without penalty for previous chunk merges.	Copyright Fedor Indutny, 2015.
on-finished	2.3.2000	MIT	Execute a callback when a request closes, finishes, or errors	Copyright (c) 2013 Jonathan Ong <me@jongleberry.com>. Copyright (c) 2014 Douglas Christopher Wilson <doug@somethingdoug.com>
on-headers	1.0.2	MIT	Execute a listener when a response is about to write headers	Copyright (c) 2014 Douglas Christopher Wilson
once	1.4.2000	ISC	Run a function exactly one time	Copyright (c) Isaac Z. Schlueter and Contributors
onetime	1.1.2000	MIT	Only call a function once	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
onetime	2.0.1	MIT	Ensure a function is only called once	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

onetime	5.1.2002	MIT	Ensure a function is only called once	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (https://sindresorhus.com)
opener	1.4.2003	(WTFPL OR MIT)	Opens stuff, like webpages and files and executables, cross-platform	Copyright © 2012–2016 Domenic Denicola <d@domenic.me>
opn	5.5.2000	MIT	A better node-open. Opens stuff like websites, files, executables. Cross-platform.	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
optimism	2000.10.3	MIT	Composable reactive caching with efficient invalidation.	Copyright (c) 2016 Ben Newman
optimist	2000.6.1	MIT*	Light-weight option parsing with an argv hash. No optstrings attached.	Copyright 2010 James Halliday (mail@substack.net)
optimize-css-assets-webpack-plugin	5.0.1	MIT	A Webpack plugin to optimize \ minimize CSS assets.	Copyright (c) 2016 Nuno Rodrigues
option	2000.2.4	BSD-2-Clause	The option type, also known as the maybe type, for JavaScript	Copyright (c) 2013, Michael Williamson. All rights reserved.
optionator	2000.8.2	MIT	option parsing and help generation	Copyright (c) George Zahariev
optionator	2000.9.1	MIT	option parsing and help generation	Copyright (c) George Zahariev
orderedmap	1.0.0	MIT	Persistent ordered mapping from strings	Copyright (C) 2016 by Marijn Haverbeke <marijnh@gmail.com> and others
original	1.0.2	MIT	Generate the origin from an URL or check if two URL/Origins are the same	Copyright (c) 2015 Unshift.io, Arnout Kazemier, the Contributors.
os-browserify	0.3.0	MIT	The [os](https://nodejs.org/api/os.html) module from node.js, but for browsers.	Copyright (c) 2017 CoderPuppy
os-homedir	1.0.2	MIT	Node.js 4 `os.homedir()` ponyfill	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
os-locale	3.1.2000	MIT	Get the system locale	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
os-tmpdir	1.0.2	MIT	Node.js os.tmpdir() ponyfill	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
osenv	2000.1.5	ISC	Look up environment settings specific to different operating systems	Copyright (c) Isaac Z. Schlueter and Contributors
ospath	1.2.2002	MIT	Operating system specific paths.	
p-any	3.0.0	MIT	Wait for any promise to be fulfilled	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (https://sindresorhus.com)
p-cancelable	2.0.0	MIT	Create a promise that can be canceled	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
p-defer	1.0.0	MIT	Create a deferred promise	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
p-each-series	2.1.2000	MIT	Iterate over promises serially	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

p-finally	1.0.0	MIT	`Promise#finally()` ponyfill - Invoked when the promise is settled regardless of outcome	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
p-finally	2.0.1	MIT	`Promise#finally()` ponyfill - Invoked when the promise is settled regardless of outcome	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
p-is-promise	1.1.2000	MIT	Check if something is a promise	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
p-limit	2.3.2000	MIT	Run multiple promise-returning & async functions with limited concurrency	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
p-locate	3.0.0	MIT	Get the first fulfilled promise that satisfies the provided testing function	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
p-locate	4.1.2000	MIT	Get the first fulfilled promise that satisfies the provided testing function	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
p-map	1.2.2000	MIT	Map over promises concurrently	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
p-map	2.1.2000	MIT	Map over promises concurrently	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
p-queue	6.5.2000	MIT	Promise queue with concurrency control	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
p-retry	3.0.1	MIT	Retry a promise-returning or async function	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
p-some	5.0.0	MIT	Wait for a specified number of promises to be fulfilled	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (https://sindresorhus.com)
p-timeout	3.2.2000	MIT	Timeout a promise after a specified amount of time	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
p-try	2.2.2000	MIT	`Start a promise chain	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
pac-proxy-agent	2.0.0	MIT	A PAC file proxy `http.Agent` implementation for HTTP	Copyright (c) 2014 Nathan Rajlich &lt;nathan@tootallnate.net&gt;
pac-proxy-agent	3.0.1	MIT	A PAC file proxy `http.Agent` implementation for HTTP	Copyright (c) 2014 Nathan Rajlich &lt;nathan@tootallnate.net&gt;
pac-resolver	3.0.0	MIT	Generates an asynchronous resolver function from a PAC file	Copyright (c) 2013 Nathan Rajlich &lt;nathan@tootallnate.net&gt;
package-json	4.0.1	MIT	Get metadata of a package from the npm registry	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
pako	2000.2.9	MIT	zlib port to javascript - fast, modularized, with browser support	Copyright (C) 2014-2016 by Vitaly Puzrin
pako	1.0.10	(MIT AND Zlib)	zlib port to javascript - fast, modularized, with browser support	Copyright (C) 2014-2017 by Vitaly Puzrin and Andrei Tuputcyn

papaparse	5.2.2000	MIT	Fast and powerful CSV parser for the browser that supports web workers and streaming large files. Converts CSV to JSON and JSON to CSV.	Copyright (c) 2015 Matthew Holt
parallel-transform	1.1.2000	MIT	Transform stream that allows you to run your transforms in parallel without changing the order	Copyright 2013 Mathias Buus
param-case	1.1.2002	MIT	Param case a string	Copyright (c) 2014 Blake Embrey (hello@blakeembrey.com)
param-case	2.1.2001	MIT	Param case a string	Copyright (c) 2014 Blake Embrey (hello@blakeembrey.com)
parent-module	1.0.0	MIT	Get the path of the parent module	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
parse-asn1	5.1.2004	ISC	utility library for parsing asn1 files for use with browserify-sign.	Copyright (c) 2017, crypto-browserify contributors
parse-json	2.2.2000	MIT	Parse JSON with more helpful errors	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
parse-json	4.0.0	MIT	Parse JSON with more helpful errors	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
parse-json	5.1.2000	MIT	Parse JSON with more helpful errors	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (https://sindresorhus.com)
parse-passwd	1.0.0	MIT	Parse a passwd file into a list of users.	Copyright (c) 2016 Brian Woodward
parse5	5.1.2000	MIT	HTML parser and serializer.	
parseurl	1.3.2002	MIT	parse a url with memoization	Copyright (c) 2014 Jonathan Ong <me@jongleberry.com>. Copyright (c) 2014-2017 Douglas Christopher Wilson <doug@somethingdoug.com>
parseurl	1.3.2003	MIT	parse a url with memoization	Copyright (c) 2014 Jonathan Ong <me@jongleberry.com>. Copyright (c) 2014-2017 Douglas Christopher Wilson <doug@somethingdoug.com>
pascal-case	1.1.2002	MIT	Pascal case a string	Copyright (c) 2014 Blake Embrey (hello@blakeembrey.com)
pascalcase	2000.1.1	MIT	Convert a string to pascal-case.	Copyright (c) 2015, Jon Schlinkert.
path-browserify	0.0.1	MIT	the path module from node core for browsers	
path-case	1.1.2002	MIT	Path case a string	Copyright (c) 2014 Blake Embrey (hello@blakeembrey.com)
path-dirname	1.0.2	MIT	Node.js path.dirname() ponyfill	Copyright (c) Elan Shanker and Node.js contributors. All rights reserved.
path-exists	3.0.0	MIT	Check if a path exists	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
path-exists	4.0.0	MIT	Check if a path exists	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)



path-is-absolute	1.0.1	MIT	Node.js 0.12 path.isAbsolute() ponyfill	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
path-is-inside	1.0.2	(WTFPL OR MIT)	Tests whether one path is inside another path	Copyright © 2013–2016 Domenic Denicola <d@domenic.me>
path-key	2.0.1	MIT	Get the PATH environment variable key cross-platform	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
path-key	3.1.2001	MIT	Get the PATH environment variable key cross-platform	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
path-parse	1.0.6	MIT	Node.js path.parse() ponyfill	Copyright (c) 2015 Javier Blanco
path-to-regexp	2000.1.7	MIT	Express style path to RegExp utility	Copyright (c) 2014 Blake Embrey (hello@blakeembrey.com)
path-type	3.0.0	MIT	Check if a path is a file, directory, or symlink	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
path-type	4.0.0	MIT	Check if a path is a file, directory, or symlink	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
pbkdf2	3.0.17	MIT	This library provides the functionality of PBKDF2 with the ability to use any supported hashing algorithm returned from crypto.getHashes()	Copyright (c) 2014 Daniel Cousens
pdfjs-dist	2.4.0456	Apache-2.0	Generic build of Mozilla's PDF.js library.	
pend	1.2.2000	MIT	dead-simple optimistic async helper	Copyright (c) 2014 Andrew Kelley
performance-now	2.1.2000	MIT	Implements performance.now (based on process.hrtime).	Copyright (c) 2013 Braveg1rl
picomatch	2.2.2002	MIT	Blazing fast and accurate glob matcher written in JavaScript, with no dependencies and full support for standard and extended Bash glob features, including braces, extglobs, POSIX brackets, and regular expressions.	Copyright (c) 2017-present, Jon Schlinkert.
pidtree	0.3.0	MIT	Cross platform children list of a PID	Copyright (c) 2018 Simone Primarosa
pify	2.3.2000	MIT	Promisify a callback-style function	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
pify	3.0.0	MIT	Promisify a callback-style function	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
pify	4.0.1	MIT	Promisify a callback-style function	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
pinkie-promise	2.0.1	MIT	ES2015 Promise ponyfill	Copyright (c) Vsevolod Strukchinsky <floatdrop@gmail.com> (github.com/floatdrop)

pinkie	2.0.4	MIT	Itty bitty little widdle twinkie pinkie ES2015 Promise implementation	Copyright (c) Vsevolod Strukchinsky <floatdrop@gmail.com> (github.com/floatdrop)
pirates	4.0.1	MIT	Properly hijack require	Copyright (c) 2016-2018 Ari Porad
pkg-dir	3.0.0	MIT	Find the root directory of a Node.js project or npm package	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
pkg-dir	4.2.2000	MIT	Find the root directory of a Node.js project or npm package	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
please-upgrade-node	3.1.2001	MIT	Displays a beginner-friendly message telling your user to upgrade their version of Node	Copyright (c) 2017
pn	1.1.2000	MIT	Promisify the node standard library.	Copyright (c) 2014-2018 C. Scott Ananian
popper.js	1.14.3	MIT	A kickass library to manage your poppers	
popper.js	1.16.0	MIT	A kickass library to manage your poppers	
portfinder	1.0.21	MIT	A simple tool to find an open port on the current machine	Copyright (c) 2012 Charlie Robbins
posix-character-classes	2000.1.1	MIT	POSIX character classes for creating regular expressions.	Copyright (c) 2016-2017, Jon Schlinkert
postcss-calc	7.0.0	MIT	PostCSS plugin to reduce calc()	Copyright (c) 2014 Maxime Thirouin
postcss-colormin	4.0.2	MIT	Minify colors in your CSS files with PostCSS.	Copyright (c) Ben Briggs <beneb.info@gmail.com> (http://beneb.info)
postcss-convert-values	4.0.1	MIT	Convert values with PostCSS (e.g. ms -> s)	Copyright (c) Ben Briggs <beneb.info@gmail.com> (http://beneb.info)
postcss-discard-comments	4.0.1	MIT	Discard comments in your CSS files with PostCSS.	Copyright (c) Ben Briggs <beneb.info@gmail.com> (http://beneb.info)
postcss-discard-duplicates	4.0.2	MIT	Discard duplicate rules in your CSS files with PostCSS.	Copyright (c) Ben Briggs <beneb.info@gmail.com> (http://beneb.info)
postcss-discard-empty	4.0.1	MIT	Discard empty rules and values with PostCSS.	Copyright (c) Ben Briggs <beneb.info@gmail.com> (http://beneb.info)
postcss-discard-overrides	4.0.1	MIT	PostCSS plugin to discard overridden @keyframes or @counter-style.	Copyright 2016 Justineo <justice360@gmail.com>
postcss-load-config	1.2.2000	MIT	Autoload Config for PostCSS	Copyright (c) Michael Ciniawsky <michael.ciniawsky@gmail.com>
postcss-load-options	1.2.2000	MIT	Autoload Options for PostCSS	Copyright (c) 2016 Michael Ciniawsky <michael.ciniawsky@gmail.com>
postcss-load-plugins	2.3.2000	MIT	Autoload Plugins for PostCSS	Copyright (c) Michael Ciniawsky <michael.ciniawsky@gmail.com>
postcss-loader	2.1.2005	MIT	PostCSS loader for webpack	Copyright 2017 Andrey Sitnik <andrey@sitnik.ru>

postcss-merge-longhand	4.0.9	MIT	Merge longhand properties into shorthand with PostCSS.	Copyright (c) Ben Briggs <beneb.info@gmail.com> ( <a href="http://beneb.info">http://beneb.info</a> )
postcss-merge-rules	4.0.2	MIT	Merge CSS rules with PostCSS.	Copyright (c) Ben Briggs <beneb.info@gmail.com> ( <a href="http://beneb.info">http://beneb.info</a> )
postcss-minify-font-values	4.0.2	MIT	Minify font declarations with PostCSS	Copyright (c) Bogdan Chadkin <trysound@yandex.ru>
postcss-minify-gradients	4.0.1	MIT	Minify gradient parameters with PostCSS.	Copyright (c) Ben Briggs <beneb.info@gmail.com> ( <a href="http://beneb.info">http://beneb.info</a> )
postcss-minify-params	4.0.1	MIT	Minify at-rule params with PostCSS	Copyright 2015 Bogdan Chadkin <trysound@yandex.ru>
postcss-minify-selectors	4.0.1	MIT	Minify selectors with PostCSS.	Copyright (c) Ben Briggs <beneb.info@gmail.com> ( <a href="http://beneb.info">http://beneb.info</a> )
postcss-modules-extract-imports	1.2.2000	ISC	A CSS Modules transform to extract local aliases for inline imports	
postcss-modules-local-by-default	1.2.2000	MIT	A CSS Modules transform to make local scope the default	Copyright 2015 Mark Dalgleish <mark.john.dalgleish@gmail.com>
postcss-modules-scope	1.1.2000	ISC	A CSS Modules transform to extract export statements from local-scope classes	
postcss-modules-values	1.3.2000	ISC	PostCSS plugin for CSS Modules to pass arbitrary values between your module files	
postcss-normalize-charset	4.0.1	MIT	Add necessary or remove extra charset with PostCSS	Copyright 2015 Bogdan Chadkin <trysound@yandex.ru>
postcss-normalize-display-values	4.0.1	MIT	Normalize multiple value display syntaxes into single values.	Copyright (c) Ben Briggs <beneb.info@gmail.com> ( <a href="http://beneb.info">http://beneb.info</a> )
postcss-normalize-positions	4.0.1	MIT	Normalize keyword values for position into length values.	Copyright (c) Ben Briggs <beneb.info@gmail.com> ( <a href="http://beneb.info">http://beneb.info</a> )
postcss-normalize-repeat-style	4.0.1	MIT	Convert two value syntax for repeat-style into one value.	Copyright (c) Ben Briggs <beneb.info@gmail.com> ( <a href="http://beneb.info">http://beneb.info</a> )
postcss-normalize-string	4.0.1	MIT	Normalize wrapping quotes for CSS string literals.	Copyright (c) Ben Briggs <beneb.info@gmail.com> ( <a href="http://beneb.info">http://beneb.info</a> )
postcss-normalize-timing-functions	4.0.1	MIT	Normalize CSS animation/transition timing functions.	Copyright (c) Ben Briggs <beneb.info@gmail.com> ( <a href="http://beneb.info">http://beneb.info</a> )
postcss-normalize-unicode	4.0.1	MIT	Normalize unicode-range descriptors, and can convert to wildcard ranges.	Copyright (c) Ben Briggs <beneb.info@gmail.com> ( <a href="http://beneb.info">http://beneb.info</a> )
postcss-normalize-url	4.0.1	MIT	Normalize URLs with PostCSS	Copyright (c) Ben Briggs <beneb.info@gmail.com> ( <a href="http://beneb.info">http://beneb.info</a> )
postcss-normalize-whitespace	4.0.1	MIT	Trim whitespace inside and around CSS rules & declarations.	Copyright (c) Ben Briggs <beneb.info@gmail.com> ( <a href="http://beneb.info">http://beneb.info</a> )
postcss-ordered-values	4.1.2001	MIT	Ensure values are ordered consistently in your CSS.	Copyright (c) Ben Briggs <beneb.info@gmail.com> ( <a href="http://beneb.info">http://beneb.info</a> )

postcss-reduce-initial	4.0.2	MIT	Reduce initial definitions to the actual initial value, where possible.	Copyright (c) Ben Briggs <beneb.info@gmail.com> ( <a href="http://beneb.info">http://beneb.info</a> )
postcss-reduce-transforms	4.0.1	MIT	Reduce transform functions with PostCSS.	Copyright (c) Ben Briggs <beneb.info@gmail.com> ( <a href="http://beneb.info">http://beneb.info</a> )
postcss-selector-parser	3.1.2001	MIT	> Selector parser with built in methods for working with selector strings.	Copyright (c) Ben Briggs <beneb.info@gmail.com> ( <a href="http://beneb.info">http://beneb.info</a> )
postcss-selector-parser	5.0.0	MIT	> Selector parser with built in methods for working with selector strings.	Copyright (c) Ben Briggs <beneb.info@gmail.com> ( <a href="http://beneb.info">http://beneb.info</a> )
postcss-selector-parser	5.0.0-rc.3	MIT	> Selector parser with built in methods for working with selector strings.	Copyright (c) Ben Briggs <beneb.info@gmail.com> ( <a href="http://beneb.info">http://beneb.info</a> )
postcss-svg	4.0.1	MIT	Optimise inline SVG with PostCSS.	Copyright (c) Ben Briggs <beneb.info@gmail.com> ( <a href="http://beneb.info">http://beneb.info</a> )
postcss-unique-selectors	4.0.1	MIT	Ensure CSS selectors are unique.	Copyright (c) Ben Briggs <beneb.info@gmail.com> ( <a href="http://beneb.info">http://beneb.info</a> )
postcss-value-parser	3.3.2000	MIT	Transforms css values and at-rule params into the tree	Copyright (c) Bogdan Chadkin <trysound@yandex.ru>
postcss-value-parser	3.3.2001	MIT	Transforms css values and at-rule params into the tree	Copyright (c) Bogdan Chadkin <trysound@yandex.ru>
postcss	6.0.14	MIT	Tool for transforming styles with JS plugins	Copyright 2013 Andrey Sitnik <andrey@sitnik.ru>
postcss	6.0.22	MIT	Tool for transforming styles with JS plugins	Copyright 2013 Andrey Sitnik <andrey@sitnik.ru>
postcss	6.0.23	MIT	Tool for transforming styles with JS plugins	Copyright 2013 Andrey Sitnik <andrey@sitnik.ru>
postcss	7.0.21	MIT	Tool for transforming styles with JS plugins	Copyright 2013 Andrey Sitnik <andrey@sitnik.ru>
postcss	7.0.5	MIT	Tool for transforming styles with JS plugins	Copyright 2013 Andrey Sitnik <andrey@sitnik.ru>
prelude-ls	1.1.2002	MIT	prelude.ls is a functionally oriented utility library. It is powerful and flexible. Almost all of its functions are curried. It is written in, and is the recommended base library for, LiveScript.	Copyright (c) George Zahariev
prelude-ls	1.2.2001	MIT	prelude.ls is a functionally oriented utility library. It is powerful and flexible. Almost all of its functions are curried. It is written in, and is the recommended base library for, LiveScript.	Copyright (c) George Zahariev
prepend-http	1.0.4	MIT	Prepend `http://` to humanized URLs like todomvc.com and localhost	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> ( <a href="http://sindresorhus.com">sindresorhus.com</a> )

prettier-linter-helpers	1.0.0	MIT	Utilities to help expose prettier output in linting tools	Copyright © 2017 Andres Suarez and Teddy Katz
prettier	1.17.0	MIT	Prettier is an opinionated code formatter	Copyright © James Long and contributors
prettier	1.18.2	MIT	Prettier is an opinionated code formatter	Copyright © James Long and contributors
pretty-bytes	5.3.2000	MIT	Convert bytes to a human readable string: 1337 → 1.34 kB	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
pretty-error	2.1.2001	MIT	See nodejs errors with less clutter	Copyright (c) 2013 Aria Minaei
pretty-format	25.2.2003	MIT	Stringify any JavaScript value.	Copyright (c) Facebook, Inc. and its affiliates.
pretty-format	25.5.2000	MIT	Stringify any JavaScript value.	Copyright (c) Facebook, Inc. and its affiliates.
private	2000.1.8	MIT	Utility for associating truly private state with any JavaScript object	Copyright (c) 2014 Ben Newman <bn@cs.stanford.edu>
process-nexttick-args	1.0.7	MIT	process.nextTick but always with args	
process-nexttick-args	2.0.1	MIT	process.nextTick but always with args	
process	2000.11.10	MIT	process information for node.js and browsers	Copyright (c) 2013 Roman Shtylman <shtylman@gmail.com>
progress	2.0.0	MIT	Flexible ascii progress bar	Copyright (c) 2017 TJ Holowaychuk <tj@vision-media.ca>
promise-inflight	1.0.1	ISC	One promise for multiple requests in flight to avoid async duplication	Copyright (c) 2017, Rebecca Turner <me@re-becca.org>
promise-polyfill	8.1.2003	MIT	Lightweight promise polyfill. A+ compliant	Copyright (c) 2014 Taylor Hakes. Copyright (c) 2014 Forbes Lindesay
promise-queue	2.2.2005	MIT	Promise-based queue	Copyright (c) 2013 Mikhail Davydov and other contributors
prompts	2.3.2002	MIT	Lightweight, beautiful and user-friendly prompts	Copyright (c) 2018 Terkel Gjervig Nielsen
property-expr	1.5.2001	MIT	tiny util for getting and setting deep object props safely	Copyright (c) 2014 Jason Quense
prosemirror-collab	1.0.0	MIT	Collaborative editing for ProseMirror	Copyright (C) 2015-2017 by Marijn Haverbeke <marijnh@gmail.com> and others
prosemirror-commands	1.0.7	MIT	Editing commands for ProseMirror	Copyright (C) 2015-2017 by Marijn Haverbeke <marijnh@gmail.com> and others
prosemirror-dropcursor	1.0.0	MIT	Drop cursor plugin for ProseMirror	Copyright (C) 2015-2017 by Marijn Haverbeke <marijnh@gmail.com> and others
prosemirror-example-setup	1.0.1	MIT	An example for how to set up a ProseMirror editor	Copyright (C) 2015-2017 by Marijn Haverbeke <marijnh@gmail.com> and others
prosemirror-gapcursor	1.0.2	MIT*	ProseMirror plugin for cursors at normally impossible-to-reach positions	Copyright (C) 2015-2017 by Marijn Haverbeke <marijnh@gmail.com> and others
prosemirror-history	1.0.2	MIT	Undo history for ProseMirror	Copyright (C) 2015-2017 by Marijn Haverbeke <marijnh@gmail.com> and others

prosemirror-inputrules	1.0.1	MIT	Automatic transforms on text input for ProseMirror	Copyright (C) 2015-2017 by Marijn Haverbeke <marijnh@gmail.com> and others
prosemirror-keymap	1.0.1	MIT	Keymap plugin for ProseMirror	Copyright (C) 2015-2017 by Marijn Haverbeke <marijnh@gmail.com> and others
prosemirror-menu	1.0.4	MIT	Simple menu elements for ProseMirror	Copyright (C) 2015-2017 by Marijn Haverbeke <marijnh@gmail.com> and others
prosemirror-model	1.4.2004	MIT	ProseMirror's document model	Copyright (C) 2015-2017 by Marijn Haverbeke <marijnh@gmail.com> and others
prosemirror-schema-basic	1.0.0	MIT	Basic schema elements for ProseMirror	Copyright (C) 2015-2017 by Marijn Haverbeke <marijnh@gmail.com> and others
prosemirror-schema-list	1.0.1	MIT	List-related schema elements and commands for ProseMirror	Copyright (C) 2015-2017 by Marijn Haverbeke <marijnh@gmail.com> and others
prosemirror-state	1.2.2000	MIT	ProseMirror editor state	Copyright (C) 2015-2017 by Marijn Haverbeke <marijnh@gmail.com> and others
prosemirror-tables	2000.8.1	MIT	ProseMirror's rowspan/colspan tables component	Copyright (C) 2015-2016 by Marijn Haverbeke <marijnh@gmail.com> and others
prosemirror-transform	1.0.10	MIT	ProseMirror document transformations	Copyright (C) 2015-2017 by Marijn Haverbeke <marijnh@gmail.com> and others
prosemirror-transform	1.2.2007	MIT	ProseMirror document transformations	Copyright (C) 2015-2017 by Marijn Haverbeke <marijnh@gmail.com> and others
prosemirror-view	1.3.2000	MIT	ProseMirror's view component	Copyright (C) 2015-2017 by Marijn Haverbeke <marijnh@gmail.com> and others
proxy-addr	2.0.2	MIT	Determine address of proxied request	Copyright (c) 2014-2016 Douglas Christopher Wilson
proxy-addr	2.0.4	MIT	Determine address of proxied request	Copyright (c) 2014-2016 Douglas Christopher Wilson
proxy-addr	2.0.5	MIT	Determine address of proxied request	Copyright (c) 2014-2016 Douglas Christopher Wilson
proxy-agent	2.2.2000	MIT	Maps proxy protocols to `http.Agent` implementations	Copyright (c) 2013 Nathan Rajlich &lt;nathan@tootallnate.net&gt;
proxy-agent	3.1.2001	MIT	Maps proxy protocols to `http.Agent` implementations	Copyright (c) 2013 Nathan Rajlich &lt;nathan@tootallnate.net&gt;
proxy-from-env	1.1.2000	MIT	Offers getProxyForUrl to get the proxy URL for a URL, respecting the *_PROXY (e.g. HTTP_PROXY) and NO_PROXY environment variables.	Copyright (C) 2016-2018 Rob Wu <rob@robwu.nl>
prr	1.0.1	MIT	A better Object.defineProperty()	Copyright (c) 2014 Rod Vagg. -----
pseudomap	1.0.2	ISC	A thing that is a lot like ES6 `Map`, but without iterators, for use in environments where `for..of` syntax and `Map` are not available.	Copyright (c) Isaac Z. Schlueter and Contributors
psl	1.1.31	MIT	Domain name parser based on the Public Suffix List	Copyright (c) 2017 Lupo Montero lupomontero@gmail.com

psl	1.4.2000	MIT	Domain name parser based on the Public Suffix List	Copyright (c) 2017 Lupo Montero lupomontero@gmail.com
pstree.remy	1.1.2006	MIT	Collects the full tree of processes from /proc	
public-encrypt	4.0.3	MIT	browserify version of publicEncrypt & privateDecrypt	Copyright (c) 2017 Calvin Metcalf
pump	2.0.1	MIT	pipe streams together and close all of them if one of them closes	Copyright (c) 2014 Mathias Buus
pump	3.0.0	MIT	pipe streams together and close all of them if one of them closes	Copyright (c) 2014 Mathias Buus
pumpify	1.5.2001	MIT	Combine an array of streams into a single duplex stream using pump and duplexify	Copyright (c) 2014 Mathias Buus
punycode	1.3.2002	MIT	A robust Punycode converter that fully complies to RFC 3492 and RFC 5891, and works on nearly all JavaScript platforms.	Copyright Mathias Bynens <https://mathiasbynens.be/>
punycode	1.4.2001	MIT	A robust Punycode converter that fully complies to RFC 3492 and RFC 5891, and works on nearly all JavaScript platforms.	Copyright Mathias Bynens <https://mathiasbynens.be/>
punycode	2.1.2001	MIT	A robust Punycode converter that fully complies to RFC 3492 and RFC 5891, and works on nearly all JavaScript platforms.	Copyright Mathias Bynens <https://mathiasbynens.be/>
q	1.5.2001	MIT	A library for promises (CommonJS/Promises/A,B,D)	Copyright 2009–2017 Kristopher Michael Kowal. All rights reserved.. Permission is hereby granted, free of charge, to any person obtaining a copy. of this software and associated documentation files (the "Software"), to. deal in the Software without restriction, including without limitation the. rights to use, copy, modify, merge, publish, distribute, sublicense, and/or. sell copies of the Software, and to permit persons to whom the Software is. furnished to do so, subject to the following conditions:
qs	6.5.2001	BSD-3-Clause	A querystring parser that supports nesting and arrays, with a depth limit	Copyright (c) 2014 Nathan LaFreniere and other contributors.. All rights reserved.
qs	6.5.2002	BSD-3-Clause	A querystring parser that supports nesting and arrays, with a depth limit	Copyright (c) 2014 Nathan LaFreniere and other contributors.. All rights reserved.
qs	6.7.2000	BSD-3-Clause	A querystring parser that supports nesting and arrays, with a depth limit	Copyright (c) 2014 Nathan LaFreniere and other contributors.. All rights reserved.
querystring-es3	2000.2.1	MIT	Node's querystring module for all engines. (ES3 compat fork)	

querystring	0.2.0	MIT	Node's querystring module for all engines.	
querystringify	2.1.2001	MIT	Querystringify - Small, simple but powerful query string parser.	Copyright (c) 2015 Unshift.io, Arnout Kazemier, the Contributors.
ramda	0.25.0	MIT	A practical functional library for JavaScript programmers.	Copyright (c) 2013-2016 Scott Sauyet and Michael Hurley
ramda	0.26.1	MIT	A practical functional library for JavaScript programmers.	Copyright (c) 2013-2018 Scott Sauyet and Michael Hurley
randombytes	2.1.2000	MIT	random bytes from browserify stand alone	Copyright (c) 2017 crypto-browserify
randomfill	1.0.4	MIT	random fill from browserify stand alone	Copyright (c) 2017 crypto-browserify
range-parser	1.2.2000	MIT	Range header field string parser	Copyright (c) 2012-2014 TJ Holowaychuk <tj@vision-media.ca>. Copyright (c) 2015-2016 Douglas Christopher Wilson <doug@somethingdoug.com
range-parser	1.2.2001	MIT	Range header field string parser	Copyright (c) 2012-2014 TJ Holowaychuk <tj@vision-media.ca>. Copyright (c) 2015-2016 Douglas Christopher Wilson <doug@somethingdoug.com
raw-body	2.3.2002	MIT	Get and validate the raw body of a readable stream.	Copyright (c) 2013-2014 Jonathan Ong <me@jongleberry.com>. Copyright (c) 2014-2015 Douglas Christopher Wilson <doug@somethingdoug.com>
raw-body	2.3.2003	MIT	Get and validate the raw body of a readable stream.	Copyright (c) 2013-2014 Jonathan Ong <me@jongleberry.com>. Copyright (c) 2014-2015 Douglas Christopher Wilson <doug@somethingdoug.com>
raw-body	2.4.2000	MIT	Get and validate the raw body of a readable stream.	Copyright (c) 2013-2014 Jonathan Ong <me@jongleberry.com>. Copyright (c) 2014-2015 Douglas Christopher Wilson <doug@somethingdoug.com>
raw-loader	4.0.0	MIT	A loader for webpack that allows importing files as a String	Copyright JS Foundation and other contributors
rc	1.2.2002	(BSD-2-Clause OR MIT OR Apache-2.0)	hardwired configuration loader	Copyright (c) 2011 Dominic Tarr
rc	1.2.2008	(BSD-2-Clause OR MIT OR Apache-2.0)	hardwired configuration loader	Copyright (c) 2011 Dominic Tarr
react-is	16.13.1	MIT	Brand checking of React Elements.	Copyright (c) Facebook, Inc. and its affiliates.
read-pkg-up	4.0.0	MIT	Read the closest package.json file	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
read-pkg-up	7.0.1	MIT	Read the closest package.json file	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
read-pkg	3.0.0	MIT	Read a package.json file	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)



read-pkg	5.2.2000	MIT	Read a package.json file	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
readable-stream	1.0.34	MIT	Streams2, a user-land copy of the stream library from Node.js v0.10.x	Copyright Joyent, Inc. and other Node contributors. All rights reserved.. Permission is hereby granted, free of charge, to any person obtaining a copy. of this software and associated documentation files (the "Software"), to. deal in the Software without restriction, including without limitation the. rights to use, copy, modify, merge, publish, distribute, sublicense, and/or. sell copies of the Software, and to permit persons to whom the Software is. furnished to do so, subject to the following conditions:
readable-stream	1.1.14	MIT	Streams3, a user-land copy of the stream library from Node.js v0.11.x	Copyright Joyent, Inc. and other Node contributors. All rights reserved.. Permission is hereby granted, free of charge, to any person obtaining a copy. of this software and associated documentation files (the "Software"), to. deal in the Software without restriction, including without limitation the. rights to use, copy, modify, merge, publish, distribute, sublicense, and/or. sell copies of the Software, and to permit persons to whom the Software is. furnished to do so, subject to the following conditions:
readable-stream	2.3.2003	MIT	Streams3, a user-land copy of the stream library from Node.js	
readable-stream	2.3.2006	MIT	Streams3, a user-land copy of the stream library from Node.js	
readable-stream	2.3.2007	MIT	Streams3, a user-land copy of the stream library from Node.js	
readable-stream	3.3.2000	MIT	Streams3, a user-land copy of the stream library from Node.js	
readable-stream	3.4.2000	MIT	Streams3, a user-land copy of the stream library from Node.js	
readdirp	2.2.2001	MIT	Recursive version of fs.readdir with streaming api.	Copyright (c) 2012-2015 Thorsten Lorenz
readdirp	3.1.2001	MIT	Recursive version of fs.readdir with streaming api.	Copyright (c) 2012-2019 Thorsten Lorenz, Paul Miller (https://paulmillr.com)
readdirp	3.5.2000	MIT	Recursive version of fs.readdir with streaming API.	Copyright (c) 2012-2019 Thorsten Lorenz, Paul Miller (https://paulmillr.com)
realpath-native	1.1.2000	MIT	Use the system's native `realpath`	Copyright (c) 2017 Simen Bekkhus
realpath-native	2.0.0	MIT	Use the system's native `realpath`	Copyright (c) 2017 Simen Bekkhus
recast	0.18.5	MIT	JavaScript syntax tree transformer, nondestructive pretty-printer, and automatic source map generator	Copyright (c) 2012 Ben Newman <bn@cs.stanford.edu>
redis-commands	1.5.2000	MIT	Redis commands	Copyright (c) 2015 NodeRedis

redis-commands	1.6.2000	MIT	Redis commands	Copyright (c) 2015 NodeRedis
redis-errors	1.2.2000	MIT	Error classes used in node_redis	Copyright (c) 2017 Ruben Bridgewater
redis-parser	3.0.0	MIT	Javascript Redis protocol (RESP) parser	Copyright (c) 2015 NodeRedis
redis	3.0.2	MIT	A high performance Redis client.	Copyright (c) 2016-present Node Redis contributors.
regenerate-unicode-properties	8.2.2000	MIT	Regenerate sets for Unicode properties and values.	Copyright Mathias Bynens < <a href="https://mathiasbynens.be/">https://mathiasbynens.be/</a> >
regenerate	1.4.2000	MIT	Generate JavaScript-compatible regular expressions based on a given set of Unicode symbols or code points.	Copyright Mathias Bynens < <a href="https://mathiasbynens.be/">https://mathiasbynens.be/</a> >
regenerate	1.4.2001	MIT	Generate JavaScript-compatible regular expressions based on a given set of Unicode symbols or code points.	Copyright Mathias Bynens < <a href="https://mathiasbynens.be/">https://mathiasbynens.be/</a> >
regenerator-runtime	0.13.2	MIT	Runtime for Regenerator-compiled generator and async functions.	
regenerator-runtime	0.13.7	MIT	Runtime for Regenerator-compiled generator and async functions.	Copyright (c) 2014-present, Facebook, Inc.
regenerator-transform	0.14.5	MIT	Explode async and generator functions into a state machine.	Copyright (c) 2014-present, Facebook, Inc.
regex-not	1.0.2	MIT	Create a javascript regular expression for matching everything except for the given string.	Copyright (c) 2016, 2018, Jon Schlinkert.
regexp-clone	1.0.0	MIT	Clone RegExps with options	Copyright (c) 2013 [Aaron Heckmann](aaron.heckmann+github@gmail.com)
regexp	3.1.2000	MIT	Regular expression parser for ECMAScript.	Copyright (c) 2018 Toru Nagashima
regexpu-core	1.0.0	MIT	regexpu's core functionality (i.e. `rewritePattern(pattern, flag)`), capable of translating ES6 Unicode regular expressions to ES5.	Copyright Mathias Bynens < <a href="https://mathiasbynens.be/">https://mathiasbynens.be/</a> >
regexpu-core	4.7.2001	MIT	regexpu's core functionality (i.e. `rewritePattern(pattern, flag)`), capable of translating ES6 Unicode regular expressions to ES5.	Copyright Mathias Bynens < <a href="https://mathiasbynens.be/">https://mathiasbynens.be/</a> >
registry-auth-token	3.3.2001	MIT	Get the auth token set for an npm registry (if any)	Copyright (c) 2016 Espen Hovlandsdal
registry-url	3.1.2000	MIT	Get the set npm registry URL	Copyright (c) Sindre Sorhus < <a href="mailto:sindresorhus@gmail.com">sindresorhus@gmail.com</a> > ( <a href="http://sindresorhus.com">sindresorhus.com</a> )
regjsgen	0.2.0	MIT	Generate `RegExp`s from RegJSParser's AST	Copyright 2014 Benjamin Tan < <a href="mailto:demoneaux@gmail.com">demoneaux@gmail.com</a> > ( <a href="https://d10.github.io/">https://d10.github.io/</a> )

regjsngen	2000.5.2	MIT	Generate regular expressions from regjsparser's AST.	Copyright 2014-2020 Benjamin Tan < <a href="https://ofcr.se/">https://ofcr.se/</a> >
regjsparser	2000.1.5	BSD*	Parsing the JavaScript's RegExp in JavaScript.	
regjsparser	2000.6.4	BSD-2-Clause	Parsing the JavaScript's RegExp in JavaScript.	Copyright (c) Julian Viereck and Contributors, All Rights Reserved.
relateurl	2000.2.7	MIT	Minify URLs by converting them from absolute to relative.	Copyright (c) Steven Vachon < <a href="mailto:contact@svachon.com">contact@svachon.com</a> > (svachon.com)
remove-trailing-separator	1.1.2000	ISC	Removes separators from the end of the string.	
renderkid	2.0.1	MIT	Stylish console.log for node	Copyright (c) 2015 Aria Minaei
repeat-element	1.1.2003	MIT	Create an array by repeating the given value n times.	Copyright (c) 2015-present, Jon Schlinkert.
repeat-string	1.6.2001	MIT	Repeat the given string n times. Fastest implementation for repeating a string.	Copyright (c) 2014-2016, Jon Schlinkert.
request-progress	3.0.0	MIT	Tracks the download progress of a request made with mikeal/request, giving insight of various metrics including progress percent, download speed and time remaining	Copyright (c) 2012 IndigoUnited
request-promise-core	1.1.2003	ISC	Core Promise support implementation for the simplified HTTP request client 'request'.	Copyright (c) 2019, Nicolai Kamenzky and contributors
request-promise-native	1.0.8	ISC	The simplified HTTP request client 'request' with Promise support. Powered by native ES6 promises.	Copyright (c) 2019, Nicolai Kamenzky and contributors
request	2.88.0	Apache-2.0	Simplified HTTP request client.	
require-directory	2.1.2001	MIT	Recursively iterates over specified directory, require()'ing each file, and returning a nested hash structure containing those modules.	Copyright (c) 2011 Troy Goode < <a href="mailto:troygoode@gmail.com">troygoode@gmail.com</a> >
require-from-string	1.2.2001	MIT	Require module from string	Copyright (c) Vsevolod Strukchinsky < <a href="mailto:floatdrop@gmail.com">floatdrop@gmail.com</a> > (github.com/floatdrop)
require-main-filename	1.0.1	ISC	shim for require.main.filename() that works in as many environments as possible	Copyright (c) 2016, Contributors
require-main-filename	2.0.0	ISC	shim for require.main.filename() that works in as many environments as possible	Copyright (c) 2016, Contributors

require_optional	1.0.1	Apache-2.0	Allows you declare optionalPeerDependencies that can be satisfied by the top level module but ignored if they are not.	
requires-port	1.0.0	MIT	Check if a protocol requires a certain port number to be added to an URL.	Copyright (c) 2015 Unshift.io, Arnout Kazemier, the Contributors.
resolve-cwd	2.0.0	MIT	Resolve the path of a module like `require.resolve()` but from the current working directory	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
resolve-cwd	3.0.0	MIT	Resolve the path of a module like `require.resolve()` but from the current working directory	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
resolve-dir	1.0.1	MIT	Resolve a directory that is either local, global or in the user's home directory.	Copyright (c) 2015-2016, Jon Schlinkert
resolve-from	2.0.0	MIT	Resolve the path of a module like require.resolve() but from a given path	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
resolve-from	3.0.0	MIT	Resolve the path of a module like `require.resolve()` but from a given path	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
resolve-from	4.0.0	MIT	Resolve the path of a module like `require.resolve()` but from a given path	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
resolve-from	5.0.0	MIT	Resolve the path of a module like `require.resolve()` but from a given path	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
resolve-url	2000.2.1	MIT	Like Node.js' `path.resolve`/`url.resolve` for the browser.	Copyright (c) 2013 Simon Lydell
resolve	1.1.2007	MIT	resolve like require.resolve() on behalf of files asynchronously and synchronously	
resolve	1.18.1	MIT	resolve like require.resolve() on behalf of files asynchronously and synchronously	Copyright (c) 2012 James Halliday
rest-facade	1.12.2000	MIT	Simple abstraction for consuming REST API endpoints	Copyright (c) 2015 Nicolás González
restore-cursor	1.0.1	MIT	Gracefully restore the CLI cursor on exit	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
restore-cursor	2.0.0	MIT	Gracefully restore the CLI cursor on exit	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
ret	2000.1.15	MIT	Tokenizes a string that represents a regular expression.	Copyright (C) 2011 by Roly Fentanes

retry	0.12.0	MIT	Abstraction for exponential and custom retry strategies for failed operations.	Copyright (c) 2011: Tim Koschützki (tim@debuggable.com). Felix Geisendörfer (felix@debuggable.com)
reusify	1.0.4	MIT	Reuse objects and functions with style	Copyright (c) 2015 Matteo Collina
rgb-regex	1.0.1	MIT	Regex for RGB color strings.	Copyright (c) 2015 John Otander
rgba-regex	1.0.0	MIT	Regex for matching RGBA color strings.	Copyright (c) 2015 John Otander
right-align	2000.1.3	MIT	Right-align the text in a string.	Copyright (c) 2015, Jon Schlinkert.
rimraf	2.6.2003	ISC	A deep deletion module for node (like `rm -rf`)	Copyright (c) Isaac Z. Schlueter and Contributors
rimraf	2.7.2001	ISC	A deep deletion module for node (like `rm -rf`)	Copyright (c) Isaac Z. Schlueter and Contributors
rimraf	3.0.2	ISC	A deep deletion module for node (like `rm -rf`)	Copyright (c) Isaac Z. Schlueter and Contributors
ripemd160	2.0.2	MIT	Compute ripemd160 of bytes or strings.	Copyright (c) 2016 crypto-browserify
rope-sequence	1.2.2002	MIT	Rope-based persistent sequence type	Copyright (C) 2016 by Marijn Haverbeke <marijnh@gmail.com>
rsvp	4.8.2005	MIT	A lightweight library that provides tools for organizing asynchronous code	Copyright (c) 2014 Yehuda Katz, Tom Dale, Stefan Penner and contributors
run-parallel	1.1.2009	MIT	Run an array of functions in parallel	Copyright (c) Feross Aboukhadijeh
run-queue	1.0.3	ISC	A promise based, dynamic priority queue runner, with concurrency limiting.	
rxjs	6.5.2001	Apache-2.0	Reactive Extensions for modern JavaScript	
safe-buffer	5.1.2001	MIT	Safer Node.js Buffer API	Copyright (c) Feross Aboukhadijeh
safe-buffer	5.1.2002	MIT	Safer Node.js Buffer API	Copyright (c) Feross Aboukhadijeh
safe-buffer	5.2.2000	MIT	Safer Node.js Buffer API	Copyright (c) Feross Aboukhadijeh
safe-buffer	5.2.2001	MIT	Safer Node.js Buffer API	Copyright (c) Feross Aboukhadijeh
safe-regex	1.1.2000	MIT	detect possibly catastrophic, exponential-time regular expressions	
safer-buffer	2.1.2002	MIT	Modern Buffer API polyfill without footguns	Copyright (c) 2018 Nikita Skovoroda <chalkerx@gmail.com>
sane	4.1.2000	MIT	Sane aims to be fast, small, and reliable file system watcher.	
saslprep	1.0.3	MIT	SASLprep: Stringprep Profile for User Names and Passwords, rfc4013.	Copyright (c) 2014 Dmitry Tsvetitsikh
sass-loader	7.1.2000	MIT	Sass loader for webpack	Copyright JS Foundation and other contributors

sass	1.22.5	MIT	A pure JavaScript implementation of Sass.	
sax	1.1.2006	ISC	An evented streaming XML parser in JavaScript	Copyright (c) Isaac Z. Schlueter and Contributors
sax	1.2.2001	ISC	An evented streaming XML parser in JavaScript	Copyright (c) Isaac Z. Schlueter and Contributors
sax	1.2.2004	ISC	An evented streaming XML parser in JavaScript	Copyright (c) Isaac Z. Schlueter and Contributors
saxes	3.1.2009	ISC	An evented streaming XML parser in JavaScript	Copyright (c) Contributors*
schema-utils	2000.4.7	MIT	webpack Validation Utils	Copyright JS Foundation and other contributors
schema-utils	1.0.0	MIT	webpack Validation Utils	Copyright JS Foundation and other contributors
schema-utils	2.6.2005	MIT	webpack Validation Utils	Copyright JS Foundation and other contributors
schema-utils	2.7.2001	MIT	webpack Validation Utils	Copyright JS Foundation and other contributors
scroll-into-view-if-needed	2.2.20	MIT	Ponyfill for upcoming Element.scrollIntoView() APIs like scrollMode: if-needed, behavior: smooth and block: center	Copyright (c) 2017 Stian Didriksen
select-hose	2.0.0	MIT	Select protocol using first bytes of incoming data and hose stuff to the handler	Copyright Fedor Indutny, 2015.
select	1.1.2002	MIT	Programmatically select the text of a HTML element	
selfsigned	1.10.2004	MIT	Generate self signed certificates private and public keys	Copyright (c) 2013 José F. Romaniello
semver-compare	1.0.0	MIT	compare two semver version strings, returning -1, 0, or 1	
semver-diff	2.1.2000	MIT	Get the diff type of two semver versions: 0.0.1 0.0.2 → patch	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
semver	5.0.3	ISC	The semantic version parser used by npm.	Copyright (c) Isaac Z. Schlueter and Contributors
semver	5.4.2001	ISC	The semantic version parser used by npm.	Copyright (c) Isaac Z. Schlueter and Contributors
semver	5.7.2001	ISC	The semantic version parser used by npm.	Copyright (c) Isaac Z. Schlueter and Contributors
semver	6.3.2000	ISC	The semantic version parser used by npm.	Copyright (c) Isaac Z. Schlueter and Contributors
semver	7.0.0	ISC	The semantic version parser used by npm.	Copyright (c) Isaac Z. Schlueter and Contributors

semver	7.3.2002	ISC	The semantic version parser used by npm.	Copyright (c) Isaac Z. Schlueter and Contributors
send	0.16.1	MIT	Better streaming static file server with Range and conditional-GET support	Copyright (c) 2012 TJ Holowaychuk. Copyright (c) 2014-2016 Douglas Christopher Wilson
send	0.16.2	MIT	Better streaming static file server with Range and conditional-GET support	Copyright (c) 2012 TJ Holowaychuk. Copyright (c) 2014-2016 Douglas Christopher Wilson
send	0.17.1	MIT	Better streaming static file server with Range and conditional-GET support	Copyright (c) 2012 TJ Holowaychuk. Copyright (c) 2014-2016 Douglas Christopher Wilson
sentence-case	1.1.2003	MIT	Sentence case a string	Copyright (c) 2014 Blake Embrey (hello@blakeembrey.com)
serialize-javascript	1.7.2000	BSD-3-Clause	Serialize JavaScript to a superset of JSON that includes regular expressions and functions.	Copyright 2014 Yahoo! Inc.. All rights reserved.
serialize-javascript	2.1.2002	BSD-3-Clause	Serialize JavaScript to a superset of JSON that includes regular expressions and functions.	Copyright 2014 Yahoo! Inc.. All rights reserved.
serve-index	1.9.2001	MIT	Serve directory listings	Copyright (c) 2010 Sencha Inc.. Copyright (c) 2011 LearnBoost. Copyright (c) 2011 TJ Holowaychuk. Copyright (c) 2014-2015 Douglas Christopher Wilson
serve-static	1.13.1	MIT	Serve static files	Copyright (c) 2010 Sencha Inc.. Copyright (c) 2011 LearnBoost. Copyright (c) 2011 TJ Holowaychuk. Copyright (c) 2014-2016 Douglas Christopher Wilson
serve-static	1.13.2	MIT	Serve static files	Copyright (c) 2010 Sencha Inc.. Copyright (c) 2011 LearnBoost. Copyright (c) 2011 TJ Holowaychuk. Copyright (c) 2014-2016 Douglas Christopher Wilson
serve-static	1.14.1	MIT	Serve static files	Copyright (c) 2010 Sencha Inc.. Copyright (c) 2011 LearnBoost. Copyright (c) 2011 TJ Holowaychuk. Copyright (c) 2014-2016 Douglas Christopher Wilson
set-blocking	2.0.0	ISC	set blocking stdio and stderr ensuring that terminal output does not truncate	Copyright (c) 2016, Contributors
set-value	2.0.1	MIT	Create nested values and any intermediaries using dot notation ('a.b.c') paths.	Copyright (c) 2014-2017, Jon Schlinkert
setimmediate	1.0.5	MIT	A shim for the setImmediate efficient script yielding API	Copyright (c) 2012 Barnesandnoble.com, llc, Donavon West, and Domenic Denicola
setprototypeof	1.0.3	ISC	A small polyfill for Object.setPrototypeOf	Copyright (c) 2015, Wes Todd
setprototypeof	1.1.2000	ISC	A small polyfill for Object.setPrototypeOf	Copyright (c) 2015, Wes Todd
setprototypeof	1.1.2001	ISC	A small polyfill for Object.setPrototypeOf	Copyright (c) 2015, Wes Todd

sha.js	2.4.11	(MIT AND BSD-3-Clause)	Streamable SHA hashes in pure javascript	Copyright (c) 2013-2018 sha.js contributors
sha1	1.1.2001	BSD-3-Clause	native js function for hashing messages with SHA-1	Copyright © 2009, Jeff Mott. All rights reserved.. Copyright © 2011, Paul Vorbach. All rights reserved.
shallow-clone	1.0.0	MIT	Make a shallow clone of an object, array or primitive.	Copyright (c) 2015-2017, Jon Schlinkert.
shebang-command	1.2.2000	MIT	Get the command from a shebang	Copyright (c) Kevin Martensson <kevinmartensson@gmail.com> (github.com/kevva)
shebang-command	2.0.0	MIT	Get the command from a shebang	Copyright (c) Kevin Mårtensson <kevinmartensson@gmail.com> (github.com/kevva)
shebang-regex	1.0.0	MIT	Regular expression for matching a shebang	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
shebang-regex	3.0.0	MIT	Regular expression for matching a shebang line	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
shell-quote	1.6.2001	MIT	quote and parse shell commands	Copyright (c) 2013 James Halliday (mail@substack.net)
shellwords	2000.1.1	MIT	Manipulate strings according to the word parsing rules of the UNIX Bourne shell.	Copyright (C) 2011 by Jimmy Cuadra
sift	7.0.1	MIT	mongodb query style array filtering	
signal-exit	3.0.3	ISC	when you want to fire an event no matter how a process exits.	Copyright (c) 2015, Contributors
simple-concat	1.0.0	MIT	Super-minimalist version of `concat-stream`. Less than 15 lines!	Copyright (c) Feros Aboukhadijeh
simple-get	3.1.2000	MIT	Simplest way to make http get requests. Supports HTTPS, redirects, gzip/deflate, streams in < 100 lines.	Copyright (c) Feros Aboukhadijeh
simple-git	1.113.0	MIT	Simple GIT interface for node.js	Copyright (c) 2015 Steve King
simple-swizzle	2000.2.2	MIT	Simply swizzle your arguments	Copyright (c) 2015 Josh Junon
sisteransi	1.0.5	MIT	ANSI escape codes for some terminal swag	Copyright (c) 2018 Terkel Gjervig Nielsen
slash	2.0.0	MIT	Convert Windows backslash paths to slash paths	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
slash	3.0.0	MIT	Convert Windows backslash paths to slash paths	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
slice-ansi	0.0.4	MIT	Slice a string with ANSI escape codes	Copyright (c) 2015 DC <threedeecee@gmail.com>
slice-ansi	2.1.2000	MIT	Slice a string with ANSI escape codes	Copyright (c) DC <threedeecee@gmail.com>
sliced	1.0.1	MIT	A faster Node.js alternative to Array.prototype.slice.call(arguments)	Copyright (c) 2012 [Aaron Heckmann](aaron.heckmann+github@gmail.com)



smart-buffer	1.1.15	MIT	A smarter Buffer that keeps track of its own read and write positions while growing endlessly.	Copyright (c) 2013 Josh Glazebrook
smart-buffer	4.1.2000	MIT	smart-buffer is a Buffer wrapper that adds automatic read & write offset tracking, string operations, data insertions, and more.	Copyright (c) 2013-2017 Josh Glazebrook
snake-case	1.1.2002	MIT	Snake case a string	Copyright (c) 2014 Blake Embrey (hello@blakeembrey.com)
snapdragon-node	2.1.2001	MIT	Snapdragon utility for creating a new AST node in custom code, such as plugins.	Copyright (c) 2017, Jon Schlinkert
snapdragon-util	3.0.1	MIT	Utilities for the snapdragon parser/compiler.	Copyright (c) 2017, Jon Schlinkert
snapdragon	2000.8.2	MIT	Fast, pluggable and easy-to-use parser-renderer factory.	Copyright (c) 2015-2016, Jon Schlinkert.
sockjs-client	1.3.2000	MIT	SockJS-client is a browser JavaScript library that provides a WebSocket-like object.	Copyright (c) 2011-2012 VMware, Inc.
sockjs	2000.3.19	MIT	SockJS-node is a server counterpart of SockJS-client a JavaScript library that provides a WebSocket-like object in the browser. SockJS gives you a coherent, cross-browser, Javascript API which creates a low latency, full duplex, cross-domain communication channel between the browser and the web server.	Copyright (C) 2011 VMware, Inc.
socks-proxy-agent	3.0.1	MIT	A SOCKS proxy `http.Agent` implementation for HTTP and HTTPS	Copyright (c) 2013 Nathan Rajlich & nathan@tootallnate.net
socks-proxy-agent	4.0.2	MIT	A SOCKS proxy `http.Agent` implementation for HTTP and HTTPS	Copyright (c) 2013 Nathan Rajlich & nathan@tootallnate.net
socks	1.1.10	MIT	A SOCKS proxy client supporting SOCKS 4, 4a, and 5. (also supports BIND/Associate)	Copyright (c) 2013 Josh Glazebrook
socks	2.3.2003	MIT	Fully featured SOCKS proxy client supporting SOCKSv4, SOCKSv4a, and SOCKSv5. Includes Bind and Associate functionality.	Copyright (c) 2013 Josh Glazebrook
sortablejs	1.7.2000	MIT	Minimalist JavaScript library for reorderable drag-and-drop lists on modern browsers and touch devices. No jQuery. Supports AngularJS and any CSS library, e.g. Bootstrap.	

source-list-map	2.0.0	MIT	Fast line to line SourceMap generator.	Copyright (c) 2017 JS Foundation
source-map-resolve	2000.5.3	MIT	Resolve the source map and/or sources for a generated file.	Copyright (c) 2014, 2015, 2016, 2017, 2018, 2019 Simon Lydell. Copyright (c) 2019 ZHAO Jinxiang
source-map-support	2000.5.12	MIT	Fixes stack traces for files with source maps	Copyright (c) 2014 Evan Wallace
source-map-support	2000.5.19	MIT	Fixes stack traces for files with source maps	Copyright (c) 2014 Evan Wallace
source-map-url	0.4.0	MIT	Tools for working with sourceMappingURL comments.	Copyright (c) 2014 Simon Lydell
source-map	2000.4.4	BSD-3-Clause	Generates and consumes source maps	
source-map	2000.5.7	BSD-3-Clause	Generates and consumes source maps	
source-map	2000.6.1	BSD-3-Clause	Generates and consumes source maps	
source-map	2000.7.3	BSD-3-Clause	Generates and consumes source maps	
sparse-bitfield	3.0.3	MIT	Bitfield that allocates a series of small buffers to support sparse bits without allocating a massive buffer	Copyright (c) 2016 Mathias Buus
spdx-correct	3.1.2001	Apache-2.0	correct invalid SPDX expressions	
spdx-exceptions	2.3.2000	CC-BY-3.0	list of SPDX standard license exceptions	
spdx-expression-parse	3.0.1	MIT	parse SPDX license expressions	Copyright (c) 2015 Kyle E. Mitchell & other authors listed in AUTHORS
spdx-license-ids	3.0.6	CC0-1.0	A list of SPDX license identifiers	
spdy-transport	3.0.0	MIT	SPDY v2, v3, v3.1 and HTTP2 transport	Copyright Fedor Indutny, 2015.
spdy	4.0.0	MIT	Implementation of the SPDY protocol on node.js.	Copyright Fedor Indutny, 2015.
split-string	3.1.2000	MIT	Split a string on a character except when the character is escaped.	Copyright (c) 2015-2017, Jon Schlinkert.
sprintf-js	1.0.3	BSD-3-Clause	JavaScript sprintf implementation	Copyright (c) 2007-2014, Alexandru Marasteanu <hello [at] alexei [dot] ro>. All rights reserved.
sshpk	1.16.1	MIT	A library for finding and using SSH public keys	Copyright Joyent, Inc. All rights reserved.. Permission is hereby granted, free of charge, to any person obtaining a copy. of this software and associated documentation files (the "Software"), to. deal in the Software without restriction, including without limitation the. rights to use, copy, modify, merge, publish, distribute, sublicense, and/or. sell copies of the Software, and to permit persons to whom the Software is. furnished to do so, subject to the following conditions:

ssri	6.0.1	ISC	Standard Subresource Integrity library -- parses, serializes, generates, and verifies integrity metadata according to the SRI spec.	Copyright (c) npm, Inc.
stable	2000.1.8	MIT	A stable array sort for JavaScript	Copyright (C) 2018 Angry Bytes and contributors.
stack-utils	1.0.2	MIT	Captures and cleans stack traces	Copyright (c) Isaac Z. Schlueter <i@izs.me>, James Talmage <james@talmage.io> (github.com/jamestalmage), and Contributors
staged-git-files	1.1.2002	BSD-2-Clause	get a list of staged git files and their status	
standard-as-callback	2.0.1	MIT	A performant and standard (Bluebird) library that registers a node-style callback on a promise	Copyright (c) 2018 Zihua Li. Copyright (c) 2013-2017 Petka Antonov
static-extend	2000.1.2	MIT	Adds a static `extend` method to a class, to simplify inheritance. Extends the static properties, prototype properties, and descriptors from a `Parent` constructor onto `Child` constructors.	Copyright (c) 2016, Jon Schlinkert.
statuses	1.3.2001	MIT	HTTP status utility	Copyright (c) 2014 Jonathan Ong me@jongleberry.com. Copyright (c) 2016 Douglas Christopher Wilson doug@somethingdoug.com
statuses	1.4.2000	MIT	HTTP status utility	Copyright (c) 2014 Jonathan Ong <me@jongleberry.com>. Copyright (c) 2016 Douglas Christopher Wilson <doug@somethingdoug.com>
statuses	1.5.2000	MIT	HTTP status utility	Copyright (c) 2014 Jonathan Ong <me@jongleberry.com>. Copyright (c) 2016 Douglas Christopher Wilson <doug@somethingdoug.com>
stealthy-require	1.1.2001	ISC	The closest you can get to require something with bypassing the require cache	Copyright (c) 2017, Nicolai Kamenzky and contributors
stream-browserify	2.0.2	MIT	the stream module from node core for browsers	Copyright (c) James Halliday
stream-each	1.2.2003	MIT	Iterate all the data in a stream	Copyright (c) 2015 Mathias Buus
stream-http	2.8.2003	MIT	Streaming http in the browser	Copyright (c) 2015 John Hiesey
stream-shift	1.0.0	MIT	Returns the next buffer/object in a stream's readable queue	Copyright (c) 2016 Mathias Buus
streamsearch	2000.1.2	MIT	Streaming Boyer-Moore-Horspool searching for node.js	Copyright Brian White. All rights reserved.

string-argv	0.0.2	MIT	string-argv parses a string into an argument array to mimic process.argv. This is useful when testing Command Line Utilities that you want to pass arguments to.	
string-length	3.1.2000	MIT	Get the real length of a string - by correctly counting astral symbols and ignoring ansi escape codes	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
string-width	1.0.2	MIT	Get the visual width of a string - the number of columns required to display it	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
string-width	2.1.2001	MIT	Get the visual width of a string - the number of columns required to display it	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
string-width	3.0.0	MIT	Get the visual width of a string - the number of columns required to display it	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
string-width	3.1.2000	MIT	Get the visual width of a string - the number of columns required to display it	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
string-width	4.2.2000	MIT	Get the visual width of a string - the number of columns required to display it	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
string.prototype.padend	3.0.0	MIT	ES7 spec-compliant String.prototype.padEnd shim.	Copyright (c) 2015 EcmaScript Shims
string.prototype.trimend	1.0.1	MIT	ES2019 spec-compliant String.prototype.trimEnd shim.	Copyright (c) 2017 Khaled Al-Ansari
string.prototype.trimstart	1.0.1	MIT	ES2019 spec-compliant String.prototype.trimStart shim.	Copyright (c) 2017 Khaled Al-Ansari
string_decoder	2000.10.31	MIT	The string_decoder module from Node core	Copyright Joyent, Inc. and other Node contributors.
string_decoder	1.0.3	MIT	The string_decoder module from Node core	
string_decoder	1.1.2001	MIT	The string_decoder module from Node core	
string_decoder	1.2.2000	MIT	The string_decoder module from Node core	
stringify-object	3.3.2000	BSD-2-Clause	Stringify an object/array like JSON. stringify just without all the double-quotes	Copyright (c) 2015, Yeoman team. All rights reserved.
strip-ansi	3.0.1	MIT	Strip ANSI escape codes	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

strip-ansi	4.0.0	MIT	Strip ANSI escape codes	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
strip-ansi	5.0.0	MIT	Strip ANSI escape codes	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
strip-ansi	5.2.2000	MIT	Strip ANSI escape codes from a string	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
strip-ansi	6.0.0	MIT	Strip ANSI escape codes from a string	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
strip-bom	3.0.0	MIT	Strip UTF-8 byte order mark (BOM) from a string	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
strip-bom	4.0.0	MIT	Strip UTF-8 byte order mark (BOM) from a string	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
strip-eof	1.0.0	MIT	Strip the End-Of-File (EOF) character from a string/buffer	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
strip-final-newline	2.0.0	MIT	Strip the final newline character from a string/buffer	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
strip-indent	2.0.0	MIT	Strip leading whitespace from each line in a string	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
strip-json-comments	2.0.1	MIT	Strip comments from JSON. Lets you use comments in your JSON files!	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
strip-json-comments	3.1.2001	MIT	Strip comments from JSON. Lets you use comments in your JSON files!	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> ( <a href="https://sindresorhus.com">https://sindresorhus.com</a> )
style-resources-loader	1.2.2001	MIT	CSS processor resources loader for webpack	Copyright (c) 2018 Shi Yan
stylehacks	4.0.1	MIT	Detect/remove browser hacks from CSS files.	Copyright (c) Ben Briggs <beneb.info@gmail.com> ( <a href="http://beneb.info">http://beneb.info</a> )
subscriptions-transport-ws	2000.9.16	MIT	A websocket transport for GraphQL subscriptions	Copyright (c) 2015 - 2016 Meteor Development Group, Inc.
subscriptions-transport-ws	2000.9.18	MIT	A websocket transport for GraphQL subscriptions	Copyright (c) 2015 - 2016 Meteor Development Group, Inc.
superagent-proxy	1.0.3	MIT	`Request#proxy(uri)` superagent extension	Copyright (c) 2013 Nathan Rajlich & nathan@tootallnate.net
superagent-proxy	2.0.0	MIT	`Request#proxy(uri)` superagent extension	Copyright (c) 2013 Nathan Rajlich & nathan@tootallnate.net
superagent	3.8.2002	MIT	elegant & feature rich browser / node HTTP with a fluent API	Copyright (c) 2014-2016 TJ Holowaychuk <tj@vision-media.ca>
superagent	3.8.2003	MIT	elegant & feature rich browser / node HTTP with a fluent API	Copyright (c) 2014-2016 TJ Holowaychuk <tj@vision-media.ca>
supports-color	2.0.0	MIT	Detect whether a terminal supports color	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

supports-color	4.5.2000	MIT	Detect whether a terminal supports color	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
supports-color	5.5.2000	MIT	Detect whether a terminal supports color	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
supports-color	6.1.2000	MIT	Detect whether a terminal supports color	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
supports-color	7.1.2000	MIT	Detect whether a terminal supports color	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
supports-color	7.2.2000	MIT	Detect whether a terminal supports color	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
supports-hyperlinks	2.1.2000	MIT	Detect if your terminal emulator supports hyperlinks	Copyright (c) James Talmage <james@talmage.io> (github.com/jamestalmage)
svgo	1.1.2001	MIT	Nodejs-based tool for optimizing SVG vector graphics files	Copyright © 2012–2016 Kir Belevich*
swap-case	1.1.2002	MIT	Swap the case of a string	Copyright (c) 2014 Blake Embrey (hello@blakeembrey.com)
sylvester	0.0.12	MIT*	node.js implementation of James Coglan's "Sylvester" matrix math library.	Copyright (c) 2011, Chris Umbel, James Coglan
sylvester	0.0.21	MIT*	node.js implementation of James Coglan's "Sylvester" matrix math library.	Copyright (c) 2011, Chris Umbel, James Coglan
symbol-observable	1.2.2000	MIT	Symbol.observable ponyfill	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com). Copyright (c) Ben Lesh <ben@benlesh.com>
symbol-tree	3.2.2002	MIT	Turn any collection of objects into its own efficient tree or linked list using Symbol	Copyright (c) 2015 Joris van der Wel
synchronous-promise	2.0.7	BSD-3-Clause	Synchronous Promise-like prototype to use in testing where you would have used an ES6 Promise	Copyright (c) 2016, Davyd McColl. All rights reserved.
table	5.2.2003	BSD-3-Clause	Formats data into a string table.	Copyright (c) 2018, Gajus Kuizinas (http://gajus.com/). All rights reserved.
tapable	1.1.2000	MIT	Just a little module for plugins.	Copyright (c) Tobias Koppers @sokra
tapable	1.1.2003	MIT	Just a little module for plugins.	Copyright (c) Tobias Koppers @sokra
tar-stream	1.6.2001	MIT	tar-stream is a streaming tar parser and generator and nothing else. It is streams2 and operates purely using streams which means you can easily extract/parse tarballs without ever hitting the file system.	Copyright (c) 2014 Mathias Buus
tar	3.2.2001	ISC	tar for node	Copyright (c) Isaac Z. Schlueter and Contributors

tar	4.4.13	ISC	tar for node	Copyright (c) Isaac Z. Schlueter and Contributors
term-size	1.2.2000	MIT	Reliably get the terminal window size (columns & rows)	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
terminal-link	2.1.2001	MIT	Create clickable links in the terminal	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
terser-webpack-plugin	1.3.2000	MIT	Terser plugin for webpack	Copyright JS Foundation and other contributors
terser	4.1.2002	BSD-2-Clause	JavaScript parser, mangler/compressor and beautifier toolkit for ES6+	Copyright 2012-2018 (c) Mihai Bazon <mihai.bazon@gmail.com>
test-exclude	5.2.2003	ISC	test for inclusion or exclusion of paths using pkg-conf and globs	Copyright (c) 2016, Contributors
test-exclude	6.0.0	ISC	test for inclusion or exclusion of paths using globs	Copyright (c) 2016, Contributors
text-table	0.2.0	MIT	borderless text tables with alignment	
throat	5.0.0	MIT	Throttle the parallelism of an asynchronous (promise returning) function / functions	Copyright (c) 2013 Forbes Lindesay
throttle-debounce	2.1.2000	MIT	Throttle and debounce functions.	Copyright (c) Ivan Nikolic <http://ivannikolic.com>*
throttleit	1.0.0	MIT	Throttle a function	
through2	2.0.5	MIT	A tiny wrapper around Node streams2 Transform to avoid explicit subclassing noise	
thunkify	2.1.2002	MIT	Turn callbacks, arrays, generators, generator functions, and promises into a thunk	
thunky	1.0.3	MIT	delay the evaluation of a paramless async function and cache the result	Copyright (c) 2018 Mathias Buus
timed-out	4.0.1	MIT	Emit `ETIMEDOUT` or `ESOCKETTIMEDOUT` when ClientRequest is hanged	Copyright (c) Vsevolod Strukchinsky <floatdrop@gmail.com>
timers-browserify	2.0.10	MIT	timers module for browserify	
timsort	0.3.0	MIT	TimSort: Fast Sorting for Node.js	Copyright (c) 2015 Marco Ziccardi
tiny-emitter	2.0.2	MIT	A tiny (less than 1k) event emitter library	Copyright (c) 2017 Scott Corgan
tinycolor2	1.4.2001	MIT	Fast Color Parsing and Manipulation	Copyright (c), Brian Grinstead, http://briangrinstead.com
title-case	1.1.2002	MIT	Title case a string	Copyright (c) 2014 Blake Embrey (hello@blakeembrey.com)
tmp	0.1.0	MIT	Temporary file and directory creator	Copyright (c) 2014 KARASZI István
tmpl	1.0.4	BSD-3-Clause	JavaScript micro templates.	Copyright (c) 2014, Naitik Shah. All rights reserved.
to-arraybuffer	1.0.1	MIT	Get an ArrayBuffer from a Buffer as fast as possible	Copyright (c) 2016 John Hiesey

to-buffer	1.1.2001	MIT	Pass in a string, get a buffer back. Pass in a buffer, get the same buffer back	Copyright (c) 2016 Mathias Buus
to-fast-properties	2.0.0	MIT	Force V8 to use fast properties for an object	Copyright (c) 2014 Petka Antonov. 2015 Sindre Sorhus
to-object-path	0.3.0	MIT	Create an object path from a list or array of strings.	Copyright (c) 2015-2016, Jon Schlinkert.
to-regex-range	2.1.2001	MIT	Pass two numbers, get a regex-compatible source string for matching ranges. Validated against more than 2.78 million test assertions.	Copyright (c) 2015-2017, Jon Schlinkert
to-regex-range	5.0.1	MIT	Pass two numbers, get a regex-compatible source string for matching ranges. Validated against more than 2.78 million test assertions.	Copyright (c) 2015-present, Jon Schlinkert.
to-regex	3.0.2	MIT	Generate a regex from a string or array of strings.	Copyright (c) 2016-2018, Jon Schlinkert.
toidentifier	1.0.0	MIT	Convert a string of words to a JavaScript identifier	Copyright (c) 2016 Douglas Christopher Wilson <doug@somethingdoug.com>
topo	1.1.2000	BSD-3-Clause	Topological sorting with grouping support	Copyright (c) 2012-2014, Walmart and other contributors.. All rights reserved.
toposort	1.0.6	MIT	Topological sort of directed asyclic graphs (like dependency lists)	
toposort	2.0.2	MIT	Topological sort of directed asyclic graphs (like dependency lists)	
touch	3.1.2000	ISC	like touch(1) in node	Copyright (c) Isaac Z. Schlueter
tough-cookie	2.4.2003	BSD-3-Clause	RFC6265 Cookies and Cookie Jar for node.js	Copyright (c) 2015, Salesforce.com, Inc.. All rights reserved.
tough-cookie	2.5.2000	BSD-3-Clause	RFC6265 Cookies and Cookie Jar for node.js	Copyright (c) 2015, Salesforce.com, Inc.. All rights reserved.
tough-cookie	3.0.1	BSD-3-Clause	RFC6265 Cookies and Cookie Jar for node.js	Copyright (c) 2015, Salesforce.com, Inc.. All rights reserved.
tr46	1.0.1	MIT	An implementation of the Unicode TR46 spec	Copyright (c) 2016 Sebastian Mayr
trim-right	1.0.1	MIT	Similar to String#trim() but removes only whitespace on the right	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
tryer	1.0.0	MIT	Because everyone loves a tryer! Conditional and repeated task invocation for node and browser.	Copyright © 2013, 2017 Phil Booth
ts-invariant	2000.2.1	MIT	TypeScript implementation of invariant (condition, message)	Copyright (c) 2019 Apollo GraphQL



ts-invariant	2000.3.3	MIT	TypeScript implementation of invariant (condition, message)	Copyright (c) 2019 Apollo GraphQL
ts-invariant	2000.4.4	MIT	TypeScript implementation of invariant (condition, message)	Copyright (c) 2019 Apollo GraphQL
ts-loader	6.0.4	MIT	TypeScript loader for webpack	Copyright (c) 2015 TypeStrong
ts-md5	1.2.2007	MIT	TypeScript MD5 implementation	
ts-node	9.0.0	MIT	TypeScript execution environment and REPL for node.js, with source map support	Copyright (c) 2014 Blake Embrey (hello@blakeembrey.com)
tslib	1.11.2001	Apache-2.0	Runtime library for TypeScript helper functions	
tslib	1.13.0	0BSD	Runtime library for TypeScript helper functions	Copyright (c) Microsoft Corporation.
tslib	1.9.2003	Apache-2.0	Runtime library for TypeScript helper functions	
tsutils	3.17.1	MIT	utilities for working with typescript's AST	Copyright (c) 2017 Klaus Meinhardt
tty-browserify	0.0.0	MIT	the tty module from node core for browsers	
tunnel-agent	0.6.0	Apache-2.0	HTTP proxy tunneling agent. Formerly part of mikeal/request, now a standalone module.	
tweetnacl	0.14.5	Unlicense	Port of TweetNaCl cryptographic library to JavaScript	
type-check	2000.3.2	MIT	type-check allows you to check the types of JavaScript values at runtime with a Haskell like type syntax.	Copyright (c) George Zahariev
type-check	0.4.0	MIT	type-check allows you to check the types of JavaScript values at runtime with a Haskell like type syntax.	Copyright (c) George Zahariev
type-detect	4.0.8	MIT	Improved typeof detection for node.js and the browser.	Copyright (c) 2013 Jake Luer <jake@alogicalparadox.com> (http://alogicalparadox.com)
type-fest	0.11.0	(MIT OR CC0-1.0)	A collection of essential TypeScript types	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
type-fest	0.6.0	(MIT OR CC0-1.0)	A collection of essential TypeScript types	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
type-fest	2000.8.1	(MIT OR CC0-1.0)	A collection of essential TypeScript types	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

type-is	1.6.18	MIT	Infer the content-type of a request.	Copyright (c) 2014 Jonathan Ong <me@jongleberry.com>. Copyright (c) 2014-2015 Douglas Christopher Wilson <doug@somethingdoug.com>
typedarray-to-buffer	3.1.2005	MIT	Convert a typed array to a Buffer without a copy	Copyright (c) Feross Aboukhadijeh
typedarray	0.0.6	MIT	TypedArray polyfill for old browsers	
typescript	3.9.2007	Apache-2.0	TypeScript is a language for application scale JavaScript development	
uglify-js	2.8.29	BSD-2-Clause	JavaScript parser, mangler/compressor and beautifier toolkit	Copyright 2012-2013 (c) Mihai Bazon <mihai.bazon@gmail.com>
uglify-js	3.3.2003	BSD-2-Clause	JavaScript parser, mangler/compressor and beautifier toolkit	Copyright 2012-2013 (c) Mihai Bazon <mihai.bazon@gmail.com>
uglify-to-browserify	1.0.2	MIT	A transform to make UglifyJS work in browserify.	Copyright (c) 2013 Forbes Lindesay
undefsafe	2.0.2	MIT	Undefined safe way of extracting object properties	Copyright © 2016 Remy Sharp, http://remysharp.com <remy@remysharp.com>
underscore	1.4.2004	MIT*	JavaScript's functional programming helper library.	Copyright (c) 2009-2013 Jeremy Ashkenas, DocumentCloud
underscore	1.8.2003	MIT	JavaScript's functional programming helper library.	Copyright (c) 2009-2015 Jeremy Ashkenas, DocumentCloud and Investigative. Reporters & Editors
underscore	1.9.2001	MIT	JavaScript's functional programming helper library.	Copyright (c) 2009-2018 Jeremy Ashkenas, DocumentCloud and Investigative. Reporters & Editors
unfetch	4.2.2000	MIT	Bare minimum fetch polyfill in 500 bytes	Copyright (c) 2017 Jason Miller
unicode-canonical-property-names-ecmascript	1.0.4	MIT	The set of canonical Unicode property names supported in ECMAScript RegExp property escapes.	Copyright Mathias Bynens <https://mathiasbynens.be/>
unicode-match-property-ecmascript	1.0.4	MIT	Match a Unicode property or property alias to its canonical property name per the algorithm used for RegExp Unicode property escapes in ECMAScript.	Copyright Mathias Bynens <https://mathiasbynens.be/>
unicode-match-property-value-ecmascript	1.2.2000	MIT	Match a Unicode property or property alias to its canonical property name per the algorithm used for RegExp Unicode property escapes in ECMAScript.	Copyright Mathias Bynens <https://mathiasbynens.be/>
unicode-property-aliases-ecmascript	1.1.2000	MIT	Unicode property alias mappings in JavaScript format for property names that are supported in ECMAScript RegExp property escapes.	Copyright Mathias Bynens <https://mathiasbynens.be/>

union-value	1.0.1	MIT	Set an array of unique values as the property of an object. Supports setting deeply nested properties using object-paths/dot notation.	Copyright (c) 2015-2017, Jon Schlinkert
uniq	1.0.1	MIT	Removes duplicates from a sorted array in place	Copyright (c) 2013 Mikola Lysenko
uniqs	2.0.0	MIT	Tiny utility to create unions and de-duplicated lists	
unique-filename	1.1.2001	ISC	Generate a unique filename for use in temporary directories or caches.	Copyright npm, Inc
unique-slug	2.0.2	ISC	Generate a unique character string suitable for use in files and URLs.	Copyright npm, Inc
unique-string	1.0.0	MIT	Generate a unique random string	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
universalify	2000.1.2	MIT	Make a callback- or promise-based function support both promises and callbacks.	Copyright (c) 2017, Ryan Zimmerman <opensrc@ryanzim.com>
unload	2.2.2000	Apache-2.0	Execute code when the js-process exits. On all javascript-environments	Copyright 2015-2016 Netflix, Inc., Microsoft Corp. and contributors
unpipe	1.0.0	MIT	Unpipe a stream from all destinations	Copyright (c) 2015 Douglas Christopher Wilson <doug@somethingdoug.com>
unquote	1.1.2001	MIT	Remove wrapping quotes from a string.	Copyright (c) 2017 Cameron Lakenen
unset-value	1.0.0	MIT	Delete nested properties from an object using dot notation.	Copyright (c) 2015, 2017, Jon Schlinkert
untildify	4.0.0	MIT	Convert a tilde path to an absolute path: `~/dev` → `/Users/sindresorhus/dev`	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
unzip-response	2.0.1	MIT	Unzip a HTTP response if needed	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
upath	1.2.2000	MIT	A proxy to `path`, replacing `\\` with `\/` for all results & new methods to normalize & join keeping leading `./` and add, change, default, trim file extensions.	Copyright(c) 2014-2019 Angelos Pikoulas (angelos.pikoulas@gmail.com)
update-notifier	2.5.2000	BSD-2-Clause	Update notifications for your CLI app	Copyright Google
upper-case-first	1.1.2002	MIT	Upper case the first character of a string	Copyright (c) 2014 Blake Embrey (hello@blakeembrey.com)
upper-case	1.1.2003	MIT	Upper case a string	Copyright (c) 2014 Blake Embrey (hello@blakeembrey.com)

uri-js	4.2.2002	BSD-2-Clause	An RFC 3986/3987 compliant, scheme extendable URI/IRI parsing/validating/resolving library for JavaScript.	Copyright 2011 Gary Court. All rights reserved.
urix	0.1.0	MIT	Makes Windows-style paths more unix and URI friendly.	Copyright (c) 2013 Simon Lydell
url-parse-lax	1.0.0	MIT	url.parse() with support for protocol-less URLs & IPs	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
url-parse	1.4.2007	MIT	Small footprint URL parser that works seamlessly across Node.js and browser environments	Copyright (c) 2015 Unshift.io, Arnout Kazemier, the Contributors.
url	2000.10.3	MIT	The core `url` packaged standalone for use with Browserify.	Copyright Joyent, Inc. and other Node contributors.
url	0.11.0	MIT	The core `url` packaged standalone for use with Browserify.	Copyright Joyent, Inc. and other Node contributors.
use	3.1.2001	MIT	Easily add plugin support to your node.js application.	Copyright (c) 2015-present, Jon Schlinkert.
util-deprecate	1.0.2	MIT	The Node.js `util.deprecate()` function with browser support	Copyright (c) 2014 Nathan Rajlich <nathan@tootallnate.net>
util.promisify	1.0.0	MIT	Polyfill/shim for util.promisify in node versions < v8	Copyright (c) 2017 Jordan Harband
util	2000.10.3	MIT	Node.JS util module	Copyright Joyent, Inc. and other Node contributors. All rights reserved.. Permission is hereby granted, free of charge, to any person obtaining a copy. of this software and associated documentation files (the "Software"), to. deal in the Software without restriction, including without limitation the. rights to use, copy, modify, merge, publish, distribute, sublicense, and/or. sell copies of the Software, and to permit persons to whom the Software is. furnished to do so, subject to the following conditions:
util	2000.11.1	MIT	Node.JS util module	Copyright Joyent, Inc. and other Node contributors. All rights reserved.. Permission is hereby granted, free of charge, to any person obtaining a copy. of this software and associated documentation files (the "Software"), to. deal in the Software without restriction, including without limitation the. rights to use, copy, modify, merge, publish, distribute, sublicense, and/or. sell copies of the Software, and to permit persons to whom the Software is. furnished to do so, subject to the following conditions:
utila	2000.3.3	MIT	notareplacementforunderscore	
utila	0.4.0	MIT	notareplacementforunderscore	Copyright (c) 2014 Aria Minaei
utils-merge	1.0.1	MIT	merge() utility function	Copyright (c) 2013-2017 Jared Hanson

uuid-parse	1.0.0	MIT	RFC4122 UUID parser	Copyright (c) 2010-2012 Robert Kieffer
uuid	3.3.2002	MIT	RFC4122 (v1, v4, and v5) UUIDs	Copyright (c) 2010-2016 Robert Kieffer and other contributors
uuid	3.3.2003	MIT	RFC4122 (v1, v4, and v5) UUIDs	Copyright (c) 2010-2016 Robert Kieffer and other contributors
v-tooltip	2.0.3	ISC	Easy tooltips with Vue 2.x	Copyright (c) 2018 Guillaume Chau (alias Akryum)
v8-compile-cache	2.0.3	MIT	Require hook for automatic V8 compile cache persistence	Copyright (c) 2019 Andres Suarez
v8-compile-cache	2.2.2000	MIT	Require hook for automatic V8 compile cache persistence	Copyright (c) 2019 Andres Suarez
v8-to-istanbul	4.1.2004	ISC	convert from v8 coverage format to istanbul's format	Copyright (c) 2017, Contributors
validate-npm-package-license	3.0.4	Apache-2.0	Give me a string and I'll tell you if it's a valid npm package license string	
vary	1.1.2002	MIT	Manipulate the HTTP Vary header	Copyright (c) 2014-2017 Douglas Christopher Wilson
vendors	1.0.2	MIT	List of vendor prefixes known to the web platform	Copyright (c) 2016 Titus Wormer <tituswormer@gmail.com>
verror	1.10.2000	MIT	richer JavaScript errors	Copyright (c) 2016, Joyent, Inc. All rights reserved.
vm-browserify	1.1.2000	MIT	vm module for the browser	
vue-apollo	3.0.3	MIT	Use Apollo and GraphQL with Vue.js	
vue-clipboard2	2000.2.1	MIT	A Vuejs2 binding for clipboard.js	Copyright (c) 2017 Inndy <inndy \dot tw \at gmail \dot com>
vue-eslint-parser	7.1.2001	MIT	The ESLint custom parser for `.vue` files.	Copyright (c) 2016 Toru Nagashima
vue-hot-reload-api	2.3.2004	MIT	hot reload api for *.vue components	Copyright (c) 2015-2016 Evan You
vue-i18n	8.15.0	MIT	Internationalization plugin for Vue.js	Copyright (c) 2016 kazuya kawaguchi
vue-js-toggle-button	1.3.2003	MIT*	A toggle button component for Vue.js 2+	Copyright (c) 2017 Yev Vlasenko
vue-loader	15.7.2002	MIT	Vue single-file component loader for Webpack	Copyright (c) 2015-present Yuxi (Evan) You
vue-matomo	3.13.5-0	MIT	Link your Piwik/Matomo installation	Copyright (c) 2018 Dennis Ruhe
vue-resize	2000.4.5	MIT	Detect DOM element resizing	
vue-router-multiguard	1.0.3	MIT	Provides the ability to specify multiple guards for vue routes	Copyright (c) 2017 Atanas Angelov
vue-router	3.1.2003	MIT	Official router for Vue.js 2	Copyright (c) 2013-present Evan You
vue-scrollto	2.15.0	MIT	Adds a directive that listens for click events and scrolls to elements.	Copyright (c) 2017 Igor Randjelovic
vue-style-loader	4.1.2002	MIT	Vue.js style loader module for webpack	Copyright JS Foundation and other contributors
vue-template-compiler	2.6.11	MIT	template compiler for Vue 2.0	

vue-template-es2015-compiler	1.9.2001	MIT	Post compiler for Vue template render functions to support ES2015+ features	
vue-typed-mixins	0.2.0	MIT	Type safe Vue.js mixins	Copyright (c) 2017 katashin
vue	2.6.11	MIT	Reactive, component-oriented view layer for modern web interfaces.	Copyright (c) 2013-present, Yuxi (Evan) You
vuedraggable	2.16.0	MIT	draggable component for vue	Copyright (c) 2016 David Desmaisons
vuelidate	2000.7.4	MIT	Simple, lightweight model-based validation for Vue.js	Copyright (c) 2016 Monterail
vuex	3.1.2000	MIT	state management for Vue.js	Copyright (c) 2015-present Evan You
w3c-hr-time	1.0.1	MIT	An implementation of the W3C High Resolution Time Level 2 specification.	
w3c-keyname	1.1.2008	MIT	Get a KeyboardEvent.key-style string from an event	Copyright (C) 2016 by Marijn Haverbeke <marijnh@gmail.com> and others
w3c-xmlserializer	1.1.2002	MIT	A per-spec XML serializer implementation	
walker	1.0.7	Apache-2.0	A simple directory tree walker.	Copyright 2013 Naitik Shah
watchpack	1.6.2000	MIT	Wrapper library for directory and file watching.	Copyright JS Foundation and other contributors
wbuf	1.7.2003	MIT	Write buffer	Copyright Fedor Indutny, 2014.
web-streams-polyfill	2.0.5	MIT	Web Streams, based on the WHATWG spec reference implementation	Copyright (c) 2019 Mattias Buelens. Copyright (c) 2016 Diwank Singh Tomer
webidl-conversions	4.0.2	BSD-2-Clause	Implements the WebIDL algorithms for converting to and from JavaScript values	Copyright (c) 2014, Domenic Denicola. All rights reserved.
webpack-bundle-analyzer	2.13.1	MIT	Webpack plugin and CLI utility that represents bundle content as convenient interactive zoomable treemap	Copyright JS Foundation and other contributors
webpack-cli	3.3.2006	MIT	CLI for webpack & friends	Copyright JS Foundation and other contributors
webpack-dev-middleware	3.7.2000	MIT	A development middleware for webpack	Copyright JS Foundation and other contributors
webpack-dev-server	3.7.2002	MIT	Serves a webpack app. Updates the browser on changes.	Copyright JS Foundation and other contributors
webpack-log	2.0.0	MIT	A common logger for the webpack ecosystem	Copyright (c) 2017 webpack-contrib
webpack-modules	1.0.0	MIT	Handle ".mjs" files correctly	Copyright (c) Luke Edwards <luke.edwards05@gmail.com> (lukeed.com)
webpack-sources	1.3.2000	MIT	Source code handling classes for webpack	Copyright (c) 2017 JS Foundation and other contributors

webpack	4.35.3	MIT	Packs CommonJs/AMD modules for the browser. Allows to split your codebase into multiple bundles, which can be loaded on demand. Support loaders to preprocess files, i.e. json, jsx, es7, css, less, ... and your custom stuff.	Copyright JS Foundation and other contributors
websocket-driver	2000.7.3	Apache-2.0	WebSocket protocol handler with pluggable I/O	Copyright 2010-2019 James Cogan
websocket-extensions	2000.1.3	MIT	Generic extension manager for WebSocket connections	Copyright (c) 2014-2017 James Cogan
whatwg-encoding	1.0.3	MIT	Decode strings according to the WHATWG Encoding Standard	Copyright © 2016 Domenic Denicola <d@domenic.me>
whatwg-encoding	1.0.5	MIT	Decode strings according to the WHATWG Encoding Standard	Copyright © 2016–2018 Domenic Denicola <d@domenic.me>
whatwg-fetch	2.0.3	MIT	A window.fetch polyfill.	Copyright (c) 2014-2016 GitHub, Inc.
whatwg-fetch	2.0.4	MIT	A window.fetch polyfill.	Copyright (c) 2014-2016 GitHub, Inc.
whatwg-mimetype	2.3.2000	MIT	Parses, serializes, and manipulates MIME types, according to the WHATWG MIME Sniffing Standard	Copyright © 2017–2018 Domenic Denicola <d@domenic.me>
whatwg-url	7.0.0	MIT	An implementation of the WHATWG URL Standard's URL API and parsing machinery	Copyright (c) 2015–2016 Sebastian Mayr
which-module	2.0.0	ISC	Find the module object for something that was require(d)	Copyright (c) 2016, Contributors
which	1.3.2001	ISC	Like which(1) unix command. Find the first instance of an executable in the PATH.	Copyright (c) Isaac Z. Schlueter and Contributors
which	2.0.2	ISC	Like which(1) unix command. Find the first instance of an executable in the PATH.	Copyright (c) Isaac Z. Schlueter and Contributors
wide-align	1.1.2003	ISC	A wide-character aware text alignment function for use on the console or with fixed width fonts.	Copyright (c) 2015, Rebecca Turner <me@re-becca.org>
widest-line	2.0.0	MIT	Get the visual width of the widest line in a string - the number of columns required to display it	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
window-size	0.1.0	MIT	Reliable way to to get the height and width of the terminal/console in a node.js environment.	Copyright (c) 2014 Jon Schlinkert
word-wrap	1.2.2003	MIT	Wrap words to a specified length.	Copyright (c) 2014-2017, Jon Schlinkert

wordnet-db	3.1.2006	MIT	WordNet 3.1 Database files	
wordwrap	0.0.2	MIT*	Wrap those words. Show them at what columns to start and stop.	
wordwrap	0.0.3	MIT	Wrap those words. Show them at what columns to start and stop.	
wordwrap	1.0.0	MIT	Wrap those words. Show them at what columns to start and stop.	
worker-farm	1.7.2000	MIT	Distribute processing tasks to child processes with an über-simple API and baked-in durability & custom concurrency options.	Copyright (c) 2014 LevelUP contributors. -----
worker-loader	2.0.0	MIT	worker loader module for webpack	Copyright JS Foundation and other contributors
wrap-ansi	2.1.2000	MIT	Wordwrap a string with ANSI escape codes	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
wrap-ansi	3.0.1	MIT	Wordwrap a string with ANSI escape codes	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
wrap-ansi	5.1.2000	MIT	Wordwrap a string with ANSI escape codes	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
wrap-ansi	6.2.2000	MIT	Wordwrap a string with ANSI escape codes	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
wrappy	1.0.2	ISC	Callback wrapping utility	Copyright (c) Isaac Z. Schlueter and Contributors
write-file-atomic	2.3.2000	ISC	Write files in an atomic fashion w/configurable ownership	Copyright (c) 2015, Rebecca Turner
write-file-atomic	2.4.2001	ISC	Write files in an atomic fashion w/configurable ownership	Copyright (c) 2015, Rebecca Turner
write-file-atomic	3.0.3	ISC	Write files in an atomic fashion w/configurable ownership	Copyright (c) 2015, Rebecca Turner
write	1.0.3	MIT	Write data to a file, replacing the file if it already exists and creating any intermediate directories if they don't already exist. Thin wrapper around node's native fs methods.	Copyright (c) 2014-2017, Jon Schlinkert.
ws	4.1.2000	MIT	Simple to use, blazing fast and thoroughly tested websocket client and server for Node.js	Copyright (c) 2011 Einar Otto Stangvik <einaros@gmail.com>
ws	5.2.2002	MIT	Simple to use, blazing fast and thoroughly tested websocket client and server for Node.js	Copyright (c) 2011 Einar Otto Stangvik <einaros@gmail.com>
ws	6.1.2002	MIT	Simple to use, blazing fast and thoroughly tested websocket client and server for Node.js	Copyright (c) 2011 Einar Otto Stangvik <einaros@gmail.com>



ws	7.2.2001	MIT	Simple to use, blazing fast and thoroughly tested websocket client and server for Node.js	Copyright (c) 2011 Einar Otto Stangvik <einaros@gmail.com>
xdg-basedir	3.0.0	MIT	Get XDG Base Directory paths	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
xml-char-classes	1.0.0	MIT	Regular expressions for matching against the XML Character Classes	
xml-name-validator	3.0.0	Apache-2.0	Validates whether a string matches the production for an XML name or qualified name	
xml2js	2000.4.19	MIT	Simple XML to JavaScript object converter.	Copyright 2010, 2011, 2012, 2013. All rights reserved.
xmlbuilder	10.1.2001	MIT	An XML builder for node.js	Copyright (c) 2013 Ozgur Ozcitak
xmlbuilder	12.0.0	MIT	An XML builder for node.js	Copyright (c) 2013 Ozgur Ozcitak
xmlbuilder	9.0.7	MIT	An XML builder for node.js	Copyright (c) 2013 Ozgur Ozcitak
xmlchars	1.3.2001	MIT	Utilities for determining if characters belong to character classes defined by the XML specs.	Copyright Louis-Dominique Dubeau and contributors to xmlchars
xregexp	2.0.0	MIT	Extended JavaScript regular expressions	
xregexp	4.3.2000	MIT	Extended regular expressions	Copyright (c) 2007-present Steven Levithan < <a href="http://xregexp.com/">http://xregexp.com/</a> >
xtend	4.0.1	MIT	extend like a boss	Copyright (c) 2012-2014 Raynos.
xtend	4.0.2	MIT	extend like a boss	
y18n	4.0.0	ISC	the bare-bones internationalization library used by yargs	Copyright (c) 2015, Contributors
yallist	2.1.2002	ISC	Yet Another Linked List	Copyright (c) Isaac Z. Schlueter and Contributors
yallist	3.1.2001	ISC	Yet Another Linked List	Copyright (c) Isaac Z. Schlueter and Contributors
yargs-parser	11.1.2001	ISC	the mighty option parser used by yargs	Copyright (c) 2016, Contributors
yargs-parser	13.0.0	ISC	the mighty option parser used by yargs	Copyright (c) 2016, Contributors
yargs-parser	13.1.2001	ISC	the mighty option parser used by yargs	Copyright (c) 2016, Contributors
yargs-parser	18.1.2003	ISC	the mighty option parser used by yargs	Copyright (c) 2016, Contributors
yargs	12.0.5	MIT	yargs the modern, pirate-themed, successor to optimist.	Copyright 2010 James Halliday (mail@substack.net). Modified work Copyright 2014 Contributors (ben@npmjs.com)
yargs	13.2.2001	MIT	yargs the modern, pirate-themed, successor to optimist.	Copyright 2010 James Halliday (mail@substack.net). Modified work Copyright 2014 Contributors (ben@npmjs.com)
yargs	13.2.2004	MIT	yargs the modern, pirate-themed, successor to optimist.	Copyright 2010 James Halliday (mail@substack.net). Modified work Copyright 2014 Contributors (ben@npmjs.com)

yargs	15.4.2001	MIT	yargs the modern, pirate-themed, successor to optimist.	Copyright 2010 James Halliday (mail@substack.net); Modified work Copyright 2014 Contributors (ben@npmjs.com)
yargs	3.10.2000	MIT	Light-weight option parsing with an argv hash. No optstrings attached.	Copyright 2010 James Halliday (mail@substack.net)
yauzl	2.10.2000	MIT	yet another unzip library for node	Copyright (c) 2014 Josh Wolfe
yn	3.1.2001	MIT	Parse yes/no like values	Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
yup	0.27.0	MIT	Dead simple Object schema validation	Copyright (c) 2014 Jason Quense
zen-observable-ts	2000.8.18	MIT	An Implementation of ES Observables in Typescript	Copyright (c) 2018 zenparsing (Kevin Smith). Copyright (c) 2016 - 2018 Meteor Development Group, Inc.
zen-observable-ts	2000.8.20	MIT	An Implementation of ES Observables in Typescript	Copyright (c) 2018 zenparsing (Kevin Smith). Copyright (c) 2016 - 2018 Meteor Development Group, Inc.
zen-observable-ts	2000.8.21	MIT	An Implementation of ES Observables in Typescript	Copyright (c) 2018 zenparsing (Kevin Smith). Copyright (c) 2016 - 2018 Meteor Development Group, Inc.
zen-observable	2000.6.1	MIT	An Implementation of ES Observables	Copyright (c) 2015 zenparsing (Kevin Smith)
zen-observable	2000.8.15	MIT	An Implementation of ES Observables	Copyright (c) 2018 zenparsing (Kevin Smith)
zip-stream	1.2.2000	MIT	a streaming zip archive generator.	Copyright (c) 2014 Chris Talkington, contributors.